

Generated by elijahsheridan on 29 September 2020, 16:40:19

This report has been generated automatically by Madanalysis 5.

Please cite:

E. Conte, B. Fuks and G. Serret,

MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology, Comput. Phys. Commun. **184** (2013) 222-256, arXiv:1206.1599 [hep-ph].

To contact us:

 ${\bf http://madanalysis.irmp.ucl.ac.be} \\ {\bf ma5team@iphc.cnrs.fr} \\$

Contents Setup 2 1.1 Command history 1.2 Configuration 3 Datasets 4 2.1signal 4 2.2 $bg_vbf_0_100$ 4 2.3 $bg_vbf_100_200$ 4 2.4 $bg_vbf_200_400$ 5 $bg_vbf_400_600$ 2.55 6 2.6 bg_vbf_600_800 $2.7 ext{ bg_vbf_}800_1200$ 6 bg_vbf_1200_1600 7 2.8 2.9 bg_vbf_1600_inf 7 $2.10 \ bg_dip_0_100$ 7 $2.11 \ \ \mathrm{bg_dip_100_200}$ 8 2.12 bg dip 200 4008 2.13 bg dip 400 600 9 $2.14 \ \ bg_dip_600_800$ 9 9 $2.15 \ \text{bg_dip_}800_1200$ $2.16 \ \ bg_dip_1200_1600$ 10 $2.17 \hspace{0.1in} bg_dip_1600_inf$ 10 Histos and cuts 11 3.1 Cut 1 11 **12** Summary 4.1 Cut-flow charts 12

1 Setup

1.1 Command history

```
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/optimization/-
ma_scripts
ma5># set directory where running "./bin/ma5"
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data
# need to change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40
ma5>set main.fom.formula = 5
ma5>set main.fom.x = 0.0
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
on_discovery_contour/ma100MeV_L2pt2TeV_deta2.lhe.gz as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5># define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
```

```
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
ma5>set bg_vbf_600_800.type = background
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5>select ((sdETA(jets[1] jets[2]) > 3.6 or sdETA(jets[1] jets[2]) < -3.6) and M(jets[1]
jets[2]) > 1500) and (PT(a[1]) > 300 and M(a[1] a[2]) > 500)
ma5>submit disc_contour_sdEta3.6_mjj1500
```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb⁻¹.

2 Datasets

2.1 signal

 \bullet Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization studies/disc_contour_jet_optimization .

• Sample consisting of: signal events.

• Generated events: 100000 events.

• Normalization to the luminosity: 69+/-1 events.

• Ratio (event weight): 0.00069.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
axion_pheno/-	100000	0.00174 @ 0.094%	0.0
$madgraph_data/axion_signal/-$	100000	0.00174 @ 0.09470	0.0
on_discovery_contour/-			
$ma100 MeV_L2pt2 TeV_deta2.lhe.gz$			

$\mathbf{2.2} \quad \mathbf{bg_vbf_0_100}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization\ .$

• Sample consisting of: background events.

• Generated events: 1000000 events.

 \bullet Normalization to the luminosity: 12150+/- 24 $\,$ events.

• Ratio (event weight): 0.012 .

		Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht 0 1	0.304 @ 0.19%	0.0

$\mathbf{2.3} \quad \mathbf{bg_vbf_100_200}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization\ .$

• Sample consisting of: background events.

• Generated events: 965662 events.

 \bullet Normalization to the luminosity: 9695+/- 17 $\,$ events.

• Ratio (event weight): 0.01.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

$2.4 \quad bg_vbf_200_400$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization\ .$

• Sample consisting of: background events.

• Generated events: 984165 events.

 \bullet Normalization to the luminosity: 5413+/- 11 events.

• Ratio (event weight): 0.0055.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	004165	0.127 @ 0.207	0.0
vbf_diphoton_background_data/-	984165	0.135 @ 0.2%	0.0
$\mathrm{merged_lhe/-}$			
vbf_diphoton_background_ht_200_			

$\mathbf{2.5} \quad \mathbf{bg_vbf_400_600}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization\ .$

• Sample consisting of: background events.

• Generated events: 1000000 events.

• Normalization to the luminosity: 986+/-2 events.

 \bullet Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

$2.6 \quad \mathrm{bg_vbf_600_800}$

- $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 252+/-1 events.
- Ratio (event weight): 0.00025 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.7 bg_vbf_800_1200

- \bullet Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization studies/disc_contour_jet_optimization .
- Sample consisting of: background events.
- \bullet Generated events: 400839 events.
- Normalization to the luminosity: 114+/- 1 events.
- \bullet Ratio (event weight): 0.00028.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	400020	0.00287 @ 0.16%	0.0
vbf_diphoton_background_data/-	400839	0.00207 @ 0.10%	0.0
merged_lhe/-			
vbf_diphoton_background_ht_800_			

$2.8 \quad \ \, bg_vbf_1200_1600$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/disc_contour_jet_optimization \ .$

• Sample consisting of: background events.

• Generated events: 953803 events.

• Normalization to the luminosity: 20+/- 1 events.

• Ratio (event weight): 2.1e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	052002	0.000515 @ 0.16%	0.0
vbf_diphoton_background_data/-	953803	0.000313 @ 0.10%	0.0
$merged_lhe/-$			
vbf_diphoton_background_ht_1200			

2.9 bg vbf 1600 inf

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization\ .$

• Sample consisting of: background events.

 \bullet Generated events: 270148 events.

• Normalization to the luminosity: 7+/-1 events.

• Ratio (event weight): 2.6e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

$2.10 \quad \text{bg dip } 0 \quad 100$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$

• Sample consisting of: background events.

• Generated events: 1040000 events.

 \bullet Normalization to the luminosity: 2710847+/- 4614 events.

• Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	1040000	67.8 @ 0.17%	0.0
diphoton_double_isr_background_o	1040000	07.8 @ 0.1770	0.0
$merged_lhe/-$			
diphoton_double_isr_background_l			

2.11 bg dip 100 200

- $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 1095362+/- 1528 events.
- Ratio (event weight): 1.1 warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	1040000	27.4 @ 0.14%	0.0
diphoton_double_isr_background_d	1040000	27.4 @ 0.14%	0.0
$merged_lhe/-$			
diphoton_double_isr_background_l			

$2.12 \quad \ \, \text{bg_dip_200_400}$

- $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$
- Sample consisting of: background events.
- \bullet Generated events: $1040000\,$ events.
- Normalization to the luminosity: 239548+/- 414 events.
- Ratio (event weight): 0.23 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	1040000	5.99 @ 0.17%	0.0
diphoton_double_isr_background_d	1040000	5.99 @ 0.1770	0.0
$\mathrm{merged_lhe/-}$			
diphoton double isr background b			

$2.13 \quad bg_dip_400_600$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/disc_contour_jet_optimization \ .$

• Sample consisting of: background events.

• Generated events: 1040000 events.

• Normalization to the luminosity: 28798+/- 53 events.

• Ratio (event weight): 0.028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	1040000	0.72 @ 0.18%	0.0
diphoton_double_isr_background_o	1040000	0.72 @ 0.18%	0.0
$\mathrm{merged_lhe/-}$			
diphoton_double_isr_background_l			

2.14 bg dip 600 800

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization\ .$

• Sample consisting of: background events.

 \bullet Generated events: 662009 events.

• Normalization to the luminosity: 6674+/- 28 events.

• Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
MG5_aMC_v2_6_5/- axion pheno/madgraph data/-			
diphoton double isr background of	662009	0.167 @ 0.41%	0.0
merged_lhe/-			
diphoton_double_isr_background_l			

2.15 bg dip 800 1200

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$

• Sample consisting of: background events.

• Generated events: 1040000 events.

• Normalization to the luminosity: 2942+/- 6 events.

• Ratio (event weight): 0.0028.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	1040000	0.0736 @ 0.17%	0.0
diphoton_double_isr_background_d	1040000	0.0730 @ 0.1770	0.0
$\mathrm{merged_lhe/-}$			
diphoton_double_isr_background_l			

$2.16 \quad \ \, \text{bg_dip_1200_1600}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$

• Sample consisting of: background events.

• Generated events: 337115 events.

• Normalization to the luminosity: 513+/-3 events.

• Ratio (event weight): 0.0015.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	337115	0.0128 @ 0.51%	0.0
diphoton_double_isr_background_o	337113	0.0128 @ 0.5170	0.0
$\mathrm{merged_lhe/-}$			
diphoton_double_isr_background_l			

$2.17 \quad \ \, \text{bg_dip_1600_inf}$

 $\bullet \ Samples \ stored \ in \ the \ directory: \ /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/post_optimization_studies/disc_contour_jet_optimization \ .$

• Sample consisting of: background events.

• Generated events: 1040000 events.

• Normalization to the luminosity: 187+/- 1 events.

• Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-			
$MG5_aMC_v2_6_5/-$			
$axion_pheno/madgraph_data/-$	1040000	0.00469 @ 0.15%	0.0
diphoton_double_isr_background_d	1040000	0.00409 @ 0.1070	0.0
$\mathrm{merged_lhe/-}$			
diphoton_double_isr_background_l			

3 Histos and cuts

3.1 Cut 1

* Cut: select ((sdETA (jets[1] jets[2]) > 3.6 or sdETA (jets[1] jets[2]) < -3.6) and M (jets[1] jets[2]) > 1500.0) and (PT (a[1]) > 300.0 and M (a[1] a[2]) > 500.0)

Dataset	Events kept: K	Rejected events:	Efficiency: $K / (K + R)$	Cumul. efficiency: K / Initial
signal	12.05 + /- 3.16	57.40 +/- 3.16	0.1735 + / - 0.0454	0.1735 + / - 0.0454
bg_vbf_0_10	0.0 +/- 0.0	12150.3 + / - 23.1	0.0 +/- 0.0	0.0 +/- 0.0
bg_vbf_100_	0.372 +/- 0.610	9695.0 +/- 16.6	3.83e-05 $+/$ - 6.29 e-05	$egin{array}{cccccccccccccccccccccccccccccccccccc$
bg_vbf_200_	2.92 +/- 1.71	5410.3 +/- 11.0	0.000539 +/- 0.000315	0.000539 +/- 0.000315
bg_vbf_400_	3.29 + / - 1.81	983.56 +/- 2.27	0.00333 + / - 0.00183	0.00333 + / - 0.00183
bg_vbf_600_	1.51 + /- 1.22	250.57 + /- 1.26	0.00597 + / - 0.00485	0.00597 + / - 0.00485
bg_vbf_800_	0.6 + / - 0.8	114.162 +/-0.793	0.00523 + / - 0.00673	0.00523 + / - 0.00673
bg_vbf_1200_	0.0537 + / - 0.2314	20.542 + / - 0.234	0.00261 + / - 0.01124	0.00261 + / - 0.01124
bg_vbf_1600_	0.00562 +/- 0.07493	7.6529 + / - 0.0754	$egin{array}{ccc} 0.000734 & +/- \ 0.009783 & +/- \end{array}$	$egin{array}{ccc} 0.000734 & +/- \ 0.009783 & +/- \end{array}$
bg_dip_0_10	0.0 +/- 0.0	2710847 +/- 4613	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_100_	0.0 +/- 0.0	1095362 + / - 1527	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_200_	2.30 +/- 1.52	239546 +/- 413	9.62e-06 +/- 6.34e-06	9.62e-06 +/- 6.34e- 06
bg_dip_400_	3.96 +/- 1.99	28794.7 +/- 52.2	1.37e-04 +/- 6.91e-05	1.37e-04 +/- 6.91e-05
bg_dip_600_	1.98 +/- 1.41	6672.4 +/- 27.6	0.000296 +/- 0.000211	0.000296 +/- 0.000211
bg_dip_800_	0.996 +/- 0.998	2941.34 +/- 5.15	0.000338 +/- 0.000339	0.000338 +/- 0.000339
bg_dip_1200_	0.0884 +/- 0.2972	513.42 +/- 2.65	0.000172 +/- 0.000579	0.000172 +/- 0.000579
bg_dip_1600_	0.00849 +/- 0.09212	187.775 +/- 0.293	4.52e-05 +/- 4.91e-04	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

4 Summary

4.1 Cut-flow charts

- \bullet How to compare signal (S) and background (B): S/sqrt(S+B+(xB)**2) .
- \bullet Object definition selections are indicated in cyan.
- $\bullet\,$ Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	69.4462 +/- 0.0651	4113516 +/- 4877	$3.42 e ext{-}02 +/ ext{-} 3.80 e ext{-}05$
SEL: (($sdETA$ ($jets[1]$ $jets[2]$) > 3.6 or $sdETA$	12.05 +/- 3.16	18.07 +/- 4.25	2.195 +/- 0.485