The LaTeX report

Generated by elijahsheridan on 22 March 2020, 22:19:49

This report has been generated automatically by MadAnalysis 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

Contents

1 Setup

1.1 Command history

```
ma5># set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data # need to
change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 3000.0
ma5>set main.SBratio = 'S/sqrt(S+B)'
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/axion_signal/axion_signal_gurrola_cuts_
as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/vbf_diphoton_background_data/-
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/diphoton_double_isr_background_data/-
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5># define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
```

```
ma5>set bg_vbf_600_800.type = background
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># define weights for the samples
ma5>#set sample_1.weight = 1
ma5>#set sample_2.weight = 1
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5># reduce contribution from V+Zp ==> jj+Zp
ma5>select sdETA(jets[1] jets[2]) > 3.6 and M(jets[1] jets[2]) > 1250
ma5>submit lum_probe_3000_tight
```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).

- Histograms given for an integrated luminosity of 3000.0fb^{-1}.

2 Datasets

2.1 signal

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: signal events.

- Generated events: 1000000 events.

- Normalization to the luminosity: 307056+/- 85 events.

- Ratio (event weight): 0.31 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/axion_signal/-axion_signal_gurrola_cuts_1MeV.lh	1000000	0.102 @ 0.028%	0.0

2.2 bg_vbf_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1000000 events.

- Normalization to the luminosity: 911274+/- 1733 events.

- Ratio (event weight): 0.91 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_0_10	1000000	0.304 @ 0.19%	0.0

2.3 bg_vbf_100_200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 965662 events.

- Normalization to the luminosity: 727149+/- 1245 events.

- Ratio (event weight): 0.75 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

2.4   bg_vbf_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 984165 events.

- Normalization to the luminosity: 405994+/- 819 events.

- Ratio (event weight): 0.41 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_200_	984165	0.135 @ 0.2%	0.0

2.5   bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1000000 events.

- Normalization to the luminosity: 74013+/- 104 events.

- Ratio (event weight): 0.074 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

2.6 bg_vbf_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1000000 events.

- Normalization to the luminosity: 18905+/- 24 events.

- Ratio (event weight): 0.019 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.7 bg_vbf_800_1200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 400839 events.

- Normalization to the luminosity: 8607+/- 14 events.

- Ratio (event weight): 0.021 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_800_	400839	0.00287 @ 0.16%	0.0

2.8 bg_vbf_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 953803 events.

- Normalization to the luminosity: 1544+/- 3 events.

- Ratio (event weight): 0.0016 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1200	953803	0.000515 @ 0.16%	0.0

2.9   bg_vbf_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 270148 events.
- Normalization to the luminosity: 574+/- 1 events.
- Ratio (event weight): 0.0021 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

2.10   bg_dip_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 203313540+/- 345993 events.
- Ratio (event weight): 195 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_d merged_lhe/- diphoton_double_isr_background_l	1040000	67.8 @ 0.17%	0.0

2.11 bg_dip_100_200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1040000 events.

- Normalization to the luminosity: 82152210+/- 114532 events.

- Ratio (event weight): 78 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	27.4 @ 0.14%	0.0

2.12 bg_dip_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1040000 events.

- Normalization to the luminosity: 17966163+/- 31035 events.

- Ratio (event weight): 17 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	5.99 @ 0.17%	0.0

2.13 bg_dip_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1040000 events.

- Normalization to the luminosity: 2159901+/- 3916 events.

- Ratio (event weight): 2.1 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.72 @ 0.18%	0.0

2.14 bg_dip_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/- optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 662009 events.

- Normalization to the luminosity: 500577+/- 2070 events.

- Ratio (event weight): 0.76 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	662009	0.167 @ 0.41%	0.0

2.15 bg_dip_800_1200

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/- optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1040000 events.

- Normalization to the luminosity: 220675+/- 380 events.

- Ratio (event weight): 0.21 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.0736 @ 0.17%	0.0

2.16 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 337115 events.

- Normalization to the luminosity: 38512+/- 198 events.

- Ratio (event weight): 0.11 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	337115	0.0128 @ 0.51%	0.0

2.17 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_data/-optimization/dEta_mmjj_cuts_plots .

- Sample consisting of: background events.

- Generated events: 1040000 events.

- Normalization to the luminosity: 14083+/- 21 events.

- Ratio (event weight): 0.014 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_data/-diphoton_double_isr_background_c merged_lhe/-diphoton_double_isr_background_l	1040000	0.00469 @ 0.15%	0.0

3 Histos and cuts

3.1 Cut 1

* Cut: select sdETA (jets[1] jets[2]) > 3.6 and M (jets[1] jets[2]) > 1250.0

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	30395 +/- 165	276660 +/- 182	0.098991 +/- 0.000539	0.098991 +/- 0.000539
bg_vbf_0_10	7715.4 +/- 88.7	903558 +/- 1720	8.47e-03 +/- 9.60e-05	8.47e-03 +/- 9.60e-05
bg_vbf_100_	35835 +/- 194	691314 +/- 1197	0.049282 +/- 0.000254	0.049282 +/- 0.000254
bg_vbf_200_	43027 +/- 214	362967 +/- 757	0.105979 +/- 0.000483	0.105979 +/- 0.000483
bg_vbf_400_	10257.1 +/- 95.1	63756 +/- 129	0.13858 +/- 0.00127	0.13858 +/- 0.00127
bg_vbf_600_	1787.9 +/- 40.3	17117.9 +/- 45.6	0.09457 +/- 0.00213	0.09457 +/- 0.00213
bg_vbf_800_	452.4 +/- 20.7	8154.8 +/- 24.4	0.05256 +/- 0.00241	0.05256 +/- 0.00241
bg_vbf_1200_	25.20 +/- 4.98	1519.48 +/- 5.57	0.01631 +/- 0.00322	0.01631 +/- 0.00322
bg_vbf_1600_	1.85 +/- 1.36	572.5 +/- 1.5	0.00323 +/- 0.00237	0.00323 +/- 0.00237
bg_dip_0_10	8795.2 +/- 95.0	203304744 +/- 345978	4.33e-05 +/- 4.61e-07	4.33e-05 +/- 4.61e-07
bg_dip_100_	37204 +/- 199	82115005 +/- 114479	4.53e-04 +/- 2.35e-06	4.53e-04 +/- 2.35e-06
bg_dip_200_	61065 +/- 268	17905097 +/- 30929	3.40e-03 +/- 1.37e-05	3.40e-03 +/- 1.37e-05
bg_dip_400_	21974 +/- 152	2137926 +/- 3878	1.02e-02 +/- 6.83e-05	1.02e-02 +/- 6.83e-05
bg_dip_600_	3342.4 +/- 59.3	497234 +/- 2056	0.006677 +/- 0.000115	0.006677 +/- 0.000115
bg_dip_800_	816.7 +/- 28.6	219858 +/- 378	0.003701 +/- 0.000129	0.003701 +/- 0.000129
bg_dip_1200_	50.59 +/- 7.11	38462 +/- 197	0.001314 +/- 0.000185	0.001314 +/- 0.000185
bg_dip_1600_	3.28 +/- 1.81	14080.5 +/- 21.0	0.000233 +/- 0.000129	0.000233 +/- 0.000129

4   Summary

4.1   Cut-flow charts

- How to compare signal (S) and background (B): S/sqrt(S+B) .

- Object definition selections are indicated in cyan.

- Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	307056.3 +/- 84.5	308513727 +/- 365809	17.4729 +/- 0.0114
SEL: sdETA (jets[1] jets[2]) > 3.6 and M (jets[	30395 +/- 165	232355 +/- 501	59.30 +/- 0.31