



The LaTeX report

Generated by elijahsheridan on 26 March 2020, 20:52:55

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madanalysis.irmp.ucl.ac.be>
ma5team@iphc.cnrs.fr

Contents

1	Setup	2
1.1	Command history	2
1.2	Configuration	3
2	Datasets	4
2.1	signal	4
2.2	bg_vbf_0_100	4
2.3	bg_vbf_100_200	4
2.4	bg_vbf_200_400	5
2.5	bg_vbf_400_600	5
2.6	bg_vbf_600_800	6
2.7	bg_vbf_800_1200	6
2.8	bg_vbf_1200_1600	7
2.9	bg_vbf_1600_inf	7
2.10	bg_dip_0_100	7
2.11	bg_dip_100_200	8
2.12	bg_dip_200_400	8
2.13	bg_dip_400_600	9
2.14	bg_dip_600_800	9
2.15	bg_dip_800_1200	9
2.16	bg_dip_1200_1600	10
2.17	bg_dip_1600_inf	10
3	Histos and cuts	11
3.1	Cut 1	11
3.2	Cut 2	12
4	Summary	13
4.1	Cut-flow charts	13

1 Setup

1.1 Command history

```
ma5># set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno # need to
change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40.0
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
axion_signal_gurrola_cuts_1MeV.lhe.gz as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5># define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
ma5>set bg_vbf_600_800.type = background
```

```

ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># define weights for the samples
ma5>#set sample_1.weight = 1
ma5>#set sample_2.weight = 1
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5># selections
ma5>select (sdETA(jets[1] jets[2]) > 2.6 or sdETA(jets[1] jets[2]) < -2.6) and M(jets[1]
jets[2]) > 1250
ma5>select PT(a[1]) > 150 and M(a[1] a[2]) > 400
ma5>submit analysis_loose_pta150_maa400

```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb^{-1} .

2 Datasets

2.1 signal

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [4094+/- 2](#) events.
- Ratio (event weight): [0.0041](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/- madgraph_data/axion_signal/- axion_signal_gurrola_cuts_1MeV.lh	1000000	0.102 @ 0.028%	0.0

2.2 bg_vbf_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [12150+/- 24](#) events.
- Ratio (event weight): [0.012](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_0_100	1000000	0.304 @ 0.19%	0.0

2.3 bg_vbf_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [965662](#) events.

- Normalization to the luminosity: 9695 \pm 17 events.
- Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

2.4 bg_vbf_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
optimization .
- Sample consisting of: background events.
- Generated events: 984165 events.
- Normalization to the luminosity: 5413 \pm 11 events.
- Ratio (event weight): 0.0055 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_200_	984165	0.135 @ 0.2%	0.0

2.5 bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
optimization .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 986 \pm 2 events.
- Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

2.6 bg_vbf_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [252+/- 1](#) events.
- Ratio (event weight): [0.00025](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.7 bg_vbf_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [400839](#) events.
- Normalization to the luminosity: [114+/- 1](#) events.
- Ratio (event weight): [0.00028](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_800_	400839	0.00287 @ 0.16%	0.0

2.8 bg_vbf_1200_1600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [953803](#) events.
- Normalization to the luminosity: [20+/- 1](#) events.
- Ratio (event weight): [2.1e-05](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1200	953803	0.000515 @ 0.16%	0.0

2.9 bg_vbf_1600_inf

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [270148](#) events.
- Normalization to the luminosity: [7+/- 1](#) events.
- Ratio (event weight): [2.6e-05](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

2.10 bg_dip_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2710847+/- 4614](#) events.

- **Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	67.8 @ 0.17%	0.0

2.11 bg_dip_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [1095362+/- 1528](#) events.
- **Ratio (event weight): 1.1 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	27.4 @ 0.14%	0.0

2.12 bg_dip_200_400

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [239548+/- 414](#) events.
- **Ratio (event weight): 0.23** .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	5.99 @ 0.17%	0.0

2.13 bg_dip_400_600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [28798+/- 53](#) events.
- Ratio (event weight): [0.028](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_cmerged_lhe/-diphoton_double_isr_background_l	1040000	0.72 @ 0.18%	0.0

2.14 bg_dip_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [662009](#) events.
- Normalization to the luminosity: [6674+/- 28](#) events.
- Ratio (event weight): [0.01](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_cmerged_lhe/-diphoton_double_isr_background_l	662009	0.167 @ 0.41%	0.0

2.15 bg_dip_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2942+/- 6](#) events.

- Ratio (event weight): 0.0028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.0736 @ 0.17%	0.0

2.16 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 337115 events.
- Normalization to the luminosity: 513+/- 3 events.
- Ratio (event weight): 0.0015 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	337115	0.0128 @ 0.51%	0.0

2.17 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 187+/- 1 events.
- Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.00469 @ 0.15%	0.0

3 Histos and cuts

3.1 Cut 1

* **Cut:** select (sdETA (jets[1] jets[2]) > 2.6 or sdETA (jets[1] jets[2]) < -2.6) and M (jets[1] jets[2]) > 1250.0

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	1711.8 +/- 31.6	2382.3 +/- 31.6	0.41812 +/- 0.00771	0.41812 +/- 0.00771
bg_vbf_0_10	204.2 +/- 14.2	11946.1 +/- 26.8	0.01681 +/- 0.00117	0.01681 +/- 0.00117
bg_vbf_100_	950.9 +/- 29.3	8744.4 +/- 32.9	0.09808 +/- 0.00302	0.09808 +/- 0.00302
bg_vbf_200_	1147.9 +/- 30.2	4265.4 +/- 31.3	0.21205 +/- 0.00556	0.21205 +/- 0.00556
bg_vbf_400_	349.4 +/- 15.0	637.5 +/- 15.0	0.3540 +/- 0.0152	0.3540 +/- 0.0152
bg_vbf_600_	111.21 +/- 7.88	140.87 +/- 7.89	0.4412 +/- 0.0313	0.4412 +/- 0.0313
bg_vbf_800_	40.31 +/- 5.11	74.45 +/- 5.12	0.3513 +/- 0.0446	0.3513 +/- 0.0446
bg_vbf_1200	4.49 +/- 1.87	16.10 +/- 1.87	0.218 +/- 0.091	0.218 +/- 0.091
bg_vbf_1600	0.784 +/- 0.839	6.874 +/- 0.839	0.102 +/- 0.110	0.102 +/- 0.110
bg_dip_0_10	229.4 +/- 15.1	2710617 +/- 4612	8.46e-05 +/- 5.59e-06	8.46e-05 +/- 5.59e-06
bg_dip_100_	990.1 +/- 31.5	1094372 +/- 1526	9.04e-04 +/- 2.87e-05	9.04e-04 +/- 2.87e-05
bg_dip_200_	1641.8 +/- 40.5	237907 +/- 412	0.006854 +/- 0.000169	0.006854 +/- 0.000169
bg_dip_400_	1066.5 +/- 32.1	27732.1 +/- 59.6	0.03703 +/- 0.00111	0.03703 +/- 0.00111
bg_dip_600_	531.3 +/- 22.2	6143.1 +/- 33.7	0.07960 +/- 0.00331	0.07960 +/- 0.00331
bg_dip_800_	193.3 +/- 13.4	2749.1 +/- 14.2	0.06568 +/- 0.00457	0.06568 +/- 0.00457
bg_dip_1200	21.80 +/- 4.57	491.71 +/- 5.22	0.0424 +/- 0.0089	0.0424 +/- 0.0089
bg_dip_1600	4.1 +/- 2.0	183.71 +/- 2.01	0.0217 +/- 0.0106	0.0217 +/- 0.0106

3.2 Cut 2

* Cut: select $PT(a[1]) > 150.0$ and $M(a[1] a[2]) > 400.0$

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	1369.1 +/- 30.2	342.7 +/- 17.7	0.79981 +/- 0.00967	0.33442 +/- 0.00737
bg_vbf_0_10	0.0972 +/- 0.3117	204.1 +/- 14.2	0.000476 +/- 0.001526	8.00e-06 +/- 2.57e-05
bg_vbf_100_	3.91 +/- 1.98	947.0 +/- 29.3	0.00411 +/- 0.00207	0.000403 +/- 0.000204
bg_vbf_200_	20.61 +/- 4.53	1127.3 +/- 30.0	0.01795 +/- 0.00392	0.003807 +/- 0.000837
bg_vbf_400_	13.48 +/- 3.65	335.9 +/- 14.9	0.0386 +/- 0.0103	0.0137 +/- 0.0037
bg_vbf_600_	5.99 +/- 2.42	105.22 +/- 7.83	0.0539 +/- 0.0214	0.0238 +/- 0.0096
bg_vbf_800_	3.02 +/- 1.72	37.29 +/- 5.02	0.0750 +/- 0.0415	0.0263 +/- 0.0149
bg_vbf_1200_	0.408 +/- 0.633	4.08 +/- 1.81	0.0909 +/- 0.1356	0.0198 +/- 0.0307
bg_vbf_1600_	0.075 +/- 0.273	0.709 +/- 0.802	0.0957 +/- 0.3322	0.0098 +/- 0.0356
bg_dip_0_10	0.0 +/- 0.0	229.4 +/- 15.1	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_100_	6.33 +/- 2.52	983.7 +/- 31.4	0.00639 +/- 0.00253	5.77e-06 +/- 2.30e-06
bg_dip_200_	27.64 +/- 5.26	1614.2 +/- 40.1	0.01684 +/- 0.00318	1.15e-04 +/- 2.19e-05
bg_dip_400_	28.74 +/- 5.36	1037.8 +/- 31.7	0.02695 +/- 0.00496	0.000998 +/- 0.000186
bg_dip_600_	19.4 +/- 4.4	511.9 +/- 21.8	0.03647 +/- 0.00813	0.002903 +/- 0.000659
bg_dip_800_	10.86 +/- 3.29	182.4 +/- 13.1	0.0562 +/- 0.0166	0.00369 +/- 0.00112
bg_dip_1200_	1.52 +/- 1.23	20.28 +/- 4.41	0.0698 +/- 0.0546	0.0030 +/- 0.0024
bg_dip_1600_	0.297 +/- 0.544	3.77 +/- 1.92	0.0729 +/- 0.1288	0.00158 +/- 0.00290

4 Summary

4.1 Cut-flow charts

- How to compare signal (S) and background (B): $S/\sqrt{S+B}$.
- Object definition selections are indicated in cyan.
- Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	4094.08 +/- 1.13	4113516 +/- 4877	2.01760 +/- 0.00132
SEL: (sdETA (jets[1] jets[2]) > 2.6 or sdETA (1711.8 +/- 31.6	7487.3 +/- 82.9	17.848 +/- 0.309
SEL: PT (a[1]) > 150.0 and M (a[1] a[2]) > 400	1369.1 +/- 30.2	142.4 +/- 11.9	35.216 +/- 0.447