

The LaTeX report

Generated by elijahsheridan on 12 September 2020, 17:46:00

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madananalysis.irmp.ucl.ac.be>
ma5team@iphc.cnrs.fr

Contents

1	Setup	2
1.1	Command history	2
1.2	Configuration	5
2	Datasets	6
2.1	signal_1pt8tevl	6
2.2	signal_2tevl	6
2.3	signal_2pt2tevl	6
2.4	signal_2pt4tevl	7
2.5	bg_dip_0_100	7
2.6	bg_dip_100_200	8
2.7	bg_dip_200_400	8
2.8	bg_dip_400_600	9
2.9	bg_dip_600_800	9
2.10	bg_dip_800_1200	9
2.11	bg_dip_1200_1600	10
2.12	bg_dip_1600_inf	10
2.13	bg_vbf_0_100	11
2.14	bg_vbf_100_200	11
2.15	bg_vbf_200_400	11
2.16	bg_vbf_400_600	12
2.17	bg_vbf_600_800	12
2.18	bg_vbf_800_1200	13
2.19	bg_vbf_1200_1600	13
2.20	bg_vbf_1600_inf	13
3	Histos and cuts	15
3.1	Cut 1	15
3.2	Histogram 1	16
3.3	Histogram 2	17
3.4	Histogram 3	19
3.5	Histogram 4	20
3.6	Histogram 5	21
3.7	Histogram 6	23
3.8	Histogram 7	24
3.9	Histogram 8	25
3.10	Histogram 9	26
3.11	Histogram 10	27
3.12	Histogram 11	28
3.13	Histogram 12	29
3.14	Histogram 13	30
3.15	Histogram 14	31
3.16	Histogram 15	32

4	Summary	33
4.1	Cut-flow charts	33

1 Setup

1.1 Command history

```
ma5># set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data
# need to change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40
ma5>set main.fom.formula = 5
ma5>set main.fom.x = 0.25
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
on_discovery_contour/ma100MeV_L1pt8TeV_deta2.lhe.gz as signal_1pt8TeV
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
on_discovery_contour/ma100MeV_L2TeV_deta2.lhe as signal_2TeV
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
on_discovery_contour/ma100MeV_L2pt2TeV_deta2.lhe.gz as signal_2pt2TeV
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
on_discovery_contour/ma100MeV_L2pt4TeV_deta2.lhe.gz as signal_2pt4TeV
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
```

```

merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5># define bg and signal samples
ma5>set signal_1pt8TeV.type = signal
ma5>set signal_2TeV.type = signal
ma5>set signal_2pt2TeV.type = signal
ma5>set signal_2pt4TeV.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
ma5>set bg_vbf_600_800.type = background
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5># cuts
ma5>select ((sdETA(jets[1] jets[2]) > 3.6 or sdETA(jets[1] jets[2]) < -3.6) and M(jets[1]
jets[2]) > 750) and (PT(a[1]) > 300 and M(a[1] a[2]) > 500)
ma5># define which plots to make
ma5>plot PT(jets[1])
ma5>plot ETA(jets[1])
ma5>plot PHI(jets[1])
ma5>plot PT(jets[2])
ma5>plot ETA(jets[2])
ma5>plot PHI(jets[2])
ma5>plot DELTAR(jets[1], jets[2])
ma5>plot M(jets[1] jets[2])
ma5>plot sdETA(jets[1] jets[2])
ma5>plot M(a[1] a[2])
ma5>plot PT(a[1])
ma5>plot PT(a[2])
ma5>plot THT
ma5>plot MET
ma5>plot TET
ma5>#set the plot/graph parameters

```

```

ma5>set selection[2].xmin = 0
ma5>set selection[2].xmax = 2000
ma5>set selection[2].nbins = 200
ma5>set selection[2].rank = PTordering
ma5>set selection[2].titleX = "p_{T}[j_{1}] (GeV)"
ma5>set selection[3].xmin = -8
ma5>set selection[3].xmax = 8
ma5>set selection[3].nbins = 160
ma5>set selection[3].rank = PTordering
ma5>set selection[3].titleX = "#eta[j_{1}]"
ma5>set selection[4].xmin = -3.2
ma5>set selection[4].xmax = 3.2
ma5>set selection[4].nbins = 64
ma5>set selection[4].rank = PTordering
ma5>set selection[4].titleX = "#phi[j_{1}]"
ma5>set selection[5].xmin = 0
ma5>set selection[5].xmax = 1000
ma5>set selection[5].nbins = 100
ma5>set selection[5].rank = PTordering
ma5>set selection[5].titleX = "p_{T}[j_{2}] (GeV)"
ma5>set selection[6].xmin = -8
ma5>set selection[6].xmax = 8
ma5>set selection[6].nbins = 160
ma5>set selection[6].rank = PTordering
ma5>set selection[6].titleX = "#eta[j_{2}]"
ma5>set selection[7].xmin = -3.2
ma5>set selection[7].xmax = 3.2
ma5>set selection[7].nbins = 64
ma5>set selection[7].rank = PTordering
ma5>set selection[7].titleX = "#phi[j_{2}]"
ma5>set selection[8].xmin = 0
ma5>set selection[8].xmax = 15
ma5>set selection[8].nbins = 75
ma5>set selection[8].rank = PTordering
ma5>set selection[8].titleX = "#DeltaR[j_{1},j_{2}]"
ma5>set selection[9].xmin = 750
ma5>set selection[9].xmax = 8000
ma5>set selection[9].nbins = 160
ma5>set selection[9].rank = PTordering
ma5>set selection[9].titleX = "M[j_{1},j_{2}] (GeV)"
ma5>set selection[10].xmin = 3.6
ma5>set selection[10].xmax = 15
ma5>set selection[10].titleX = "#Delta#eta(j_{1},j_{2})"
ma5>set selection[11].xmin = 500
ma5>set selection[11].xmax = 4000
ma5>set selection[11].nbins = 400
ma5>set selection[11].rank = PTordering
ma5>set selection[11].titleX = "M[a_{1},a_{2}] (GeV)"
ma5>set selection[12].xmin = 300

```

```

ma5>set selection[12].xmax = 2000
ma5>set selection[12].nbins = 80
ma5>set selection[12].rank = PTordering
ma5>set selection[12].titleX = "p_{T}[a_{1}]"
ma5>set selection[13].xmin = 0
ma5>set selection[13].xmax = 2000
ma5>set selection[13].nbins = 400
ma5>set selection[13].rank = PTordering
ma5>set selection[13].titleX = "p_{T}[a_{2}] (GeV)"
ma5>set selection[14].xmin = 0
ma5>set selection[14].xmax = 4000
ma5>set selection[14].nbins = 80
ma5>set selection[14].rank = PTordering
ma5>set selection[14].titleX = "THT"
ma5>set selection[15].xmin = 0
ma5>set selection[15].xmax = 1000
ma5>set selection[15].nbins = 200
ma5>set selection[15].rank = PTordering
ma5>set selection[15].titleX = "MET"
ma5>set selection[16].xmin = 0
ma5>set selection[16].xmax = 8000
ma5>set selection[16].nbins = 80
ma5>set selection[16].rank = PTordering
ma5>set selection[16].titleX = "TET"
ma5>submit ma100MeV_L1pt8-2pt4TeV_deta3pt6s

```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb^{-1} .

2 Datasets

2.1 signal_1pt8tevl

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [100000](#) events.
- Normalization to the luminosity: [176+/- 1](#) events.
- Ratio (event weight): [0.0018](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/-madgraph_data/axion_signal/-on_discovery_contour/-ma100MeV_L1pt8TeV_deta2.lhe.gz	100000	0.00442 @ 0.095%	0.0

2.2 signal_2tevl

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [100000](#) events.
- Normalization to the luminosity: [106+/- 1](#) events.
- Ratio (event weight): [0.0011](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/-madgraph_data/axion_signal/-on_discovery_contour/-ma100MeV_L2TeV_deta2.lhe	100000	0.00267 @ 0.14%	0.0

2.3 signal_2pt2tevl

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [100000](#) events.

- Normalization to the luminosity: 69 ± 1 events.
- Ratio (event weight): 0.00069 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/- madgraph_data/axion_signal/- on_discovery_contour/- ma100MeV_L2pt2TeV_deta2.lhe.gz	100000	0.00174 @ 0.094%	0.0

2.4 signal_2pt4tev1

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
post_optimization_studies/mad_analyses .
- Sample consisting of: signal events.
- Generated events: 100000 events.
- Normalization to the luminosity: 47 ± 1 events.
- Ratio (event weight): 0.00047 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/- madgraph_data/axion_signal/- on_discovery_contour/- ma100MeV_L2pt4TeV_deta2.lhe.gz	100000	0.00119 @ 0.097%	0.0

2.5 bg_dip_0_100

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
post_optimization_studies/mad_analyses .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 2710847 ± 4614 events.
- Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	67.8 @ 0.17%	0.0

2.6 bg_dip_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [1095362+/- 1528](#) events.
- **Ratio (event weight): 1.1 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	27.4 @ 0.14%	0.0

2.7 bg_dip_200_400

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [239548+/- 414](#) events.
- Ratio (event weight): [0.23](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	5.99 @ 0.17%	0.0

2.8 bg_dip_400_600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [28798+/- 53](#) events.
- Ratio (event weight): [0.028](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_cmerged_lhe/-diphoton_double_isr_background_l	1040000	0.72 @ 0.18%	0.0

2.9 bg_dip_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [662009](#) events.
- Normalization to the luminosity: [6674+/- 28](#) events.
- Ratio (event weight): [0.01](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_cmerged_lhe/-diphoton_double_isr_background_l	662009	0.167 @ 0.41%	0.0

2.10 bg_dip_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2942+/- 6](#) events.

- Ratio (event weight): 0.0028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.0736 @ 0.17%	0.0

2.11 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
post_optimization_studies/mad_analyses .
- Sample consisting of: background events.
- Generated events: 337115 events.
- Normalization to the luminosity: 513+/- 3 events.
- Ratio (event weight): 0.0015 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	337115	0.0128 @ 0.51%	0.0

2.12 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
post_optimization_studies/mad_analyses .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 187+/- 1 events.
- Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.00469 @ 0.15%	0.0

2.13 bg_vbf_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [12150+/- 24](#) events.
- Ratio (event weight): [0.012](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_0_100	1000000	0.304 @ 0.19%	0.0

2.14 bg_vbf_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [965662](#) events.
- Normalization to the luminosity: [9695+/- 17](#) events.
- Ratio (event weight): [0.01](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_100_200	965662	0.242 @ 0.17%	0.0

2.15 bg_vbf_200_400

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [984165](#) events.
- Normalization to the luminosity: [5413+/- 11](#) events.

- Ratio (event weight): 0.0055 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_200_	984165	0.135 @ 0.2%	0.0

2.16 bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
post_optimization_studies/mad_analyses .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 986+/- 2 events.
- Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

2.17 bg_vbf_600_800

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
post_optimization_studies/mad_analyses .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 252+/- 1 events.
- Ratio (event weight): 0.00025 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.18 bg_vbf_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [400839](#) events.
- Normalization to the luminosity: [114](#)+/- [1](#) events.
- Ratio (event weight): [0.00028](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_800_	400839	0.00287 @ 0.16%	0.0

2.19 bg_vbf_1200_1600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [953803](#) events.
- Normalization to the luminosity: [20](#)+/- [1](#) events.
- Ratio (event weight): [2.1e-05](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1200	953803	0.000515 @ 0.16%	0.0

2.20 bg_vbf_1600_inf

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-post_optimization_studies/mad_analyses](#) .
- Sample consisting of: [background](#) events.
- Generated events: [270148](#) events.
- Normalization to the luminosity: [7](#)+/- [1](#) events.

- Ratio (event weight): $2.6\text{e-}05$.

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

3 Histos and cuts

3.1 Cut 1

* **Cut:** select ((sdETA (jets[1] jets[2]) > 3.6 or sdETA (jets[1] jets[2]) < -3.6) and M (jets[1] jets[2]) > 750.0) and (PT (a[1]) > 300.0 and M (a[1] a[2]) > 500.0)

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal_1pt8tev	47.93 +/- 5.91	128.97 +/- 5.91	0.2710 +/- 0.0334	0.2710 +/- 0.0334
signal_2tevl	31.1 +/- 4.7	75.8 +/- 4.7	0.2911 +/- 0.0439	0.2911 +/- 0.0439
signal_2pt2tev	21.04 +/- 3.83	48.40 +/- 3.83	0.3030 +/- 0.0551	0.3030 +/- 0.0551
signal_2pt4tev	14.72 +/- 3.19	32.70 +/- 3.19	0.3104 +/- 0.0672	0.3104 +/- 0.0672
bg_dip_0_10	0.0 +/- 0.0	2710847 +/- 4613	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_100_	3.16 +/- 1.78	1095359 +/- 1527	2.89e-06 +/- 1.62e-06	2.89e-06 +/- 1.62e-06
bg_dip_200_	19.12 +/- 4.37	239529 +/- 413	7.98e-05 +/- 1.83e-05	7.98e-05 +/- 1.83e-05
bg_dip_400_	12.3 +/- 3.5	28786.4 +/- 52.3	0.000426 +/- 0.000122	0.000426 +/- 0.000122
bg_dip_600_	3.6 +/- 1.9	6670.8 +/- 27.6	0.000539 +/- 0.000284	0.000539 +/- 0.000284
bg_dip_800_	1.47 +/- 1.21	2940.9 +/- 5.2	0.000500 +/- 0.000412	0.000500 +/- 0.000412
bg_dip_1200_	0.105 +/- 0.324	513.40 +/- 2.65	0.000205 +/- 0.000631	0.000205 +/- 0.000631
bg_dip_1600_	0.00975 +/- 0.09875	187.774 +/- 0.296	5.19e-05 +/- 5.26e-04	5.19e-05 +/- 5.26e-04
bg_vbf_0_10	0.0486 +/- 0.2204	12150.3 +/- 23.1	4.00e-06 +/- 1.81e-05	4.00e-06 +/- 1.81e-05
bg_vbf_100_	1.16 +/- 1.08	9694.2 +/- 16.6	0.000120 +/- 0.000111	0.000120 +/- 0.000111
bg_vbf_200_	6.04 +/- 2.46	5407.2 +/- 11.2	0.001117 +/- 0.000454	0.001117 +/- 0.000454
bg_vbf_400_	4.4 +/- 2.1	982.41 +/- 2.51	0.00450 +/- 0.00213	0.00450 +/- 0.00213
bg_vbf_600_	1.64 +/- 1.28	250.44 +/- 1.31	0.00650 +/- 0.00506	0.00650 +/- 0.00506
bg_vbf_800_	0.622 +/- 0.787	114.140 +/- 0.807	0.00542 +/- 0.00686	0.00542 +/- 0.00686
bg_vbf_1200_	0.0548 +/- 0.2337	20.541 +/- 0.236	0.00266 +/- 0.01135	0.00266 +/- 0.01135
bg_vbf_1600_	0.0057 +/- 0.0755	7.653 +/- 0.076	0.000744 +/- 0.009856	0.000744 +/- 0.009856

3.2 Histogram 1

* Plot: PT (jets[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	310.922	250.2	0.0	0.0626
signal_2tevl	31.2	1.0	309.725	247.2	0.0	0.04447
signal_2pt2tevl	21.2	1.0	307.2	245.8	0.0	0.06235
signal_2pt4tevl	14.8	1.0	304.604	245.5	0.0	0.05431
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	98.8303	32.52	0.0	0.0
bg_dip_200_40	19.1	1.0	243.87	57.21	0.0	0.0
bg_dip_400_60	12.3	1.0	405.044	76.84	0.0	0.0
bg_dip_600_80	3.6	1.0	583.265	92.47	0.0	0.0
bg_dip_800_12	1.47	1.0	800.398	151.0	0.0	0.0
bg_dip_1200_1	0.105	1.0	1173.89	227.2	0.0	0.0
bg_dip_1600_i	0.00975	1.0	1675.33	329.4	0.0	11.11
bg_vbf_0_100	0.0486	1.0	42.7818	7.815	0.0	0.0
bg_vbf_100_20	1.16	1.0	109.408	25.35	0.0	0.0
bg_vbf_200_40	6.04	1.0	214.843	58.14	0.0	0.0
bg_vbf_400_60	4.44	1.0	360.116	74.81	0.0	0.0
bg_vbf_600_80	1.64	1.0	512.148	95.26	0.0	0.0
bg_vbf_800_12	0.623	1.0	713.131	144.6	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	1037.47	214.8	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	1488.05	353.5	0.0	7.318




Figure 1.

3.3 Histogram 2

* Plot: $\text{ETA}(\text{jets}[1])$

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	-0.00955319	2.227	0.0	0.0
signal_2tevl	31.2	1.0	-0.00387268	2.234	0.0	0.0
signal_2pt2tevl	21.2	1.0	-0.0184585	2.251	0.0	0.0
signal_2pt4tevl	14.8	1.0	-0.000218535	2.251	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_200	3.16	1.0	1.65038	2.73	0.0	0.0
bg_dip_200_400	19.1	1.0	0.146548	1.676	0.0	0.0
bg_dip_400_600	12.3	1.0	0.1076	1.425	0.0	0.0
bg_dip_600_800	3.6	1.0	-0.0364249	1.3	0.0	0.0
bg_dip_800_1200	1.47	1.0	-0.0506134	1.215	0.0	0.0
bg_dip_1200_1600	0.105	1.0	0.0264047	1.124	0.0	0.0
bg_dip_1600_inf	0.00975	1.0	-0.0490747	0.8389	0.0	0.0
bg_vbf_0_100	0.0486	1.0	0.873486	2.934	0.0	0.0
bg_vbf_100_200	1.16	1.0	0.133336	2.773	0.0	0.0
bg_vbf_200_400	6.04	1.0	-0.006481	2.235	0.0	0.0
bg_vbf_400_600	4.44	1.0	-0.0267496	1.928	0.0	0.0
bg_vbf_600_800	1.64	1.0	0.00605067	1.754	0.0	0.0
bg_vbf_800_1200	0.623	1.0	-0.0592612	1.598	0.0	0.0
bg_vbf_1200_1600	0.0549	1.0	-0.0746631	1.45	0.0	0.0
bg_vbf_1600_inf	0.00581	1.0	0.0871655	1.227	0.0	0.0




Figure 2.

3.4 Histogram 3

* Plot: PHI (jets[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	-0.00556715	1.81	0.0	0.0
signal_2tevl	31.2	1.0	-0.0112916	1.829	0.0	0.0
signal_2pt2tevl	21.2	1.0	0.0206288	1.816	0.0	0.0
signal_2pt4tevl	14.8	1.0	-0.0212621	1.821	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	0.466209	0.3607	0.0	0.0
bg_dip_200_40	19.1	1.0	-0.0522949	1.826	0.0	0.0
bg_dip_400_60	12.3	1.0	-0.125515	1.849	0.0	0.0
bg_dip_600_80	3.6	1.0	-0.113698	1.83	0.0	0.0
bg_dip_800_12	1.47	1.0	0.0576669	1.795	0.0	0.0
bg_dip_1200_1	0.105	1.0	-0.152016	1.941	0.0	0.0
bg_dip_1600_i	0.00975	1.0	-0.0323032	1.815	0.0	0.0
bg_vbf_0_100	0.0486	1.0	-0.168141	1.997	0.0	0.0
bg_vbf_100_20	1.16	1.0	-0.0767497	1.778	0.0	0.0
bg_vbf_200_40	6.04	1.0	-0.0816388	1.818	0.0	0.0
bg_vbf_400_60	4.44	1.0	0.0212645	1.801	0.0	0.0
bg_vbf_600_80	1.64	1.0	-0.00569695	1.808	0.0	0.0
bg_vbf_800_12	0.623	1.0	0.0641089	1.814	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	0.0646329	1.787	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	0.217904	1.755	0.0	0.0




Figure 3.

3.5 Histogram 4

* Plot: PT (jets[2])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	91.1707	68.0	0.0	0.0
signal_2tevl	31.2	1.0	91.1025	68.01	0.0	0.0
signal_2pt2tevl	21.2	1.0	90.116	67.08	0.0	0.0
signal_2pt4tevl	14.8	1.0	89.6662	66.85	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	49.3379	16.83	0.0	0.0
bg_dip_200_40	19.1	1.0	68.617	36.13	0.0	0.0
bg_dip_400_60	12.3	1.0	78.6224	56.28	0.0	0.0
bg_dip_600_80	3.6	1.0	94.6258	83.07	0.0	0.0
bg_dip_800_12	1.47	1.0	124.553	124.0	0.0	0.0
bg_dip_1200_1	0.105	1.0	176.706	198.4	0.0	0.0
bg_dip_1600_i	0.00975	1.0	138.5	204.7	0.0	0.0
bg_vbf_0_100	0.0486	1.0	31.916	8.29	0.0	0.0
bg_vbf_100_20	1.16	1.0	53.936	17.53	0.0	0.0
bg_vbf_200_40	6.04	1.0	90.5854	37.67	0.0	0.0
bg_vbf_400_60	4.44	1.0	125.017	60.47	0.0	0.0
bg_vbf_600_80	1.64	1.0	168.787	85.77	0.0	0.0
bg_vbf_800_12	0.623	1.0	215.936	127.0	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	286.77	196.2	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	301.151	261.1	0.0	0.0




Figure 4.

3.6 Histogram 5

* Plot: $\text{ETA}(\text{jets}[2])$

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	-0.000149935	3.17	0.0	0.0
signal_2tevl	31.2	1.0	-0.00981831	3.181	0.0	0.0
signal_2pt2tevl	21.2	1.0	0.0171954	3.187	0.0	0.0
signal_2pt4tevl	14.8	1.0	-0.00501176	3.191	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_200	3.16	1.0	0.140052	2.918	0.0	0.0
bg_dip_200_400	19.1	1.0	0.291332	3.134	0.0	0.0
bg_dip_400_600	12.3	1.0	-0.0693841	3.116	0.0	0.0
bg_dip_600_800	3.6	1.0	0.0792687	3.236	0.0	0.0
bg_dip_800_1200	1.47	1.0	0.0158785	3.221	0.0	0.0
bg_dip_1200_1600	0.105	1.0	-0.142349	3.23	0.0	0.0
bg_dip_1600_inf	0.00975	1.0	-0.328753	3.419	0.0	0.0
bg_vbf_0_100	0.0486	1.0	1.04772	3.507	0.0	0.0
bg_vbf_100_200	1.16	1.0	-0.324417	3.174	0.0	0.0
bg_vbf_200_400	6.04	1.0	0.0275519	2.946	0.0	0.0
bg_vbf_400_600	4.44	1.0	0.0664249	2.847	0.0	0.0
bg_vbf_600_800	1.64	1.0	-0.00657983	2.765	0.0	0.0
bg_vbf_800_1200	0.623	1.0	0.123933	2.754	0.0	0.0
bg_vbf_1200_1600	0.0549	1.0	0.151477	2.787	0.0	0.0
bg_vbf_1600_inf	0.00581	1.0	-0.203626	2.95	0.0	0.0




Figure 5.

3.7 Histogram 6

* Plot: PHI (jets[2])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	-0.00144685	1.818	0.0	0.0
signal_2tevl	31.2	1.0	-0.00298964	1.815	0.0	0.0
signal_2pt2tevl	21.2	1.0	-0.00263454	1.813	0.0	0.0
signal_2pt4tevl	14.8	1.0	0.0090896	1.809	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	1.00733	1.634	0.0	0.0
bg_dip_200_40	19.1	1.0	-0.0248154	1.887	0.0	0.0
bg_dip_400_60	12.3	1.0	-0.0373808	1.79	0.0	0.0
bg_dip_600_80	3.6	1.0	0.0797356	1.824	0.0	0.0
bg_dip_800_12	1.47	1.0	0.124598	1.781	0.0	0.0
bg_dip_1200_1	0.105	1.0	-0.323666	1.753	0.0	0.0
bg_dip_1600_i	0.00975	1.0	-0.421228	1.806	0.0	0.0
bg_vbf_0_100	0.0486	1.0	0.0859607	1.498	0.0	0.0
bg_vbf_100_20	1.16	1.0	0.17327	1.879	0.0	0.0
bg_vbf_200_40	6.04	1.0	-0.0817648	1.828	0.0	0.0
bg_vbf_400_60	4.44	1.0	-0.0599984	1.828	0.0	0.0
bg_vbf_600_80	1.64	1.0	0.0117494	1.812	0.0	0.0
bg_vbf_800_12	0.623	1.0	-0.0684445	1.824	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	-0.0586342	1.806	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	-0.198205	1.858	0.0	0.0




Figure 6.

3.8 Histogram 7

* Plot: DELTAR (jets[1] , jets[2])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	5.37976	1.111	0.0	0.0
signal_2tevl	31.2	1.0	5.396	1.112	0.0	0.0
signal_2pt2tevl	21.2	1.0	5.4204	1.112	0.0	0.0
signal_2pt4tevl	14.8	1.0	5.41805	1.118	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	5.99929	0.4811	0.0	0.0
bg_dip_200_40	19.1	1.0	4.87458	0.6286	0.0	0.0
bg_dip_400_60	12.3	1.0	4.6746	0.5749	0.0	0.0
bg_dip_600_80	3.6	1.0	4.64892	0.5595	0.0	0.0
bg_dip_800_12	1.47	1.0	4.61435	0.495	0.0	0.0
bg_dip_1200_1	0.105	1.0	4.51401	0.442	0.0	0.0
bg_dip_1600_i	0.00975	1.0	4.44387	0.4353	0.0	0.0
bg_vbf_0_100	0.0486	1.0	6.62263	0.3293	0.0	0.0
bg_vbf_100_20	1.16	1.0	5.99091	0.8146	0.0	0.0
bg_vbf_200_40	6.04	1.0	5.24335	0.8413	0.0	0.0
bg_vbf_400_60	4.44	1.0	4.96829	0.7025	0.0	0.0
bg_vbf_600_80	1.64	1.0	4.83273	0.5935	0.0	0.0
bg_vbf_800_12	0.623	1.0	4.73982	0.5158	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	4.67427	0.4511	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	4.62399	0.461	0.0	0.0




Figure 7.

3.9 Histogram 8

* Plot: $M(j_1, j_2)$

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	1814.06	849.7	0.0	0.0
signal_2tevl	31.2	1.0	1828.4	853.8	0.0	0.003426
signal_2pt2tevl	21.2	1.0	1833.94	855.3	0.0	0.0
signal_2pt4tevl	14.8	1.0	1821.78	850.3	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	1172.68	166.8	0.0	0.0
bg_dip_200_40	19.1	1.0	1168.01	358.4	0.0	0.0
bg_dip_400_60	12.3	1.0	1373.0	458.4	0.0	0.0
bg_dip_600_80	3.6	1.0	1704.65	623.1	0.0	0.0
bg_dip_800_12	1.47	1.0	2097.6	885.2	0.0	0.0
bg_dip_1200_1	0.105	1.0	2709.62	1239	0.0	0.0
bg_dip_1600_i	0.00975	1.0	2721.5	1274	0.0	0.0
bg_vbf_0_100	0.0486	1.0	886.102	84.95	0.0	0.0
bg_vbf_100_20	1.16	1.0	1373.99	562.4	0.0	0.0
bg_vbf_200_40	6.04	1.0	1686.56	787.6	0.0	0.0
bg_vbf_400_60	4.44	1.0	2066.12	824.9	0.0	0.0
bg_vbf_600_80	1.64	1.0	2497.1	840.0	0.0	0.0
bg_vbf_800_12	0.623	1.0	2990.13	928.2	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	3719.45	1119	0.0	0.03938
bg_vbf_1600_i	0.00581	1.0	4126.54	1410	0.0	0.4886




Figure 8.

3.10 Histogram 9

* Plot: sdETA (jets[1] jets[2])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	-0.00940325	5.206	50.16	0.0
signal_2tevl	31.2	1.0	0.00594562	5.226	49.91	0.0
signal_2pt2tevl	21.2	1.0	-0.0356539	5.25	50.23	0.0
signal_2pt4tevl	14.8	1.0	0.00479323	5.251	49.89	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	1.51032	5.585	33.38	0.0
bg_dip_200_40	19.1	1.0	-0.144784	4.518	51.81	0.0
bg_dip_400_60	12.3	1.0	0.176984	4.26	47.85	0.0
bg_dip_600_80	3.6	1.0	-0.115694	4.219	51.54	0.0
bg_dip_800_12	1.47	1.0	-0.0664918	4.119	50.96	0.0
bg_dip_1200_1	0.105	1.0	0.168753	4.051	47.8	0.0
bg_dip_1600_i	0.00975	1.0	0.279678	4.007	46.29	0.0
bg_vbf_0_100	0.0486	1.0	-0.174236	6.403	50.0	0.0
bg_vbf_100_20	1.16	1.0	0.457753	5.752	46.55	0.0
bg_vbf_200_40	6.04	1.0	-0.0340329	5.008	50.23	0.0
bg_vbf_400_60	4.44	1.0	-0.0931745	4.618	51.09	0.0
bg_vbf_600_80	1.64	1.0	0.0126305	4.376	49.93	0.0
bg_vbf_800_12	0.623	1.0	-0.183195	4.209	52.39	0.0
bg_vbf_1200_1	0.0549	1.0	-0.226141	4.078	52.75	0.0
bg_vbf_1600_i	0.00581	1.0	0.290791	3.996	45.88	0.0




Figure 9.

3.11 Histogram 10

* Plot: M (a[1] a[2])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	1478.13	826.9	0.0	1.495
signal_2tevl	31.2	1.0	1483.58	832.5	0.0	1.441
signal_2pt2tevl	21.2	1.0	1477.02	827.0	0.0	1.441
signal_2pt4tevl	14.8	1.0	1484.45	830.6	0.0	1.485
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	674.287	36.08	0.0	0.0
bg_dip_200_40	19.1	1.0	785.534	368.8	0.0	0.0
bg_dip_400_60	12.3	1.0	771.771	325.2	0.0	0.0
bg_dip_600_80	3.6	1.0	805.657	366.8	0.0	0.0
bg_dip_800_12	1.47	1.0	805.114	335.3	0.0	0.0
bg_dip_1200_1	0.105	1.0	924.629	435.1	0.0	0.0
bg_dip_1600_i	0.00975	1.0	930.522	452.3	0.0	0.0
bg_vbf_0_100	0.0486	1.0	999.408	375.3	0.0	0.0
bg_vbf_100_20	1.16	1.0	847.835	279.9	0.0	0.0
bg_vbf_200_40	6.04	1.0	806.306	333.7	0.0	0.0
bg_vbf_400_60	4.44	1.0	757.771	293.6	0.0	0.0
bg_vbf_600_80	1.64	1.0	774.989	292.6	0.0	0.0
bg_vbf_800_12	0.623	1.0	795.097	304.5	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	827.522	348.5	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	902.86	410.2	0.0	0.0




Figure 10.

3.12 Histogram 11

* Plot: PT (a[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	734.584	373.0	0.0	1.049
signal_2tevl	31.2	1.0	737.64	375.4	0.0	0.9548
signal_2pt2tevl	21.2	1.0	732.38	370.6	0.0	0.9549
signal_2pt4tevl	14.8	1.0	732.622	374.6	0.0	0.9903
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	327.174	7.434	0.0	0.0
bg_dip_200_40	19.1	1.0	393.477	77.89	0.0	0.0
bg_dip_400_60	12.3	1.0	475.422	123.4	0.0	0.0
bg_dip_600_80	3.6	1.0	603.382	164.2	0.0	0.0
bg_dip_800_12	1.47	1.0	778.016	241.8	0.0	0.0
bg_dip_1200_1	0.105	1.0	1095.08	412.4	0.0	0.0
bg_dip_1600_i	0.00975	1.0	1602.75	495.3	0.0	18.53
bg_vbf_0_100	0.0486	1.0	379.899	64.59	0.0	0.0
bg_vbf_100_20	1.16	1.0	373.902	77.67	0.0	0.0
bg_vbf_200_40	6.04	1.0	391.46	92.25	0.0	0.0
bg_vbf_400_60	4.44	1.0	436.107	113.9	0.0	0.0
bg_vbf_600_80	1.64	1.0	516.8	150.3	0.0	0.0
bg_vbf_800_12	0.623	1.0	657.311	223.5	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	890.939	358.6	0.0	0.07854
bg_vbf_1600_i	0.00581	1.0	1323.7	534.5	0.0	6.344




Figure 11.

3.13 Histogram 12

* Plot: PT (a[2])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	536.444	357.7	0.0	0.5266
signal_2tevl	31.2	1.0	538.523	361.6	0.0	0.4996
signal_2pt2tevl	21.2	1.0	535.47	356.9	0.0	0.4627
signal_2pt4tevl	14.8	1.0	536.117	359.5	0.0	0.4952
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	253.391	44.39	0.0	0.0
bg_dip_200_40	19.1	1.0	186.1	97.8	0.0	0.0
bg_dip_400_60	12.3	1.0	144.408	100.8	0.0	0.0
bg_dip_600_80	3.6	1.0	140.303	115.8	0.0	0.0
bg_dip_800_12	1.47	1.0	130.659	108.9	0.0	0.0
bg_dip_1200_1	0.105	1.0	151.48	146.8	0.0	0.0
bg_dip_1600_i	0.00975	1.0	125.146	119.5	0.0	0.0
bg_vbf_0_100	0.0486	1.0	359.837	74.21	0.0	0.0
bg_vbf_100_20	1.16	1.0	285.217	94.57	0.0	0.0
bg_vbf_200_40	6.04	1.0	209.251	118.9	0.0	0.0
bg_vbf_400_60	4.44	1.0	159.332	118.8	0.0	0.0
bg_vbf_600_80	1.64	1.0	157.378	113.0	0.0	0.0
bg_vbf_800_12	0.623	1.0	159.508	121.4	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	167.561	142.6	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	183.782	190.2	0.0	0.0




Figure 12.

3.14 Histogram 13

* Plot: THT

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	402.093	272.0	0.0	0.0
signal_2tevl	31.2	1.0	400.828	269.2	0.0	0.0
signal_2pt2tevl	21.2	1.0	397.316	266.8	0.0	0.0
signal_2pt4tevl	14.8	1.0	394.27	266.9	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	148.168	37.58	0.0	0.0
bg_dip_200_40	19.1	1.0	312.487	53.59	0.0	0.0
bg_dip_400_60	12.3	1.0	483.667	56.67	0.0	0.0
bg_dip_600_80	3.6	1.0	677.891	53.6	0.0	0.0
bg_dip_800_12	1.47	1.0	924.952	102.7	0.0	0.0
bg_dip_1200_1	0.105	1.0	1350.6	122.7	0.0	0.0
bg_dip_1600_i	0.00975	1.0	1813.83	223.3	0.0	0.0
bg_vbf_0_100	0.0486	1.0	74.6978	15.53	0.0	0.0
bg_vbf_100_20	1.16	1.0	163.344	25.73	0.0	0.0
bg_vbf_200_40	6.04	1.0	305.428	55.11	0.0	0.0
bg_vbf_400_60	4.44	1.0	485.133	55.92	0.0	0.0
bg_vbf_600_80	1.64	1.0	680.936	55.85	0.0	0.0
bg_vbf_800_12	0.623	1.0	929.067	102.2	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	1324.24	99.5	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	1789.2	191.2	0.0	0.0




Figure 13.

3.15 Histogram 14

* Plot: MET

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	9.61803e-09	1.279e-08	0.0	0.0
signal_2tevl	31.2	1.0	9.60927e-09	1.272e-08	0.0	0.0
signal_2pt2tevl	21.2	1.0	9.6086e-09	1.274e-08	0.0	0.0
signal_2pt4tevl	14.8	1.0	9.66474e-09	1.292e-08	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	2.6048e-09	5.584e-10	0.0	0.0
bg_dip_200_40	19.1	1.0	5.15652e-09	2.886e-09	0.0	0.0
bg_dip_400_60	12.3	1.0	5.26293e-09	2.848e-09	0.0	0.0
bg_dip_600_80	3.6	1.0	5.42862e-09	2.905e-09	0.0	0.0
bg_dip_800_12	1.47	1.0	7.13192e-09	8.331e-09	0.0	0.0
bg_dip_1200_1	0.105	1.0	2.55869e-08	2.401e-08	0.0	0.0
bg_dip_1600_i	0.00975	1.0	3.47198e-08	2.306e-08	0.0	0.0
bg_vbf_0_100	0.0486	1.0	2.92664e-09	2.061e-09	0.0	0.0
bg_vbf_100_20	1.16	1.0	4.59216e-09	2.634e-09	0.0	0.0
bg_vbf_200_40	6.04	1.0	5.28184e-09	3.059e-09	0.0	0.0
bg_vbf_400_60	4.44	1.0	5.56314e-09	3.759e-09	0.0	0.0
bg_vbf_600_80	1.64	1.0	5.7028e-09	3.425e-09	0.0	0.0
bg_vbf_800_12	0.623	1.0	6.73764e-09	5.92e-09	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	1.72505e-08	1.831e-08	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	3.09154e-08	2.364e-08	0.0	0.0




Figure 14.

3.16 Histogram 15

* Plot: TET

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
signal_1pt8tevl	48.0	1.0	1673.12	775.0	0.0	0.0
signal_2tevl	31.2	1.0	1676.99	779.8	0.0	0.00342
signal_2pt2tevl	21.2	1.0	1665.17	770.4	0.0	0.0
signal_2pt4tevl	14.8	1.0	1663.01	778.9	0.0	0.0
bg_dip_0_100	0.0 +/- 0.0	0.	0.0	0.0	0.0	0.0
bg_dip_100_20	3.16	1.0	728.733	80.65	0.0	0.0
bg_dip_200_40	19.1	1.0	892.065	159.2	0.0	0.0
bg_dip_400_60	12.3	1.0	1103.5	208.7	0.0	0.0
bg_dip_600_80	3.6	1.0	1421.58	241.6	0.0	0.0
bg_dip_800_12	1.47	1.0	1833.63	311.4	0.0	0.0
bg_dip_1200_1	0.105	1.0	2597.16	496.1	0.0	0.0
bg_dip_1600_i	0.00975	1.0	3541.73	662.3	0.0	0.0
bg_vbf_0_100	0.0486	1.0	814.434	141.3	0.0	0.0
bg_vbf_100_20	1.16	1.0	822.463	164.7	0.0	0.0
bg_vbf_200_40	6.04	1.0	906.139	195.9	0.0	0.0
bg_vbf_400_60	4.44	1.0	1080.57	211.3	0.0	0.0
bg_vbf_600_80	1.64	1.0	1355.11	216.7	0.0	0.0
bg_vbf_800_12	0.623	1.0	1745.89	291.5	0.0	0.0
bg_vbf_1200_1	0.0549	1.0	2382.74	401.9	0.0	0.0
bg_vbf_1600_i	0.00581	1.0	3296.68	649.6	0.0	0.0




Figure 15.

4 Summary

4.1 Cut-flow charts

- How to compare signal (S) and background (B): $S/\sqrt{S+B+(xB)^{**2}}$.
- Object definition selections are indicated in cyan.
- Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	400.622 +/- 0.237	4113516 +/- 4877	3.90e-04 +/- 2.58e-07
SEL: ((sdETA (jets[1] jets[2]) > 3.6 or sdETA	114.80 +/- 9.05	53.75 +/- 7.33	6.144 +/- 0.524