

The LaTeX report

Generated by elijahsheridan on 01 April 2020, 22:02:19

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madanalysis.irmp.ucl.ac.be>
ma5team@iphc.cnrs.fr

Contents

1	Setup	2
1.1	Command history	2
1.2	Configuration	4
2	Datasets	5
2.1	signal	5
2.2	bg_vbf_0_100	5
2.3	bg_vbf_100_200	5
2.4	bg_vbf_200_400	6
2.5	bg_vbf_400_600	6
2.6	bg_vbf_600_800	7
2.7	bg_vbf_800_1200	7
2.8	bg_vbf_1200_1600	8
2.9	bg_vbf_1600_inf	8
2.10	bg_dip_0_100	8
2.11	bg_dip_100_200	9
2.12	bg_dip_200_400	9
2.13	bg_dip_400_600	10
2.14	bg_dip_600_800	10
2.15	bg_dip_800_1200	10
2.16	bg_dip_1200_1600	11
2.17	bg_dip_1600_inf	11
3	Histos and cuts	12
3.1	Cut 1	12
3.2	Cut 2	13
4	Summary	14
4.1	Cut-flow charts	14

1 Setup

1.1 Command history

```
ma5># set directory where running "./bin/ma5"; set lumi; define the signal significance
ma5>set main.currentdir = /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno # need to
change this directory path -> exit and type "pwd" to get the path
ma5>set main.lumi = 40.0
ma5>set main.SBratio = 'S/sqrt(S+B)'
ma5># import samples -> change the path to the LHE file
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/axion_signal/-
axion_signal_gurrola_cuts_1MeV.lhe.gz as signal
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_0_100_merged.lhe.gz as bg_vbf_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_100_200_merged.lhe.gz as bg_vbf_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_200_400_merged.lhe.gz as bg_vbf_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_400_600_merged.lhe.gz as bg_vbf_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_600_800_merged.lhe.gz as bg_vbf_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_800_1200_merged.lhe.gz as bg_vbf_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1200_1600_merged.lhe.gz as bg_vbf_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/vbf_diphoton_background_
merged_lhe/vbf_diphoton_background_ht_1600_inf_merged.lhe.gz as bg_vbf_1600_inf
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_0_100_merged.lhe.gz as bg_dip_0_100
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_100_200_merged.lhe.gz as bg_dip_100_200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_200_400_merged.lhe.gz as bg_dip_200_400
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_400_600_merged.lhe.gz as bg_dip_400_600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_600_800_merged.lhe.gz as bg_dip_600_800
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_800_1200_merged.lhe.gz as bg_dip_800_1200
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1200_1600_merged.lhe.gz as bg_dip_1200_1600
ma5>import /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/madgraph_data/diphoton_double_isr_back
merged_lhe/diphoton_double_isr_background_ht_1600_inf_merged.lhe.gz as bg_dip_1600_inf
ma5># define bg and signal samples
ma5>set signal.type = signal
ma5>set bg_vbf_0_100.type = background
ma5>set bg_vbf_100_200.type = background
ma5>set bg_vbf_200_400.type = background
ma5>set bg_vbf_400_600.type = background
```

```

ma5>set bg_vbf_600_800.type = background
ma5>set bg_vbf_800_1200.type = background
ma5>set bg_vbf_1200_1600.type = background
ma5>set bg_vbf_1600_inf.type = background
ma5>set bg_dip_0_100.type = background
ma5>set bg_dip_100_200.type = background
ma5>set bg_dip_200_400.type = background
ma5>set bg_dip_400_600.type = background
ma5>set bg_dip_600_800.type = background
ma5>set bg_dip_800_1200.type = background
ma5>set bg_dip_1200_1600.type = background
ma5>set bg_dip_1600_inf.type = background
ma5># define weights for the samples
ma5>#set sample_1.weight = 1
ma5>#set sample_2.weight = 1
ma5># line styles and colors
ma5>set signal.linecolor = red
ma5>set signal.linestyle = dashed
ma5>set signal.linewidth = 3
ma5>set bg_vbf_0_100.linecolor = blue-4
ma5>set bg_vbf_0_100.linestyle = dash-dotted
ma5>set bg_vbf_0_100.linewidth = 4
ma5>set bg_vbf_100_200.linecolor = blue-3
ma5>set bg_vbf_100_200.linestyle = dash-dotted
ma5>set bg_vbf_100_200.linewidth = 4
ma5>set bg_vbf_200_400.linecolor = blue-2
ma5>set bg_vbf_200_400.linestyle = dash-dotted
ma5>set bg_vbf_200_400.linewidth = 4
ma5>set bg_vbf_400_600.linecolor = blue-1
ma5>set bg_vbf_400_600.linestyle = dash-dotted
ma5>set bg_vbf_400_600.linewidth = 4
ma5>set bg_vbf_600_800.linecolor = blue
ma5>set bg_vbf_600_800.linestyle = dash-dotted
ma5>set bg_vbf_600_800.linewidth = 4
ma5>set bg_vbf_800_1200.linecolor = blue+1
ma5>set bg_vbf_800_1200.linestyle = dash-dotted
ma5>set bg_vbf_800_1200.linewidth = 4
ma5>set bg_vbf_1200_1600.linecolor = blue+2
ma5>set bg_vbf_1200_1600.linestyle = dash-dotted
ma5>set bg_vbf_1200_1600.linewidth = 4
ma5>set bg_vbf_1600_inf.linecolor = blue+3
ma5>set bg_vbf_1600_inf.linestyle = dash-dotted
ma5>set bg_vbf_1600_inf.linewidth = 4
ma5>set bg_dip_0_100.linecolor = green-4
ma5>set bg_dip_0_100.linestyle = dash-dotted
ma5>set bg_dip_0_100.linewidth = 4
ma5>set bg_dip_100_200.linecolor = green-3
ma5>set bg_dip_100_200.linestyle = dash-dotted
ma5>set bg_dip_100_200.linewidth = 4

```

```

ma5>set bg_dip_200_400.linecolor = green-2
ma5>set bg_dip_200_400.linestyle = dash-dotted
ma5>set bg_dip_200_400.linewidth = 4
ma5>set bg_dip_400_600.linecolor = green-1
ma5>set bg_dip_400_600.linestyle = dash-dotted
ma5>set bg_dip_400_600.linewidth = 4
ma5>set bg_dip_600_800.linecolor = green
ma5>set bg_dip_600_800.linestyle = dash-dotted
ma5>set bg_dip_600_800.linewidth = 4
ma5>set bg_dip_800_1200.linecolor = green+1
ma5>set bg_dip_800_1200.linestyle = dash-dotted
ma5>set bg_dip_800_1200.linewidth = 4
ma5>set bg_dip_1200_1600.linecolor = green+2
ma5>set bg_dip_1200_1600.linestyle = dash-dotted
ma5>set bg_dip_1200_1600.linewidth = 4
ma5>set bg_dip_1600_inf.linecolor = green+3
ma5>set bg_dip_1600_inf.linestyle = dash-dotted
ma5>set bg_dip_1600_inf.linewidth = 4
ma5># a jet can be from a light quark or b quark
ma5>define jets = j
ma5>define e = e+ e-
ma5>define mu = mu+ mu-
ma5>define ta = ta+ ta-
ma5>define lept = e mu ta
ma5>define ax = 9000005
ma5># apply selections
ma5>select PT(a[1]) > 300 and M(a[1] a[2]) > 500
ma5>select (sdETA(jets[1] jets[2]) > 2.6 or sdETA(jets[1] jets[2]) < -2.6) and M(jets[1]
jets[2]) > 1500
ma5>submit second_analysis_sdEta2.6_mjj1500

```

1.2 Configuration

- MadAnalysis version 1.6.33 (2017/11/20).
- Histograms given for an integrated luminosity of 40.0fb^{-1} .

2 Datasets

2.1 signal

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [4094+/- 2](#) events.
- Ratio (event weight): [0.0041](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/-madgraph_data/axion_signal/-axion_signal_gurrola_cuts_1MeV.lh	1000000	0.102 @ 0.028%	0.0

2.2 bg_vbf_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [12150+/- 24](#) events.
- Ratio (event weight): [0.012](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_0_100	1000000	0.304 @ 0.19%	0.0

2.3 bg_vbf_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [965662](#) events.

- Normalization to the luminosity: 9695 \pm 17 events.
- Ratio (event weight): 0.01 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_100_	965662	0.242 @ 0.17%	0.0

2.4 bg_vbf_200_400

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
optimization .
- Sample consisting of: background events.
- Generated events: 984165 events.
- Normalization to the luminosity: 5413 \pm 11 events.
- Ratio (event weight): 0.0055 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_200_	984165	0.135 @ 0.2%	0.0

2.5 bg_vbf_400_600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-
optimization .
- Sample consisting of: background events.
- Generated events: 1000000 events.
- Normalization to the luminosity: 986 \pm 2 events.
- Ratio (event weight): 0.00099 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_400_	1000000	0.0247 @ 0.14%	0.0

2.6 bg_vbf_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1000000](#) events.
- Normalization to the luminosity: [252+/- 1](#) events.
- Ratio (event weight): [0.00025](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_600_	1000000	0.0063 @ 0.13%	0.0

2.7 bg_vbf_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [400839](#) events.
- Normalization to the luminosity: [114+/- 1](#) events.
- Ratio (event weight): [0.00028](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- vbf_diphoton_background_data/- merged_lhe/- vbf_diphoton_background_ht_800_	400839	0.00287 @ 0.16%	0.0

2.8 bg_vbf_1200_1600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [953803](#) events.
- Normalization to the luminosity: [20+/- 1](#) events.
- Ratio (event weight): [2.1e-05](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1200	953803	0.000515 @ 0.16%	0.0

2.9 bg_vbf_1600_inf

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [270148](#) events.
- Normalization to the luminosity: [7+/- 1](#) events.
- Ratio (event weight): [2.6e-05](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-vbf_diphoton_background_data/-merged_lhe/-vbf_diphoton_background_ht_1600	270148	0.000191 @ 0.11%	0.0

2.10 bg_dip_0_100

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2710847+/- 4614](#) events.

- **Ratio (event weight): 2.6 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	67.8 @ 0.17%	0.0

2.11 bg_dip_100_200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [1095362+/- 1528](#) events.
- **Ratio (event weight): 1.1 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	27.4 @ 0.14%	0.0

2.12 bg_dip_200_400

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [239548+/- 414](#) events.
- **Ratio (event weight): 0.23** .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	5.99 @ 0.17%	0.0

2.13 bg_dip_400_600

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [28798+/- 53](#) events.
- Ratio (event weight): [0.028](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_cmerged_lhe/-diphoton_double_isr_background_l	1040000	0.72 @ 0.18%	0.0

2.14 bg_dip_600_800

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [662009](#) events.
- Normalization to the luminosity: [6674+/- 28](#) events.
- Ratio (event weight): [0.01](#) .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/-MG5_aMC_v2_6_5/-axion_pheno/madgraph_data/-diphoton_double_isr_background_cmerged_lhe/-diphoton_double_isr_background_l	662009	0.167 @ 0.41%	0.0

2.15 bg_dip_800_1200

- Samples stored in the directory: [/Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization](#) .
- Sample consisting of: [background](#) events.
- Generated events: [1040000](#) events.
- Normalization to the luminosity: [2942+/- 6](#) events.

- Ratio (event weight): 0.0028 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.0736 @ 0.17%	0.0

2.16 bg_dip_1200_1600

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 337115 events.
- Normalization to the luminosity: 513+/- 3 events.
- Ratio (event weight): 0.0015 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	337115	0.0128 @ 0.51%	0.0

2.17 bg_dip_1600_inf

- Samples stored in the directory: /Users/elijahsheridan/MG5_aMC_v2_6_5/axion_pheno/-optimization .
- Sample consisting of: background events.
- Generated events: 1040000 events.
- Normalization to the luminosity: 187+/- 1 events.
- Ratio (event weight): 0.00018 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/Users/elijahsheridan/- MG5_aMC_v2_6_5/- axion_pheno/madgraph_data/- diphoton_double_isr_background_c merged_lhe/- diphoton_double_isr_background_l	1040000	0.00469 @ 0.15%	0.0

3 Histos and cuts

3.1 Cut 1

* Cut: select $PT(a[1]) > 300.0$ and $M(a[1] a[2]) > 500.0$

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	2603.7 +/- 30.8	1490.4 +/- 30.8	0.63597 +/- 0.00752	0.63597 +/- 0.00752
bg_vbf_0_10	0.753 +/- 0.868	12149.6 +/- 23.1	6.20e-05 +/- 7.14e-05	6.20e-05 +/- 7.14e-05
bg_vbf_100_	4.46 +/- 2.11	9690.9 +/- 16.7	0.000460 +/- 0.000218	0.000460 +/- 0.000218
bg_vbf_200_	13.66 +/- 3.69	5399.6 +/- 11.5	0.002524 +/- 0.000682	0.002524 +/- 0.000682
bg_vbf_400_	10.39 +/- 3.21	976.46 +/- 3.48	0.01053 +/- 0.00325	0.01053 +/- 0.00325
bg_vbf_600_	4.98 +/- 2.21	247.09 +/- 2.23	0.01977 +/- 0.00877	0.01977 +/- 0.00877
bg_vbf_800_	3.20 +/- 1.76	111.57 +/- 1.77	0.0278 +/- 0.0154	0.0278 +/- 0.0154
bg_vbf_1200_	0.719 +/- 0.833	19.877 +/- 0.833	0.0349 +/- 0.0404	0.0349 +/- 0.0404
bg_vbf_1600_	0.279 +/- 0.519	7.379 +/- 0.519	0.0365 +/- 0.0677	0.0365 +/- 0.0677
bg_dip_0_10	54.8 +/- 7.4	2710792 +/- 4613	2.02e-05 +/- 2.73e-06	2.02e-05 +/- 2.73e-06
bg_dip_100_	247.5 +/- 15.7	1095115 +/- 1526	2.26e-04 +/- 1.44e-05	2.26e-04 +/- 1.44e-05
bg_dip_200_	444.3 +/- 21.1	239104 +/- 413	1.85e-03 +/- 8.79e-05	1.85e-03 +/- 8.79e-05
bg_dip_400_	236.0 +/- 15.3	28562.7 +/- 54.0	0.008194 +/- 0.000531	0.008194 +/- 0.000531
bg_dip_600_	91.95 +/- 9.53	6582.4 +/- 28.8	0.01378 +/- 0.00143	0.01378 +/- 0.00143
bg_dip_800_	53.56 +/- 7.25	2888.78 +/- 8.79	0.01820 +/- 0.00246	0.01820 +/- 0.00246
bg_dip_1200_	11.29 +/- 3.32	502.2 +/- 4.2	0.02199 +/- 0.00647	0.02199 +/- 0.00647
bg_dip_1600_	4.60 +/- 2.12	183.18 +/- 2.14	0.0245 +/- 0.0113	0.0245 +/- 0.0113

3.2 Cut 2

* Cut: select (sdETA (jets[1] jets[2]) > 2.6 or sdETA (jets[1] jets[2]) < -2.6) and
M (jets[1] jets[2]) > 1500.0

Dataset	Events kept: K	Rejected events: R	Efficiency: K / (K + R)	Cumul. efficiency: K / Initial
signal	896.7 +/- 26.5	1707.0 +/- 31.6	0.34438 +/- 0.00931	0.21902 +/- 0.00646
bg_vbf_0_10	0.0 +/- 0.0	0.753 +/- 0.868	0.0 +/- 0.0	0.0 +/- 0.0
bg_vbf_100_	0.372 +/- 0.610	4.09 +/- 2.02	0.0833 +/- 0.1309	3.83e-05 +/- 6.29e-05
bg_vbf_200_	2.92 +/- 1.71	10.75 +/- 3.28	0.213 +/- 0.111	0.000539 +/- 0.000315
bg_vbf_400_	3.36 +/- 1.83	7.03 +/- 2.64	0.323 +/- 0.145	0.00341 +/- 0.00185
bg_vbf_600_	2.08 +/- 1.44	2.91 +/- 1.69	0.417 +/- 0.221	0.0082 +/- 0.0057
bg_vbf_800_	1.37 +/- 1.16	1.82 +/- 1.34	0.429 +/- 0.277	0.0119 +/- 0.0101
bg_vbf_1200_	0.223 +/- 0.470	0.495 +/- 0.695	0.311 +/- 0.546	0.0108 +/- 0.0228
bg_vbf_1600_	0.0421 +/- 0.2046	0.237 +/- 0.479	0.151 +/- 0.677	0.0055 +/- 0.0267
bg_dip_0_10	0.0 +/- 0.0	54.8 +/- 7.4	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_100_	0.0 +/- 0.0	247.5 +/- 15.7	0.0 +/- 0.0	0.0 +/- 0.0
bg_dip_200_	2.30 +/- 1.52	442.0 +/- 21.0	0.00519 +/- 0.00341	9.62e-06 +/- 6.34e-06
bg_dip_400_	4.10 +/- 2.02	231.9 +/- 15.2	0.0174 +/- 0.0085	1.42e-04 +/- 7.03e-05
bg_dip_600_	4.02 +/- 2.01	87.93 +/- 9.32	0.0437 +/- 0.0213	0.0006 +/- 0.0003
bg_dip_800_	3.90 +/- 1.97	49.66 +/- 6.99	0.0727 +/- 0.0355	0.00132 +/- 0.00067
bg_dip_1200_	0.647 +/- 0.804	10.64 +/- 3.23	0.0573 +/- 0.0692	0.00126 +/- 0.00157
bg_dip_1600_	0.118 +/- 0.344	4.48 +/- 2.09	0.0257 +/- 0.0737	0.000629 +/- 0.001829

4 Summary

4.1 Cut-flow charts

- How to compare signal (S) and background (B): $S/\sqrt{S+B}$.
- Object definition selections are indicated in cyan.
- Reject and select are indicated by 'REJ' and 'SEL' respectively

Cuts	Signal (S)	Background (B)	S vs B
Initial (no cut)	4094.08 +/- 1.13	4113516 +/- 4877	2.01760 +/- 0.00132
SEL: PT (a[1]) > 300.0 and M (a[1] a[2]) > 500	2603.7 +/- 30.8	1182.5 +/- 34.3	42.31 +/- 0.38
SEL: (sdETA (jets[1] jets[2]) > 2.6 or sdETA (896.7 +/- 26.5	25.45 +/- 5.04	29.528 +/- 0.455