Lesson notes · for you

Testing like an engineer

Programming · Level 4 · Lesson 4

Time	Materials
20 min	A phone with this lesson downloaded; A notebook for tests and review notes

Learning goals

- Write unit tests with assert, including edge cases.
- Find and fix a boundary bug in binary search.
- Work test-first, and review code with others.

Activity: Activity: Break my code

1. Warm-up (3 min): List every edge case you can think of for search(a, x). Compare lists with a partner.
2. Trace (7 min): Trace the buggy search (while lo < hi) by hand on search([5], 5). Where does it go wrong?
3. Test (7 min): Pick a new function, such as median(values). Write four asserts, two of them edge cases, before any code.
4. Review (3 min): Swap with a partner and write one comment on their tests: a question about the code, never about the coder.

Tracing the boundary bug by hand is the moment it clicks: do it on paper before running anything.

Discussion

- Why did 90% of professional binary searches have bugs?
- What does watching a test fail first prove?
- How do you make code review feel safe?

Check yourself

- Write three edge-case asserts for a function that returns the middle value of a list.

Try it this week

Before you write your next function, write three asserts for it, one of them at an edge. Watch them fail, then make them pass.

Worksheet

Testing like an engineer

Programming · Level 4 · Lesson 4

Name _____ Class _____ Date _____

1 **You are working test-first on a new function. What do you write before the code?**

◯ The documentation ◯ A test that fails ◯ A test that already passes

2 **This binary search passes a test in the middle of a long list, but fails at the edges. Fix it so every edge-case test passes.**

```
def search(a, x):
    lo, hi = 0, len(a) - 1
    while lo < hi:
        mid = (lo + hi) // 2
        if a[mid] == x:
            return mid
        elif a[mid] < x:
            lo = mid + 1
        else:
            hi = mid - 1
    return -1
```

Write your program:

3 **assert top([-5, -2]) == -2 fails: top returns 0. Which line is wrong?**

Circle the line with the mistake. Write it correctly:

```
1  def top(marks):
2      best = 0
3      for m in marks:
4          if m > best:
5              best = m
6      return best
```

4 **Put the test-first cycle in order.**

- [ ] Repeat with the next test
- [ ] Tidy the code while every test still passes
- [ ] Write the simplest code that passes it
- [ ] Write a test for the next small thing, and watch it fail

5 **Which are good edge cases for search(a, x)?**

- [ ] An empty list
- [ ] A list with one item
- [ ] x is the first or the last item
- [ ] x is in the middle of a long list

✎ **Think of a function you wrote that you trusted because it "looked right". Which edge case might break it? Write the assert that would find out.**