Lesson plan · for the teacher

How it picks a tool

AI agents · Level 3 · Lesson 2

Time	Materials
40 min	Request-pattern cards: three or four fixed wordings the pupil “agent” understands; The list of the school’s classes on the board; Paper slips for the calls

Learning goals

- Explain how a model picks a tool from the tools line and the request.
- Compare trained and new wordings, and say why new ones slip more.
- Write checks that stop a wrong call before it runs.

Activity: Same request, new words

1. Warm-up (5 min): Pairs ask each other the time in three different ways. Point out that people understand all of them; a small model may not.
2. Teach (8 min): Draw the tools line on the board and one call with its arguments. Share the numbers: 96–98% right with trained wordings, 78–80% with new ones, and the real slips (9Z became 9C; “the term malware”).
3. Same request (15 min): One pupil is the agent with a card of three or four request patterns; anything else gets “I don’t understand”. Classmates ask for the same thing in five ways, and the class tallies which worked.
4. Catch the slip (7 min): The “agent” writes a call with a class name copied wrongly on purpose. Before the “tool” answers, the class checks the call against the request and the class list on the board.
5. Wrap-up (5 min): Agree on three checks for every call (tool on, words from the request, the right shape). Then give the exit ticket.

Prepare a pattern card with three or four fixed wordings, the list of the school’s classes on the board, and paper slips for the calls. No phones are needed.

Discussion

- Why might an agent understand one wording and not another?
- Which slips would matter most at our school?
- Why is a simple rule a good checker?

Exit ticket

- Write one request in two wordings, and one check the app should make before the tool runs.

Try it at school tomorrow

Play “Same request, new words”: one pupil is the agent and may only act on wordings on a pattern card. Classmates ask for the same thing in five ways. Count which wordings it understands and which it gets wrong, then write the class’s own checks.

Practice questions · for you

How it picks a tool

AI agents · Level 3 · Lesson 2

1 **You asked for a reminder at eight, and the call says nine. What should the app do?**

◯ Run it: nine is close enough ◯ Stop it, and ask you again ◯ Run it, and fix it later if needed

2 **Match each request to what a good agent should do.**

"What's the weather in Kafi tomorrow?"	• • • •	Say "I can't": no tool does this
The same request, with the weather tool off	• • • •	Ask which village
"Book a bus ticket to the city."	• • • •	Call the weather tool with Kafi and tomorrow
"What's the weather tomorrow?"	• • • •	Say that the weather tool is turned off

3 **Complete the check so that the timetable tool runs only for a real class that the person actually typed.**

```
CLASSES = ["6A", "6B", "7A"]
cls = call["class"]
if cls _____ CLASSES:
    print("Stop: unknown class")
elif cls not in _____:
    print("Stop: not in your words")
else:
    print("Run the timetable tool")
```

Word bank: `request` `in` `not in` `result` `answer`

4 **What does this program print?**

```
request = "What does 9Z have tomorrow?"
call = {"class": "9C", "day": "tomorrow"}
if call["class"] in request:
    print("run")
else:
    print("stop")
```

◯ stop ◯ run ◯ 9C

5 **Which of these should the app check before it runs a call? Choose all that apply.**

☐ The model sounded confident ☐ The tool is switched on ☐ The call is longer than the request

☐ Every name and number came from the request or an earlier result

☐ Every argument has the right shape, such as a real time

✎ **Think of how your pupils or colleagues would ask an agent for something. Which of their wordings might it misread, and what would you want the app to check?**

Check your answers

How it picks a tool

1 **Stop it, and ask you again**

Nine never appeared in your words, so the call is a slip.

2 **“What’s the weather in Kafi tomorrow?” — Call the weather tool with Kafi and tomorrow**
The same request, with the weather tool off — Say that the weather tool is turned off
“Book a bus ticket to the city.” — Say “I can’t”: no tool does this
“What’s the weather tomorrow?” — Ask which village

An agent reads the tools line and your words: it calls a tool when one fits, says so when the tool is off, says “I can’t” when none fits, and asks when a detail is missing instead of guessing.

3

```
CLASSES = ["6A", "6B", "7A"]
cls = call["class"]
if cls not in CLASSES:
    print("Stop: unknown class")
elif cls not in request:
    print("Stop: not in your words")
else:
    print("Run the timetable tool")
```

First the class must exist: if it is not in CLASSES, stop.

4 **stop**

“9C” appears nowhere in the request, so the check prints stop.

5 **The tool is switched on; Every name and number came from the request or an earlier result; Every argument has the right shape, such as a real time**

These three rules catch the slips small models make: a tool that is off, a copied name that was never typed, and a detail in the wrong shape.