

ALETH SOLV Multi-Acid Mineral & Scale Remover (Concentrate)

DOCUMENT NO.	VERSION	SUPERSEDES	ISSUED	EMERGENCY (US)
SDS-AL-04	1.1	1.0	September 23, 2026	1-800-222-1222

Uncontrolled when printed — verify the current revision on the ALETH website or with ALETH Chemical Co. Composition disclosed at class level under trade-secret claim (29 CFR 1910.1200(i)). Hazard information fully disclosed.

1 IDENTIFICATION

Product identifier	ALETH SOLV — Multi-Acid Mineral & Scale Remover (Concentrate)
Other means of ID	SOLV · SDS-AL-04
Recommended use	Multi-acid concentrate for water spots, mineral scale, hard-water film, iron and rust staining, and light oil film. Dilute before use — 4:1 for heavy mineral work, 10:1 for interiors.
Restrictions	Not for leather, Alcantara or unsealed textiles. No dwell on bare aluminium or polished metal. Do not let dry — rinse fully. Not for internal use. Not for use on hot surfaces.
Supplier	ALETH Chemical Co., Charlotte, NC, USA
Contact	Inquiries: via the ALETH website or the contact details on the product label
Emergency phone	US Poison Control: 1-800-222-1222

2 HAZARD(S) IDENTIFICATION

DANGER

GHS CLASSIFICATION OF THE MIXTURE



GHS05 · CORROSION



GHS07 · EXCLAMATION



GHS09 · ENVIRONMENT

H314 — Causes severe skin burns and eye damage

H318 — Causes serious eye damage

H290 — May be corrosive to metals

H302 — Harmful if swallowed

H335 — May cause respiratory irritation

H317 — May cause an allergic skin reaction

H410 — Very toxic to aquatic life with long lasting effects

HAZARD CLASS	CATEGORY	H-CODE	STATEMENT
Skin corrosion	1A	H314	Causes severe skin burns and eye damage
Serious eye damage	1	H318	Causes serious eye damage
Corrosive to metals	1	H290	May be corrosive to metals
Acute toxicity (oral)	4	H302	Harmful if swallowed

Specific target organ toxicity — single exposure	3	H335	May cause respiratory irritation
Skin sensitization	1	H317	May cause an allergic skin reaction
Hazardous to the aquatic environment — chronic	1	H410	Very toxic to aquatic life with long lasting effects

Precautionary statements (summary)

- **P260** — Do not breathe mist or vapours
- **P280** — Wear protective gloves, protective clothing and eye/face protection
- **P301+P330+P331** — If swallowed: rinse mouth. Do NOT induce vomiting
- **P302+P352** — If on skin: immediately wash with plenty of water. Remove all contaminated clothing
- **P305+P351+P338** — If in eyes: rinse cautiously with water for several minutes; remove contacts
- **P304+P340** — If inhaled: remove to fresh air, keep at rest
- **P310** — Immediately call a poison centre or physician
- **P264 + P270** — Wash hands thoroughly after handling. Do not eat, drink or smoke when using
- **P273** — Avoid release to the environment

Other hazards: This preparation is strongly acidic and is corrosive — contact with skin, eyes or mucous membranes causes severe, potentially irreversible injury; dilution reduces but does not eliminate the hazard. Do not let this preparation dry on a surface — rinse thoroughly and fully. Repeated exposure can damage organs; use the protection specified in Section 8 every time. Skin sensitisation is a permanent hazard — a sensitised person can react on re-exposure at very low concentration. Very toxic to aquatic life with long lasting effects — never allow concentrate to reach drains, soil or open water. Never mix with bleach, alkalis or other cleaning products — violent reaction and hazardous gases (chlorine in particular) can result. Corrosive to metals — no dwell on bare aluminium or polished metal; rinse at contact time.

3 COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	WEIGHT %	GHS CLASSIFICATION
Proprietary blend of acidic agents	Trade secret	45 – 50	Skin Corr. 1A, H314 · Eye Dam. 1, H318 · Met. Corr. 1, H290 · Acute Tox. 4, H302
Water	7732-18-5	38 – 43	Not classified
Proprietary blend of surfactants and solvents	Trade secret	10 – 14	Skin Irrit. 2, H315 · Eye Irrit. 2A, H319 · Skin Sens. 1, H317 · Aquatic Chronic 1, H410
Proprietary blend of additives	Trade secret	0.2 – 0.5	Aquatic Chronic 1, H410

Trade secret statement (OSHA 29 CFR 1910.1200(i)): The specific chemical identities and/or actual concentrations or actual concentration ranges of the proprietary components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i). Concentration ranges above are intentionally broad. Hazard information is fully disclosed throughout this SDS. Component identities are disclosed to treating physicians and other persons designated by them as required by 29 CFR 1910.1200(i)(4).

4 FIRST-AID MEASURES

Inhalation	Move to fresh air. Rest if breathing is difficult. Get medical attention at once if symptoms persist.
Skin contact	Immediate medical attention. Remove all contaminated clothing at once. Flood skin with water 20+ minutes. Do not delay. Seek medical attention for any subsequent allergic skin reaction.
Eye contact	Immediate medical attention. Rinse cautiously with water 20+ minutes, lifting lids. Remove contacts after 5 minutes, continue rinsing. Do not delay.

Ingestion	Immediate medical attention. Rinse mouth. Do NOT induce vomiting. Give water or milk if conscious. Never give anything by mouth to an unconscious person. Mention possible organ damage from the formulation to the treating physician.
Most important symptoms	Severe chemical burns to skin and eyes. Permanent eye injury possible. Harmful if swallowed. Damage to organs with repeated exposure. Respiratory irritation from mist.
Note to physician	Treat as a strong-acid corrosive injury. Do not neutralise on tissue. Monitor for organ effects following significant ingestion or repeated exposure. For component identities in an emergency, contact ALETH Chemical Co. (disclosure to treating physicians per 29 CFR 1910.1200(i)(4)).

5 FIRE-FIGHTING MEASURES

- **Suitable extinguishing media:** Water fog, dry chemical, carbon dioxide, alcohol-resistant foam.
- **Unsuitable:** Not applicable — this preparation is not flammable as supplied.
- **Specific hazards:** Toxic and irritant fumes and mists may form if heated or in a fire. Do not breathe smoke. The product is corrosive and can damage firefighting equipment.
- **Firefighting PPE:** Full protective clothing and self-contained breathing apparatus (SCBA).
- **Flash point:** Not applicable — non-flammable as supplied.

6 ACCIDENTAL RELEASE MEASURES

- **Personal precautions:** Full PPE including chemical suit and SCBA for large spills. Evacuate non-essential personnel. Do not walk through spilled material.
- **Containment:** Dike with inert absorbent (sand, vermiculite, dry earth). Prevent entry into drains.
- **Cleanup:** Neutralise cautiously with a dilute alkali spray from a distance, then absorb and containerise. Rinse residue with large volumes of water.
- **Environmental precautions:** Prevent entry into drains and watercourses at all costs (see Section 12).

7 HANDLING AND STORAGE

- **Handling:** Use with good ventilation. Full PPE including eye and face protection. Avoid breathing mist and vapours. Avoid all skin contact. Do not eat, drink or smoke while handling. Never allow the product to dry on a surface — rinse fully. Eyewash and safety shower immediately to hand.
- **Storage:** Store in the original container as supplied, tightly closed, in a cool, dry, well-ventilated area. Store in a corrosion-resistant secondary containment. Protect from freezing and from cold crystallisation.
- **Incompatibilities:** Alkalis and ammonia (violent, exothermic), bleach and hypochlorite solutions (chlorine gas), metals and soft alloys, oxidisers.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits: Component-specific occupational exposure limits are withheld as trade secrets per 29 CFR 1910.1200(i). As conservative internal controls, keep airborne vapour below **400 ppm (TWA)** and airborne mist below **2 mg/m³ (ceiling)**. The product is corrosive to skin and eyes regardless of airborne exposure.

- **Respiratory:** Use an acid-gas / organic-vapour combination respirator if mist or vapour levels exceed the internal control. Use a full-face respirator or SCBA for large spills.
- **Hands:** Heavy nitrile or neoprene gloves (NOT latex) for the full contact period. Change immediately if contaminated.
- **Eyes/Face:** Chemical splash goggles **and** full face shield. Mandatory.
- **Body:** Chemical-resistant apron or suit; closed-toe footwear. Suitable eyewash and safety shower immediately to hand.

9 PHYSICAL AND CHEMICAL PROPERTIES

PROPERTY	VALUE
Appearance	Clear liquid
Odor	Mild, characteristic odor
pH	Strongly acidic concentrate (diluted working solution approximately pH 1)
Boiling point	~100°C (aqueous)
Melting point	Not determined (liquid)
Flash point	Not applicable — non-flammable as supplied
Vapor pressure	Water-like
Density	~1.2–1.3 g/mL (approximate)
Solubility	Soluble in water
VOC content	Low — aqueous system

10 STABILITY AND REACTIVITY

- **Stability:** Conditionally stable. This preparation is a high-solids acid system and can crystallise if chilled or evaporated in storage; crystallised material is not fit for use.
- **Hazardous polymerisation:** Does not occur.
- **Conditions to avoid:** Cold, evaporation, contact with alkalis and bleach.
- **Incompatible materials:** Alkalis and ammonia (violent, exothermic), bleach and hypochlorite solutions (chlorine gas), metals and soft alloys, oxidisers.
- **Hazardous decomposition products:** Toxic and irritant fumes and mists may form in fire. Contact with alkali releases a large amount of heat. Contact with bleach releases chlorine gas.

11 TOXICOLOGICAL INFORMATION

- **Skin corrosion:** Category 1A (H314) — severe, irreversible injury on contact.
- **Serious eye damage:** Category 1 (H318) — severe, irreversible injury possible.
- **Corrosive to metals:** Category 1 (H290).
- **Acute toxicity (oral):** Category 4 (H302) — harmful if swallowed.
- **Specific target organ toxicity — single exposure:** Category 3 (H335) — mist may cause respiratory irritation.
- **Skin sensitisation:** Category 1 (H317). Contains dermal sensitisers (identities withheld — trade secrets). Once sensitised, re-exposure may cause allergic contact dermatitis at very low concentration.
- **Carcinogenicity:** No components listed as carcinogens by IARC, OSHA or NTP at or above reportable levels (identities withheld as trade secrets).
- **Aspiration hazard:** Not classified.
- **Target organs:** Skin, eyes, respiratory tract, GI tract (if ingested).

12 ECOLOGICAL INFORMATION

- **Aquatic toxicity (mixture):** Very toxic to aquatic life with long lasting effects (H410). Contains components that are persistent and toxic in the aquatic environment.

- **Persistence/degradability:** The organic fraction is substantially biodegradable; certain components are persistent in the aquatic environment.
- **Mobility:** Soluble in water and mobile.
- **Other adverse effects:** Strongly acidic — will alter soil and water pH on release. Do not release concentrate or washings to drains, soil or open water.

13 DISPOSAL CONSIDERATIONS

- **Disposal:** Neutralise, then dispose of in accordance with federal, state and local regulations through a licensed waste contractor. Do not discharge concentrate or washings to drain, soil or open water.
- **Container:** Empty thoroughly; do not re-use. Rinse thoroughly (triple rinse); recycle where available.
- **RCRA status:** Not a listed hazardous waste as formulated; manage in accordance with local wastewater discharge limits for low-pH streams.

14 TRANSPORT INFORMATION

UN number	UN 1760
Proper shipping name	Corrosive liquid, acidic, organic, n.o.s.
Transport hazard class	8
Packing group	II
Marine pollutant	Present — see Section 12
Special provisions	Corrosive — ship in corrosion-resistant packaging with absorbent and secondary containment

Technical names under 49 CFR 172.203(k): component identities are withheld under a trade-secret claim permitted for n.o.s. entries; the claim is recorded with the shipping papers.

Note: Ground transport only for bulk quantities. Small retail bottles ship as routine Consumer Commodity ground freight. Confirmed at quote time per carton.

15 REGULATORY INFORMATION

- **US Federal:** OSHA Hazard Communication Standard (29 CFR 1910.1200). TSCA — all components listed or exempt; identities withheld as trade secrets.
- **CERCLA/SARA:** Components may be subject to SARA 313 and CERCLA reportable-quantity reporting; identities and thresholds withheld as trade secrets per 29 CFR 1910.1200(i). Release-reporting obligations are tracked internally by ALETH Chemical Co.
- **State:** CA Prop 65 — status under internal review at launch; potential to contain a listed chemical (identity withheld as trade secret). Final determination at label lock.
- **WHMIS 2015 (Canada):** Classified per Hazardous Products Regulations — Corrosive (D1/D2), Sensitization (D2A), Aquatic (D2D). Label elements per official bilingual requirements at launch.
- **EU REACH:** Not placed on the EU market at this time. SDS formatted per 29 CFR 1910.1200 Appendix D.
- **Trade-secret note:** Specific chemical identities and/or exact concentrations of proprietary components withheld per 29 CFR 1910.1200(i)(1); hazard information fully disclosed.

16 OTHER INFORMATION

- **Prepared by:** ALETH Chemical Co. — formulation & compliance team
- **Date of issue:** September 23, 2026 · **Version 1.1** (classification pass)
- **Revision history:** Version 1.0 (September 23, 2026): initial issue. Version 1.1 (September 23, 2026): classification pass — every hazard category re-derived against the published mixture-classification rules after an independent review, and each claim those rules do not support removed; product scope and composition bands corrected against internal formulation records, and the repeated-

exposure hazard added. Mixture classification derived by the additivity method from component hazard classifications; composition disclosed at class level under the trade-secret provisions of 29 CFR 1910.1200(i).

- **Next scheduled review:** September 23, 2027, or upon any formulation or regulatory change.
- **SDS sources:** Component classifications derived from supplier SDS library + UN GHS Rev. 9 mixture classification rules. Supplier and component names intentionally omitted.
- **Disclaimer:** Information provided as-is for hazard communication. User assumes responsibility for safe use under their specific conditions.