



Inputs
Molecule + Endpoint
MIRA-Relay
Features
Frozen scorer
base score
q^0
$q = q^0 + \Delta$
score
Eligible tools
Selector
Selected tool
released state
n
s
residual
Δ
Execution
Call
Return
valid
Judge
Chemical feedback
$r \in \{0, 1\}$
error
Runtime ledger
selected-only queue
Release
$\tau_t = t + 1 + D$
Update
Feedback (selected-only)


decision t
selected action
call
terminal record
output: …
runtime status: …
valid return
judge
frozen endpoint
chemical feedback
$r \in \{0,1\}$
runtime error
runtime ledger
pending
selected-only
$\tau_t = t + 1 + D$
feedback hidden until release
release
released state
visible only at or after τ_t
first later decision
= completed / observed
= waiting until release


Inputs
Molecule + Endpoint
MIRA-Relay
Features
Frozen scorer
base score
q^0
$q = q^0 + \Delta$
score
Eligible tools
Selector
Selected tool
released state
n
s
residual
Δ
Execution
Call
Return
valid
Judge
Chemical feedback
$r \in \{0,1\}$
error
Runtime ledger
selected-only queue
Release
$\tau_t = t + 1 + D$
Update
Feedback (selected-only)
decision t
selected action
call
terminal record
output: …
runtime status: …
valid return
judge
frozen endpoint
chemical feedback
$r \in \{0,1\}$
runtime error
runtime ledger
pending
selected-only
$\tau_t = t + 1 + D$
feedback hidden until release
release
released state
visible only at or after τ_t
first later decision
= completed / observed
= waiting until release