6/09/21 20:34:18	*EVENTF
DC433C37/COVIDDSP	*NOSECLVL
DO	COVIDDSP DC433C37 Display ODDSSRC DC433C37 COVIDDSP 66/09/21 7:59:46 *SOURCE *LIST 20 0*LIBCRTAUT *YES IBM System i5 Data
Data Description	
5770SS1 V7R4M0 190621	File name

Н

Page

Data Description Source

8 Date		000/600/600/600/600/600/600/600/600/600		000000000000000000000000000000000000	09/2 09/2 09/2 09/2 09/2
3+7+5+6+7+	1 2USER 3 2'DAVINDER VERMA' 1 72DATE EDTCDE(Y) 1 22'C O V I D 19 R I S K F A C T O R S' 5 3'Birth Date:' 5 45'M/F' 5 45'M/F'	15 42VAL DSP DSP 49'Ge 2'An	9 3'Cardiovascular Disease:' 1 B 9 27VALUES('Y' 'N')	d 8 0 1 1 1 0 2 21	13 12 3
2+	R RISKFACTOR	BIRTHDATE GENDER	CVDISEASE	RSPDISEASE	
+1	বেববববববববব	44444 960 900	44444 44 900 000	4444 44 90 90	4444 60 88 4444
SEQNBR *	7 K 4 B 9 C H H 10 C H	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7	8 8 8 8 8 4 8 6 9 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9

N

Data Description Source

SEQNBR *...+...1....+....2....+....3....+....4....+....5....+....6....+....6....+....8 Date

	00/00/	6/09/2	6/09/2 6/09/2	6/09/2 6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	6/09/2	/09/2	06/09/21
1 B 12 57 VALUES('Y' 'N') DSPATR(RI PC) DSPATR(PR) 13 36'Hgh Blood Pressure must not be bla	AIN. 	OVERLAY OVERLAY OVERLAY	15 27'R I S K A S S E S S M E N T' 17 6'Age'	3 0O 19 6EDTCDE(1)	17 13'Fatality Rate'	5Y 3O 19 17TEXT('Fatality rate (percentage)')	EDTCDE(1)	19 24 '%'		17 31'Vacination Recomendation'	19 34'Cohort:'			7 62'Total	3 00 19 68EDTCDE(1)		3 61	23 41'F3 - Exit'		
HBPRESSURE				AGE		FRATE						COHORT			TOTALQ					
444444 60 60 60	* ~ ~	ζ ζ ι	A A	Ą	А	А	А	Ø		А	Ą	Ą		А	А		А	Ą		
4 4 4 4 4 7 1 2 8 4 5 7	1 4 4 4 7 8 0	1 U I	51 52	53 54	55	26	57	58	59	09	61	62	63	64	65	99	67	89	69	70

* * * END OF SOURCE * * *

33
Page
6/09/21 20:34:18
DC433C37/COVIDDSP
Data Description
5770SS1 V7R4M0 190621
5770

Expanded Source

D., Ffor 500; +1.05					$\begin{matrix} 7 & 1 \\ 17 & 11 \end{matrix}$		18 12	·	ν. Σ	20 14	21 15			17	4	σ
	length		11 0 14 8 18 8	11 7 3	10 1	2 8 2 4 8 8	Н	w 200	-1	7 N N N N N N N N N N N N N N N N N N N	29 1	40	;	7 Z 7 Z 7 Z	H Q	24 7
Expanded Source	*+1+2+3+4+5+6+7+8	DSPSIZ(*DS3) * Option indicator output buffer positions: * *IN60 0002 *IN95 0001 *IN96 0003 *IN97 0004 *IN98 0005 * *IN99 0006 R RISKFACTOR	1 2USE 3 2'DA 1 72DAT 1 22'C		BIRTHDATE 10L B 5 GENDER 1A B 5 95 60	95 7 2 9 3	CVDISEASE 1A B 9 27VALUES('Y' 'N') 96 DSPATR(RI PC)	00 USPATR(PK) 96 10 3'Cardiovasc 9 46'Diabetes:	DIABETES IA B 9 5/VALUES('Y' 'N') 97 DSPATR(RI PC) 60 DSPATR(PR)	10 46'Diabetes 12 3'Respirato RSPDISEASE 1A B 12 27VALUES('Y'	DSPATK(KL) 60 DSPATK(PR) 68 13 3'Respiratc 12 36'High Bloc HBPRESSURE 1A B 12 57VALUES('Y'	99 60 99	* Response indicator input buffer positions: * *IN03 0001 R RISKASSMNT CF03 (03 'Exit Program') OVERI	15 27'R 1 S K A 3 17 6'Age' AGE 3Y 0O 19 6EDTCDE(1) 17 13'Fatality Rat	FRATE 5Y 3O 19 19	17 31'Vacination Recomendation' 19 34'Cohort:' COHORT 9X O 19 43
	SEQNBR	N	1 24 12 12	7 9 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21 22 24 41 75	117 118 20	22	7	M 22 K	W W W C	33 3 4 4 4 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 4 4 8 4 7 4 0	49	5	56 57 58	61 61 62

DC433C37 DAVINDER VERMA

Buffer position	Out In		18		
Field	8 length	14	m	23	0
Expanded Source	3+4+5+6+7+8 length	17 62'Total Queries:'	3Y 0O 19 68EDTCDE(1)	23 6'F1 - Cohort Information'	23 41'F3 - Exit'
	*+1+3+3		TOTALO		
	SEQNBR	64	65	67	68

* * * *

SOURCE

EXPANDED

<u>н</u>

D N E

4

Page

6/09/21 20:34:18

DC433C37/COVIDDSP

Data Description

5770SS1 V7R4M0 190621

5770SS1 V7R4M0 190621	190621	Data Description	tion	DC433C37/COVIDDSP	6/09/21 20:34:18
		Message Summary	mary		
	Informational	Warning	Error	Severe	
	(6-0)	(10-19)	(20-29)	(30-99)	
	0	0	0	0	

2

Page

Message File COVIDDSP created in library DC433C37.

00

* CPC7301

5770WDS V7R4M0 190419 RN	IBM ILE RPG	DC433C37/COVIDRPG	S7850740	87850740 06/09/21 20:34:47
Command	CRIBNDRPG			
Issued by	. : DC433C37			
Program	: COVIDRPG			
Library	: DC433C37			
Text 'description'	: *SRCMBRTXT			

Page

	*NOSECLVL *SHOWCPY *NOSHOWSKP *NOSRCSTMT *EVENTF	
COVIDRPG QRPGLESRC DC433C37 37 06/09/21 20:34:41	10 *YES *XREF *GEN *EXPDDS *EXT *DEBUGIO *UNREF	FD
Source Member	Generation severity level : Default activation group : Compiler options	Debugging views Debug encryption key Output Optimization level Source listing indentation Type conversion options Sort sequence Language identifier Replace program User profile Authority Truncate numeric Fix numeric Target release Allow null values Define condition names Enable performance collection Profiling data Licensed Internal Code options Generate program interface Include directory Preprocessor options

S O U r C c	<pre><</pre>	> Do Page Change 0 Num Line Date	e Id	Number
DSSP WORKSITM; Ref name Excertal name	ource Listin			
STATE STAT		\vdash	609	000001
Creat	DCL-F COVIDDSP WORKSTN	21	0	00000
### STATE OF THE S	File name RISKFACTOR Record format(s) RISKFACTOR			
d format RISKFACTOR DC433C37/COVIDDSP *1SO-D 1 10 BRTHDATE		N	609	000004
A 1 1 1 1 1 1 1 1 1	IRISKFACTOR *			1000001
### RANGER A 11 10 BIRTHDATE A 12 12 CVD1SEASE A 13 12 DABETES A 14 14 RSPD1SEASE B A 15 15 HBPRESSURE A 15 15 HBPRESSURE A 15 15 HBPRESSURE ***RESTALL FORMAT : RISKASSMYT : DC433C37/COVIDDSP ***RESTALL FORMAT : RISKASSMYT : DC433C37/COVIDSP ***RESTALL FORMAT : RISKASSMYT : DC433C37/COVIDSP ***RISPS = **OFF;	RPG record format : RISKFACTOR External format : RISKFACTOR : DC433C37/			
A 13 12 12 CAUISMASE A 14 14 RSPDISEASE A 14 14 RSPDISEASE A 15 15 HBPRESCURE A 15 15 HBPRESCURE A 16 14 RSPDISEASE A 16 14 RSPDISEASE A 17 14 RSPDISEASE A 17 14 RSPDISEASE ** format : RISKASSNNT : DC433C37/COVIDDSP ** ** ** ** ** ** ** ** **	*ISO-D 1 10 BIRT A 11 11 BEND			1000002
## 15 15 HBPRESSURE d format : RISKASSNNT : DC433C37/COVIDDSP	A 12 12 CVDI A 13 13 DIAB A 14 14 RSPD			1000004 1000005 10000006
** RPG record format : RISKASSNNT : DC43337/COVIDDSP ** ** External format : RISKASSNNT : DC433337/COVIDDSP ** ** External format : RISKASSNNT : DC433337/COVIDDSP ** EXSR CLEAR; EXSR CLEAR; EXFORT RISKFACTOR; DOW NOT(**NU03); DOW NOT(**NU04); EXPORT RISKFACTOR; ** LNS5 = * * ON; EXPORT RISKFACTOR; ** LNS5 = * ON; EXPORT RISKFACTOR; ** LNS7 = * ON; EXEMPT RISKFACTOR; ** LNS7 = * ON;	A 15 15 HBPR			1000007
EXSR CLEAR; EXSR CLEAR; EXFRACTOR; EXFWT RISKFACTOR; DOW NOT(*INO3); IF GENDER = ''; *IND5 = *OFF; *IND5 = *OFF; *IND6 = *OFF; ITER; EXEMT RISKFACTOR; *IND7 = *OFF; ITER; EXEMT RISKFACTOR; *IND7 = *OFF; ITER; EXEMT RISKFACTOR; *IND7 = *OFF; *IND	PG record format RISKASSMNT : DC433C37/COVIDDSP			
210609 000 210609 000 210609 000 210609 000 210609 000 02 210609 000 02 210609 000 02 210609 000 02 210609 000 02 210609 000 02 210609 000 02 210609 000 02 210609 000 02 210609 000 03 04 05 05 05 05 05 05 05 05 05 05 05 05 05	N 1 *IN03 EXIT			2000002
EASE = ''; N; FACTOR; FACTO	EXSR CLEAR; EXFMT RISKFACTOR;	\neg	600	000
B02 210609 000 N; FACTOR; SACTOR; SAST = ''; SAST = ''	DOW NOT (*INO3);	22.2	000 009	$\frac{1}{2}$
RISKFACTOR; Co. Co	IF GENDER = ' ';	21	609	00
CVDISEASE = ''; CVDISE		21	609	
CYDISEASE = ' '; CYDISEASE =		21	609	
CVDISEASE = ' '; CVDISEASE = ' '; E RISKFACTOR; C 210609 C 000 C 210609 C 000 C 210609 C 000 C 000	ITER;	2.1	609	0
RISKFACTOR; Co. Co	CVDISEASE = ' '	22	609	
5 = *OFF; 10009 0000 210609 0000 210609 0000 DIABETES = ''; 210609 0000 RISKFACTOR; 210609 0000 RISKFACTOR; 210609 0000		2 2	609 609	$\frac{1}{2}$
DIABETES = ''; 210609 0000 000 0000 000 0000 0000 0000 0		21	609	000
DIABETES = ''; 210609 000 7 = *ON; 02 210609 000 F RISKFACTOR; 02 210609 000 7 = *OFF. 02 210609 000	1 LDN /	2 2	609	
RISKFACTOR; 0.02 210609 0.00	DIABETES = ' '	2.2	609	000
		22.5	600	

N

Page

S7850740 06/09/21 20:34:47

DC433C37/COVIDRPG

IBM ILE RPG

5770WDS V7R4M0 190419 RN

### Comments Source Specifications Source Specific		x02 Num Line 02 Num Line 02 02 02 02 02 02 02 02 02 02 02 02 02	# 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8
SECOND S	### PREPRIEBASE = ''; ### REPRIEBASE = ''; #### RISKPACTOR; #### RISKPACTOR; #### RISKPACTOR; ###################################	X X 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1)
STATE STAT	IF RSPDISEASE = 'N98 = *ON; EMT RISKFACTOR; 198 = *OFF; ER; IF HBPRESSURE = 'N99 = *OFF; ER; EXECUTE 2ND SCREEN SR DETERMINERISK; TALQ = TOTALQ +1; N60 = *OFF; ITE RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; FMT RISKFACTOR; F; FMT RISKFACTOR; FF; FMT RISKFACTOR; FF; FMT RISKFACTOR; FF; FMT RISKFACTOR; FF; FMT RISKFACTOR; FMT RISKFAC		$\begin{smallmatrix} & & & & & & & & & & & & & & & & & & &$	7
R=180FACDE;	THE TREATMENT IN THE RESTRACTOR; HOS = *OFF; ER; IF HBPRESSURE = 'NER; FMT RISKFACTOR; HOS = *OFF; EXECUTE 2ND SCREEN SR DETERMINERISK; TALQ = TOTALQ +1; NG 0 = *OFF; FMT RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; FMT RISKFACTOR; F; R BIRTHDATE; EMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; SR CLEAR; SR CLEAR; FMT RISKFACTOR; F; THEPRESSURE; R BIRTHDATE; ER = ''; SEASE = ''; SEASE = ''; SEASE = ''; A DETERMINERISK; A LODAL A A A A A A A A A A A A A A A A A A		$\begin{smallmatrix} & & & & & & & & & & & & & & & & & & &$	7
RISKEWICTOR; Color	THE TESTACTOR; THE TESTACTOR;		$\begin{smallmatrix} & & & & & & & & & & & & & & & & & & &$	7
# OFF; #	D98 = *OFF; ER; IF HBPRESSURE = ' N99 = *ON; ENT RISKFACTOR; ENT RISKFACTOR; EXECUTE 2ND SCREEN SR DETERMINERISK; TALQ = TOTALQ +1; N60 = *ON; ITE RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; FMT RISKFACTOR; F; R BIRTHDATE; ENT RISKFACTOR; F; R BIRTHDATE; ENT RISKFACTOR; F; AND RISKFACTOR; F; R BIRTHDATE; ENT RISKFACTOR; F; AND RISKFACTOR; F; R BIRTHDATE; ENT RISKFACTOR; F; F = *ON; ALS STATES; F R BIRTHDATE; F = *ON; F = *ON		$\begin{smallmatrix} & & & & & & & & & & & & & & & & & & &$. C C C C C C C C C C C C C C C C C C C
NEW PRESSURE ' ', 2000	ER; IF HBPRESSURE = ' N99 = *ON; EMT RISKFACTOR; BS; EXECUTE 2ND SCREEN SR DETERMINERISK; TALQ = TOTALQ +1; N60 = *ON; ITE RISKFACTOR; FMT RISKFACTOR; FMT RISKFACTOR; F; FMT RISKFACTOR; FMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; SR CLEAR; SR CLEAR; F; TALQ = *OFF; TALQ			. C C C C C C C C C C C C C C C C C C C
NEWESCURE 1 2 2000 2	IF HBPRESSURE = ' N99 = *ON; ENT RISKFACTOR; EN; EXECUTE 2ND SCREEN SR DETERMINERISK; TALQ = TOTALQ +1; N60 = *ON; ITE RISKFACTOR; FMT RISKFACTOR; Fi IN03 = *OFF; SR CLEAR; SR CLEAR; FMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; SR SDISEASE; R BIRTHDATE; EN = '; SEASE = '; SEASE = '; SEASE = '; R BIRTHDATE; R BIRTHDATE; R BIRTHDATE; A OFF; R BIRTHDATE; A OFF; R BIRTHDATE; A OFF; R BIRTHDATE; B = ', SEASE = '; SE	00000 0 00000		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
No.	IF HBPRESSURE = 'N99 = *ON; FWT RISKFACTOR; n99 = *OFF; ER; ER; EXECUTE 2ND SCREEN SR DETERMINERISK; TALQ = TOTALQ +1; N60 = *ON; ITE RISKFACTOR; FWT RISKFACTOR; F; FMT RISKFACTOR; F; CLEAR; SR CLEAR; SR CLEAR; F; FMT RISKFACTOR; FM	0000 0 00000		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
RISKERATOR; 0.0 2 2.000 = *OFF; 0.0 2 2.000 = *OFF; 0.0 2 2.000 = *OFF; 0.0 2.00	**MAPS = **ON; **INSP = **ON; **INSP = **ON; **INSP = **ON; **INSO = **OFF; EXEMPT RISKEACTOR; **INSO = **OFF; EXEMPT RISKEACTOR; EXEMPT R	0000 0 0000	$\begin{smallmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 $	ω ω ω ω ω φ φ φ φ φ φ φ φ φ φ φ φ
RISKRACTOR; E *OFF; CUTE 2ND SCREEN DDTERMINERISK; OD = TOTALOL +1; E *OFF; E	ELSE, ELSE, EXECUTE 2ND SCREEN EXSR DETERMINERISK; *INGO = *ON; EXERACUTE SIGNAL *INGO = *ON; EXERACUTE; *INGO = *OFF; ENDIF; IF *INGO = *OFF; ENDIF; IF *INGO = *OFF; ENDIF; IF *INGO = *OFF; ENDIF; INDO, EXERACUTE *INTENDATE; ENDIF; EN	000 0 0000	$\begin{smallmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 $	Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ Θ
= *OFF, CUTE ZND SCREEN DETERMINERIEK; 0.2 21060 DETERMINERIEK; 0.2 21060 DETERMINERIEK; 0.2 21060 DETERMINERIEK; 0.2 21060 RISERSACTOR; 0.2 21060 ENDERS CONTROL 0.2 21060 ENDE	**in99 = *OFF; *ITER; ELSB; //EXECUTE 2ND SCREN EXSR DETERNINERISK; TOTALO = TOTALO +1; **NTAGO = *OOF; EXENT RISKRACNOT; EXENT RISKRACNOT	0000 0 000		\bigcirc
CUTE AND SCREEN DETERMINERIEK; = *CNILL FIXERACIOR POTE AND SCREEN DETERMINERIEK; 0 2 2000 2 200	ELSE; ELSE; EXENDERANDERIES */BEEUTE 2ND SCREEN EXER DETERMINERIES; * TOTALQ +1; * TOTALQ +1; * TOTALQ +1; * TOTALQ -1 TOTALQ +1; * WRITE RISKFACTOR; EXERT RISKFACTOR; EXENT RISKFACTOR; EXENT RISKFACTOR; EXERT CLEAR; EXENT RISKFACTOR; EXERT CLEAR; EXENT RISKFACTOR; EXENTE * VEPT CLEAR; EXENT RISKFACTOR; EXENTE * VEPT CLEAR; CLEAR BETRENENTE; CLEAR REPDISEASE; CLEAR REPUBLIESE; CLEAR REP	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
TOTE AND SCREEN DETERMINENTS: (0 = 1070ALQ +1; RISKASCHNT; RISKASC	ELSE; EXECUTE 2ND SCREEN EXECUTE 2ND SCREEN FUNDALQ = TOTALQ +1; *INGO = *ON; *INGO = *OFF; *INGO = *OFF; EXEMIT RISKASCHNI; EXEMIT RISKASCHNI; EXEMIT RISKASCHNI; EXEMIT RISKACTOR; EXEMIT RISKACTOR; EXEMIT RISKACTOR; EXEMIT RISKACTOR; EXEMIT RISKACTOR; EXEMIT PLANE; EXEMIT RISKACTOR; *INDO; INLR = *ON; *INDO; *INDO;	0 0000		$\begin{smallmatrix} & & & & & & & & & & & & & & & & & & &$
CUTE 2ND SCREEN DETERMINERISK; DETE	ELSE; ELSE; EXECUTE 2ND SCREEN EXER DETERMINERISK; * TOTALQ +1; * T	N N N N N N O O O O O O O O O O O O O O		4444444444
UCUTE ALM SCREEN DETERMINEDISK; 00 = TOTOTE ALM SCREEN DETERMINEDISK; 00 = TOTOTE ALM SCREEN DETERMINEDISK; RISKPACTOR; RISKPACTOR; 1 = *OFF; CLEAR; CLEAR; CLEAR; CNS CNS CNS CNS CNS CNS CNS CN	EXER DETERMILER.ISK; TOTALQ = TOTALQ + 1; *INGO = *ON; *RINGO = *OFF; *EXPMT RISKASCNUT; *EXPMT RISKASCNUT; *EXPMT RISKASCNUT; *EXPMT RISKASCNUT; EXPMT RISKASCNUT; EXPMT RISKASCNUT; EXER CLEAR; EXER CLEAR; EXER CLEAR; EXERT RISKFACTOR; EXER CLEAR; **INDS = *OFF; **INDS	0000		4 4 4 4 4 4 4 4 5 5 5 5 5
DETERMINERISK; DETERM	EXRN DETERMINERISK; *INGO = *ON; *INGO = *ON; *INGO = *OFF; *I	0000		4444444000000000
PUTALDA 1	TALQ = TOTALQ N60 = *ON; ITE RISKFACTOR EMT RISKASSMNT N60 = *OFF; F; IN03 = *OFF; SR CLEAR; F; FMT RISKFACTOR F; CLEAR; S = *OFF; R BIRTHDATE; ER = ''; SEASE = ''; SEASE = ''; R DIABETES; R RSPDISEASE; R R RSPDISEASE; R R R R R R R R R R R R R R R R R R R	000		44444400000000
RISKPACTOR; P. P. P. P. P. P. P. P	NGO = *ON; ITE RISKFACTOR EMT RISKFACTOR NGO = *OFF; F; INO3 = *OFF; SR CLEAR; F; FMT RISKFACTOR FM	00		4 4 4 4 4 4 0 0 0 0 0 0
RISKPÄCTOR; RISKPÄCTOR; RISKPÄCTOR; RISKPÄCTOR; RISKRASNNT; RISKPACTOR; RISKPA	TTE RISKEYSTER RICKAS NGO = *OFF STAN RISKAS STAN STAN STAN STAN STAN STAN STAN ST	10		, 4 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5
RISKASSNAT; = *OFF; =	FAT RESERVED TO SERVE SERVED S	1		, 4 4 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
### STATES STATE	F; IN03 = *OFE IN03 = *OE SR CLEAR; F; CLEAR; F; R BIRTHDAT ER = '; SEASE = '; R BIRTHDAT ER = '; SEASE = '; R BIRTHDAT ER = '; R BIRTHDAT ER = '; SEASE = '; R BIRTHDAT ER = '; R BIRTH	c		* 4 4 4 G G G G G G G
= *OFF; = *OFF; CLEAR; CLE	F; IN03 = *OFF; FMT RISKFF; F; CLEAR; S = *OFF; R BIRTHDATER = ''; R BIRTHDATER = ''; R BIRTHDATER = ''; R BIRTHDATER E = '''; R BIRTHDATER E = ''''; R BIRTHDATER E = '''''; R BIRTHDATER E = ''''; R BIRTHDATER E = '''''; R BIRTHDATER E	V (4
DOES 21000 CLEAR; RISKPACTOR; RISKRPACTOR; RISKRPAC	F; IN03 = *OESK; FMT RISKFF F; CLEAR; S = *OFF; R BIRTHDATER = ''; R B	N		4 4 C C C C C C C C C C C C C C C C C C
DEST	IN03 = *OE SR CLEAR; FMT RISKFF F; CLEAR; S = *OFF; R BIRTHDAI ER = ''; SEASE = ''; SEASE = ''; R DIABETE: R RSPDISE: R RSPDISE: R RSPDISE: R HBPRESSU	C		
3 = *OFF; CLEAR; CLEAR; CLEAR; RISKFACTOR;	IN03 = *OE SR CLEAR; FMT RISKFF F; CLEAR; S = *ON; S = *OFF; R BIRTHDA1 ER = ''; SEASE = ''; R BIRTHDA1 ER = ''; CLEAR; R BIRTHDA1 ER = ''; SEASE = ''; R BIRTHDA1 ER = ''; SEASE = ''; SEASE = ''; SEASE = ''; SEASE = ''; R BIRTHDA1 ER = ''; SEASE = '''; SEASE = ''	7 0		
CLEAR; RISKFACTOR; RISKFACTOR; RISKFACTOR; RISKFACTOR; RISKFACTOR; ROU; N;	EXCLEAR; FMT RISKFF; CLEAR; B = *ON; CLEAR; R BIRTHDATER = ''; SEASE = ''; R DIABETE: R RSPDISEZ R REPRISEZ R HBPRESSU DETERMINER atic Data = 25; E = 0.051;	0	090	000000000000000000000000000000000000000
RISKFACTOR; RISKF	= *ON; CLEAR; E = *OFF; R BIRTHDATER = '; SEASE = '; SEASE = '; SEASE = '; R DIABETER R RSPDISER R RSPDISER R RSPDISER R RSPDISER R HBPRESSU	N C	090	00000
EXEMPLE IN THE PROPERTY OF THE	F; CLEAR; CLEAR; S = *OFF; R BIRTHDATER = ''; R DIABETER R RSPDISER R RSPDISER R RESPOISER R HBPRESSI DETERMINER atic Data = 25; E = 0.051; RT = 'GROU	v (0.00
ON; ON; AR; *OFF; *THDATE; *TH	= *ON; ; CLEAR; 5 = *OFF; K BIRTHDATER = ''; R DIABETER R RSPDISER R RSPDISER R RESPONSER R HBPRESSI DETERMINER atic Data = 25; E = 0.051; RT = 'GROU	7 0		50
E01 21060	= *ON; ; CLEAR; S = *OFF; R BIRTHDATER = ''; R DIABETER R RSPDISER R RSPDISES R RBPRESSI R HBPRESSI DETERMINER atic Data = 25; E = 0.051; RT = 'GROI	N) [
ON; AR; *OFF; *OFF; *OFF; *OFF; *OFF; *ITHDATE; *ITHDAT	= *ON; ; CLEAR; 5 = *OFF; R BIRTHDATER = ''; SEASE = ''; R DIABETEE R RSPDISEZ R RSPDISEZ R RBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU	0.1		٦
ON; AR; *OFF; *OFF; INTHIDATE; EI '; INTHIDATE; SE = ', INTHIDATE; SE = ', INTHIDATE; SPDISEASE; SPDISEASE; SPDISEASE; SPDISEASE; SPDISEASE; SPOISEASE; SPOIS	CLEAR; CLEAR; 5 = *OFF; R BIRTHDATER = ''; SEASE = ''; R DIABETEER RSPDISEZ R RSPDISEZ R RBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU	H		7 7
AR; *OFF; *OFF; *INTHDATE; = ''; INTHDATE; = '', INTHDATE; = '	CLEAR; S = *OFF; R BIRTHDAT ER = '; SEASE = '; R DIABETE: R RSPDISEZ R RSPDISEZ R RBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU		000	7 7
AR; INTUDATE; INTUDATE; INTUDATE; INTUDATE; INTUDATE; INTUDATE; INTUDATE; INTUDATE; INTUDATE; INTUDENCE: INTUDENCE:	CLEAR; 5 = *OFF; R BIRTHDATER = ''; SEASE = ''; R DIABETER R RSPDISER R RSPDISER R HBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU		080	5
AR; *OFF; *OFF; *OFF; *INTHODATE; = RISKFACTOR *ACF; *INTHODATE; *INTHODATE; *INTHODATE; *INTHODATE; *INTHODATE; *INTHODATE; *INTHODATE; *INTHODATE; *INTHODE	CLEAR; 5 = *OFF; R BIRTHDAT ER = ' '; SEASE = ' '; R DIABETES R RSPDISE; R RSPDISE; R HBPRESSU R HBPRESSU DETERMINE; atic Data = 25; E = 0.051; RT = 'GROU		090	9
*OFF; IRTHDATE; IRTHDATE; IRTHDATE; IRTHDATE; IRTHDATE; ISTHDATE; ISTHDATE ISTHDATE; I	E = *OFF; R BIRTHDA1 ER = ' ; SEASE = ' ; R DIABETE: R RSPDISE; R RSPDISE; R HBPRESSU DETERMINE; atic Data = 25; E = 0.051; RT = 'GROU			9
IRTHDATE; IRTHDATE; IRTHDATE; IRTHDATE; IRTHDATE; IRBETES; IRBETES; IRBETES; IRBETES; IRBETES; IRBETES; IRRINIERISK; IRRIN	R BIRTHDATER = 1, 2 SEASE = 1, 3 R DIABETER R RSPDISER R HBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROI			9
ABBRETES; 21060	ER = '; ERAE = '; ERAE = '; ERAEDISER R RSPDISER R HBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU			ט פ
ERMINERISK; c Data added 5; c Cost; c Cost; c Cost; rd format RISKFACTOR	EASE = ''; SEASE = ''; R DIABETES R HBPRESSU DETERMINEH atic Data = 25; E = 0.051; RT = 'GROU			
INDEPTED: JABETES: JABET	R REPETES R REPESSI R HBPRESSI DETERMINER atic Data = 25; E = 0.051; RT = 'GROI			פ ע
PPESSURE; SPDISEASE; SPDISEASE; SPDISEASE; S1060	R RSPDISE R RSPDISES R HBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU			ט פ
ERMINERISK; C Data added 5; 0.051; = 'GROUP 4'; rd format : RISKFACTOR ERMINERISK; 21060 21060 21060 21060	R HBPRESSU DETERMINER atic Data = 25; E = 0.051; RT = 'GROU			פ פ
ERMINERISK; c Data added 5; 0.051; = 'GROUP 4'; rd format : RISKFACTOR **EMMINERISK; 21060 21060 21060 21060	DETERMINER atic Data = 25; E = 0.051; RT = 'GROU			2 6
ERMINERISK; c Data added c Data added 5; 0.051; = 'GROUP 4'; rd format : RISKFACTOR ** ** ** ** ** ** ** ** ** *	DETERMINEF atic Data = 25; E = 0.051; RT = 'GROL			2 6
ERMINERISK; c Data added c Data added 5; 0.051; = 'GROUP 4'; rd format : RISKFACTOR ** Line of the content of the con	DETERMINEF atic Data = 25; E = 0.051; RT = 'GROU			2 5
c Data added 5; 0.051; = 'GROUP 4'; rd format : RISKFACTOR	atic Data = 25; E = 0.051; RT = 'GROU			, _
5; 0.051; = 'GROUP 4'; rd format : RISKFACTOR	= 25; E = 0.051; RT = 'GROU			, _
GROUP 4'; = 'GROUP 4'; z1060 z1060 z1060 z1060 z1060	= 25, E = 0.051; RT = 'GROUP 4			7
= 'GROUP 4'; 21060 21060 21060 21060 21060 21060 21060	RT = 'GROUP 4			, [
	LI GROOF #			, [
 rd format: RISKFACTOR	, againe			7 .
rd format : RISKFACTOR	ANDOR; SKFACTOR			
format RISKFACTOR		*		
	PG record format : RISKFACTOR	*		. M
External format: RISKFACTOR : DC433C37/COVIDDSP	format RISKFACTOR : DC433C37/COVIDDSP	*		3

 \sim

Page

S7850740 06/09/21 20:34:47

DC433C37/COVIDRPG

IBM ILE RPG

5770WDS V7R4M0 190419 RN

Change Src Seq Date Id Number 3000002 3000004 3000005 3000006 3000007 3000010 3000011 3000012 40000013	ਾ ਦਾ ਦਾ ਵ	4000002 4000003 4000004 4000005
	* * *	Fatality rate (percentage)
* ISO 10 11 11 11 11 11 11 11 11 11 11 11 11	DC433C37/COVIDDSP	0, m 0, m 0, m
### ##################################	••	3S ZONE 8S ZONE 17A CHAR 20S ZONE
Source Specification *IN60 *IN60 *IN96 *IN96 *IN97 *IN97 *IN98 *IN99 BIRTHDATE GENDER CVDISEASE DIABETES RSPDISEASE HBPRESSURE	ormat RISKASSMNT	AGE FRATE COHORT TOTALQ
Line <	RPG re Extern	

SOURCE

О Б

E N

4

Page

S7850740 06/09/21 20:34:47

DC433C37/COVIDRPG

IBM ILE RPG

5770WDS V7R4M0 190419 RN

Ø

Φ р

Ф

Ω

Ø

Φ

Ŋ

Σ Ŋ T Ø 0 ロ Д α -H Д ď 口 0 -H T -H Д Ъ ø

text Seg Number S Msg id

Ø 闰 Ü Ø Ø Ø 闰 Σ \mathcal{O} \vdash Ø 0 Z ᠐ ø \vdash О Ы Ø Z 0 \vdash \vdash \vdash Д О Ø ഥ 0 Д z 闰

Ø ロ 0 -H \downarrow -H Ø 0 Д Н Φ щ ¥ Ħ М T Ħ Д ц Z 0

Field or Constant 2 *IN60 1 *IN95 3 *IN96 4 *IN97 5 *IN98 6 *IN99 7 GENDER 7 GENDER 9 DIABETES 9 DIABETES 1 RSPDISEASE 1 AGE 1 AGE 1 RAATE 1 COHORT 1 TOTALQ Start End Pos Number Pos 86 87 87 89 89 90 91 94 94 100 100 100 Line

Z 0 Н \vdash Ø 0 Д α 闰 [14 ഥ Þ М Н Þ Д Η Þ 0 [14 0 Д z 凶 *

9

Cross Reference

File and Record References:

		20	44		98
ined)		15	38	82	54
(D=Def		5	32	61	12
References (D=Defined)	3D	3D	26	53	3D
Device	WORKSTN				
File	Record COVIDDSP	RISKFACTOR			RISKASSMNT

Global Field References:

References (D=Defined M=Modified) 66M		55M 86											79D				42 76M 97		
References 66M	13D	52M	19M	25M	31M	3.7M	43M	81M	M9	14	83M	8M	20	M6	82M	7M	11M	10M	51M
Attributes N(1)	N(1)	N(1)	N(1)	N(1)	N(1)	N(1)	N(1)	P(3,0)	D(10*ISO-)	BEGSR	A(9)	A(1)	BEGSR	A(1)	P(5,3)	A(1)	A(1)	A(1)	P(3,0)
Field *INLR	*IN03	*IN60	*IN95	96NI*	16NI*	86NI*	66NI*	AGE	BIRTHDATE	CLEAR	COHORT	CVDISEASE	DETERMINERISK	DIABETES	FRATE	GENDER	HBPRESSURE	RSPDISEASE	TOTALQ

Indicator References:

^{* * * *} END OF CROSS REFERENCE * * * *

_

Ø Φ IJ ₽ Φ e r E E ద a Extern

References Statically bound procedures:
Procedure
No references in the source.

Defined Imported fields:
Field Attributes
No references in the source.

Exported fields:
Field Attributes
No references in the source.

Defined

* * * * ഗ 闰 U Z E ద 闰 Щ 闰 ద RNAL 闰 Н × ¤ ഥ 0 D E N * * * *

DC433C37 DAVINDER VERMA

ω

Message Summary

Msg id Sv Number Message text

**** END OF MESSAGE SUMMARY ****

Final Summary

Message Totals:

0	0	0	0	1 1 1 1 1 1	0
••	••		••	!	
				1	
			•		
				1	
				1	
				1	
				1	
(00)	(10)	(20)	(30+)	1 1 1 1	•
Information	Warning	Error	Severe Error		Total

Source Totals:

102	85	0	7
	•		•
	•		
	•		•
			•
	ns		
	<u>;</u>	фs	
rds.	ificat	recor	ents
Reco	Spec	Data	Comm

* * * * * * E N D OF FINAL SUMMARY * * * * * * Program COVIDRPG placed in library DC433C37. 00 highest severity. Created on 06/09/21 at 20:34:47.