

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ touch rr.txt

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git init
Initialized empty Git repository in C:/Users/Shreya/OneDrive/Desktop/gsa/.git/

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ ls
rr.txt

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  rr.txt

nothing added to commit but untracked files present (use "git add" to track)

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ ls
rr.txt

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  rr.txt

nothing added to commit but untracked files present (use "git add" to track)

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
  add

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git add .
```

Activate Windows  
Go to Settings to activate Windows.



```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.
```

The most similar command is  
add

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git add .
```

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git status
On branch master
```

No commits yet

Changes to be committed:  
(use "git rm --cached <file>..." to unstage)  
new file: rr.txt

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git commit -m "Committed file"
Author identity unknown
```

\*\*\* Please tell me who you are.

Run

```
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
```

to set your account's default identity.  
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Shreya@DESKTOP-ABHC9LB.(none)')

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git c^C
```

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git shreyaagarwal160@gmail.com
git: 'shreyaagarwal160@gmail.com' is not a git command. See 'git --help'.
```

```
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)
$ git --help
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
          [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
```

Activate Windows  
Go to Settings to activate Windows.

```
--exec-path=<path>] [--html-path] [--man-path] [--info-path]
[-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
[--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
[--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
<command> [<args>]
```

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)

clone	Clone a repository into a new directory
init	Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)

add	Add file contents to the index
mv	Move or rename a file, a directory, or a symlink
restore	Restore working tree files
rm	Remove files from the working tree and from the index

examine the history and state (see also: git help revisions)

bisect	Use binary search to find the commit that introduced a bug
diff	Show changes between commits, commit and working tree, etc
grep	Print lines matching a pattern
log	Show commit logs
show	Show various types of objects
status	Show the working tree status

grow, mark and tweak your common history

backfill	Download missing objects in a partial clone
branch	List, create, or delete branches
commit	Record changes to the repository
merge	Join two or more development histories together
rebase	Reapply commits on top of another base tip
reset	Reset current HEAD to the specified state
switch	Switch branches
tag	Create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)

fetch	Download objects and refs from another repository
pull	Fetch from and integrate with another repository or a local branch
push	Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some concept guides. See 'git help <command>' or 'git help <concept>' to read about a specific subcommand or concept.  
See 'git help git' for an overview of the system.

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)

\$ git

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsa (master)

\$ git config --global user.email "shreyaagarwal160@gmail.com"

Activate Windows

Go to Settings to activate Windows.

```
MINGW64: c:/Users/Shreya/OneDrive/Desktop/gsaahs (master)
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git config --global user.name "Shreya Agarwal"

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'
hint: Disable this message with "git config set advice.addEmptyPaths false"

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git add .

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git commit -m "first commit"
[master (root-commit) e7a0ce1] first commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 rr.txt

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git add remote ^C
fatal: pathspec 'remote' did not match any files

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git remote add origin https://github.com/shery1010/Github_class-1.git
usage: git remote add [<options>] <name> <url>

    -f, --[no-]fetch          fetch the remote branches
    --[no-]tags              import all tags and associated objects when fetching
                           or do not fetch any tag at all (--no-tags)
    -t, --[no-]track <branch>
                           branch(es) to track
    -m, --[no-]master <branch>
                           master branch
    --[no-]mirror[=(push|fetch)]
                           set up remote as a mirror to push to or fetch from

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git branch -m main

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ git remote add origin https://github.com/shery1010/Github_class-1.git

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ git branch m main

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
```

Activate Windows  
Go to Settings to activate Windows.

```
MINGW64:/c:/Users/Shreya/OneDrive/Desktop/gsaahs
Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git add .

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git commit -m "first commit"
[master (root-commit) e7a0ce1] first commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 rr.txt

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git add remote ^C
fatal: pathspec 'remote' did not match any files

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git remote add origin https://github.com/shery1010/Github_class-1.git
usage: git remote add [<options>] <name> <url>

    -f, --[no-]fetch          fetch the remote branches
    --[no-]tags              import all tags and associated objects when fetching
                           or do not fetch any tag at all (--no-tags)
    -t, --[no-]track <branch>
                           branch(es) to track
    -m, --[no-]master <branch>
                           master branch
    --[no-]mirror[=(push|fetch)]
                           set up remote as a mirror to push to or fetch from

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (master)
$ git branch -m main

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ git remote add origin https://github.com/shery1010/Github_class-1.git

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ git branch m main

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 214 bytes | 107.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/shery1010/Github_class-1.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

Shreya@DESKTOP-ABHC9LB MINGW64 ~/OneDrive/Desktop/gsaahs (main)
$ |
```

Activate Windows  
Go to Settings to activate Windows.