


NA


ratio

year


Fine needle aspiration




Injection of up to 7 skin growths



Repair of wound (1.1 centimeters to 2.5 centimeters) of eyelids, nose, ears, or lips



Scraping of skin




NA


ratio

year

Partial removal of breast




Removal of tumor and breast tissue







Removal of breast, lymph nodes, and muscle




Plastic surgery to reconstruct breast




Aspiration or injection of medium joint or joint capsule




Small bone graft from any donor area




Tissue graft




Removal of infected lower jaw bone



Severing of shoulder tendon to repair contracture




Transfer of tendon







Repair of hip socket




Amputation of pelvic structures




Repair of knee joint




Joint procedure using an endoscope




Opening of windpipe through neck for insertion of breathing tube




Incision of chest cavity for complication after surgery



Creation of scarring on surface of lung




Removal of lung







Transplant of lung




Injection of air into chest cavity to collapse lung




Aspiration of fluid from heart




Removal of blood clot or foreign body from heart




Partial removal of heart tissue for fluid drainage




Transplantation of donor heart



Heart surgery procedure




Transfusion of blood or blood products







Transfusion of blood or blood products




Exchange blood transfusion




Mechanical separation of platelet cells from blood




Mechanical separation of white blood cells and platelets from blood




Connection of vena cava and portal vein of liver




Blood vessel procedure



Repair to increase depth of mouth




Partial removal of tonque







Removal of tissue overgrowth at teeth or tooth socket




Reshaping of tooth bone




Partial removal of throat




Incision of throat for feeding




Repair of esophagus




Severing of vagus nerve to stomach



Repair of stomach outlet muscle and severing of vagus nerve




Partial removal of stomach







Creation of small bowel feeding tube




Creation of small bowel feeding tube




Creation of large bowel drainage tract to skin surface




Removal of appendix




Repair of bile duct




Removal of gallbladder using an endoscope



Removal of gallbladder




Irrigation of abdominal cavity







Insertion of shunt from jugular vein to abdominal cavity



Connection of urinary duct (ureter) to large and small bowels with creation of ostomy



Bladder irrigation or instillation




NA


ratio

year


Anchoring of opposite testicle to other testicle




Removal of sperm duct



Aspiration of abdominal cavity fluid through the vaginal wall




Removal of cervix







Placement of suture of cervix (nonobstetrical)




Diagnostic examination of uterus using an endoscope




Tying or incision of fallopian tubes at time of cesarean delivery or other abdominal surgery




Opening of blocked uterine tube




Removal of ovaries




Abdominal aspiration of fluid surrounding fetus for diagnosis



Removal of tissue from placenta for diagnosis




Interpretation of fetal monitoring during labor by consulting physician







Episiotomy or vaginal repair




Predelivery care 4–6 visits




Post-delivery care




Cesarian delivery




Removal of remaining thyroid tissue




Removal or exploration of parathyroid glands



Incision or excision of skull to reduce brain pressure




Creation of drainage tract for spinal fluid







Creation of brain fluid drainage shunt




Injection of blood or blood clot into spinal canal




Injection of anesthetic agent, neck nerve bundle




Injection of anesthetic agent, brachial (arm) nerve bundle




Injection of anesthetic agent, trigeminal nerve bundle




Incision or removal of nerve to tongue



Nervous system procedure




Removal of eye contents







Removal of eyeball




Removal of eye contents




Transplantation of tissue from one cornea to other cornea




Incision to improve eye fluid flow




Insertion of lens prosthesis not associated with cataract removal




Creation of drainage tract from tear sac to the nasal cavity



Repair of eardrum




Repair of eardrum and ear canal with opening to ear bones







Release of ear bone




Implantation of cochlear device




X-ray of teeth, single view




X-ray imaging of teeth




X-ray of salivary gland




Imaging of pelvis with localization of placenta



Imaging guidance for procedure, up to 1 hour




Imaging of organ







CT scan




MRI scan




Imaging procedure




Ultrasound procedure




Special radiation therapy planning




Special radiation treatment procedure



Special radiation treatment procedure




Surface application of radiation







Nuclear medicine study limited area



Blood test, basic group of blood chemicals






NA

ratio

year

Analysis using chemiluminescent technique (light and chemical )reaction




NA

ratio

year

Blood gases measurement



NA

ratio

year




NA


ratio

year


Mass spectrometry (laboratory testing method)



Nephelometry, test method using light



Chemical analysis using spectrophotometry (light)




NA


ratio

year

White blood cell count



Red blood cell concentration measurement



NA

ratio

year




NA


ratio

year


Platelet function test



Blood test, clotting time



Thrombin time, fibrinogen screening test




NA


ratio

year

Immunologic analysis technique



Skin test for tuberculosis



NA

ratio

year




NA


ratio

year

Pap test



Flow cytometry technique for DNA or cell analysis




NA


ratio

year


Tissue or cell analysis by immunologic technique



Analysis of genetic material



Preparation of specimen using laser



NA

ratio

year



NA

ratio

year

NA

ratio

year

NA

ratio

year

NA

ratio


year

NA


ratio

year


Family psychotherapy not including patient



Group psychotherapy




Injection of hypnotic drug for psychiatric diagnosis or therapy







Hypnotherapy




Removal of toxins from blood




Examination of cornea and iris using lens device and slit lamp



Examination of retinal blood vessels by ophthalmoscope



Determination of retinal arterial pressure




NA


ratio

year

Eardrum testing using ear probe




Testing of nerve from ear to brain (cochlear)







Attempt to restart heart and lungs




Initiation and management of continued pressured respiratory assistance by mask or breathing tube




Determination of lung volumes using plethysmography




Application of allergenic extract skin patch with reaction analysis




Sleep monitoring of patient in sleep lab




Psychological testing with interpretation and report by psychologist or physician per hour



Neuropsychological testing, interpretation, and report by psychologist or physician per hour



Infusion into a vein for therapy, prevention, or diagnosis up to 1 hour





NA

ratio


year

NA

ratio

year

Skin application of tar and ultraviolet B or petrolatum and ultraviolet B



NA

ratio


year

NA

ratio

year

Osteopathic manipulative treatment to 1–2 body regions



NA

ratio

year


NA

ratio

year



Balloon dilation of narrowed or blocked major coronary artery or branch




NA


ratio

year

Connection of portion of upper small bowel to bile duct



Maternity care and delivery procedure



NA

ratio

year

Insertion of probe in esophagus for heart ultrasound examination

