

Script-Controlled ACL – Restrict Record Access Based on Field Value

Phase 5: Project Development

Milestone 1 - Users and Roles

- Log in with admin access. Navigate to User Administration > Users > New.
- Create user: User ID EEEUser, First name EEE, Last name User, Email eeeuser@gmail.com. Save.
- Navigate to User Administration > Roles > New; create roles bb1, bb2, bb3, bb4 with a brief description; Submit.
- Assign all four roles to the EEE User.

[Screenshot placeholder]

New User record (EEEUser) and the four custom roles (bb1-bb4) assigned to it.

Insert screenshot from your ServiceNow instance (or a frame from your demo recording) here.

Milestone 2 - Table Creation

- Go to System Definition > Tables > New. Label: Institution Details, Name: u_institution_details, Extends: none. Submit.
- Add fields: Student Roll Number (Auto Number), Student Name (Reference - User), Faculty Name (Reference - User), Branch (Choice: ECE, EEE, CSE), Email (String), Phone Number (String), Description (Multi-line String).
- Create multiple records with different Branch values (ECE, EEE, CSE). Sample data: six records, two of which are EEE.

[Screenshot placeholder]

Table definition (u_institution_details) with its fields, and the list of 6 sample records.

Insert screenshot from your ServiceNow instance (or a frame from your demo recording) here.

Milestone 3 - Read ACL (Script-Controlled)

- Elevate the security_admin role (user menu > Elevate role).
- Open System Security > Access Control (ACL) > New.
- Type: record; Operation: read; Name: u_institution_details; Active: true; Advanced: true.
- In Requires role, add bb1.
- Data Condition: Branch is EEE.
- Paste the script from Section 3.4 in the Script field and Submit.
- Impersonate EEE User, open u_institution_details.list; then impersonate Admin and repeat.

[Screenshot placeholder]

Read ACL form (Advanced=true, role bb1, data condition, script) plus the two impersonation results.

Insert screenshot from your ServiceNow instance (or a frame from your demo recording) here.

Milestone 4 - Create ACL

- New ACL: Type record, Operation create, Name u_institution_details, Active true.
- Requires role: bb2. No data condition. Save.

[Screenshot placeholder]

Create ACL form and the list view showing the New button once bb2 is assigned.

Insert screenshot from your ServiceNow instance (or a frame from your demo recording) here.

Milestone 5 - Write ACL

- New ACL: Type record, Operation write, Name u_institution_details, Active true.
- Requires role: bb3. No data condition. Save.

[Screenshot placeholder]

Write ACL form and an inline edit of the Description field saved successfully.

Insert screenshot from your ServiceNow instance (or a frame from your demo recording) here.

Milestone 6 - Delete ACL

- New ACL: Type record, Operation delete, Name u_institution_details, Active true.
- Requires role: bb4. No data condition. Save.

[Screenshot placeholder]

Delete ACL form and the confirmation dialog / result after deleting a record.

Insert screenshot from your ServiceNow instance (or a frame from your demo recording) here.