AP2112 600mA CMOS LDO Regulator with Enable. Features: low dropout, 55uA quiescent, 1.2V 1 .8V 2.5V 3.3V outputs.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Revision history. Version 1 initial release. Version 2 updated graphs in the document and other details.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Ordering Information. AP2112 K - 3.3 TR G1. Part number AP2112K-3.3TRG1 SOT23-5 3.3V outpu t. AP2112K-1.8TRG1 1.8V.

filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body
filler text line for page body filler text line for page body filler text line for page body

Pin Description. Pin 1 VIN input voltage. Pin 2 GND ground. Pin 3 EN enable input, active high, do not float. Pin 4 NC. Pin 5 VOUT output.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Absolute Maximum Ratings. VIN input voltage -0.3V to 6.5V. EN voltage -0.3V to VIN+0.3V. J unction temperature 150C.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Recommended Operating Conditions. VIN 2.5V to 6V. Electrical Characteristics: dropout 250m V at 600mA.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Typical Performance Characteristics graphs of dropout versus temperature and load and line transient response figures.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Typical Application Circuit. Input capacitor 1uF and output capacitor 1uF ceramic required for stability.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Package outline SOT23-5 dimensions in millimetres. A 1.05 A1 0.00 b 0.30 c 0.10 D 2.82 E 1 .50 e 0.95.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

Important notice. Diodes Incorporated makes no warranty of any kind express or implied wit h regard to this document.

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body

filler text line for page body filler text line for page body filler text line for page body