

Q2. Good Subarrays Easy

🐼 Stuck somewhere?

Ask for help from a TA and get it resolved.

Get help from TA.

Problem Description

Given an array of integers **A**, a subarray of an array is said to be good if it fulfills any one of the criteria:

- Length of the subarray is even, and the sum of all the elements of the subarray must be less than **B**.
- Length of the subarray is odd, and the sum of all the elements of the subarray must be greater than **B**.

Your task is to find the count of good subarrays in A.

Problem Constraints

1 <= len(A) <= 10³
1 <= A[i] <= 10³
1 <= B <= 10⁷

Input Format

The first argument given is the integer array A.
The second argument given is an integer B.

Output Format

Return the count of good subarrays in A.

Example Input

Input 1:
A = [1, 2, 3, 4, 5]
B = 4

Input 2:
A = [13, 16, 16, 15, 9, 16, 2, 7, 6, 17, 3, 9]
B = 65

Example Output

Output 1:
6

Output 2:
36

Example Explanation

Explanation 1:
Even length good subarrays = {1, 2}
Odd length good subarrays = {1, 2, 3}, {1, 2, 3, 4, 5}, {2, 3, 4}, {3, 4, 5}, {5}

See Expected Output

Java 8 (Array Support)

int[] prefixSum

65 int[] prefixSum = new int[arr.length];

66

67 prefixSum[0] = arr[0];

68 for(int i = 1; i < arr.length; i++)

69 {

70 prefixSum[i] = prefixSum[i - 1] + arr[i];

71 }

72

73 return prefixSum;

74 }

75

76

77 public static boolean isEvenLengthSubArray(int[] arr, int B)

78 {

if(length % 2 == 0)

Test Output ✓ Code's All Neat!

Compiling your Code...
> Success!

Running Test Cases...
> TestCase - Easy Success
> TestCase - Hard Success

Final Verdict
> Correct Answer

Test Test With Custom Input Submit