

Day 13 - Intermediate DSA : Arrays : Interview Problems

Wed, 8 Jun 2022

Mandatory

7 Goal 300 / 200

100%  
Class Attendance

3 / 4  
Problems Solved

Session 100%

Assignment 1/2

Homework 2/2

Help Requests

Feedback

Question

Hints

Help Requests

Submissions

Discussions

Your Score: 200

Max Score: 200

Q1. Maximum positivity

Solved



Stuck somewhere?  
Ask for help from a TA and get it resolved.

Get help from TA.

Problem Description

Given an array of integers **A**, of size **N**.  
Return the maximum size subarray of **A** having only non-negative elements. If there are more than one such subarray, return the one having the smallest starting index in **A**.  
**NOTE:** It is guaranteed that an answer always exists.

Problem Constraints

1 <= N <= 10<sup>5</sup>  
-10<sup>9</sup> <= A[i] <= 10<sup>9</sup>

Input Format

The first and only argument given is the integer array A.

Output Format

Return maximum size subarray of A having only non-negative elements. If there are more than one such subarrays, return the one having earliest starting index in A.

Example Input

Input 1:  
A = [5, 6, -1, 7, 8]  
Input 2:  
A = [1, 2, 3, 4, 5, 6]

Example Output

Output 1:  
[5, 6]  
Output 2:  
[1, 2, 3, 4, 5, 6]

Example Explanation

Explanation 1:  
There are two subarrays of size 2 having only non-negative elements.  
1. [5, 6] starting point = 0  
2. [7, 8] starting point = 3  
As starting point of 1 is smaller, return [5, 6]  
Explanation 2:  
There is only one subarray of size 6 having only non-negative elements:  
[1, 2, 3, 4, 5, 6]

See Expected Output

Java 8 (Array Support)

70 }

Test Output Code's All Neat!

Compiling your Code...  
> Success!

Running Test Cases...  
> TestCase - Easy Success  
> TestCase - Hard Success

Final Verdict

Test Test With Custom Input Submit

< Day 12 - Intermediate DSA : Arrays : 2D Matrices

Day 14 - Intermediate DSA : Bit Manipulations - 1 >