

IPA Character Copier Readme

Translated by DeepL.com (Free version)

中文版 Chinese version

1.功能

这个程序可以将 IPA 中的所有字符全部复制到剪贴板，并增加了以下功能：

- 持续增加字符形成字符串
- 复制整个字符串
- 删除最后一个字符，防止打错字

2.字符集

2.1 辅音字符集

2.1.1 肺部气流辅音

p 0	b 1	t 2 d 3			t 4 d 5	c 6 ɟ 7	k 8 g 9	q 10 ɢ 11	ʔ 12	
m 13	ɱ 14	n 15			ɳ 16	ɲ 17	ŋ 18	ɴ 19		
ɓ 20		r 21						ʀ 22		
	ɹ 23	ɾ 24			ɽ 25					
ɸ 26 β 27	f 28 v 29	θ 30 ð 31	s 32 z 33	ʃ 34 ʒ 35	ʂ 36 ʐ 37	ç 38 ʝ 39	x 40 ɣ 41	χ 42 ʁ 43	ħ 44 ʕ 45	h 46 ɦ 47
		ɬ 48 ɮ 49								
	ʋ 50	ɹ 51			ɻ 52	j 53	ɰ 54			
		l 55			ɭ 56	ʎ 57	ʟ 58			

2.1.2 非肺部气流辅音

搭嘴音	⦶ 0	1	! 2	‡ 3	‖ 4
内爆音	ɓ 5	ɗ 6	ɟ 7	ɠ 8	ɣ 9
挤喉音	ʼ 10	pʼ 11	tʼ 12	kʼ 13	sʼ 14

2.1.3 其他辅音

ᄀ 0	ᄁ 1	ᄂ 2	ᄃ 3	ᄄ 4
ᄅ 5	ᄆ 6	ᄇ 7	ᄈ 8	ᄉ 9

2.2 元音

ᄱ 0 ᄱ 1	ᄲ 2 ᄳ 3	ᄴ 4 ᄵ 5
ᄶ 6 ᄷ 7		ᄸ 8
ᄹ 9 ᄺ 10	ᄻ 11 ᄼ 12	ᄽ 13 ᄾ 14
	ᄿ 15	
ᄿ 16 ᄿ 17	ᄿ 18 ᄿ 19	ᄿ 20 ᄿ 21
ᄿ 22	ᄿ 23	
ᄿ 24 ᄿ 25		ᄿ 26 ᄿ 27

2.3 音调

ᄿ 0	ᄿ 1	ᄿ 2	ᄿ 3	ᄿ 4
ᄿ 5	ᄿ 6	ᄿ 7	ᄿ 8	ᄿ 9
ᄿ 10	ᄿ 11	ᄿ 12	ᄿ 13	ᄿ 14
ᄿ 15	ᄿ 16	ᄿ 17	ᄿ 18	

2.4 超音段符号

注：超音段符号会与变音符一同显示

ᄿ a0	ᄿ a1	ᄿ a2	ᄿ a3	ᄿ a4	ᄿ a5	ᄿ a6	ᄿ a7	ᄿ a8
------	------	------	------	------	------	------	------	------

2.5 变音符

注：变音符会与超音段符号一同显示

ᄿ 0	ᄿ 1	ᄿ ^h 2	ᄿ 3	ᄿ 4	ᄿ 5	ᄿ 6	ᄿ 7	ᄿ 8	ᄿ 9
ᄿ 10	ᄿ 11	ᄿ 12	ᄿ 13	ᄿ 14	ᄿ ^w 15	ᄿ ^j 16	ᄿ ^v 17	ᄿ ^r 18	ᄿ 19
ᄿ 20	ᄿ 21	ᄿ 22	ᄿ 23	ᄿ 24	ᄿ 25	ᄿ 26	ᄿ 27	ᄿ ⁿ 28	ᄿ ^l 29
ᄿ ^r 30	ᄿ _s 31	ᄿ ^d z 32							

3.输入与流程

绝大部分的输入都是由整数构成的，只有超音段符号需要在前面加一个 a

刚运行程序时，需要输入一个 0 或 1 的数选择语言

选择完语言后，需要输入一个 1~4 的整数选择字符类型

输入 1 表示辅音：

辅音分为肺部气流辅音、非肺部气流辅音和其他辅音：

输入 1 表示肺部气流辅音，此时可以输入 0~58 的整数来选择辅音

输入 2 表示非肺部气流辅音，此时可以输入 0~14 的整数来选择辅音

输入 3 表示其他辅音，此时可以输入 0~9 的整数来选择辅音

输入 2 来表示元音：

此时可以输入 0~27 的整数来选择元音

输入 3 来表示音调：

此时可以输入 0~18 的整数来选择音调

输入 4 来表示变音符：

变音符在此程序分为变音符和超音段符号：

输入 0~32 来表示变音符并选择对应的符号

输入 a0~a8 来表示超音段符号并选择对应的符号

选择完字符后，如果添加成功，会显示出目前的字符串，此时可以输入 1~3 的整数来对这个字符串进行操作：

输入 1 会回到选择字符类型的步骤，用来在此字符（串）后增加新的字符

输入 2 会复制整个字符串，复制后可以输入 1~2 的整数来表示最终操作：

输入 1 会跳转到选择字符类型的部分并清空整个字符串，用来重新开始

输入 2 会直接退出这个程序

输入 3 会删除这个字符串的最后一个字符，用来防止打错字的情况，然后跳转到对这个字符串进行操作的步骤

4.其他

4.1 如果输入了超出范围的数，大概率会重新回到这个步骤，或者显示失败并继续

4.2 对于变音符中的下连杠 (ts) 和上连杠 (dz) 以及超音段符号的连读弧线 (◌)，它们的用法为：

4.2.1 表示两个辅音协调发音的一般情况下使用上连杠

4.2.2 如果辅音上方已有变音符等符号，则使用下连杠来替代上连杠

4.2.3 表示单词内部跨音节连读或单词与单词之间连读时，使用连读弧线

4.2.4 双元音不能使用下连杠或上连杠

英文版 English version

1. Features

This programme copies all characters from an IPA transcription to the clipboard and includes the following additional features:

- Continuously appends characters to form a string
- Copies the entire string
- Deletes the last character to prevent typing errors

2. Character Sets

2.1 Consonant Character Sets

2.1.1 Pulmonic Consonants

p 0	b 1	t 2 d 3			t̪ 4 d̪ 5	c 6 ɟ 7	k 8 g 9	q 10 ɢ 11		ʔ 12
m 13	ɱ 14	n 15			ɳ 16	ɲ 17	ŋ 18	ɴ 19		
ɸ 20		r 21						ʀ 22		
	ʋ 23	ɾ 24			ɽ 25					
ɸ 26 β 27	f 28 v 29	θ 30 ð 31	s 32 z 33	ʃ 34 ʒ 35	ʂ 36 ʐ 37	ç 38 ʝ 39	x 40 ɣ 41	χ 42 ʁ 43	ħ 44 ʕ 45	h 46 ɦ 47
		ɬ 48 ɮ 49								
	ʉ 50	ɹ 51			ɻ 52	j 53	ɰ 54			
		l 55			ɭ 56	ʎ 57	ʟ 58			

2.1.2 Non-pulmonary consonants

嗒嘴音	⊙ 0	1	! 2	‡ 3	‖ 4
内爆音	ɓ 5	ɗ 6	ɟ 7	ɠ 8	ɣ 9
挤喉音	ʼ 10	pʼ 11	tʼ 12	kʼ 13	sʼ 14

2.1.3 Other consonants

ɹ 0	W 1	ɥ 2	ɥ 3	ɤ 4
ɹ 5	ɥ 6	ɹ 7	ɹ 8	ɥ 9

2.2 Vowels

i 0 y 1	ɪ 2 ʉ 3	ʊ 4 u 5
ɪ 6 ʏ 7		ʊ 8
e 9 ø 10	ə 11 ɵ 12	ɤ 13 o 14
	ə 15	
ɛ 16 æ 17	ɜ 18 ɞ 19	ʌ 20 ɔ 21
æ 22	ɐ 23	
a 24 ɶ 25		ɑ 26 ɒ 27

2.3 Tones

ˊ 0	ˋ 1	ˊˊ 2	ˋˋ 3	ˊˋˊ 4
Ǻ 5	á 6	ā 7	à 8	ǻ 9
ǻ 10	â 11	ǻ 12	ǻ 13	ǻ 14
ˆ 15	ˆ 16	↗ 17	↘ 18	

2.4 Supersegmental symbols

Note: Supersegmental symbols are displayed alongside tone marks.

ˈ a0	ˌ a1	: a2	˙ a3	ǻ a4	a5	a6	. a7	˘ a8
------	------	------	------	------	----	----	------	------

2.5 Tone marks

Note: Tone marks are displayed alongside supersegmental symbols.

ᵰ 0	ᵰ 1	a ^h 2	ᵰ 3	ᵰ 4	ᵰ 5	ᵰ 6	ǻ 7	ǻ 8	ᵰ 9
ᵰ 10	ᵰ 11	ᵰ 12	ᵰ 13	ᵰ 14	a ^w 15	a ^j 16	a ^y 17	a ^s 18	ɵ 19
ᵰ 20	ᵰ 21	ᵰ 22	ᵰ 23	ᵰ 24	ᵰ 25	ᵰ 26	ǻ 27	a ⁿ 28	a ^l 29
a ^r 30	ts 31	dz̄ 32							

3. Input and Process

The vast majority of input consists of integers; only suprasegmental symbols require an 'a' to be prefixed.

When the programme is first run, you must enter a 0 or 1 to select the language.

After selecting the language, you must enter an integer between 1 and 4 to select the character type.

Entering 1 indicates a consonant:

Consonants are divided into pulmonary consonants, non-pulmonary consonants and other consonants:

Enter 1 to select a pulmonary consonant; you may then enter an integer between 0 and 58 to select a specific consonant.

Enter 2 to select a non-pulmonary consonant; you may then enter an integer between 0 and 14 to select a specific consonant.

Enter 3 to select other consonants; you may then enter an integer between 0 and 9 to select a specific consonant.

Enter 2 to select a vowel:

You may then enter an integer between 0 and 27 to select a vowel

Enter 3 to specify a tone:

You may then enter an integer between 0 and 18 to select a tone

Enter 4 to specify a diacritical mark:

In this programme, diacritical marks are divided into diacritical marks and suprasegmental symbols:

Enter an integer between 0 and 32 to specify a diacritical mark and select the corresponding symbol

Enter a0–a8 to select a suprasegmental symbol and choose the corresponding symbol

Once you have selected a character, if the addition is successful, the current string will be displayed. You may then enter an integer between 1 and 3 to perform an operation on this string:

Entering 1 will return you to the character type selection step, allowing you to append a new character to the end of this character (string)

Entering 2 will copy the entire string; after copying, you may enter an integer between 1 and 2 to specify the final action:

Entering 1 will jump to the character type selection section and clear the entire string, allowing you to start again

Entering 2 will exit the programme immediately

Entering 3 will delete the last character of the string—to prevent typing errors—and then jump to the step for manipulating the string

4. Miscellaneous

4.1 If a number outside the valid range is entered, the system will most likely return to this step, or display an error message and proceed.

4.2 The usage of the lower tilde (ts) and upper tilde (dz) in diacritical marks, as well as the ligature () in hyperphonic segments, is as follows:

4.2.1 In general, the ascending tilde is used to indicate the coordinated pronunciation of two consonants

4.2.2 If a diacritical mark or similar symbol is already present above the consonant, the descending tilde is used in place of the ascending tilde

4.2.3 The ligature is used to indicate syllable-spanning liaison within a word or between words

4.2.4 The lower or upper ligature may not be used with diphthongs