Form elements

User can enter any data using next form components.

SMS (mtan) Code input

| Input fields Email input field |
|--|
| |
| Any text input field |
| |
| Number input field |
| Big text input area |
| |
| |
| |
| Default password field |
| Input with dynamic translations <u>en</u> de fr it |
| STRING_NOT_TRANSLATED |
| Custom password field with preview |
| |
| Money input field |
| CHF |

| Phone input field | |
|---|----------------------|
| +417 | |
| Input field with a tip | |
| | |
| Website input | |
| http(s):// google.com | |
| Input field with custom validation | |
| | |
| | Checkbox options |
| TODO: rewrite with simplier dev-interface | |
| Value 1 | |
| Value 2 | |
| Label can contain HTML as a label | |
| Can display custom error | |
| Test | |
| Different color (Blue) | |
| Test | |
| Different color (Red) | |
| Test | |
| Checkbox can have a view of a toggler-button Value 1 | |
| Selected values [] | |
| | Radio-button options |
| TODO: rewrite with simplier dev-interface | |
| Radio 1 | |
| Radio 2 | |
| Selected values [] | |

Date Picker

Grouped

| 11.00.0010 | | | |
|---|---|-----------|---------------------------------------|
| 11.06.2018 | | | |
| ntrolled single | | | |
| 12.06.2018 | | | |
| e, 12 Jun 2018 00:00:00 GM | 1T | | |
| er can interact with applic | Action el ation via actionable components. H | | |
| | Swit | ch | |
| First | Second | Third | Forth |
| | Butto e its size depending on content efault spacings between each-other | ons | |
| : button does not have de | e its size depending on content efault spacings between each-other | | Secondary disabl |
| | e its size depending on content | Secondary | |
| Primary | e its size depending on content efault spacings between each-other | | |
| Primary | e its size depending on content efault spacings between each-other | Secondary | Secondary disable With border disable |
| Primary With border | e its size depending on content efault spacings between each-other Primary disabled Wic | Secondary | |
| Primary With border | e its size depending on content efault spacings between each-other Primary disabled Wic | Secondary | |
| Primary With border tton group has spacing | e its size depending on content efault spacings between each-other Primary disabled Wic | Secondary | With border disabl |
| Primary With border tton group has spacing Grouped tton size: small | e its size depending on content efault spacings between each-other Primary disabled Wic | Secondary | With border disabl |
| Primary With border tton group has spacing Grouped tton size: small Grouped | ge its size depending on content efault spacings between each-other Primary disabled Wice | Secondary | With border disable Buttons |
| Primary With border tton group has spacing Grouped tton size: small | ge its size depending on content efault spacings between each-other Primary disabled Wice | Secondary | With border disable Buttons |

mini

Buttons

Primary

Primary disabled

With border

Visual elements

Those components are only for information, user is not able to interact with them. But their state can be changed via other components, like buttons.

| | Steps | |
|------------------------------------|-------------|------|
| ⊘ To Do | In Progress | Done |
| | Alerts | |
| There are several types of alerts. | | |
| | Success | |
| | Secondary | |
| | Info | |
| | Error | |
| | Transparent | |
| | Panels | |
| This is a simple panel | | |
| Here we can see some child eleme | nts | |
| This is an loading panel | | |
| | | |

Tables

Modals

We have modals can be closed by cross or ESC key, wide, small, borderless, overlaped and wide. Watch source code.