



Linear model assumptions: Shapiro-Wilk $p = 0.88$ | Anderson-Darling $p = 0.89$
Levene-Brown-Forsythe $p = 0.05$ | Bartlett $p = 0.072$


Histogram and Normal Density




Std. Res. vs. Fitted







Normal Q-Q Plot




Scale-Location



Normality Diagnostics by Group




Welch Two Sample t-test
 $t = -3.77$, $p = 0.0014$




Linear model assumptions: Shapiro-Wilk $p = 0.00046$ | Anderson-Darling $p = 3.2e-05$
Levene-Brown-Forsythe $p = 0.96$ | Bartlett $p = 0.75$


Histogram and Normal Density




Std. Res. vs. Fitted




Normal Q-Q Plot



Scale-Location




Wilcoxon rank sum exact test
 $W = 193.00, p = 0.26$




Linear model assumptions: Shapiro-Wilk $p = 0.12$ | Anderson-Darling $p = 0.16$
Levene-Brown-Forsythe $p = 0.15$ | Bartlett $p = 0.042$


Histogram and Normal Density




Std. Res. vs. Fitted



Normal Q-Q Plot




Scale-Location




Fisher's one-way ANOVA

F = 2.32, p = 0.086




Linear model assumptions: Shapiro-Wilk $p = 0.0039$ | Anderson-Darling $p = 9.8\text{e-}05$
Levene-Brown-Forsythe $p = 2.3\text{e-}08$ | Bartlett $p = 3.1\text{e-}09$


Histogram and Normal Density




Std. Res. vs. Fitted




Normal Q-Q Plot



Scale-Location




Kruskal-Wallis test
 $H = 131.19$, $p = 3.3e-29$




Linear model assumptions: Shapiro-Wilk $p = 0.64$ | Anderson-Darling $p = 0.66$
Breusch-Pagan $p = 0.62$


Histogram and Normal Density




Std. Res. vs. Fitted




Normal Q-Q Plot



Std. Res. vs. Leverage




$y = b_1x + b_0$, $R\text{-squared} = 0.417$, $\text{conf. level} = 0.99$
slope $b_1 = -1.01$, $\text{CI} [-1.49, -0.53]$, $p = 9.45e-07$
intercept $b_0 = 86.82$, $\text{CI} [78.06, 95.58]$, $p = 3.35e-29$




Linear model assumptions: Shapiro-Wilk $p = 0.0052$ | Anderson-Darling $p = 0.0089$
Breusch-Pagan $p = 0.006$


Histogram and Normal Density




Std. Res. vs. Fitted




Normal Q-Q Plot




Std. Res. vs. Leverage




Spearman $\rho = -0.59$, $p = 3.13\text{e-}12$




Pearson's Chi-squared test
Chi-squared = 138.29, p-value = 2.33e-25





Fisher's Exact Test for Count Data

p-value = 0.504



Kendall's $\tau_b = -0.764$
 $p = 5.57e-31$

