



# Task 1

Student table,



	ID	Name	Sem	Mob_No	email_id
	13	rutwa	6	887643	rutwa@gmail.c...
	4	niyati	1	1245637297	niyati@gmail.c...
	NULL	NULL	NULL	NULL	NULL

Insert.aspx,




Insert your detail here

ID	<input type="text" value="3"/>
Name	<input type="text" value="parth"/>
Semester	<input type="text" value="2"/>
Mobile No.	<input type="text" value="9987472012"/>
Email	<input type="text" value="parth@gmail.com"/>
<input type="button" value="submit"/>	

Now student table after insertion,

	ID	Name	Sem	Mob_No	email_id
▶	13	rutwa	6	887643	rutwa@gmail.c...
	3	parth	2	9987472012	parth@gmail.co...
	4	niyati	1	1245637297	niyati@gmail.c...
✖	NULL	NULL	NULL	NULL	NULL


Edit.aspx,



### Enter ID of student to fetch his details


ID	<input type="text" value="4"/>
<input type="button" value="Fetch Details"/>	
Name	<input type="text" value="niyati"/>
Semester	<input type="text" value="1"/>
Mobile No.	<input type="text" value="1245637297"/>
Email	<input type="text" value="niyati@gmail.com"/>
<input type="button" value="Update"/>	

Updating details,



## Enter ID of student to fetch his details

ID	<input type="text" value="4"/>
<input type="button" value="Fetch Details"/>	
Name	<input type="text" value="niyati"/>
Semester	<input type="text" value="4"/>
Mobile No.	<input type="text" value="1245637297"/>
Email	<input type="text" value="assas@gmail.com"/>
<input type="button" value="Update"/>	



## Enter ID of student to fetch his details


ID	<input type="text"/>
<input type="button" value="Fetch Details"/>	
Name	<input type="text"/>
Semester	<input type="text"/>
Mobile No.	<input type="text"/>
Email	<input type="text"/>
<input type="button" value="Update"/>	

data is updated!

Updated database,


	ID	Name	Sem	Mob_No	email_id
▶	13	rutwa	6	887643	rutwa@gmail.c...
	3	parth	2	9987472012	parth@gmail.co...
	4	niyati	4	1245637297	assas@gmail.co...
⚙	NULL	NULL	NULL	NULL	NULL

Delete.aspx,



**Enter ID of student to Delete his data**

ID



### Enter ID of student to Delete his data


ID

Data is Deleted!!

Updated student table,

	ID	Name	Sem	Mob_No	email_id
▶	13	rutwa	6	887643	rutwa@gmail.c...
	4	niyati	4	1245637297	assas@gmail.co...
⚙	NULL	NULL	NULL	NULL	NULL

Show.aspx (gridview) ,




### Gridview of student table

ID	Name	Sem	Mob_No	email_id
13	rutwa	6	887643	rutwa@gmail.com
4	niyati	4	1245637297	assas@gmail.com


## Task 2:

User table:




	userid	password
▶	1	admin
	2	dhyey
⊗	NULL	NULL

Product table:




	pid	pname	description	cost
▶	1	t-shirt	blue colour	700
	2	bourvita	best for age of ...	200
	3	smart phone	samsung A50	20000
	5	lays chips	indian magic m...	50
	6	tea-set	set of 4	400
⊗	NULL	NULL	NULL	NULL

Order table:



	oid	userid	pid
▶	1	1	3
⊗	NULL	NULL	NULL

## Login.aspx,



### Login

User ID	<input type="text" value="1"/>
Password	<input type="password" value="dhyey"/>
<input type="button" value="Login"/>	

**Incorrect Userid or password!!**

## Product.aspx,



### Products

pid	pname	description	cost
1	t-shirt	blue colour	700
2	bourvita	best for age of 5-14	200
3	smart phone	samsung A50	20000
5	lays chips	indian magic masala	50
6	tea-set	set of 4	400

Select Your choice of item:

t-shirt

bourvita

smart phone

lays chips

tea-set

Order.aspx,

localhost:44308/Order.aspx

your Order

PRODUCT: t-shirt  
DESCRIPTION: blue colour  
COST: 700

PRODUCT: bourvita  
DESCRIPTION: best for age of 5-14  
COST: 200

PRODUCT: tea-set  
DESCRIPTION: set of 4  
COST: 400

Total amount: 1300

Modified Order table,

Max Rows: 1000

	oid	userid	pid
	1	1	3
	2	2	1
	2	2	2
	2	2	6
	NULL	NULL	NULL
	NULL	NULL	NULL