

kindhandoff

Practical support, when plans change

Alexa+ primary track. Created by Shivam Gupta.

The coordination problem

When a helper cancels, the family coordinator has to find a feasible replacement and confirm that someone agreed. KindHandoff makes the affected commitments, pending offers, and next step visible.

One afternoon, two commitments to recover

Fictional demonstration household. The library ride depends on a packed bag.

Helper	Known constraint	Planner proposal
Maya	Unavailable all afternoon	Replace both commitments
Jo	Home access 14:00-15:00 Cannot drive	Pack library bag 14:30-14:45
Dev	Available from 14:45 Can drive	Give the ride 15:00-16:00

What each commitment means

Offered: the named helper has yet to accept. **Accepted:** that helper has taken responsibility. **Ready:** prerequisites allow the task to start.

Dev accepts his ride, but it waits for Jo to record the bag as packed. A handoff acknowledgment also records the specific plan version read.

The system behind the handoff

The deterministic web simulator calls a real MCP server using SDK 1.30.0, specification 2025-11-25, and Streamable HTTP. Firebase Hosting serves the React app; Cloud Functions v2 runs the Node 22 API. Firestore stores household-scoped records with version-aware transactions. The **@kindhandoff/guard** library provides state transitions, coverage, and ranking; app code owns dependency readiness and versioned acknowledgments.

Firebase email/password sign-in, secure sessions, and one-time helper invitations establish identity. Live Alexa+ onboarding and household validation remain next steps.

Business case and validation

A focused first customer

A working adult coordinates recurring practical support for a parent across several helpers. The key adoption test is whether those helpers accept and update their own commitments.

\$12

per household / month

Pricing hypothesis

Every helper included

Test willingness to pay after real use. No interviews, paying customers, or revenue are claimed.

The competition is real

Caring Village offers shared tasks and AI assistance. Family CareRelay describes confirmed voice entries and handoff summaries. KindHandoff focuses on constraint-based recovery, helper acceptance, and dependencies. Published features overlap; exclusivity remains unproven.

A pilot designed to test the promise

10 planned interviews. Coordinators, helpers, and adults receiving support.

5 planned households. A four-week pilot following a baseline diary.

Primary measure: time from a cancellation to an accepted feasible replacement. Also measure coordinator follow-up effort, repeated helper participation, and voluntary paid continuation. These are planned measures, with no results yet.

Cost discipline

Proposed pilot budget: \$10/month for five households. The polling-based serving scenario is \$0 with unused allowances, or \$0.39 when shared compute allowances are consumed. Billing is enabled; deployment resources, support, and usage changes add cost. Core planning needs no paid model call.

Demo and next steps

Record the public video, run the household pilot, and pursue live Alexa+ onboarding. The additional Open Source contribution is [@kindhandoff/guard](#) under MIT.

Public MIT repository: [shi1720/Amazon-Developer-Hackathon](#)

Public app — verified: [kindhandoff.web.app](#)

Sources (15 Sep 2026): [Alexa+ MCP](#); [Caring Village](#); [Family CareRelay](#); [Cloud Run](#); [Firestore](#); [Hosting](#).