

Three-minute narration

Shivam Gupta

Read the large text verbatim. The small timing labels are screen directions. This version describes verified local execution. Use the cloud replacement in the source script only after the real workspace run succeeds.

0:00-0:22 / Overview.

A familiar hawker centre closes for repairs. The notice gives a date. A community coordinator still has to decide where support is needed, and what the available budget can actually achieve.

I'm Shivam Gupta. This is HawkerBridge: a closure continuity desk for Singapore.

0:22-0:52 / Overview metrics.

Let's examine September twenty-eighth. Seventeen centres have scheduled closures. At an eight-hundred-metre threshold, six subzones lose nearby hawker coverage at their representative points.

Those areas contain about ninety-one thousand Census twenty-twenty residents. That is an exposure screen, not a count of people going hungry. Coffee shops, walking barriers and individual needs still require verification.

Now we turn the map into a proposal. I'll assume five-percent participation, four dollars per meal, three hundred dollars to set up a collection locality, and a hundred and fifty meals of capacity at each locality.

With fifteen hundred dollars, the planner allocates two hundred and twenty-five meals across two proposed localities. These locations and capacities are assumptions to check with an operator.

At three thousand dollars, we reach four hundred and fifty meals. Double the budget to six thousand, and the number stays the same. Three localities times a hundred and fifty meals is the ceiling. The proposal spends twenty-seven hundred dollars.

That is the decision: verify more capacity before requesting more funding for this arrangement.

1:54-2:09 / Save and export.

Save the proposal, inspect its assumptions, and export the brief for review. Nothing here books a venue or dispatches food.

2:09-2:55 / Evidence & methods.

Behind the interface, the pipeline archives official source data, quarantines ambiguous dates and preserves the last good snapshot. The optimiser checks budget, reach and capacity against a simple baseline.

The inventory includes a hundred and twenty-three centres. Three markets have no listed food stalls, so they remain visible in the inventory but do not count toward nearby meal access.

This demonstration runs locally. Databricks deployment code is included; workspace execution is still awaiting verification.

Our next test is a paid operator pilot: measure planning time, verify the proposed localities, and learn whether the support is useful. HawkerBridge makes that decision visible, testable and reviewable.