


# kavu.

## Every dry hour counts.

A drying operations desk for maize cooperatives

**A weather reading does not cover a pile of maize. A person does.**

Kavu connects station evidence to the next yard job, records the work, and asks for a new moisture measurement. The supervisor can explain the decision and its result lot by lot.



Actual application screen. Historical Conduit replay with demonstration lots.

Shivam Gupta

Founder and product lead

KAVU / HACK THE WEATHER 2026

# Data and the decision

18,364

unique observations

2,825

duplicate rows removed

The supplied exports span 28 August to 15 September 2026 UTC. A 144-hour gap remains missing. The interface shows East Africa Time. This is a retrospective replay for one JKUAT station, not a live warning or a nationwide observation network.

- 
- 1** Original Conduit exports  
GeoCSV files retain source attribution and checksums. The pipeline deduplicates timestamps and inspects available inputs.
  - 2** Evidence gates  
Missing intervals remain missing. Humidity interpretation, rain counters and station health receive explicit handling. Operating thresholds need local validation.
  - 3** Shared decision logic  
Environmental conditions, batch metadata and yard capacity produce an explained plan. An operator commits and completes tasks.
  - 4** Accounts and persistence  
React and TypeScript use an Express API with SQLite for private server workspaces. A separate static demo stores example records in the browser.
  - 5** New measurement and record  
Recent measured moisture determines eligibility for storage review. Task completion alone cannot certify grain quality or aflatoxin status.

Method limit: the historical plan uses observed weather from the selected day. It cannot establish forecast accuracy, causal savings or a grain-drying rate.

# A business worth testing

# KSh 3,778

Drying-tariff equivalent of the example reduction

5 tonnes x 2 percentage points x KSh 377.80

Example input: measured moisture moves from 17% to 15%. This uses NCPB's published tonne tariff. Its separately rounded bag tariff produces a slightly different number. KavU uses the tonne basis consistently.

The comparison excludes labour, transport and handling costs. It does not establish money saved or what would have happened without KavU.

## Prospective buyer

A cooperative or aggregator that already dries maize and uses a moisture meter. One supervisor coordinates many farmers' lots. The existing alternative is a weather report plus a notebook.

## Price hypothesis

# KSh 2,500

per active month per site.  
No paying customers or signed pilots claimed.

## Illustrative operating assumptions

|                                                       |           |
|-------------------------------------------------------|-----------|
| Revenue per site per active month                     | KSh 2,500 |
| Infrastructure allocation at 20 sites                 | KSh 150   |
| Support and operating allowance                       | KSh 350   |
| Contribution before sales, onboarding and founder pay | KSh 2,000 |

Planning assumptions only. At two sites, the same KSh 3,000 infrastructure budget costs KSh 1,500 per site. Seasonality, support and onboarding can erase the apparent margin.

# Pilot, limits and sources

## A supervised pilot with three maize yards

### 01 Observe current work

Document handling, representative sampling, handovers and actual receipts before changing the process.

### 02 Run in shadow mode

Compare suggestions with experienced operators. Record disagreements and retain existing protective practices.

### 03 Test continued use

Measure adoption, rechecks, administrative time and actual costs. Ask whether a buyer will renew at an agreed price.

No pilot partner is committed. Initial lot histories test usability, not causal impact. Expansion needs relevant station coverage, local validation and confirmed data rights.

---

## Sources and traceability

### 1. Conduit observations and source files

Official hackathon folder. Attribute 3d-fewsnet.icdp.ucar.edu, instrument 61. Confirm redistribution and commercial rights with the owner.

### 2. KALRO Maize Training of Trainers Manual, July 2021

Module 10 covers post-harvest handling, drying and moisture measurement. It does not validate Kavuu's operating thresholds.

### 3. NCPB drying service

Published reference: KSh 377.80 per tonne per percentage point. Actual depot terms and total costs may differ.

### 4. Kavuu repository and methodology

Raw-source checksums, quality report, decision logic, tests and the fuller market memo accompany the build.

Shivam Gupta supplied product direction, commercial focus and quality constraints. OpenAI Codex assisted research, engineering, test development and documentation. No field outcomes or additional human contributions are implied.