```
oject Explorer 🖽 🤻 Navigator (Deprecated) 🕒 😩 🐧 🗀 🖟 OriginConfiguration.java 🖟 MongoDbConfiguration.java 🖟 ConnectionDetails.java
                                                                                                                                                                                                                                                                                                                   ** Copyright (C) 2016 by Citigroup. All rights reserved. package com.citigroup.usrao.mongodb.configuration;
 a» 170041_usrao [170041_usrao master]

bil > am-d-servicingorder [boot] [am-d-servicingorder master]

bil > com.cit.171384.usretailapt.checkbook.component (in rtt-p

cis CommonUtility [usrao-utility_repo feature/URS-584]

bil > fdn-ceodjobs [boot] [idn-c-eodjobs bug/eoddefect]

cidfutility [usrao-utility_repo feature/URS-584]

bil > mongodib [mongodib feature/AugScriptUpdate]

bil ogn-c-onboardingmongodb-usretail [boot] [ogn-c-onboard-utility]

cid scrimarilyse
                                                                                                                                                                                                                                                                                                         lo
17-import org.springframework.boot.context.properties.ConfigurationProperties;
19
20

com.citigroup.usrao.mongodb
com.citigroup.usrao.mongodb.config

A OriginConfiguration.java
                 * ® comclitigroup.usrao.mongodb.config

> ® Cornigiration.java

> ® corncitigroup.usrao.mongodb.configuration

> & Common.configuration.java

> & Connection.Details.java

> & Connection.Details.java

> & Swagger.Configuration.java

> & Connectigroup.usrao.mongodb.controller

* & Mongo.DB.Controller.java

> & Mongo.DB.Controller.java

> & Connectigroup.usrao.mongodb.sevent

* © comclitigroup.usrao.mongodb.sevent

* © comclitigroup.usra
                              a pertormance-tests
is src
a target
is hotfix_pcfConfig_pipeline.yml
is hotfix_springBoot_pipeline.yml
is master_pcfConfig_pipeline.yml
is master_springBoot_pipeline.yml
                                                                                                                                                                                                                                                                                                                      © Markers □ Properties ≪ Servers □ Snippets □ Console ≪ Search □ ≯ JUnit □ Coverage □ History □ Call Hierarchy ● Boot Das
□ ©EnableAspectIAutoProxy - 1 match in workspace (* Jeve)
□ □ > am-d-servicingoider (boot) [am-d-servicingoider master]
           SEE NY OF ( | 京美 | 0 | かんのよかん まんまん ( はん | 0 ま | 0 また | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま | 1 ま
  Navigator (Deprecated)

| Navigator (Deprecated) | Navigator (Deprecated) | Origin/Configuration.java | MongoDbConfiguration.java | MongoDbCon
                                                                                                                                                                                                              a 17*import java.io.File;
 |usrao-utility_repo feature/URS-584|
|s [boot] [fdn-c-eodjobs bug/eoddefect]
                                                                                                                                                                                                                          49
50 @Configuration
51 public class MongoDbConfiguration {
 -utility_repo feature/URS-584]
ongodb feature/AugScriptUpdate]
rdingmongodb-usretail [boot] [ogn-c-onbe
                                                                                                                                                                                                                                                        private static final Logger LOGGER = LoggerFactory.getLogger(MongoDbConfiguration.class.getName());
                                                                                                                                                                                                                                                           @Autowired
CertificateConfig certificateConfig;
roup.usrao.mongodb.config
Configuration.java
                                                                                                                                                                                                                                                        @Autowired ConnectionDetails mongoConfig;
igroup.usrao.mongodb.configuration
oonConfigurations.java
ectionDetails.java
ngoDbConfiguration.java
                                                                                                                                                                                                                                                           @Bean public MongoDatabaseFactory mongoDatabaseFactory() {
                                                                                                                                                                                                                                                                       ongo/DEC.ontroller
jroup.usrao.mongodb.domain
jroup.usrao.mongodb.event
jroup.usrao.mongodb.exception
jroup.usrao.mongodb.resttempla
jroup.usrao.mongodb.scheduler
           up.usrao.mongodb.service.ratesheet
                                                                                                                                                                                                                                                                                                               }).build();
                                                                                                                                                                                                                                                                          return new SimpleMongoClientDatabaseFactory(MongoClients.create(settings), mongoConfig.getDbName());
Library [JavaSE-1.8]
                                                                                                                                                                                                                                                           private SSLContext getSSLContext() throws KeyStoreException, NoSuchAlgorithmException, CertificateException,
IOException, KeyManagementException, UnrecoverableKeyException (
                                                                                                                                                                                                                                                                            KeyStore keyStore = KeyStore.getInstance(KeyStore.getDefaultType());
                                                                                                                                                                                                                                                                        if (StringUtils.isNotEmpty(mongoConfig.getCertPath())) {
   File certFile = certificateConfig.getCertFile(), mongoConfig.getCertPath(), mongoConfig.getSslKeyStore());
   try (FileInputStream certificate = new FileInputStream(certFile)) {
        keyStore.load(certificate, mongoConfig.getSslKeyStorePwd().toCharArray());
   } catch (Exception e) {
        LOGGER.error("Exception occured {}", e);
        LOGGER.error("Exception occured {}", e);
   }
}
```

```
/java/com/citigroup/usrao/mongodb/configuration/MongoDbConfiguration.java - Spring Tool Suite 4
     general Montagente Search Project Run Window Help state of the search Search Project Run Window Help state of the search Project Run Window Help state of 
      ongorder (boot) (am-d-servicing order master)
1384.usretaligh-theckbook.component (in rtl-pdm
ity (usrao-utility_repo feature/URS-584)
bbs (boot) (fdm-c-eodjobs bug/eoddefect)
rao-utility_repo feature/URS-584)
[mongodb feature/AugScriptUpdate]
                                                                                                                                                                                                                }).build();
                                                                                                                                                                     return new SimpleMongoClientDatabaseFactory(MongoClients.create(settings), mongoConfig.getDbName());
                                                                                                                                               private SSLContext getSSLContext() throws KeyStoreException, NoSuchAlgorithmException, CertificateException, IOException, KeyManagementException, UnrecoverableKeyException {
    ardingmongodb-usretail [boot] [ogn-c-
                                                                                                                                                                                            KeyStore keyStore = KeyStore.getInstance(KeyStore.getDefaultType());
 igroup.usrao.mongodb.config
inConfiguration.java
                                                                                                                                                                                          if (StringUtils.isNotEmpty(mongoConfig.getCertPath())) {
   File certFile = certificateConfig.getCertificate(mongoConfig.getCertPath(), mongoConfig.getSslkeyStore());
   try (FileInputStream certificate = new FileInputStream(certFile)) {
        keyStore.load(certificate mongoConfig.getSslkeyStorePwd().toCharArray());
   } catch (Exception e) {
        LOGGER.error("Exception occured {}", e);
        LOGGER.debug("{}", "Error in ", e.getStackTrace());
   }
}
  monConfigurations.java
          erConfiguration.java
erController.java
                                                                                                                                                                                         } 
} else {
    try {FileInputStream certificate = new FileInputStream(mongoConfig.getSslKeyStore())) {
        keyStore.load(certificate, mongoConfig.getSslKeyStorePwd().toCharArray());
    } catch (Exception e) {
        LOGGER.error("Exception occured {}", e);
        LOGGER.error("Exception occured {}", e);
    }
}
}
 tigroup.usrao.mongodb.event
tigroup.usrao.mongodb.exception
tigroup.usrao.mongodb.model
tigroup.usrao.mongodb.resttemple
                                                                                                                                                                                           KeyManagerFactory keyManagerFactory = KeyManagerFactory.getInstance("SunX509");
keyManagerFactory.init(keyStore, mongoConfig.getSslKeyStorePud().toCharArray());
KeyManager[] keyManager = keyManagerFactory.getKeyManagers();
   igroup.usrao.mongodb.scheduler
 itigroup.usrao.mongodb.service
itigroup.usrao.mongodb.service.ratesh
itigroup.usrao.mongodb.validator
                                                                                                                                                                                             TrustManagerFactory trustManagerFactory = TrustManagerFactory.getInstance("SunXS09");
trustManagerFactory.init(keyStore);
TrustManager[] trustManager = trustManagerFactory.getTrustManagers();
                                                                                                                                                                                             SSLContext sslContext = SSLContext.getInstance("TLSv1.2"); sslContext.init(keyManager, trustManager, null);
 m Library [JavaSE-1,8]
                                                                                                                                                                                            return sslContext;
                                                                                                                                                                                  @Bean
public MongoTemplate mongoTemplate() {
                                                                                                                                                                                            return new MongoTemplate(mongoDatabaseFactory());

    Markers □ Properties □ Servers ▷ Snippets □ Console □ Search □ → JUnit □ Coverage □ History □ Call Hierarchy □ Boot Dashboard □ Debug □ EnableAspect/AutoProxy - 1 match in workspace (□ Java)
    □ 46 > am-d-servicingorder (Boot) [am-d-servicingorder master]
```

```
com/citigroup/usrao/mongodb/controller/MongoDBController.java - Spring Tool Suite 4
Source Relator Novigate Separt Project Bur Window Help

Source Relator Novigate Separt Project Bur Window Help

Source Relator Novigate Separt Project Bur Window Help

Source Relator Novigator Deprecated)

Source Relator Novigator Deprecated

Source Relator Novi
                                                                                                                                    16 a 17*import java.text.ParseException;]
107
108 @RestController
109 public class MongoOBController {
110
                                                                                                                                                                @Autowired private MongoTemplate;
                                                                                                                                                                @Autowired private RetrieveWelcomeKitTransactionService retrieveWelcomeKitTransactionService;
                                                                                                                                           116 117 118 119 120 121 122 123 124 125 126 127 128 139 131 135 136 137 138 139 144 145 147 148 159 151 152 153 154
                                                                                                                                                                @Autowired
private SaveNelcomeKitTransactionService saveNelcomeKitTransactionService;
                                                                                                                                                                 @Autowired private RetrieveCustomerFormService;
                                                                                                                                                                @Autowired private RetrieveEnvelopeStatusService;
                                                                                                                                                                @Autowired
UpdateEnvelopeStatusService updateEnvelopeStatusService;
                                                                                                                                                                 @Autowired SaveEnvelopeStatusService;
                                                                                                                                                                 @Autowired
SecuredDisclosureDownloadScheduler securedDisclosureDownloadScheduler;
                                                                                                                                                                 @Autowired
DisclosureDownloadScheduler disclosureDownloadScheduler;
                                                                                                                                                                 private static final String RESPONSE_MSG = "Success";
                                                                                                                                                                  private static final String SELECT_FIELD = "applicationId";
                                                                                                                                                                 @Autowired
EmployeeDetailsService employeeDetailsService;
                                                                                                                                                                @Autowired
EmployeeDetailsCRUDService employeeDetailsCRUDService;
                                                                                                                                                                @Autowired
EventPublisher eventPublisher;
```

```
* 5 * G * 6 * 6 * 1 P 4 8 B * 1 9 4 9 * 8 * 6 0 * 0 * 1 E
                                                              @Autowired
EmployeeDetailsCRUDService employeeDetailsCRUDService;
                                                         GcifTransaction gcifTransaction = new GcifTransaction(transaction);
mongoTemplate.save(gcifTransaction);
                                                                           return new ResponseEntity<>(RESPONSE_MSG, HttpStatus.OK);
                                                                             #ApiOperation(value = "This API is used to save customer forms created while Account opening", notes = "Transactions will be saved in MongoOB", response = String.class, tags = {
"USRAO" })
                                                                             apploperation(value = "This API is used to save customer forms created while Account operang", notes = "Iransteins will be save in nongue "support as proper as traingue and the save in nongue and the save in the sa
              troller/MongoDBController.java - Spring Tool Suite 4
 0 - 1 - 4 - 0 - 0 - 0 - 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 4 - 6 
                              ### Commence Consists of the Constitution of t
                                                                  saveCustomerFormsRequest.getCustomerFormList().stream().map(CustomerForm::new)
    .forEach(e -> mongoTemplate.save(e));
                                                                                                      return new ResponseEntity<>(RESPONSE_MSG, HttpStatus.OK);
                                                                           GetCustomerFormResponseDTO response = retrieveCustomerFormService .retrieveOccusignCustomerForms(retrieveCustomerFormsRequest); return new ResponseEntity<>(response, HttpStatus.OK); }
                                                                                CustomerformDTO customerform = retrieveCustomerformService.retrieveCustomerform(applicationid, documentName);
}

CustomerformDTO customerform = retrieveCustomerformService.retrieveCustomerform(applicationid, documentName);
}

**CustomerformDTO customerform = retrieveCustomerformService.retrieveCustomerform(applicationid, documentName);
}

**CustomerformDTO customerform = retrieveCustomerform(applicationid, documentName);
}

**Customerform = retrieveCustomerform = retrieveCustomerform(applicationid, documentName);
}

**Customerform = retrieveCustomerform = ret

2 Markers © Properties ≪ Servers is Snepoets © Console ≪ Search □ № Junit ⇒ Coverage ∅ History ③ Call Hierarchy ● Boot Dishboard © Debug © EnableAspect(AutoProny - 1 match in workspace (*jews)
▼ M - and -servicingorder (boot) [sim d-servicingorder master]
▼ M - and -servicingorder (boot) [sim d-servicingorder master]
▼ M - and -servicingorder (boot) [sim d-servicingorder master]
▼ M - and -servicingorder (boot) [sim d-servicingorder master]
▼ M - and -servicingorder (boot) [sim d-servicingorder master]
▼ M - and -servicingorder (boot) [sim d-servicingorder master]
▼ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingorder (boot) [sim d-servicingorder master)
■ M - and -servicingo
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                3 2 | X % | B E | 2 4 4 4 5 1 1
```

```
nongodb/controller/MongoDBController.java - Spring Tool Su
    @ OriginConfid
                   return new ResponseEntity<>(RESPONSE_MSG, HttpStatus.OW);
                Query query = new Query(Criteria.where(SELECT_FFELD).is(applicationId));
query.with(Sprt.by(new Order(Direction.DESC, ~id*)));
list(SignMetaDataRequest) estignMetaDataRequestList = mongoTemplate.find(query, ESignMetaDataRequestDirection.DESC);
if (lesignMetaDataRequestDirection.DESC);
request = new ESignMetaDataRequestDirection.Descript());
request = new ESignMetaDataRequestDirection.Descript();
return new ResponseEntity<>(request, HttpStatus.OK);
                Query query = new Query(Criteria.where(SELECT_FIELD).is(applicationId).and("welcomeKitFormFlag").is(true));
mongoTemplate.remove(query, CustomerForm.class);
return new ResponseEntity(SERSMOKE_MG, HUTS)catus.OK);
         Navigator (Deprecated)

Revigator (Deprecated)
                                                                                   Leheckbook.component (in rtl-pdm-d-check
                                           3*import java.util.ArrayList;
r (usrao-utility_repo feature/URS-584)
> [boot] (fdn-c-eodjobs bug/eoddefect)
o-utility_repo feature/URS-584)
                                         28 @Service
26 public class RetrieveCustomerFormService {
27
28 @Autowined
                                              @Autowired private MongoTemplate mongoTemplate;
  godb feature/AugScriptUpdate]
ngmongodb-usretail [boot] [ogn-c-onboar
                                              private static final String SELECT_FIELD = "applicationId";
                                        private static final String DOCUSIGN_DOCUMENT_TYPE = "docusignDocumentType";
                                             private static Logger Logger = LoggerFactory.getLogger(RetrieveCustomerFormService.class.getName());
                                              public CustomerFormDTO retrieveCustomerForm(String applicationId, String documentName) {
                                                p.usrao.mongodb.exception
                                                     )
form = new CustomerFormDTO(customerForm);
                                                   . .... ....... .. . . .

    Markers □ Properties ■ Servers □ Snippets □ Console ● Sear
    □EnableAspectiAutoProxy - 1 match in workspace (* Java)
    □ is > am-d-servicingorder (boot) (am-d-servicingorder master)
                                                                            ble ♥ Search = 3- JUnit = Coverage # History → Call Hierarchy ● Boot Dashboard ● De
```

```
main/java/com/citigroup/usrao/mongodb/service/EmployeeDetailsCRUDService.java - Spring Tool Suite 4
Window Help
Strain Description Description
                            1 package com.citigroup.usrao.mongodb.service;
                               a 3*import org.slf4j.Logger;
                                 14
15 @Service
16 public class EmployeeDetailsCRUDService {
17 private static Logger logger = LoggerFactory.getLogger(EmployeeDetailsCRUDService.class.getName());
                                                   @Autowired private MongoTemplate mongoTemplate;
                                   620
                                                    public void saveEmployeeDetails(EmployeeDetailsDTO employeeDetails) {
    mongoTemplate.save(new EmployeeDetails(employeeDetails));
}
                                   b23
                                                    public void deleteEmployeeDetails(String soeId) {
   Query query = new Query(Criteria.where("_id").is(soeId));
   mongoTemplate.remove(query, EmployeeDetails.class);
                                      26
                                    h27
                                                    }
                                     29
30
31
                                                     @Cacheable(value = "employeeDetails", key = "#soeId", unless = "#result==null")
public EmployeeDetailsDTO getEmployeeDetails(String soeId) {
    Logger.info("Retrieving employee details from MongoOB for SOEID : {}", soeId);
    EmployeeDetailsDTO response = null;
    Query query = new Query(Criteria.where("_id").is(soeId));
    EmployeeDetails employeeDetails = mongoTemplate.findOne(query, EmployeeDetails.class);
    if (employeeDetails != null)
        response = new EmployeeDetailsDTO(employeeDetails);
    return response;
}
                                      32
                                    035
036
                                       37
38
                                       39
                                       41 42 }
                                                                                   private static Logger Logger = LoggerFactory.getLogger(GlobalDirectoryServiceRestTemplate.class.getName());
                                                                                                   public EmployeeDetailsOTO getEmployeeDetails(String soeId, String uuid, String clientId, String businessCode,
String countryCode, String channelId, GetEmployeeDetailsRequestDTO getEmployeeDetailsRequest) (
                                                                                                           logger.info("Retrieving employee details from Global directory for SOEID : {}", soeId);
                                                                                                        if (response |= mull && response.getEmployeeDetails() |= mull && fresponse.getEmployeeDetails().isEmpty()) {
    employeeDetails = response.getEmployeeDetails().get(0);
                                                                                                        } catch (Exception e) {
    Logger.ernor("Exception occured: (), ()", e, e.getMessage());
    Logger.ernor("Stacktrace is: ()", Arrays.toString(e.getStacktrace()));
}
                                                                                                        a e o
```

```
@ MongoDbConf. @ CommonConfig. @ 'MongoDBCon. @ RetrieveCut. @ Customerform. @ RetrieveWel. @ SaveEnvelop. @ EmployeeDet. @ RestC

63  || employeeDetails.getEmailAddress().endskith("[Suo.citi.com"]) {

64  throw new EmployeeDetailsException(employeeDetails, socio);
                                                                                                                                                                 return employeeOetails;
                                                                                                                                                                                                            return response;
                                                                                                                                                                                                      public GetEmployeeDetailsResponseDTO getEmployeeDetailsFallBack(String unid, String clientId, String businessCode,
String countryCode, String channelId, GetEmployeeDetailsRequestDTO getEmployeeDetailsRequest) (
GetEmployeeDetailsResponseDTO response = new GetEmployeeDetailsResponseDTO();
Logger.error("Mystrix circuit breaker has tripped in GlobalDirectoryServiceRestTemplate.getEmployeeDetails()");
return response;
                                                                                                                                                                                                   MultivalueMapcString, String> args = new LinkedMultivalueMapc>();
args.add(*uuid*, uuid);
args.add(*usinessCode*, businessCode);
args.add(*countryCode*, countryCode);
args.add(*channelId*, cannelId);
args.add(*channelId*, cannelId);
args.add(*clant_Id*, client_Id);
args.add(*clent_Id*, client_Id);
args.add(*clent_Id*, client_Id);
args.add(*client_Id*, client_Id*, 
 Service.java
nsactionService.java
   1.8]
                                                                                                                                                              ◎ 4 0 4 × 8 9 9 8
STSWorkspace - ogn-c-onboardingmongodb-usretail/app-configs/GT1DMSDEV3/OGN-C-OnboardingMongoDB-UsRetail/OGN-C-OnboardingMongoDB-UsRetail.yml - Spring Tool Suite 4
   Edit Navigate Search Project Bun Window Help
                                                                                                                                                                                                                                                                                                        te 46 reconnectRetries: 1
47 connectRetriesPerHost: 1
   Project Explorer 11 Se Navigator (Deprecated)

→ ● > com.citigroup.usrao.mongodb.resttemplate
→ ● > GlobalDirectoryServiceRestTemplate.java
                                                                                                                                                                                                                                                                                                                                                      connectRetries/erross. 1

REAPPLY_SUBSCRIPTIONS: true
IGNORE_DUPLICATE_SUBSCRIPTION_ERROR: true
SSL_TRUST_STORE: ${vcap.services.170041-acctopg_solace_cert-dev.credentials.certificate}
SSL_TRUST_STORE_FORMAT: JRS
SSL_TRUST_STORE_PASSMORD: ${vcap.services.170041-acctopg_solace_cert-dev.credentials.password}
SSL_TRUST_STORE_PASSMORD: ${vcap.services.170041-acctopg_solace_cert-dev.credentials.password}
                                                                                                                                                                                                                                                                                                                          SSL_TRUST_STORE: ${vcap.services.170041-acctopg_solace_cert-dev.credentials.certificate}

SSL_TRUST_STORE_PASSMORD: ${vcap.services.170041-acctopg_solace_cert-dev.credentials.password}

SS_Spring:
SS_profiles: DEV
STochnection:
SS_serverAddress: maas-gt-d7-u00004.nam.nsroot.net
SS_serverAddress: maas-sw-d3-u0017.nam.nsroot.net
SS_serverAddress:
                                    RestConnectionUtil.java
                              com.citigroup.usrao.mongodb.scheduler
                            com.citigroup.usrao.mongodb.service

ils EmployeeDetailsCRUDService.java

ils EmployeeDetailsService.java
                                    » RetrieveCustomerFormService.java
                              app-configs

agr-configs

agr-configs

agr-configs

agr-configs

agr-configs

agr-configs

agr-configs

by-configs

configuration

configurat

    → a Cont-ConboardingMongoDB-UsRetail
    → a certs
    → a certs
```