SELECT A.CG_MKT_PLACE_TXT AS FIMP,

A.CG_BRANCH_TXT AS BRANCH. C.NAME AS MARKETPLACE, B.CG_NAME_TXT AS BRANCH_NAME, B.CG AREA,

B.CG DIVISION,

B.CG_UNICODE,

UPPER(D.CG_OPR_ID) AS CG_OPR_ID, D.CG_BANKER FULL NAME,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'CLIENT DEVICE' THEN 1 ELSE

NULL END) AS CG_ESIGNATURE_TYPE,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'IPAD' THEN 1 ELSE

NULL END) AS ESIGNED,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'PAPER' THEN 1 ELSE

NULL END) AS PAPER.

COUNT(D.ESIGNATURE_FLAG) AS TOTAL_SESSIONS

FROM

CITI_RET_AVOKA_OWNER.CG_RA_BRANCH_CONFIG A LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_BRANCH B ON

A.CG_BRANCH_TXT = B.CG_BRANCH_TXT AND A.CG_MKT_PLACE_TXT = B.CG_MKT_PLACE_TXT LEFT JOIN CITI_RET_AVOKA_OWNER.MARKETPLACE C ON

A.CG_MKT_PLACE_TXT = C.FIMP

LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_SESSION D ON

D.CG_CREATION_DAT >= ? AND D.CG_CREATION_DAT < ? AND D.CG_SESN_STATUS_CHR IN ('S') AND

A.CG_MKT_PLACE_TXT = D.CG_ORIGIN_MKT_PLACE_TXT AND

A.CG_BRANCH_TXT = D.CG_ORIGIN_BRANCH_TXT

WHERE D.CG OPR ID is not null

GROUP BY

A.CG_MKT_PLACE_TXT, A.CG_BRANCH_TXT, B.CG_NAME_TXT, C.NAME ,B.CG_AREA,B.CG_DIVISION,B.CG_UNICODE,UPPER(D.CG_OPR_ID),D.CG_BANKER_FULL_NAME ORDER BY A.CG_MKT_PLACE_TXT, A.CG_BRANCH_TXT;

SELECT

A.CG_MKT_PLACE_TXT AS FIMP, A.CG_BRANCH_TXT AS BRANCH, C.NAME AS MARKETPLACE, B.CG_NAME_TXT AS BRANCH NAME, B.CG_AREA, B.CG_DIVISION, B.CG UNICODE,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'CLIENT DEVICE' THEN 1 ELSE NULL END) AS CG_ESIGNATURE_TYPE,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'IPAD' THEN 1 ELSE

NULL END) AS ESIGNED,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'PAPER' THEN 1 ELSE

NULL END) AS PAPER,

COUNT(D.ESIGNATURE_FLAG) AS TOTAL_SESSIONS

FROM

CITI_RET_AVOKA_OWNER.CG_RA_BRANCH_CONFIG A LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_BRANCH B ON

A.CG_BRANCH_TXT = B.CG_BRANCH_TXT AND A.CG_MKT_PLACE_TXT = B.CG_MKT_PLACE_TXT LEFT JOIN CITI_RET_AVOKA_OWNER.MARKETPLACE CON

A.CG_MKT_PLACE_TXT = C.FIMP

LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_SESSION D ON

D.CG_CREATION_DAT >= ? AND D.CG_CREATION_DAT < ? AND D.CG_SESN_STATUS_CHR IN ('S') AND

A.CG_MKT_PLACE_TXT = D.CG_ORIGIN_MKT_PLACE_TXT AND

A.CG_BRANCH_TXT = D.CG_ORIGIN_BRANCH_TXT **GROUP BY**

A.CG_MKT_PLACE_TXT, A.CG_BRANCH_TXT, B.CG_NAME_TXT, C.NAME

,B.CG AREA,B.CG DIVISION,B.CG UNICODE

ORDER BY A.CG_MKT_PLACE_TXT, A.CG_BRANCH_TXT;

Q3

A.CG_SESSION ID as SESSION ID.

concat(V.CG_SDN_OVRD_REASON_TEXT,concat(*)

,V.CG_SDN_OVRD_DESCRIPTION)) as SDN_OVERIDE_COMMENTS, concat(V.CG_RF_OVRD_REASON_TEXT,concat(' '

,V.CG_RF_OVRD_DESCRIPTION)) as RF_OVERIDE_COMMENTS,

FROM CITI_RET_AVOKA_OWNER.CG_RA_SESSION A

LEFT OUTER JOIN CITI_RET_AVOKA_OWNER.CG_RA_EOD_SIGNR B on

(B.CG_SESSION_ID= A.CG_SESSION ID)

LEFT OUTER JOIN CITI_RET_AVOKA_OWNER.CG_RA_EOD_ID_REF F on

(B.CG_SESSION_ID = F.CG_SESSION_ID AND B.CG_CIN_ID =F.CG_CIN_ID AND F.CG_LOCATOR_ID='1') LEFT OUTER JOIN CITI_RET_AVOKA_OWNER.CG_RA_EOD_ID_REF S on

(B.CG_SESSION_ID = S.CG_SESSION_ID AND B.CG_CIN_ID = S.CG_CIN_ID AND S.CG_LOCATOR_ID='2') LEFT OUTER JOIN CITI_RET_AVOKA_OWNER.CG_RA_EOD_GREDOCS G on

(G.CG_RA_SESSION_ID = B.CG_SESSION_ID AND G.CG_CIN_ID = B.CG_CIN_ID)

LEFT OUTER JOIN CITI_RET_AVOKA_OWNER.CG_RA_VERIFICATION_RESULTS V on (V.CG_CIN_TXT = B.CG_CIN_ID AND V.CG_SESSION_ID = A.CG_SESSION_ID)

LEFT OUTER JOIN CITI_RET_AVOKA_OWNER.CG_RA_LEXISNEXIS_PF P on

(P.CG_CIN_ID = B.CG_CIN_ID AND P.CG_SESSION_ID = A.CG_SESSION_ID AND P.CG_STALE_FLG='N') WHERE A.CG_SESSION_ID = B.CG_SESSION_ID

AND A.CG CREATION DAT >= ?

AND A.CG. OPR. ID not like 'avoka, user'
AND A.CG. AVOKA, USER, ROLE = 'BRANCH'
AND A.CG. SESN, STATUS, CHR IN ('O', C, 'S, 'Y', 'W'); AND A.CG CREATION DAT <?

8

LEFT OUTER JOIN CITY RET AVOKA OWNER.CG RA PKG INFO C ON (A.CG PKG TYPE COD = LEFT OUTER JOIN CTT. RET. AVOKA. DWINER.CG. RA. EOD. SIGNR B. USING (CG. SESSION. ID) LET OUTER JOIN CTI. RET. AVOKA. DWINER.CG. RA. SESS. ACCT A USING (CG. SESSION, ID) C.CG. PKG. TYPE. COD and (IC.CG. VALUE, PROPOSITION, CODE = A.CG. VALUE, PROP. COD IS NULL)). concat(B.CG_NAME_PHX_TXT,concat("),concat(B.CG_F_NAME_TXT,concat(") concattC.DESCR.concatt**, C.CG_PKGNIM_SUFFX_TXTI) as PACKAGE_NAME. A.CG_FIN_ACCOUNT_STATUS as ACCOUNT_STATUS. CITI RET AVOKA, OWNER.CG, RA, SIGNR, ADDR, LOOKUP E, CITI RET, AVOKA, OWNER.CG, RA, ADDRESS F (B.CG_MID_NAME_TXT,concat(" , concat(B.CG_L_NAME_TXT, S.CG RA AVK ENTL ROLE AS CG. RA AVK ENTL ROLE FROM CITI RET AVOKA OWNER, CG RA SESSION S concat(", B.CG_NAME_SFX_TXT))))))) AS NAME, AND S.CG FIRST INITIATOR APP = '880' WHERE S.CG_CREATION_DAT >= ? AND S.CG OPR ID not like 'avoka user' AND S.CG CREATION DAT <? CG_SESSION_ID as CG_SESSION_ID. B.CG CIN ID AS CG CIN ID,

AND E.CG ADDRESS ROW ID=F.CG CONTACT ID AND S.CG AVOKA USER ROLE in ("CCS", GSC")

AND F.CG ACTIVE FLAG="Y";

AND B.CG ROW ID=E.CG SIGNR ROW ID

CTT_RET_AVOKA_OWNER.BATCH_JOB_INSTANCE where JOB_NAME='ipbEODReportBatchlob'|) order select * from CIT1 RET AVOKA OWNER.BATCH STEP EXECUTION where JOB_EXECUTION_ID IN select JOB EXECUTION ID from CTI RET AVOKA OWNER.BATCH JOB EXECUTION where JOB INSTANCE ID in (select JOB INSTANCE ID from by START TIME desc

CG_BNIK_PKG_TYP_COD,CG_VP_STR_TXT,CG_ACCT_CLASS_COD,CG_ACCT_TYPE_COD,CG_MKT_PLACE TXT from CG RA PRODBUILD

CG_BNIK_PKG_TYP_COD,CG_VP_STR_TXT,CG_ACCT_CLASS_COD,CG_ACCT_TYPE_COD,CG_MKT_PLACE GROUP BY A.CG_ACCT_CLASS_COD, S.CG_FIRST_INITIATOR_APP order by A.CG_ACCT_CLASS_COD LEFT OUTER JOIN CIT. RET. AVOKA, OWNER.CG. RA. SESS, ACCT A ON (S.CG. SESSION, ID = A.CG ACCT CLASS COD in (11, 2, 3, 4, 9) and S.CG HRST INITIATOR APP in (880,881) FROM CITI_RET_AVOKA_OWINER.CG_RA_SESSION S AND S.CG_CREATION_DAT like '11-JAN-21%'] -AND S.CG CREATION DAT <?) COUNT(A.CG ACCTINUM TXT) S.CG FIRST INITIATOR APP. A.CG ACCT CLASS COD, naving count(*) > 1 A.CG SESSION ID

LEFT OUTER JOIN CITI RET AVOKA DWINER.CG RA SESS ACCT A ON S.CG FIRST INITIATOR APP AS CG FIRST INITIATOR APP. FROM CITI RET AVOKA OWNER.CG RA SESSIONS A.CG ACCT CLASS COD AS CG ACCT CLASS COD, COUNT(A.CG ACCTNUM TXT) AS COUNT (S.CG_SESSION_ID = A.CG_SESSION_ID

AND S.CG CREATION DAT < ?) AND S.CG_CREATION_DAT >= ?

13

A.CG_ACCT_CLASS_COD in ('1, '2, '3', '4, '9') and A.CG_FIN_ACCOUNT_STATUS GROUP BY A.CG ACCT CLASS COD, S.CG FIRST INITIATOR APP order by !=7 and S.CG FIRST INITIATOR APP in (880,881)

S.CG FIRST INITIATOR APP;

SELECT

B.CG NAME TXT AS BRANCH NAME, A.CG BRANCH TXT AS BRANCH, UPPER(D.CG OPR ID) AS CG OPR ID, A.CG MKT PLACE TXT AS FIMP, C.NAME AS MARKETPLACE, B.CG DIVISION, B.CG AREA, B.CG UNICODE,

COUNTICASE UPPERIO.CG_ESIGNATURE_TYPE; WHEN 'CLIENT DEVICE' THEN 1 ELSE D.CG BANKER FULL NAME, NULL END! AS CG ESIGNATURE TYPE, COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'IPAD' THEN 1 ELSE

NULL END) AS ESIGNED,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'PAPER' THEN 1 ELSE

NULL END) AS PAPER,

COUNT(D.ESIGNATURE_FLAG) AS TOTAL_SESSIONS

FROM

CITI_RET_AVOKA_OWNER.CG_RA_BRANCH_CONFIG A

LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_BRANCH B ON

A.CG_BRANCH_TXT = B.CG_BRANCH_TXT AND A.CG_MKT_PLACE_TXT = B.CG_MKT_PLACE_TXT

LEFT JOIN CITI_RET_AVOKA_OWNER.MARKETPLACE C ON

A.CG_MKT_PLACE_TXT = C.FIMP

LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_SESSION D ON

D.CG_CREATION_DAT >= ? AND D.CG_CREATION_DAT < ? AND D.CG_SESN_STATUS_CHR IN ('S') AND

A.CG_MKT_PLACE_TXT = D.CG_ORIGIN_MKT_PLACE_TXT AND

A.CG BRANCH TXT = D.CG ORIGIN BRANCH TXT

WHERE D.CG_OPR_ID is not null

GROUP BY

A.CG_MKT_PLACE_TXT, A.CG_BRANCH_TXT, B.CG_NAME_TXT, C.NAME

,B.CG_AREA,B.CG_DIVISION,B.CG_UNICODE,UPPER(D.CG_OPR_ID),D.CG_BANKER_FULL_NAME ORDER BY A.CG_MKT_PLACE_TXT, A.CG_BRANCH_TXT;

Di

SELECT

A.CG_MKT_PLACE_TXT AS FIMP, A.CG_BRANCH_TXT AS BRANCH, C.NAME AS MARKETPLACE,

B.CG NAME TXT AS BRANCH NAME,

B.CG_AREA, B.CG_DIVISION, B.CG_UNICODE.

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'CLIENT DEVICE' THEN 1

ELSE NULL END) AS CG_ESIGNATURE_TYPE,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'IPAD' THEN 1 ELSE

NULL END) AS ESIGNED,

COUNT(CASE UPPER(D.CG_ESIGNATURE_TYPE) WHEN 'PAPER' THEN 1 ELSE

NULL END) AS PAPER,

COUNT(D.ESIGNATURE_FLAG) AS TOTAL_SESSIONS

FROM

CITI_RET_AVOKA_OWNER.CG_RA_BRANCH_CONFIG A
LEFT JOIN CITI_RET_AVOKA_OWNER.CG_RA_BRANCH B ON

A.CG BRANCH TXT = B.CG BRANCH TXT AND A.CG MKT PLACE TXT = B.CG MKT PLACE TXT

LEFT JOIN CITI_RET_AVOKA OWNER.MARKETPLACE CON

A.CG MKT PLACE TXT = C.FIMP

LEFT JOIN CITI_RET_AVOKA OWNER.CG_RA_SESSION D ON

D.CG_CREATION_DAT >= ? AND

D.CG_CREATION_DAT < ? AND

D.CG_SESN_STATUS_CHR IN ("S") AND"

A.CG_MKT_PLACE_TXT = D.CG_ORIGIN_MKT_PLACE_TXT AND

A.CG_BRANCH_TXT = D.CG_ORIGIN_BRANCH_TXT

GROUP BY

A.CG MKT PLACE TXT, A.CG BRANCH TXT, B.CG NAME TXT, C.NAME

,B.CG_AREA,B.CG_DIVISION,B.CG_UNICODE

ORDER BY A.CG MKT PLACE TXT, A.CG BRANCH TXT;