


1

没有多人协同开发，经历 get 设计暂存区和提交两步骤，可以精细控制提交内容，方便更改编辑和这个撤销 get branch 和 get branch-A，一个只能查看本地分支，还有一个可以进行远程追踪

2



3Commit message 介绍了编写规范，将提交信息分为 header、body、footer 三部分，header 是必填项，body 是改动的详细说明，foot 用于填写关闭 issue 编号规范。书写便于浏览，提交历史，同时可以借助工具生成版本更新日志

gitflow 进行 get 分支管理工作，通过 master 主分支保存正式代码，develop 开发的主分支存放新功能，feature 是临时分支，release 是预发布分支，Hot fixx 是紧急修复，规定了分支的创建和合并，降低多人协作的冲突风险

Git 有助于保存版本历史，支持多人协同开发，规范开发过程

4

```

create mode 100644 README.md
create mode 100644 main.c
shiyua4@YYC2025:~/shiyuatest$ git log
commit 614acea38aed46f344c8b5c52b19366d00215915 (HEAD -> master)
Author: shiyua4 <2245915689@qq.com>
Date:   Wed Sep 30 23:18:47 2026 +0800

    Complete lab0: modify TODO in main.c
shiyua4@YYC2025:~/shiyuatest$ make
./main
gcc -Wall -O2 -c main.c -o main.o
gcc -Wall -O2 -o main main.o
Haaaaaaaaaaaaaaaaa, world!
shiyua4@YYC2025:~/shiyuatest$ make clean
rm -f main.o main
shiyua4@YYC2025:~/shiyuatest$ git branch
* master
shiyua4@YYC2025:~/shiyuatest$ git checkout -b feature
Switched to a new branch 'feature'
shiyua4@YYC2025:~/shiyuatest$ git add main.c
git commit -m "feature branch: modify main.c"
On branch feature
nothing to commit, working tree clean
shiyua4@YYC2025:~/shiyuatest$ git add main.c
git commit -m "feature branch: modify main.c"
[feature e348bf6] feature branch: modify main.c
 1 file changed, 1 insertion(+), 1 deletion(-)
shiyua4@YYC2025:~/shiyuatest$ git checkout master
Switched to branch 'master'
shiyua4@YYC2025:~/shiyuatest$ git log --oneline --graph --all
* e348bf6 (feature) feature branch: modify main.c
* 614acea (HEAD -> master) Complete lab0: modify TODO in main.c
shiyua4@YYC2025:~/shiyuatest$ git checkout master
M       main.c
Already on 'master'
shiyua4@YYC2025:~/shiyuatest$ git add main.c
git commit -m "master branch: modify main.c"
[master 210203e] master branch: modify main.c
 1 file changed, 1 insertion(+), 1 deletion(-)
shiyua4@YYC2025:~/shiyuatest$ git diff master feature
diff --git a/main.c b/main.c
index d397a39..f07ff1d 100644
--- a/main.c
+++ b/main.c
@@ -3,5 +3,5 @@
 int main()

```

```

1  #include <stdio.h>
2
3  int main()
4  {
5      // @TODO: print a sentence you want.
6      <<<<<< HEAD (当前更改)
7      printf("Haaaaaaaaaccccaa, world!\n");
8      =====
9      printf("Habbbbbbbbbb, world!\n");
10     >>>>>> feature (传入的更改)
11 }

```

```
shiyua4@YYC2025: ~/shiyuatest$ git checkout master
Already on 'master'
shiyua4@YYC2025:~/shiyuatest$ git merge feture
merge: feture - not something we can merge
shiyua4@YYC2025:~/shiyuatest$ git merge feature
Auto-merging main.c
CONFLICT (content): Merge conflict in main.c
Automatic merge failed; fix conflicts and then commit the result.
shiyua4@YYC2025:~/shiyuatest$ git add main.c
git commit -m "Merge branch 'feature', resolve merge conflict"
[master d6ce00b] Merge branch 'feature', resolve merge conflict
shiyua4@YYC2025:~/shiyuatest$ git log --oneline --graph --all
*   d6ce00b (HEAD -> master) Merge branch 'feature', resolve merge conflict
| \
|  * e348bf6 (feature) feature branch: modify main.c
* | 210203e master branch: modify main.c
|/
* 614acea Complete lab0: modify TODO in main.c
shiyua4@YYC2025:~/shiyuatest$
```