NEW CITY LIGHT

LIGHTING THE WAY

Brand Guidelines

VISUAL IDENTITY & STATIONERY SYSTEM

VERSION 1.0 · OCTOBER 2026

دليل الهوية البصرية

CONTENTS

Contents

01	The brand	03
02	The logo	06
03	Colour & typography	12
04	Graphic language	18
05	Stationery & applications	22
	Company data & open items	36

ABOUT THIS BOOK

These guidelines describe the New City Light identity as delivered in the rebranding files, and set out the stationery system built from it: letterhead, envelopes, quotation, stamp, plastic bag and email signature.

Where a value was measured from existing artwork rather than specified by the client (slate colour, pattern, text-safe orange), the page says so.

NEW CITY LIGHT
LIGHTING THE WAY

01

The brand

Who New City Light is, what it stands for and how it speaks.

Who we are

New City Light (NCL) is a Baghdad lighting company that designs, supplies, installs and commissions lighting for homes, commercial buildings and large public projects.

WHAT WE DO

- **1 · Study & design.** Lighting design and illumination calculations for every kind of project, to international standards.
- **2 · Supply.** Quality lighting products and electrical installations, with genuine warranties.
- **3 · Installation.** Specialised technical crews, from residential work to complex media façades and architectural lighting.
- **4 · Programming & commissioning.** Smart control systems set up for the best aesthetic and functional result.

PARTNERS NAMED IN THE COMPANY BROCHURE

Exclusive agent in Iraq for **DuLight** (UAE) and for international brands including OSRAM, Tridonic, LEDVANCE, PCE and Frequentis.

MILESTONES

1998	Starts in the Baghdad electrical market, distributing quality lighting products.
2004	Becomes distributor for OSRAM (Germany) and Tridonic (Austria).
2005	Opens a branch in Dubai to serve the Iraqi market with high-quality materials and technology transfer.
2012	Establishes a factory in the Jebel Ali Free Zone (JAFZA), Dubai, to manufacture and assemble lighting fixtures.

Source: company brochure (Arabic). Wording condensed.

NEW CITY LIGHT
LIGHTING THE WAY

مدينة جديدة. إنارة جديدة.
منظور جديد.



Essence & voice

The line “Lighting the Way” (ننير الدرب) is the promise. Everything we make should feel like it guides the viewer from darkness to clarity: confident, warm and precise.

BRAND LINE

LIGHTING THE WAY.

ننير الدرب.

BRAND STATEMENT

مدينة جديدة. إنارة جديدة. منظور جديد.

Working English: “A new city. New lighting. A new perspective.” Confirm wording before public use.

PERSONALITY (proposed – to be confirmed by NCL)

Precise
Technical credibility; every claim is specific.

Warm
Light is human; imagery and tone are inviting.


Confident
Short, declarative lines. No hedging.

Forward
New city, new perspective: modern, never trendy.

HEADLINE STYLE (TAKEN FROM THE EXISTING CAMPAIGN POSTS)

HOME. ELEVATED. · YOUR CITY. REIMAGINED. · BRILLIANCE FROM ABOVE. · LIGHTING CITIES. LIGHTING LIVES.

Two short sentences, capitals, full stops. Body copy is sentence case, plain and specific.



NEW CITY LIGHT
LIGHTING THE WAY

02

The logo

Symbol, wordmark and tagline: how they fit together and how to protect them.

Primary logo

The horizontal lockup is the default. It combines the radiating symbol, the NEW CITY LIGHT wordmark and the tagline LIGHTING THE WAY with the ® mark. It is supplied as artwork. Never retype or rebuild it.



ANATOMY

- **1 · Symbol.** Eight swept petals in four mirrored pairs, radiating from a central gap. Stands alone as the app icon and favicon.
- **2 · Wordmark.** NEW CITY LIGHT in a wide, softly rounded display face, drawn as artwork.
- **3 · Tagline.** LIGHTING THE WAY in widely tracked, light capitals, spaced to the exact width of the wordmark: it starts on the N and the ® ends on the T. The two lines sit centred on the symbol.
- **4 · ® mark.** Always reproduced with the logo; never removed or resized separately.

FILES

Master (vector): brand/logos/vector/ncl-horizontal-*.svg
PNG: brand/logos/png/ncl-horizontal-*.png (5413 px wide)
Also: ncl-arabic-*.svg, ncl-stacked-*.svg, ncl-symbol-*.svg

Lockups

Four approved forms. Choose by space and language, never by taste.



HORIZONTAL · EN

Default for stationery, documents, web headers and signage.



ARABIC LOCKUP

Pairs with the English logo on bilingual stationery, or leads Arabic-only material. Sits on the right.



STACKED

For square and portrait spaces: bags, packaging, covers, stamps. Vector artwork.



SYMBOL / APP ICON

When the name is already present or space is tight: avatars, favicons, patterns, embossing.

Clear space & minimum size

Keep a margin equal to **x**, the height of the capital letters in the wordmark, clear on all sides. Below the minimum widths, switch to the symbol alone.



MINIMUM SIZE · SHOWN AT ACTUAL SIZE



Print: 40 mm wide
Screen: 160 px wide



Symbol only:
8 mm / 20 px

WHY 40 MM?

The tagline is the first element to break up. Below about 40 mm its capitals fall under 2 pt and fill in when printed. These minimums are our recommendation; confirm on a printed proof.

- Never place text or graphics inside the clear space.
- Align the logo to the page margin, not to an arbitrary position.

Colour versions

Choose the version that gives the strongest contrast with the background. Full colour is for white and very light surfaces only.













What not to do

These distortions weaken recognition. If a layout seems to need one of them, change the layout.

DON’T STRETCH OR SQUASH


DON’T ROTATE

DON’T RECOLOUR OUTSIDE THE PALETTE

DON’T ADD SHADOWS, GLOWS OR BEVELS

DON’T USE LOW-CONTRAST BACKGROUNDS

DON’T MIRROR OR FLIP



DON’T PLACE ON BUSY PHOTOGRAPHY

DON’T RETYPE THE WORDMARK IN ANOTHER FONT

NEW CITY LIGHT
LIGHTING THE WAY

03

Colour & typography

A small palette used with discipline, and the type families that carry the voice.

Palette

Orange is the light; navy is the night it shines in. Navy and off-white carry most surfaces, orange is the accent that draws the eye.

NCL Orange
#F36B24

RGB 243 · 107 · 36
CMYK ≈ 0 · 56 · 85 · 5
Primary accent. Symbol, key shapes, large type.

NCL Navy
#0F1E2A

RGB 15 · 30 · 42
CMYK ≈ 64 · 29 · 0 · 84
Primary dark. Wordmark, text, backgrounds.

Off-white
#F5F5F4

RGB 245 · 245 · 244
CMYK ≈ 0 · 0 · 0 · 4
Primary light. Paper and reversed type.

Slate
#303E4A

RGB 48 · 62 · 74
CMYK ≈ 35 · 16 · 0 · 71
Secondary. Business cards, section dividers.

Orange Text
#BD470B
Small orange text on light backgrounds

Muted
#5E6B76
Secondary text, captions

Line
#D9DDE0
Rules and borders

Tint
#F1F2F3
Panels and table stripes



Navy 45% | Off-white / white 30% | Orange 15% | Slate 10%

Indicative proportions. CMYK values are straight conversions from RGB and are starting points only; match to a printed swatch before approving. Slate and the utility colours were sampled from the approved mockups.

Contrast & legibility

Measured contrast ratios (WCAG). Orange is bright but not dark: it does not carry small text on white, and white does not carry small text on orange.

	PAIRING	RATIO	USE
Aa	Navy on white	16.9 : 1	ANY SIZE
Aa	White on navy	16.9 : 1	ANY SIZE
Aa	Navy on orange	5.6 : 1	ANY SIZE
Aa	Orange on navy	5.6 : 1	ANY SIZE
Aa	White on slate	11.0 : 1	ANY SIZE
Aa	Orange Text on white	5.2 : 1	ANY SIZE
Aa	Orange on white	3.0 : 1	LARGE TYPE ≥ 18 PT BOLD / GRAPHICS ONLY
Aa	White on orange	3.0 : 1	LARGE TYPE ≥ 18 PT BOLD / GRAPHICS ONLY
Aa	Off-white on orange	2.8 : 1	LOGO AND GRAPHICS ONLY

RULES OF THUMB

- Text on an orange surface: **navy**. The white logo on orange is the one exception, because it is artwork.
- Orange type on white: only for headlines at 18 pt bold or larger. Otherwise use Orange Text **#BD470B**.
- Footer and caption text on navy: off-white at 75% or stronger.
- Never put orange text on slate below 14 pt (3.6 : 1).

Ratios calculated from the hex values on the palette page. WCAG AA requires 4.5 : 1 for normal text and 3 : 1 for large text.

Primary typeface: Montserrat

A geometric sans with a wide range of weights. It is already used across the presentation, business cards and brochure, and it is free (SIL Open Font Licence) so every supplier can install it.



WEIGHT	SAMPLE	USE
Light 300	Lighting the way	Contact details, captions on dark
Regular 400	Lighting the way	Body text
Medium 500	Lighting the way	Table values, form entries
SemiBold 600	**Lighting the way**	Labels, names, small caps
Bold 700	**Lighting the way**	Headings, emphasis
ExtraBold 800	**LIGHTING THE WAY**	Titles and display capitals

03 · TYPOGRAPHY

Arabic & display faces

English and Arabic are set side by side on almost everything we produce. Arabic is never an afterthought: same hierarchy, same colour, same alignment rules, mirrored.

ARABIC · BRAND FACE

GE SS Two

Used in the current company brochure (Light, Medium and Bold). It is a commercial typeface: make sure the licence covers every supplier and screen use.

ARABIC · USED IN THESE TEMPLATES

Noto Kufi Arabic

Open-source (SIL OFL), geometric and wide, the closest free match to the Arabic logo. Used for every Arabic line in the stationery files here.

ARABIC SAMPLE

إنارة المدينة الجديدة

مدينة جديدة. إنارة جديدة. منظور جديد.

نقدم لعملائنا حلولاً هندسية شاملة تبدأ من الفكرة وحتى التسليم النهائي للمشروع.

Set Arabic about 1 pt larger than the English beside it, with generous leading (1.7–1.9).

DISPLAY · LOGO AND CAMPAIGNS

Nasalization

The wordmark and the campaign headlines on the existing posts use a wide, rounded techno face that matches Nasalization (Heavy and Extended Light, as embedded in the brochure). It is not bundled here.

Check before reuse: Nasalization is free for personal use only. Commercial campaigns need a licence, or the headlines should be supplied as outlined artwork.

The stationery in this pack does not need it: the logo is artwork.

ADDRESS

Baghdad – Al-Mansour – Al-Dawoodi, Iraq

العنوان

بغداد – المنصور – الداوودي

PHONE

+964 783 577 6393

الهاتف

Pairing pattern: English label left, Arabic label right on the same line; English value left-aligned, Arabic value right-aligned directly beneath.

Hierarchy for documents

One consistent scale for letters, quotations and printed forms. Sizes are for A4 at 100%.

ROLE	FACE · WEIGHT	SIZE / LEADING	CASE	COLOUR
Document title	Montserrat 800	19–24 pt / 1.1	CAPS · tracked 0.2 em	Navy
Arabic title	Noto Kufi 800	17–22 pt / 1.3	—	Orange
Heading	Montserrat 700	11–13 pt / 1.25	Sentence	Navy
Body	Montserrat 400	9–9.5 pt / 1.6	Sentence	Navy
Table text	Montserrat 400 / 500	7.8–8.4 pt / 1.3	Sentence	Navy
Label	Montserrat 700	5.6–6.4 pt / tracked 0.14 em	CAPS	Orange Text / Muted
Caption	Montserrat 400	6.3–7 pt / 1.5	Sentence	Muted
Contact details	Montserrat 400	6.8 pt / 1.55	Sentence	Off-white on navy
Arabic body	Noto Kufi 400	body + 1 pt / 1.8	—	Navy

QUOTATION

عرض سعر

Lighting design and supply proposal

Thank you for the opportunity to support your project. We are pleased to submit our proposal covering design, supply and commissioning.

PREPARED BY

Full Name

Live example of the scale on the left.

NEW CITY LIGHT
LIGHTING THE WAY

04

Graphic language

The symbol as a device, the petal pattern, imagery and icons.

Symbol & pattern

The symbol can be enlarged and cropped as a graphic device. The pattern is a quiet, tone-on-tone texture made of NCL's upright arrow motif, used to give the navy and orange surfaces some depth.









SYMBOL DEVICE

- Crop at the page edge, never inside a box.
- One large symbol per layout.
- Orange on navy, white on orange, navy on white.

PATTERN

- Tone-on-tone only: a 5% white tint on navy; on orange the arrows are printed in #DD4014.
- Never behind body text; use on bands, flaps and closed surfaces. Short lines, like the footer contacts, are fine.
- Motifs point upward on the finished page; do not rotate or invert the tile.
- Files: brand/patterns/*.svg (seamless tile).


MOTIF

The arrow, with its arched base, is NCL's own vector pattern, taken from the client's Illustrator artwork (brand/source/ncl-pattern-tile.json). Eight upright arrows, 2.1 × 2.5 mm, sit in staggered rows on a 9.55 × 6.16 mm tile. Size: 1× on the letterhead and quotation footer, 1.55× on the envelope fronts, DL flap and quotation cover; 2.3× on the C4 flap and the orange bag. Always vector: never place it as a picture.


Imagery

Night, architecture, warm light. Photography should feel like the moment a space comes alive: deep navy shadows, glowing amber light, clean geometry.









Existing campaign visuals supplied with the project.

DO

- Dusk and night scenes, light as the hero.
- Warm light (about 2700–3000 K) against deep blue-black shadow.
- Clean architecture; one clear subject per frame.
- Leave calm space for headline and logo.

DON'T

- Flat daylight stock photography or cold, clinical white light.
- Cluttered frames where the logo has to fight the picture.
- Heavy filters, clip-art, or lens-flare effects.
- Placing the logo directly on bright, busy areas; use a navy overlay first.

App icon & avatars

The symbol on an orange rounded square is the digital face of the brand. Use it wherever a small square or circle is needed.

APP ICON · 1024+ PX

AVATAR · CIRCLE

FAVICON · 64 / 32 / 16

AVATAR · ORANGE



Existing mockup: icon on the home screen

NEW CITY LIGHT
LIGHTING THE WAY


05

Stationery & applications

Letterhead, envelopes, quotation, stamp, bag and email signature, with the specs a printer needs.

The stationery system

One system, built from the logo: one navy, #0F1E2A, for the footer band, the quotation cover and the envelopes, carrying the arrow pattern, and a restrained use of orange. White, light pages for correspondence; navy and orange for closed surfaces.




MOCKUP · LETTERHEAD, QUOTATION FORM AND COVER, ENVELOPES



LETTERHEAD



QUOTATION · COVER



ENVELOPE C4 · BACK




ENVELOPE DL · FRONT



STAMP · ROUND



STAMP · RECT.



PLASTIC BAG



EMAIL SIGNATURE

Letterhead

A4, bilingual. English logo left, Arabic logo right, a hairline with an orange accent, and the contact data in a navy band at the foot.



SAMPLE LETTER

SIZE	A4 · 210 × 297 mm · portrait
MARGINS	20 mm left and right · body starts 45 mm from top · body ends about 265 mm
HEADER	English logo and Arabic logo, both 10.7 mm tall, tops at 14 mm · English at 20 mm from the left (62.4 mm wide), Arabic right aligned at 20 mm · hairline at 32 mm with a 16 mm orange accent
FOOTER	Navy band with the arrow pattern, 26 mm tall, full bleed, the same navy as the quotation cover and the envelopes · 1.3 mm orange line on top · NEW CITY LIGHT wordmark and city · CONTACT US with email and web · three phones, all on one 3.7 mm baseline grid · large orange symbol running off the corner · Montserrat 6.8 pt
PAPER	100–120 gsm uncoated white
PRINT	Offset or digital, 4 colour. Footer band is a full-bleed flood: send the 3 mm bleed file with crop marks
OFFICE PRINTING	Desktop printers cannot print to the page edge; use pre-printed stock for letters and the Word template only for files sent as PDF
FILES	01-Letterhead/ · print PDF with bleed, blank PDF, sample letter, Word template

Envelopes

Two sizes, one look. The front is white and writable, with the logos at the top and the contact line above a navy strip. The back is the same navy as the quotation cover, with the patterned flap and a white logo.




C4 · FRONT



C4 · BACK



DL · FRONT



DL · BACK

LARGE · C4	324 × 229 mm (holds A4 unfolded) · flap along the long edge
SMALL · DL	220 × 110 mm (holds A4 folded in three)
FRONT	White · English logo top left, Arabic logo top right, same height · contact line · navy strip with the pattern
BACK	Navy #0F1E2A, the same as the quotation cover and letterhead footer · the flap carries the arrow pattern · white logo, centred below the flap
BLEED	5 mm in the print file (envelope converters usually ask for 5 mm)
STOCK	100–120 gsm uncoated; the dark back needs offset or digital flood coverage
COST NOTE	The dark back is the expensive part. If budget is tight: print the white front only and leave the back plain
DIE-LINE	Artwork is at finished size. Your envelope manufacturer will place it on their own die-line and may adjust the flap shape
FILES	03-Envelope-Large-C4/ · 04-Envelope-Small-DL/

Quotation

A dark navy cover with white write-in boxes, then a bilingual A4 form: quotation number, client and project blocks, an itemised table, totals, terms and three signature boxes, including one for the company stamp.



COVER



FORM · SAMPLE DATA

SIZE	A4 · 210 × 297 mm · same header and footer as the letterhead
COVER	Navy with the arrow pattern, orange edge band, outlined symbol · Quoted to, Project, Quotation no., Date and Valid until sit in white boxes so they can be filled in with an ordinary pen; the last row ends level with the QR code on the back
FIELDS	Quotation no., date, valid until, prepared by, currency, payment terms · client company, attention, phone · project name, location, reference
TABLE	7 item lines · No., description, unit, qty, unit price, total · navy header, light row stripes
TOTALS	Subtotal, discount, tax / VAT, grand total in a navy block
SIGNATURES	Prepared by · Approved by · Company stamp
TERMS	Four default lines. They are placeholders: replace with NCL's legal wording
EXCEL VERSION	18 lines, discount % and tax % cells, all totals as formulas; prints on one A4 page
FILES	05-Quotation/ · cover and form: blank PDF (print with bleed), blank PDF, sample PDF · Excel template

The sample figures are invented for illustration. The Excel file has been checked: 2 × 10 + 1 × 5 = 25.00, less 10% discount, plus 5% tax = 23.625.

Company stamp

One-colour vector stamps, every letter outlined. Round: the two names only, English on the top arc, Arabic on the bottom arc, the same size. Rectangular: English and Arabic logos with the symbol between them, the full address and contacts under each.



ROUND · Ø 43 MM



RECTANGULAR · 80 × 26 MM


COLOUR	One colour. Navy or the traditional blue for ink; black for the artwork you send to the stamp maker
LINE WEIGHT	Thin lines 0.22–0.28 mm; heavy outer ring 0.8 mm
TEXT	Names in the logo lettering (from the vector logos); small lines in Montserrat and Noto Kufi Arabic; all outlined: no fonts to install
FORMATS	SVG and PDF, black and navy
LEGAL	Check whether Iraqi or customs authorities require registered wording such as a licence number. None has been added

Plastic bag

Two versions of one carrier bag. Orange film: white artwork over a dark-orange tone-on-tone pattern. Clear film: no flood, orange symbol and navy type. Website and phone are set in the same size and weight on both.



ORANGE · FRONT



ORANGE · BACK



CLEAR · FRONT



CLEAR · BACK

FLAT SIZE	350 × 450 mm. Assumed: confirm gusset, film width and print repeat with the bag maker
HANDLE	Die-cut handle 150 × 32 mm, 48 mm from the top edge; top 30 mm is the heat-seal hem: no artwork
ORANGE VERSION	Orange film, or white film flooded with orange. White print for the artwork; dark orange for the pattern: 3 spots
CLEAR VERSION	Transparent film, no flood. Orange (#F36B24) symbol and rule, navy (#0F1E2A) type, with a white underlay printed beneath all artwork so the colours stay opaque
TYPE	Website and phone: Montserrat SemiBold, 6.2 mm, same on both versions
SAFE AREA	Keep text and logos 15 mm inside the edges and below the handle
FILES	07-Plastic-Bag/ · orange and clear: artwork PDF and a version with the die-cut and safe-area guides shown

Email signature

One wide banner, placed at 600 px: a dark hero with the glowing symbol, the logo and the tagline, then name, title, contacts and address on white, closed by the orange rule and the navy pattern strip.



MASTER · 1800 × 621 PX · DEFAULT TEXT


LAYERS IN THE EDITABLE FILES

Background hero (photo) · white panel · footer strip (image) · logo (vector) · tagline · name & title · contacts (icons + text) · company name & address. Only the two images are raster; the rest is vector or live text.

SIZE	1800 × 621 px master, inserted at 600 px wide: 3× for sharp screens
TYPE	Montserrat; the Arabic tagline in Noto Kufi Arabic. The approved JPG set name and address in another sans; the editable files use Montserrat
EDITABLE	SVG with layers and live text (Illustrator, Figma, Inkscape) · .ai, PDF-compatible, live text · PSD, one layer per element, text rasterised
EDITOR	NCL-Email-Signature-Editor.html: type name, title and contacts, download PNG, JPG or SVG. Works offline, fonts embedded
CLICKABLE TEXT	An image alone is not clickable, stays hidden until the reader allows images and is silent to screen readers: always type name, phone and email as text under it
FONTS TO INSTALL	brand/fonts/desktop/ · Montserrat and Noto Kufi Arabic TTF, free (SIL OFL), needed to edit the .ai and SVG
FILES	02-Email-Signature/ · approved JPG, SVG, .ai, PSD, editor, sample PNG, links/

Letterhead & quotation form

The delivered artwork, photographed in place, for presentations and proposals. Mockups are illustrative: paper, light and ink are simulated. Send the print PDFs, never a mockup, to the printer.





01 · LETTERHEAD

Letterhead

English logo left, Arabic logo right, a navy footer band with address, phones and web. Sample letter text is illustrative.

SIZE	A4 · 210 × 297 mm
PRINT FILE	3 mm bleed + crop marks
FILES	PDF (blank, sample letter), Word .docx

05 · QUOTATION

Quotation form

Bilingual A4 form: details, parties, item table, totals, terms and signature boxes. Shown with sample data and the round stamp.

SIZE	A4 · 210 × 297 mm
PRINT FILE	3 mm bleed, blank
FILES	PDF (blank, sample), Excel .xlsx

Envelopes

One two-sided design in two sizes: white front with both logos and a navy contact strip; navy back with the patterned flap. Mockups are illustrative: paper, light and ink are simulated. Send the print PDFs, never a mockup, to the printer.



03 · ENVELOPE

Large envelope C4

Holds A4 flat. The back is the same navy as the quotation cover, with a centred logo.

SIZE	C4 · 324 × 229 mm
PRINT FILE	5 mm bleed, front + back
ALSO	Trim-size PDF



04 · ENVELOPE

Small envelope DL

The same design at letter size, for folded A4 letters and quotations.

SIZE	DL · 220 × 110 mm
PRINT FILE	5 mm bleed, front + back
ALSO	Trim-size PDF

Quotation cover & stamps

The navy cover that wraps every quotation, and the two company stamps. Mockups are illustrative: paper, light and ink are simulated. Send the print PDFs, never a mockup, to the printer.



05 · QUOTATION

Quotation cover

Navy with the arrow pattern, an outlined symbol and an orange spine band. White write-in boxes on the front; partners, QR code and contacts on the back.

SIZE	A4 · front + back
PRINT FILE	3 mm bleed + crop marks
FILES	PDF (print, blank) · sample previews



06 · STAMP

Company stamps

One colour, every letter outlined. Round: both names on the arcs. Rectangular: both logos, the symbol between them, address and contacts. Simulated ink.

ROUND	Ø 43 mm
RECTANGULAR	80 × 26 mm
FILES	SVG + PDF, navy and black

Carrier bag & brand book

The bag in both films, and this book as a printed object. Mockups are illustrative: paper, light and ink are simulated. Send the print PDFs, never a mockup, to the printer.




07 · PLASTIC BAG

Carrier bag

Orange film with the arrow pattern, or clear film with orange and navy print on a white underlay. Die-line and film belong to the manufacturer.

SIZE	350 × 450 mm
HANDLE	Die-cut, 150 × 32 mm
TOP HEM	30 mm seal zone



00 · BRAND GUIDELINES

Brand guidelines book

The rulebook for the identity: logo, colour, typography, graphic language and how each stationery piece is built.

FORMAT	A4 landscape · 297 × 210 mm
VERSION	1.0 · October 2026
FILE	00-Brand-Guidelines/ · PDF

Already delivered: cards, badges, sets

Existing identity work supplied with this project. These pieces set the colours and mood the new stationery follows.



Business cards · orange front, slate back



ID badge


Merchandise


The brand in the world

Vehicles, containers, signage, window graphics and workwear: the same orange, navy and white, with the logo kept large and uncluttered.













REFERENCE

Company data & open items

Everything printed in this pack comes from one list. Change it here first, then rebuild.

COMPANY DATA USED ON THE STATIONERY

Name	New City Light · إنارة المدينة الجديدة
Tagline	Lighting the Way · ننير الدرب
Address	Baghdad – Al-Mansour – Al-Dawoodi, Iraq بغداد – المنصور – الداوودي
Phone	+964 783 577 6393 +964 786 555 3648 +964 780 517 7717
Email	admin@dulights.com
Web	www.dulights.com

Taken from the company brochure (Broucher.ai).

TO CONFIRM BEFORE PRINTING

- **Logo master.** The English lockup is now the vector artwork from NCL's SAMP file (Oct 2026), with the tagline respaced to the wordmark width and the text centred on the symbol. Use these files from now on; the older PNGs are retired.
- **Website.** The brochure says *dulights.com* (also its email); the business card mockup says *www.NewCityLight.com*. One has to win.
- **Arabic spelling.** The Arabic logo reads «انارة» (no hamza); the brochure body text writes «إنارة». Decide once and use it everywhere.
- **Experience claim.** The brochure says "more than 30 years" but its timeline starts in 1998 (28 years). Don't print either on stationery until settled.
- **Fonts.** GE SS Two and Nasalization are commercial or personal-use only; check licences. Montserrat and Noto Kufi are free.
- **Colours.** CMYK values are starting points. Approve a printed swatch (and Pantone match if you use spot colour).
- **Quotation terms & stamp wording.** Placeholders. Legal and registration wording needs NCL's sign-off.



LIGHTING THE WAY

تنير الدرب