📓 SOC Internship – Day 10 Notes

🔍 Threat Intelligence & OSINT Basics

🧠 1. What is Threat Intelligence?

Threat Intelligence is **information about cyber threats** that helps organizations:

- Detect attacks
- Prevent security breaches
- Respond quickly to incidents

👉 It includes data about attackers, their methods, and targets.

📊 2. Types of Threat Intelligence

◇ 1. Strategic Intelligence

- High-level overview of threats
- Used by management and decision-makers
- Example: Trends in ransomware attacks

◇ 2. Tactical Intelligence

- Focuses on attacker behavior (TTPs)
- Helps understand *how attacks happen*

◇ 3. Operational Intelligence

- Details about specific attacks or campaigns
- Example: Information about an ongoing phishing campaign

◇ 4. Technical Intelligence

- Raw data indicators like:
  - IP addresses
  - Domain names
  - File hashes

🛠 3. Common OSINT Tools

◇ VirusTotal

- Analyze files, IPs, and domains
- Detect malware using multiple engines

◇ AbuseIPDB

- Check if an IP is reported for malicious activity

◇ WHOIS

- Get domain ownership details
- Useful for identifying suspicious domains

🧪 4. Example Investigation

👉 Suspicious IP: **185.12.45.10**

Investigation Steps:

1. Check IP in VirusTotal
2. Check reputation in AbuseIPDB
3. Analyze results
4. Decide whether the IP is malicious or safe

5. SOC Use Case

- Alert: Multiple login attempts from unknown IP
- SOC Analyst actions:
  - Check IP using OSINT tools
  - Identify if it is malicious
  - Take action (block IP / escalate incident)

Assignment Answers

1. Explain Threat Intelligence Types

Threat intelligence is classified into:

- Strategic (high-level trends)
- Tactical (attack methods)
- Operational (ongoing campaigns)
- Technical (IPs, domains, hashes)

2. How to Investigate an IP

Steps:

1. Search IP in VirusTotal
2. Check reputation in AbuseIPDB
3. Review reports and activity
4. Decide risk level
5. Take necessary action

3. Real-World Example

A company detects unusual login attempts from a foreign IP.
The SOC team checks it using OSINT tools and finds it is linked to brute-force attacks.
They block the IP and secure affected accounts