

Internet Protocol Version 6

Course Code: COE 3206

Course Title: Computer Networks



Dept. of Computer Science
Faculty of Science and Technology

Lecturer No:		Week No:		Semester:	
Lecturer:	<i>Dr. Md Mehedi Hasan, mmhasan@aiub.edu</i>				

Lecture Outline



- ❑ To introduce the IPv6 addressing scheme and different notations used to represent an address in this version.
- ❑ To explain the three types of addressing used in IPv6: unicast, anycast, and multicast.
- ❑ To show the address space in this version and how it is divided into several blocks.
- ❑ To discuss some reserved blocks in the address space and their applications.
- ❑ To define the global unicast address block and how it is used for unicast communication.
- ❑ To discuss how three levels of hierarchy in addressing are used in IPv6 deploying the global unicast block.
- ❑ To discuss auto configuration and renumbering of IPv6 addresses.

IPv6 Addressing


- The main reason for migration from IPv4 to IPv6 is the small size of the address space in IPv4.
- An IPv6 address is 128 bits or 16 bytes (octets) long, four times the address length in IPv4.
- The change of the IPv6 address size requires the change in the IPv4 packet format.
- The designer of IPv6 decided to implement remedies for other shortcomings now that a change is inevitable.

TRANSITION FROM IPv4 TO IPv6


- Although we have a new version of the IP protocol,
- How can we make the transition to stop using IPv4 and start using IPv6?
- The transition must be smooth to prevent any problems between IPv4 and IPv6 systems.

Strategies


- Three strategies have been devised for transition:
 - dual stack,
 - tunneling, and
 - header translation.
- One or all of these three strategies can be implemented during the transition period.



Tunneling strategy



Header translation strategy



Measurement of 128 bit



Examples:

2001:0211:00AB:0000:0000:0000:0000:0001

Working in the 1st Hexted we can see

2 = 0010 (4-bit)

0 = 0000 (4-bit)

0 = 0000 (4-bit)

1 = 0001 (4-bit)

= Total 16 bit in One Hexted.

In total :- 16 bit * 8 Hexted = 128 bit.



How to Shorten IPv6 Address

1. Leading Zero Can be Omitted.
2. Consecutive Hexted of Zeros can be represented/replaced by double colon (::).
3. Double colon can only be used once in an IPv6 Address.

2001:0211:00AB:0000:0000:0000:0000:0001

=According to the rules, we can write

- i. 2001:211:AB:0:0:0:0:1 -Leading 0's are omitted
- ii. 2001:211:AB::1 - Consecutive 0 means (::)
- iii. Already Used one double colon.

Final Shorten IP address:-

2001:211:AB::1

Problem set



Show the unabbreviated colon hex notation for the following IPv6 addresses:

- a. An address with 64 0s followed by 64 1s.
- b. An address with 128 0s.
- c. An address with 128 1s.
- d. An address with 128 alternative 1s and 0s.

Solution:-

- a. 0000:0000:0000:0000:FFFF:FFFF:FFFF:FFFF
- b. 0000:0000:0000:0000:0000:0000:0000:0000
- c. FFFF:FFFF:FFFF:FFFF:FFFF:FFFF:FFFF:FFFF
- d. AAAA:AAAA:AAAA:AAAA:AAAA:AAAA:AAAA:AAAA

Problem set (cont...)






Show abbreviations for the following addresses:

- ❖ a. 0000:0000:FFFF:0000:0000:0000:0000:0000
- ❖ b. 1234:2346:0000:0000:0000:0000:0000:1111
- ❖ c. 0000:0001:0000:0000:0000:0000:1200:1000
- ❖ d. 0000:0000:0000:0000:0000:FFFF:24.123.12.6

Solution

- ✓ a. 0:0:FFFF::
- ✓ b. 1234:2346::1111
- ✓ c. 0:1::1200:1000
- ✓ d. ::FFFF:24.123.12.6

Types of ipv6 Address





Types of ipv6 Address (cont...)

- Like IPv4...

- Unicast

- An identifier for a single interface. A packet sent to a unicast address is delivered to the interface identified by that address.

- Multicast

- An identifier for a set of interfaces (typically belonging to different nodes). A packet sent to a multicast address is delivered to all interfaces joined to that group address.

- Anycast

- An identifier for a set of interfaces (typically belonging to different nodes). A packet sent to an anycast address is delivered to one of the interfaces identified by that address (the "nearest" one, according to the routing protocols' measure of distance).




What is removed in ipv6

What is not in IPv6

■ Broadcast

- There is no broadcast in IPv6.
- This functionality is taken over by multicast.
- Helps mitigate some DDoS attacks.

Convert IPv4 to IPv6



First 8 bits 0, following 88 bits will also be zero, last 32 bits will be the IPv4 address.

IPv4 address: 192.168.10.62

Convert it into IPv6

Representing each octet with 8 bits binary:

192 = 1100 0000 = C0

168 = 1001 0100 = 94

10 = 0000 1010 = 0A

62 = 0011 1110 = 3E

IPv6 address will be → 0:0:0:0:0:0:C094:0A3E → ::C094:A3E

IPv6: Link Local to MAC

❖ All the link local address starts with FE80

❖ It is used for retrieving MAC address

FE80::5D39:84FF:FE29:3064

5D39:84FF:FE29:3064

➤ Rules to convert link local into MAC Address:

➤ i) Drop the First four Hextets

➤ ii) Flip the 7th bit of 5th Hextet

➤ iii) Drop the 2nd Octet of 6th Hextet

➤ iv) Drop the 1st Octet of 7th Hextet

FE80::5D39:84FF:FE29:3064

drop flip drop

➤ 5D39=0101110100111001

➤ 7th bit flip 5F39

➤ MAC address: 5F39:8429:3064



References

1. **Data Communications and Networking**, *B. A. Forouzan*, McGraw-Hill, Inc., Fourth Edition, 2007, USA.
2. <https://www.geeksforgeeks.org/basics-computer-networking/>
3. https://www.tutorialspoint.com/computer_fundamentals/computer_networking.htm



Books

1. **Data Communications and Networking**, *B. A. Forouzan*, McGraw-Hill, Inc., Fourth Edition, 2007, USA.
2. **Computer Networking: A Top-Down Approach**, *J. F., Kurose, K. W. Ross*, Pearson Education, Inc., Sixth Edition, USA.
3. **Official Cert Guide CCNA 200-301 , vol. 1**, *W. Odom*, Cisco Press, First Edition, 2019, USA.
4. **CCNA Routing and Switching**, *T. Lammle*, John Wiley & Sons, Second Edition, 2016, USA.
5. **TCP/IP Protocol Suite**, *B. A. Forouzan*, McGraw-Hill, Inc., Fourth Edition, 2009, USA.
6. **Data and Computer Communication**, *W. Stallings*, Pearson Education, Inc., 10th Edition, 2013, USA.