

ANALIZA BIAŁEK



100007368

Laboratory of Analysis

Client: Not indicated
Order number: 100007368
Name: NOVAMED SEMAGLUTIDE
Number of samples: 1 pen

Batch number: -----
Recived date: 2025-03-18
Start date: 2025-03-27
End date: 2025-03-28

Sample identification

Substance	Method of taking a sample	Form
Semaglutide	Sample provided by customer	Transparent liquid in pre-filled pen

Results

Substance	Sample name	Content	Purity
Semaglutide	NOVAMED SEMAGLUTIDE 4MG	1,42mg/ml (4,26mg/3ml)	-----

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H2O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared Its concentration, when compared to the reference chromatogram, is 1,42mg/ml. Height the measurement error is + - 1 mg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample




Password

R6M2K982

Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajac




ANALIZA BIAŁEK



100007368

Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

R6M2K982

Analiza Białek sp. z o.o.

KRS: 0000966168

NIP: 8992922970

REGON: 521751875

Headquarters and Laboratory:

ul. Duńska 9, 54-427 Wrocław

Budynek DELTA

Lab technician:

Analysis and research specialist

mgr Arkadiusz Zajac