

Field Notes

The pages a sample shows

A sample book of bdf's secure-reader example

Contents

1. The first segment	3
2. The pages after	10
3. Reading fast	17

1. The first segment

A reader who does not own this book may read its first segment: the first ten pages. The server asks Handler.Allow before it seals a segment.

The pages after them are in the outline, with their sizes, so the viewer lays the whole book out. Asking for them is answered 403.

This is page 3. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The first segment, continued

The pages after them are in the outline, with their sizes, so the viewer lays the whole book out. Asking for them is answered 403.

This is page 4. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The first segment, continued

A reader who does not own this book may read its first segment: the first ten pages. The server asks `Handler.Allow` before it seals a segment.

This is page 5. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The first segment, continued

The pages after them are in the outline, with their sizes, so the viewer lays the whole book out. Asking for them is answered 403.

This is page 6. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The first segment, continued

A reader who does not own this book may read its first segment: the first ten pages. The server asks `Handler.Allow` before it seals a segment.

This is page 7. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The first segment, continued

The pages after them are in the outline, with their sizes, so the viewer lays the whole book out. Asking for them is answered 403.

This is page 8. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The first segment, continued

A reader who does not own this book may read its first segment: the first ten pages. The server asks `Handler.Allow` before it seals a segment.

This is page 9. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

2. The pages after

Only a reader who owns the book gets these pages. The segment that holds them is sealed for that reader's request like any other.

Nothing about this page was sent to a reader of the sample, not even its fonts: parts go with the pages that need them.

This is page 10. It travels in segment 1, with pages 1 to 10, sealed for the request that asked for it.

The pages after, continued

Nothing about this page was sent to a reader of the sample, not even its fonts: parts go with the pages that need them.

This is page 11. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

The pages after, continued

Only a reader who owns the book gets these pages. The segment that holds them is sealed for that reader's request like any other.

This is page 12. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

The pages after, continued

Nothing about this page was sent to a reader of the sample, not even its fonts: parts go with the pages that need them.

This is page 13. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

The pages after, continued

Only a reader who owns the book gets these pages. The segment that holds them is sealed for that reader's request like any other.

This is page 14. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

The pages after, continued

Nothing about this page was sent to a reader of the sample, not even its fonts: parts go with the pages that need them.

This is page 15. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

The pages after, continued

Only a reader who owns the book gets these pages. The segment that holds them is sealed for that reader's request like any other.

This is page 16. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

3. Reading fast

The server counts the segments each reader asks for. Asking for many in a short time is answered 429, and the viewer says to slow down.

A person turning pages does not come near the limit; a script that walks through the whole book does.

This is page 17. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

Reading fast, continued

A person turning pages does not come near the limit; a script that walks through the whole book does.

This is page 18. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

Reading fast, continued

The server counts the segments each reader asks for. Asking for many in a short time is answered 429, and the viewer says to slow down.

This is page 19. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

Reading fast, continued

A person turning pages does not come near the limit; a script that walks through the whole book does.

This is page 20. It travels in segment 2, with pages 11 to 20, sealed for the request that asked for it.

Reading fast, continued

The server counts the segments each reader asks for. Asking for many in a short time is answered 429, and the viewer says to slow down.

This is page 21. It travels in segment 3, with pages 21 to 30, sealed for the request that asked for it.

Reading fast, continued

A person turning pages does not come near the limit; a script that walks through the whole book does.

This is page 22. It travels in segment 3, with pages 21 to 30, sealed for the request that asked for it.

Reading fast, continued

The server counts the segments each reader asks for. Asking for many in a short time is answered 429, and the viewer says to slow down.

This is page 23. It travels in segment 3, with pages 21 to 30, sealed for the request that asked for it.