



Project on SQL



PIZZA SALES ANALYSIS




Hello!

My name is Shibu Kushwaha. and in this project I have utilized SQL queries to solve different questions that were related to PIZZA SALES.

DATE : 02/09/2024

Data Model View



Retrieve the total number of orders placed.

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

Result Grid	
	total_orders
▶	21350

Calculate the total revenue generated from pizza sales.

```
SELECT  
    ROUND(SUM(order_details.quantity * pizzas.price),  
          2) AS total_sales  
FROM  
    order_details  
    JOIN  
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

Result Grid	
	total_sales
▶	817860.05

Identify the highest-priced pizza.

```
SELECT  
    PIZZA_TYPES.NAME, pizzas.price  
FROM  
    pizza_types  
        JOIN  
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id  
ORDER BY pizzas.price DESC  
LIMIT 1;
```

Result Grid | Filter Rows:

	NAME	price
▶	The Greek Pizza	35.95

List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

	name	quantity
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

Identify the most common pizza size ordered.


```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC
LIMIT 1;
```

Result Grid | Filter Row

	size	order_count
▶	L	18526



Join the necessary tables to find the total quantity of each pizza category ordered.



```
SELECT  
    pizza_types.category,  
    SUM(order_details.quantity) AS quantity  
FROM  
    pizza_types  
        JOIN  
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id  
        JOIN  
    order_details ON order_details.pizza_id = pizzas.pizza_id  
GROUP BY pizza_types.category  
ORDER BY quantity DESC;
```

Result Grid | Filter Row


	category	quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050



Determine the distribution of orders by hour of the day.

```
SELECT  
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count  
FROM  
    orders  
GROUP BY HOUR(order_time);
```

	hour	order_count
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28
	10	8
	9	1




Join relevant tables to find the category-wise distribution of pizzas.

```
SELECT  
    category, COUNT(name)  
FROM  
    pizza_types  
GROUP BY category;
```



Result Grid | Filter Rows:

	category	count(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9



Group the orders by date and calculate the average number of pizzas ordered per day.

```
SELECT  
    ROUND(AVG(quantity), 0) AS avg_pizza_ordered_per_day  
FROM  
(SELECT  
    orders.order_date, SUM(order_details.quantity) AS quantity  
FROM  
    orders  
JOIN order_details ON orders.order_id = order_details.order_id  
GROUP BY orders.order_date) AS order_quantity;
```

Result Grid		Filter Rows:
avg_pizza_ordered_per_day		
▶	138	

Determine the top 3 most ordered pizza types based on revenue.

```
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue.

```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(order_details.quantity * pizzas.price),
        2) AS total_sales
    )
    FROM
        order_details
        JOIN
            pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
    2) AS revenue
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
        order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

	category	revenue
▶	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68

Analyze the cumulative revenue generated over time.


```
select order_date,  
sum(revenue) over (order by order_date) as cum_revenue  
from  
(select orders.order_date,  
sum(order_details.quantity * pizzas.price) as revenue  
from order_details join pizzas  
on order_details.pizza_id = pizzas.pizza_id  
join orders  
on orders.order_id = order_details.order_id  
group by orders.order_date) as sales  
limit 10;
```

	order_date	cum_revenue
▶	2015-01-01	2713.8500000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55
	2015-01-06	14358.5
	2015-01-07	16560.7
	2015-01-08	19399.05
	2015-01-09	21526.4
	2015-01-10	23990.350000000002

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```
• select name, revenue  
  from  
  (select category, name, revenue,  
    rank() over(partition by category order by revenue desc) as rn  
  from  
  (select pizza_types.category, pizza_types.name,  
    sum(order_details.quantity * pizzas.price) as revenue  
  from pizza_types join pizzas  
  on pizza_types.pizza_type_id = pizzas.pizza_type_id  
  join order_details  
  on order_details.pizza_id = pizzas.pizza_id  
  group by pizza_types.category, pizza_types.name) as a) as b  
  where rn <=3;
```

Result Grid		
	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75
	The Spicy Italian Pizza	34831.25
	The Italian Supreme Pizza	33476.75
	The Sicilian Pizza	30940.5
	The Four Cheese Pizza	32265.70000000065
	The Mexicana Pizza	26780.75
	The Five Cheese Pizza	26066.5



THANK YOU

For your attention



shibukushwaharaja@gmail.com



[linkedin.com/in/shibu-kushawaha-34497330b](https://www.linkedin.com/in/shibu-kushawaha-34497330b)