

INDEX SPEGIERUM

<p style="text-align: center;">A</p> <p>cilicica Ant. et Ky 15</p> <p>Acanthophyllum 518</p> <p> <i>kurdicum</i> Boiss. et Hausskn. 518</p> <p>Aceras 344</p> <p> <i>affinis</i> Boiss. 345</p> <p> <i>anthropophora</i> (L.) R. Br. 344</p> <p> <i>hircina</i> (L.) Lindl. 345</p> <p> <i>pyramidalis</i> (L.) Reichb. 344</p> <p>Achyranthes 444</p> <p> <i>aspera</i> L. 444</p> <p> <i>argentea</i> Lam. 444</p> <p>Acrostichum 6</p> <p> <i>marantae</i> L. 6</p> <p> <i>velleum</i> Ait. 6</p> <p>Adiantum 6</p> <p> <i>capillus-veneris</i> L. 6</p> <p>Aegilops 144</p> <p> <i>aucheri</i> Boiss. 153</p> <p> <i>bicornis</i> (Forsk.) Jaub. et Spach 145, 152</p> <p> <i>biuncialis</i> Vis. 146, 147 -</p> <p> <i>caudata</i> L. 145, 150</p> <p> <i>columnaris</i> Zhuk. 146, 147</p> <p> <i>crassa</i> Boiss. 145, 151</p> <p> <i>cylindrica</i> Host 145, 150</p> <p> <i>cylindrostachys</i> Eig et Fein.br. 146, 150</p> <p> <i>incurva</i> L. 136</p> <p> <i>incurvata</i> L. 136</p> <p> <i>juvenalis</i> Thell. 145, 152</p> <p> <i>kotschi</i> Boiss. 146, 148</p> <p> <i>ligistica</i> Sav. 145, 153</p> <p> <i>longissima</i> Schw. et Muschl. 145, 152</p> <p> <i>lorentii</i> Hoschstt. 147</p> <p> <i>ovata</i> L. 145, 146</p> <p> <i>peregrina</i> (Hack.) Maire et Weiller 146, 149</p> <p> <i>sharonensis</i> Eig 145, 152</p> <p> <i>speltoides</i> Tausch 145, 153</p> <p> <i>squarrosa</i> L. 144, 152</p> <p> <i>triaristata</i> Willd. 145, 147</p> <p> <i>triuncialis</i> L. 146, 148</p> <p> <i>umbellulata</i> Zhuk. 145, 146</p> <p> <i>variabilis</i> Eig. 149</p> <p> <i>ventricosa</i> Tausch 144, 151</p> <p>Aegiloticum</p> <p> <i>loreti</i> (Richt.) Maire et Weiller 144</p> <p>Aellenia 434</p> <p> <i>glauc</i> (Bieb.) Aellen 428, 434</p> <p> <i>hierochuntica</i> Bornm.) Aellen 428, 434</p>	<p>Aeluropus</p> <p> <i>lagopoides</i> L.) Druce 100</p> <p> <i>littoralis</i> (Gouan) Parl. 100</p> <p>Agropyron 137</p> <p> <i>aucheri</i> Boiss. 137, 139</p> <p> <i>buonapartis</i> Spreng. 140</p> <p> <i>distans</i> C. Koch 141</p> <p> <i>elongatum</i> (Host) Beauv. 137, 140</p> <p> <i>junceum</i> (L.) Beauv. 137, 140</p> <p> <i>lasianthum</i> Boiss. 141</p> <p> <i>libanoticum</i> Hack. 137, 139</p> <p> <i>ligisticum</i> Bert. 153</p> <p> <i>panormitanum</i> Parl. 137, 138</p> <p> <i>repens</i> (L.) Desv. 137, 138</p> <p> <i>squarrosum</i> (Roth) Link 140</p> <p>Agrostemma 481</p> <p> <i>caeli-rosa</i> L.. 490</p> <p> <i>githago</i> L. 481</p> <p>Agrostis 65</p> <p> <i>alba</i> auct. 66</p> <p> <i>arenaria</i> Gouan 70</p> <p> <i>bromooides</i> L. 52</p> <p> <i>castellana</i> Boiss. et Reut. 66</p> <p> <i>holciformis</i> M. Bieb. 56</p> <p> <i>interrupta</i> L. 67</p> <p> <i>miliacea</i> L. 55</p> <p> <i>pungens</i> Schreb. 70</p> <p> <i>scabriglumis</i> Boiss. et Reut. 66</p> <p> <i>semiverticillata</i> (Forsk.) Christ. 65, 66</p> <p> <i>stolonifera</i> L. 65, 66</p> <p> <i>ventricosa</i> Gouan 67</p> <p> <i>verticillata</i> Vill. 66</p> <p>Aira 89</p> <p> <i>aquatica</i> L.. 94</p> <p> <i>articulata</i> Desf. 77</p> <p> <i>caerulea</i> L. 94</p> <p> <i>capillaris</i> Host 89</p> <p> <i>elegans</i> Willd. 89</p> <p> <i>humilis</i> M. Bieb. 95</p> <p> <i>insularis</i> (Parl.) Bornm. 88</p> <p>Aiopsis</p> <p> <i>insularis</i> (Parl.) Nym. 88</p> <p>AIZOACEAE 447</p> <p>Aizoon 448</p> <p> <i>hispanicum</i> 448</p> <p>Alisma 28</p> <p> <i>arcuatum</i> Michalet 29</p> <p> <i>damasonium</i> L. 30</p> <p> <i>gramineum</i> Gmel. 29</p>
--	--

<i>graminifolium</i> Ehrh.	29	rothii Zucc.	262, 284
<i>lanceolatum</i> Whit.	28, 29	<i>rotundum</i> L.	258, 265
<i>plantago-aquatica</i> L.	28, 29	<i>rupicolum</i> Boiss.	260, 273
<i>ranunculoides</i> L.	29, 30	<i>sannineum</i> Gomb.	259, 271
ALISMATACEAE	28	<i>sativum</i> L.	257, 262
Allium	257	<i>schergianum</i> Boiss.	260, 271
affine Ledeb.	258, 267	<i>schuberti</i> Zucc.	262, 281
ampeloprasum L.	257, 263	<i>scorodoprasum</i> L.	262
<i>artemisietorum</i> Feinbr.	259, 271	<i>sindjarensse</i> Boiss. et Hausskn.	276
arvense Guss.	258, 268	<i>sphaerocephalum</i> L.	268
<i>aschersonianum</i> W. Barb.	262, 283	<i>stamineum</i> Boiss.	259, 272
<i>asclepiadeum</i> Bornm.	262, 283	<i>stenopetalum</i> Boiss. et Ky	283
<i>azaurensum</i> Gomb.	276	<i>subhirsutum</i> L.	261, 278
<i>bassitense</i> Thiéb.	260, 272	<i>telavivense</i> Eig	262, 284
<i>calypratum</i> Boiss.	258, 265	<i>trifoliatum</i> Cyr.	261, 278
<i>carmeli</i> Boiss.	261, 280	<i>vineale</i> L.	258, 259, 266
<i>cassium</i> Boiss.	261, 279	<i>viridi-album</i> Tineo	268
<i>cepa</i> L.	259	<i>wiedemannianum</i> Regel	260, 273
<i>chloranthum</i> Boiss.	260, 275	<i>zebdanense</i> Boiss. et Noë	261, 279
<i>chrysanthemum</i> Boiss. et Reut.	262, 282	Alnus	355
<i>ciliicum</i> Boiss.	266	<i>orientalis</i> Decne	355
<i>coppoleri</i> Tineo	260, 275	Aloe	218
<i>curtum</i> Boiss. et Gaill.	259, 269	<i>vera</i> L.	218
<i>damascenum</i> Feinbr.	259, 266	Alopecurus	61
<i>descendens</i> Sibth. et Smith	259, 268	<i>agrestis</i> L.	62
<i>deserti</i> syriaci Feinbr.	259, 270	<i>anthoxanthoides</i> Boiss.	61, 62
<i>dictyoprasum</i> C. A. Mey.	270	<i>arundinacea</i> Poir.	62
<i>drusorum</i> Feinbr.	258, 265	<i>gerardi</i> (All.) Vill.	61
<i>dumetorum</i> Feinbr.	262, 281	<i>involutus</i> Post	58
<i>emarginatum</i> Rech. fil.	259, 269	<i>monspeliensis</i> L.	68
<i>erdelii</i> Zucc.	261, 277	<i>myosuroides</i> Huds.	61, 62
<i>eriophyllum</i> Boiss.	261, 279	<i>nigricans</i> Hornem	62
<i>feinbergii</i> Oppenb.	260, 275	<i>pratensis</i> L.	62
<i>graecum</i> d'Urv.	273	<i>vaginatus</i> (Willd.) Pall.	61
<i>haussknechtii</i> Nabelek	283	<i>ventricosus</i> Pers.	61, 62
<i>hierochuntinum</i> Boiss.	259, 271	Alsine	462
<i>hirsutum</i> Zucc.	261, 278	<i>brevis</i> Boiss.	466
<i>karyateini</i> Post	259, 270	<i>decipiens</i> Fenzl	467
<i>laceratum</i> Boiss. et Noë	261, 280	<i>formosa</i> Fenzl	470
<i>libani</i> Boiss.	260, 277	<i>globulosa</i> C. A. Mey.	466
<i>lycaonicum</i> Siehe	262, 282	<i>intermedia</i> Boiss.	466
<i>macrochaetum</i> Boiss. et Hausskn.	259, 267	<i>juniperina</i> (L.) Fenzl	464
<i>makmelianum</i> Post	258, 268	<i>libanotica</i> Boiss.	464
<i>margaritaceum</i> Ledeb.	267	<i>media</i> L.	474
<i>myrianthum</i> Boiss.	260, 273	<i>mesogitana</i> Boiss.	468
<i>neapolitanum</i> Cyr.	260, 280	<i>meyeri</i> Boiss.	466
<i>nigrum</i> L.	262, 281	<i>picta</i> (Sibth. et Smith) Fenzl	469
<i>noënum</i> Reut.	261, 284	<i>rupestris</i> (Lab.) Fenzl	464
<i>olivieri</i> Boiss.	262, 285	<i>smithii</i> Fenzl	466
<i>opacum</i> Rech. fil.	260, 274	<i>succulenta</i> J. Gay	458
<i>orientale</i> Boiss.	262, 283	<i>tenuifolia</i> (L.) Crantz	467, 468
<i>pollens</i> L.	275	<i>thymifolia</i> (Sibth. et Smith) Boiss.	469
<i>paniculatum</i> L.	260, 274	ALSINOIDEAE	461
<i>phanerantherum</i> Boiss.	258, 267	Alternanthera	444
<i>porrum</i> L.	264	<i>amena</i> (Lam.) Voss.	445
<i>pseudocalyptratum</i> Mout.	258, 264	<i>sessilis</i> (L.) R. Br.	444
<i>pseudophanerantherum</i> Rech. fil.	258, 264	<i>versicolor</i> (Lam.) Niehls.	445
<i>qasyunense</i> Mout.	261, 280	AMARANTHACEAE	439

Amaranthus				
<i>albus</i> L.	440			
<i>angustifolius</i> Lam.	440, 442			
<i>ascendens</i> Loisel.	443			
<i>blitoides</i> G. Wats.	443			
<i>blitum</i> L.	443			
<i>caudatus</i> L.	441			
<i>chlorostachys</i> Willd.	440			
<i>cruentus</i> L.	441			
<i>deflexus</i> L.	440, 444			
<i>gracilis</i> Desf.	440, 442			
<i>græcizans</i> L.	440, 443			
<i>hybridus</i> L.	440, 441			
<i>hypochondriacus</i> L.	441			
<i>lividus</i> L.	440, 443			
<i>oleraceus</i> L.	443			
<i>paniculatus</i> L.	441			
<i>patulus</i> Bertol.	441			
<i>retroflexus</i> L.	440, 442			
<i>viridis</i> L.	443			
AMARYLLIDACEAE				
<i>Amaryllis</i>				
<i>montana</i> Labili.	293			
<i>tatarica</i> Pall.	293			
<i>Ammochloa</i>				
<i>humilis</i> M. Bieb.	90			
<i>palæstina</i> Boiss.	95			
<i>subacaulis</i> Bal.	90			
<i>Ammophila</i>				
<i>arenaria</i> (L.) Link	70			
<i>arundinacea</i> Host	70			
<i>Anabasis</i>				
<i>alopecuroides</i> Del.	436			
<i>aphylla</i> L.	439			
<i>articulata</i> Forsk.	436			
<i>haussknechtii</i> Bge	437			
<i>phyllophora</i> Kar. et Kir.	436			
<i>ramosissima</i> Dingier	437			
<i>setifera</i> Moqu.	426, 437			
<i>spinosissima</i> L. fil.	436			
<i>Anacamptis</i>				
<i>pyramidalis</i> (L.) L. C. Rich.	435			
<i>Androcymbium</i>				
<i>palaestinum</i> (Boiss.) Baker	344			
<i>Andropogon</i>				
<i>allionii</i> (Lam. et D.C.) Rœm. et Schult.	46			
<i>arriani</i> Edgw.	46			
<i>contortus</i> L.	46			
<i>distachyus</i> L.	46			
<i>gryllus</i> L.	46			
<i>hirtus</i> L.	43			
<i>ischaemum</i> L.	44			
<i>olivieri</i> Boiss.	44			
<i>pubescens</i> Vis.	45			
<i>ravennae</i> L.	45			
<i>strictus</i> Host	40			
<i>Ankyropetalum</i>				
<i>arsusianum</i> Boiss.	516			
	517			
<i>cœlesyriacum</i>				
<i>Boiss.</i>	517			
<i>gypsophiloides</i>				
<i>Fenzl</i>	517			
<i>Anagramme</i>				
<i>leptophylla</i> (L.) Link	5			
<i>Anthistiria</i>				
<i>brachyantha</i> Boiss.	47			
<i>ciliata</i> L. fil.	43			
<i>Anthoxanthum</i>				
<i>odoratum</i> L.	50			
<i>Antinoria</i>				
<i>insularis</i> Parl.	88			
<i>Apera</i>				
<i>interrupta</i> (L.) Beauv.	67			
ARACEAE				
<i>Arceuthobium</i>				
<i>oxycedri</i> (D.C.) M. Bieb.	182			
<i>Arceuthos</i>				
<i>drupacea</i> (Lab.) Ant. et Ky	383			
<i>Arenaria</i>				
<i>adonidis</i> Peyron	19			
<i>bocconii</i> Soleiro	466			
<i>cassia</i> Boiss.	471			
<i>deflexa</i> Decne	471			
<i>diandra</i> Guss.	459			
<i>globulosa</i> Lab.	464			
<i>graveolens</i> Schreb.	466			
<i>hybrida</i> Vill.	468			
<i>juniperina</i> L.	471			
<i>leptoclados</i> Guss.	472			
<i>libanotica</i> Ky	471			
<i>marginata</i> D:C.	459			
<i>media</i> L.	459			
<i>mediterranea</i> Ledeb.	459			
<i>mucronata</i> Sibth. et Smith	468			
<i>oxypetala</i> Sibth. et Smith	473			
<i>pamphylica</i> Boiss. et Heldr.	471			
<i>picta</i> Sibth. et Smith	473			
<i>pubescens</i> d'Urv.	469			
<i>rubra</i> L.	471			
<i>rupestris</i> Labili.	471			
<i>salsuginea</i> Bunge	464			
<i>serpyllifolia</i> L.	459			
<i>spinuliflora</i> Ser.	463			
<i>subtilis</i> Fenzl	463			
<i>tremula</i> Boiss.	471			
<i>viscosa</i> Schreb.	473			
<i>Arisarum</i>				
<i>libani</i> Schott	50			
<i>veslingii</i> Schott	50			
<i>vulgare</i> Targ.-Tozz.	50			
<i>Aristella</i>				
<i>bromoides</i> (L.) Bertol.	51			
<i>Aristida</i>				
<i>adscensionis</i> L.	51			
<i>cærulescens</i> Desf.	51			
<i>festucoides</i> Poir.	52			
<i>forskalei</i> Tausch	52			
<i>lanata</i> Forsk.	52			
	50, 52			

<i>plumosa</i> L.	50, 51	Asphodeline	213
<i>pumila</i> Decne	51	<i>brevicaulis</i> (Bertol.) J. Gay	212, 214
Aristolochia	383	<i>damascena</i> Boiss.	212, 216
<i>altissima</i> Desf.	383, 384	<i>edumea</i> (Zoh.) Mout.	212, 214
<i>billiardieri</i> Jaub. et Spach	384, 385	<i>globifera</i> J. Gay	212, 216
<i>bottae</i> Jaub. et Spach	384, 387	<i>isthmocarpa</i> J. Gay	216
<i>maurorum</i> L.	384, 386	<i>liburnica</i> (Scop.) Reichenb.	212, 213
<i>parvifolia</i> Sibth. et Sm.	384, 385	<i>lutea</i> (L.) Reichenb.	211, 213
<i>pœcilantha</i> Boiss.	384, 386	<i>recurva</i> Post	214
<i>scabridula</i> Boiss.	384, 386	<i>taurica</i> (Pall.) Kunth	212, 216
<i>sempervirens</i> L.	384	<i>tenuior</i> (Fisch.) Ledeb.	215
ARISTOLOCHIACEAE	383	ASPHODELOIDEAE	211
Arrhenatherum	84	Asphodelus	211
<i>avenaceum</i> Beauv.	84	<i>aestivus</i> Brot.	212
<i>elatius</i> (L.) Mert. et Koch	84	<i>brevicaulis</i> Bertol.	214
<i>kotschyi</i> Boiss.	84, 85	<i>fistulosus</i> L.	211, 212
<i>palaestinum</i> Boiss.	84, 85	<i>inderiensis</i> Stev.	217
Arthroc nemum	420	<i>liburnicus</i> Scop.	213
<i>coralloides</i> Loscos et Pardo	421	<i>luteus</i> L.	213
<i>fruticosum</i> (L.) Moq.	421	<i>microcarpus</i> Salzm. et Viv.	211, 212
<i>glaucum</i> (Del.) Ung.-Sternb.	420	<i>ramosus</i> L.	212
ARTICULATAE	3	<i>tauricus</i> Pall.	216
Arum	183	ASPIDIACEAE	7
<i>arisarum</i> L.	190	Aspidium	8
<i>conophalloides</i> Ky	183, 187	<i>libanoticum</i> Rosenstock	8
<i>detruncatum</i> C. A. Mey.	187	ASPLENIACEAE	10
<i>dioscoridis</i> Sibth. et Smith	183, 184	Asplenium	10
<i>elongatum</i> Stev.	184, 188	<i>adianthum-nigrum</i> L.	10, 11
<i>gratum</i> Schott	184, 189	<i>bourgaei</i> Boiss.	10, 11
<i>hygrophilum</i> Boiss.	183, 187	<i>ceterach</i> L.	10
<i>intortum</i> Banks et Sol.	191	<i>fontanum</i> Bernh.	11
<i>italicum</i> Mill.	184, 189	<i>haussknechtii</i> Godet et Reut.	10, 11
<i>melanopus</i> Boiss.	184, 190	<i>ruta-muraria</i> L.	10, 11
<i>orientale</i> M. Bieb.	188, 189	<i>sagittatum</i> (D.C.) A. Bange	12
<i>palaestinum</i> Boiss.	183, 185	<i>scolopendrium</i> L.	12
<i>rauwolfii</i> Blume	191	<i>trichomanes</i> L.	10, 11
<i>rupicola</i> Boiss.	188	Athyrium	7
<i>spiculatum</i> Blume	191	<i>filix-femina</i> (L.) Roth	8
<i>syriacum</i> Blume	184	Atraphaxis	404
Arundo	73	<i>billardieri</i> Jaub. et Spach	404, 405
<i>arenaria</i> L.	70	<i>spinosa</i> L.	404
<i>donax</i> L.	74	Atriplex	412
<i>epigeios</i> L.	69	<i>alexandrina</i> Boiss.	412, 414
<i>littorea</i> Schrad.	69	<i>amana</i> Post	417
<i>mauritanica</i> Desf.	74	<i>autrani</i> Post	416
<i>phragmites</i> L.	75	<i>crystallina</i> Boiss.	414
<i>pliniana</i> Turra	74	<i>glauca</i> L.	414
<i>plinii</i> Turra	74	<i>halimus</i> L.	412, 413
<i>pseudophragmites</i> Hall. fil.	69	<i>hastata</i> L.	413, 414, 416
<i>Asarum hypocistis</i> L.	381	<i>heterosperma</i> Bunge	414
ASPARAGO IDEAE	285	<i>hortensis</i> L.	416
Asparagus	285	<i>lasiantha</i> Boiss.	413, 416
<i>acutifolius</i> L.	286	<i>leucoclada</i> Boiss.	412, 414
<i>aphyllus</i> L.	286, 287	<i>littoralis</i> L.	413, 417
<i>officinalis</i> L.	285, 286	<i>micrantha</i> C. A. Mey.	413, 414
<i>palaestinus</i> Baker	286	<i>palaestina</i> Boiss.	414
<i>stipularis</i> Forsk.	285, 287	<i>parvifolia</i> Moq.	414
<i>trichophyllum</i> Bunge	286	<i>patula</i> L.	413, 416

<i>portulacoides</i> L.	412	<i>aleppicum</i> Thiéb.	192, 193
<i>rosea</i> L.	413, 415	<i>angustatum</i> (J. E. Hook.) Boiss.	192, 193
<i>stylosa</i> Viv.	412, 414	<i>auranicum</i> Mout.	192, 193
<i>tatarica</i> L.	413, 415, 416	<i>bovei</i> Blume	192
<i>thunbergifolia</i> Boiss. et Noë	413, 414	<i>carduchorum</i> (Schott) Engler	192
<i>turcomanica</i> Moqu.	414	<i>pyrami</i> (Schott) Engler	192, 194
<i>zahlensis</i> Mout.	413, 415	<i>russelianum</i> Schott	192, 194
Atropis	109	Bilderdykia	396
<i>convoluta</i> (Hornem.) Griseb.	110	<i>convolvulus</i> (L.) Dumort.	396
<i>distans</i> (L.) Rupr.	110	BLECHNACEAE	9
Avena	81	Blechnum	9
<i>alba</i> Vahl	81, 83	<i>spicant</i> (L.) Roth.	9
<i>barbata</i> Potter	83	Blitum	410
<i>clauda</i> Dur.	81, 82	<i>rubrum</i> (L.) Reichenb.	410
<i>convoluta</i> Presl	81, 84	<i>virgatum</i> L.	411
<i>elatior</i> L.	86	Blysmus	168
<i>fatua</i> L.	81, 82	<i>compressus</i> (L.) Panzer	168
<i>flavescens</i> L.	80	Boerhavia	446
<i>fragilis</i> L.	86	<i>plumbaginea</i>	446
<i>macra</i> Stev.	78	Boissiera	75
<i>orientalis</i> Schrad.	81	<i>bromoides</i> (Hochst.) Steud.	75
<i>pilosa</i> M. Bieb.	81, 82	<i>pumilio</i> (Trin.) Hackel	75
<i>pratensis</i> L.	81, 83	Bolanthus	510
<i>sativa</i> L.	81	<i>filicaulis</i> (Boiss.) Bark.	516
<i>sterilis</i> L.	81, 82	<i>frankeniioides</i> (Boiss.) Bark.	515
<i>wiestii</i> Steud.	83	<i>hirsutus</i> (Lab.) Bark.	515
Axyris ceratoides L.	412	Bothriochloa	44
B		<i>ischaeum</i> (L.) Mansfeld	44
Baldingera colorata Fl. Witt.	50	Brachiaria	34
Bassia	419	<i>eruciformis</i> (Sibth. et Smith) Gmel.	34
<i>arabica</i> (Bo s.) Maire et Weiller	418	<i>mutica</i> (Forsk.) Stapf	34
<i>eriophora</i> (Schrad.) O. Kuntze	419, 420	Brachypodium	130
<i>hyssopifolia</i> Pall.) O. Kuntze	419	<i>distachyum</i> (L.) Beauv.	130
<i>monticola</i> (Boiss.) O. Kuntze	419	<i>pinnatum</i> (L.) Beauv.	131
<i>muricata</i> L.) Murr.	419	<i>ramosum</i> (L.) Roem. et Schult.	131, 132
Beckmannia	60	<i>sylvaticum</i> (Huds.) Beauv.	131
<i>eruciformis</i> (L.) Host	61	Briza	107
Behen vulgaris Mœnch	500	<i>eragrostis</i> L.	71
Bellevalia	247	<i>humilis</i> M. Bieb.	108
<i>ciliata</i> (Cyr.) Nees	247, 249	<i>maxima</i> L.	107, 108
<i>densiflora</i> Boiss.	247, 251	<i>minor</i> L.	107, 108
<i>douini</i> Pabot et Mout.	249	<i>spicata</i> Sibth. et Smith	107, 108
<i>flexuosa</i> Boiss.	248, 251	Bromus	118
<i>hermonis</i> Mout.	247, 250	<i>aegyptiacus</i> Tausch	128
<i>longipes</i> Post	247, 248	<i>alopecuroides</i> Poir.	125
<i>macrobotrys</i> Boiss.	247, 248	<i>alopecuros</i> Poir.	119, 125
<i>mosheovii</i> Feinbr.	247, 252	<i>anatolicus</i> Boiss. et Heldr.	130
<i>nivalis</i> Boiss. et Ky	248, 251	<i>arvensis</i> L.	120, 129
<i>palmyrensis</i> Feinbr.	247, 250	<i>bikfayensis</i> A. Camus et R. Gomb.	119, 120
<i>stepporum</i> Feinbr.	249	<i>brachystachys</i> Host	120, 129
<i>trifoliata</i> Boiss.	247, 248	<i>contortus</i> Desf.	125
Beta	407	<i>danthoniae</i> Trin.	120, 127
<i>maritima</i> L.	407	<i>dertonensis</i> All.	114
<i>vulgaris</i> L.	407	<i>distachyos</i> L.	130
BETULACEAE	355	<i>divaricatus</i> Rohde	126
Biarum	192	<i>erectus</i> Huds.	120
		<i>fasciculatus</i> Presl	119, 124
		<i>flabellatus</i> (Hack.) Boiss.	119, 123

<i>gussonii</i> Parl.	123	<i>echinata</i> Murr.	176
<i>hordeaceus</i> L.	129	<i>echinata</i> Desf.	178
intermedius Guss.	120, 128	<i>extensa</i> Good.	173, 180
japonicus Thunb.	120, 129	<i>flacca</i> Schreb.	173, 178
lanceolatus Roth	119, 126	<i>glauca</i> Scop.	178
<i>macrostachys</i> Desf.	126	<i>gracilis</i> Curt.	173, 179
madritensis L.	119, 122	<i>gynobasis</i> Vill.	177
<i>maximus</i> Desf.	123	<i>halleriana</i> Asso	173, 177
<i>mollis</i> L.	129	<i>hispida</i> Willd.	173, 178
<i>oxyphlaeus</i> Payne	126	<i>leporina</i> L.	173, 176
<i>palaestinus</i> Melderis	120, 128	<i>maxima</i> Scop.	180
<i>patulus</i> Mert. et Koch	129	<i>mediterranea</i> Clarke	178
<i>pinnatus</i> L.	131	<i>muricata</i> L.	175, 176
<i>ramosus</i> L.	132	<i>nemorosa</i> Rebent.	175
<i>rigens</i> L.	123	<i>otrubae</i> Podp.	173, 175
rigidus Roth	119, 123	<i>pachystylis</i> J. Gay	174
rubens L.	119, 124	<i>pairæi</i> F. Schultz	173, 176
scoparius L.	119, 125	<i>pallescens</i> L.	173, 177
squarrosus L.	120, 127	<i>paludosa</i> Good.	181
sterilis L.	119, 122	<i>pendula</i> Huds.	173, 180
syriacus Boiss. et Bl.	119, 120	<i>phyllostachys</i> C. A. Mey.	173, 177
tectorum L.	119, 121	<i>pseudocyperus</i> L.	174, 181
tomentellus Boiss.	119, 121	<i>pubescens</i> Poir.	169
<i>villosus</i> Forsk.	123	<i>remota</i> L.	177
<i>Broussonetia papyrifera</i> (L.) L'Hér.	371	<i>riparia</i> Gurt.	174, 182
<i>Buffonia</i>	461	<i>rufa</i> (L.) Simonk	179
<i>ephedrina</i> Sam.	461	<i>silvatica</i> Huds.	180
<i>kotschyana</i> Boiss.	461	<i>stellulata</i> Good.	173, 176
<i>macrosperma</i> J. Gay	461	<i>stenophylla</i> Wahlenb.	172 , 174
<i>multiceps</i> Decne	461	<i>subvulpina</i> Senay	175
<i>paniculata</i> Dubois	461	<i>vulpina</i> L.	175
<i>tenuifolia</i> Vill.	461	<i>Caroxylon</i>	
<i>virgata</i> Boiss.	461	<i>articulatum</i> (Cav.) Moqu.	426
<i>Bulbillaria gageoides</i> Zucc.	226	<i>salicicum</i> Moqu.	426
BUTOMACEAE	31	<i>Carpinus</i>	356
<i>Butomus</i>	31	<i>duinensis</i> Scop.	356
<i>umbellatus</i> L.	31	<i>orientalis</i> Mill.	356
C			
<i>Calamagrostis</i>	69	<i>Carpobrotus edulis</i> (L.) N. E. Br.	448
<i>epigeios</i> (L.) Roth	69	CARYOPHYLLACEAE	450
<i>littorea</i> (Schrad.) D.C.	69	<i>Castanea sativa</i> L.	357
<i>pseudophragmites</i> (Hall Fil.) Kœl.	69	<i>Catabrosa</i>	94
<i>Calligonum</i>	406	<i>aquatica</i> (L.) Beauv.	94
<i>comosum</i> L'Hér.	407	<i>humilis</i> (M. Bieb.) Trin.	95
<i>tetrapterum</i> Jaub. et Spach	407	<i>Catapodium</i>	116
<i>Cannabis</i>	377	<i>loliaceum</i> (Huds.) Link	117
<i>sativa</i> L.	377	<i>rigidum</i> (L.) C. Hubb.	117
<i>Carex</i>	172	<i>Caulinia</i>	24
<i>acuta</i> L.	179	<i>fragilis</i> Willd.	24
<i>acutiformis</i> Ehrh.	174, 181	<i>graminea</i> (Del.) Batt.	24
<i>banatica</i> Heuff.	179	<i>Cedrus</i>	15
<i>buekii</i> Wimm.	173, 179	<i>libanensis</i> Juss.	15
<i>contigua</i> Hoppe	176	<i>libani</i> A. Rich.	15
<i>distans</i> L.	174, 181	<i>libanotica</i> Link	15
<i>diversicolor</i> Druce	178	<i>Celosia cristata</i> L.	439
<i>divisa</i> Huds.	172, 174	<i>Celtis</i>	369
<i>divulsa</i> Stokes	173, 175	<i>australis</i> L.	369
		<i>tournefortii</i> Lam.	370
		<i>Cenchrus</i>	39

<i>asperifolius</i> Desf.	38	mariscus (L.) R. Br.	172
<i>capitatus</i> L.	91	Colchicum	205
<i>ciliaris</i> L.	39	<i>antilibanoticum</i> R. Gomb.	207
CENTROSPERMAE	407	balansae Planch.	204, 206
Cephalanthera	323	brachyphyllum Boiss. et Hausskn.	205, 208
<i>damasonium</i> (Mill.) Druce	324	byzantium Park.	204, 207
<i>ensifolia</i> Murr.) L. C. Rich.	325	<i>candidum</i> Schott et Ky	206
<i>epipactoides</i> Fisch. et Mey.	324	crocifolium Boiss.	204", 209
<i>kurdica</i> Bornm.	324	decaisnei Boiss.	204, 205
<i>longifolia</i> (Huds.) Fritsch	324, 325	deserti syriaci Feinbr.	205, 208
<i>pallens</i> (Jundz.) L. G. Rich,	324	fasciculare (L.) Boiss.	205, 207
<i>rubra</i> (L.) L. C. Rich.	324	<i>halepense</i> Freyn	207
Gerastium	476	haussknechtii Boiss.	204, 206
<i>anomalum</i> Walsdt. et Kit.	477	<i>hierosolymitanum</i> Feinbr.	204, 206
brachypetalum Pers.	477, 479	<i>laetum</i> Stev.	206
cerastoides (L.) Britton.	476 , 478	libanoticum Ehrenb.	205, 208
<i>comatum</i> Desv.	476 , 478	<i>ritchii</i> R. Br.	208
<i>dichotomum</i> L.	476, 478	steveni Kunth	204, 209
<i>dubium</i> (Bast.) Schw.	476, 477	tauri Siehe	204, 207
<i>fragillum</i> Fries	477, 480	<i>tunicatum</i> Feinbr.	204, 207
<i>glaucum</i> Gren. et Godr.	476	tuviae Feinbr.	204, 209
<i>glomeratum</i> Thuill.	477, 479	Colpodium	95
<i>glutinosum</i> Fries	477, 480	<i>humile</i> (M. Bieb.) Asch. et Gr.	95
<i>illyricum</i> Ser.	478	COMMELINACEAE	203
<i>inflatum</i> Link	477, 479	COMMELINALES	203
<i>kotschy</i> Boiss.	476, 477	<i>Comperia comperiana</i> (Stev. Asch. et Gr.)	335
<i>luridum</i> Guss.	479	CONIFERAES	14
pentandrum L.	477, 480	Cornucopiae	57
perfoliatum L.	476, 478	alopecuroides L.	58
<i>pumilum</i> Curtis	480	cucullatum L.	58
<i>ræseri</i> Boiss. et Heldr.	479	<i>involucratum</i> (Post) Mez.	58
<i>semidecandrum</i> L.	480	Cornulaca	438
<i>tenue</i> Viv.	476	setifera Moqu.	438
<i>trigynum</i> Willd.	478	Corrigiola	452
<i>viscosum</i> L.	479	littoralis L.	452
Geterach	10	CORYLACEAE	356
<i>officinarum</i> Lam. et D.C.	10	Corylus	356
Cheilanthes	5	<i>avellana</i> L.	356
<i>fragrans</i> Webb et Berth.	5	Corynephorus	77
pteridioides (Reich.) Christ.	5	articulatus (Desf.) Beauv.	77
Chenolea	418	deschampsiodes Bornm.	77, 78
arabica Boiss.	418	Crithopsis	158
CHENOPODIACEAE	407	delileana (Schult.) Nevski	158
Chenopodium	408	Crocus	295
album L.	408, 409	aleppicus Baker	296, 301
<i>ambrosioides</i> L.	408, 410	cancellatus Herb.	296, 299, 300
<i>botrys</i> L.	408, 410	<i>cilicicus</i> Ky	296, 300
<i>foliosum</i> (Moench) Asch.	408, 411	<i>damascenus</i> Herb.	296, 299
murale L.	408, 409	dispathaceus Bowles	295, 298
<i>opulifolium</i> Schrad.	408, 409	<i>edulis</i> Boiss. et Bl.	299
<i>rubrum</i> L.	408, 410	elwesii (Maw) O. Schwarz	295, 298
<i>scoparium</i> L.	418	<i>gaillardoti</i> (Boiss. et Bl.) Maw	301
urbicum L.	408, 410	graveolens Boiss. et Reuter	296, 303
<i>virgatum</i> (L.) Ambrosi	411	haussknechtii Boiss. et Reut.	295, 297
vulvaria L.	408, 409	<i>hermoneus</i> Ky	296, 300
Chrysopogon	42	hyemalis Boiss. et Bl.	296, 302
gryllus (L.) Trin.	43	kotschyanus C. Koch	295, 297
Cladium	172	<i>libanoticus</i> Mout.	297

macrobolbos Jovet et Gomb.	295, 299	Cyperus	158
<i>moabiticus</i> Bornm. et Dinsm.	295, 298	<i>alopecuroides</i> Rottb.	159, 161
<i>ochroleucus</i> Feinbr.	295, 296	<i>alternifolius</i> L.	163
<i>palaestinus</i> Feinbr.	296, 301	<i>blancheanus</i> Desv.	163
<i>sativus</i> L.	297	<i>capitatus</i> Vandelli	162
<i>syriacus</i> Boiss. et Gaill.	302	<i>diformis</i> L.	160, 163
<i>thiebauti</i> Mout.	295, 297	<i>distachyos</i> All.	159, 161
<i>vitellinus</i> Wahlenb.	296, 302	<i>esculentus</i> L.	159, 164
<i>zonatus</i> J. Gay	297	<i>flavescens</i> L.	159, 160
Crypsis	58	<i>fuscus</i> L.	160, 162
<i>aculeata</i> (L.) Aiton	59	<i>glaber</i> L.	160, 163
<i>alopecuroides</i> (L.) Host	59	<i>globosus</i> All.	159, 160
<i>factorovskyi</i> Eig	58	<i>junciformis</i> Cav.	161
<i>: schænoides</i> (Pill. et Mitterp.) Host	59	<i>kalli</i> (Forsk.) Murb.	159, 162
Ctenopsis	116	<i>laevigatus</i> L.	159, 161
<i>patens</i> (Boiss.) Meld.	116	<i>longus</i> L.	159, 163
<i>pectinella</i> (Del.) De Notaris	116	<i>michelianus</i> (L.) Link	159, 162
Cucubalus	505	<i>mucronatus</i> (L.) Mab.	162
<i>aegyptiacus</i> L.	495	<i>mundtii</i> (Nees) Kunth	159, 160
<i>baccifer</i> L.	505	<i>papyrus</i> L.	163
<i>behen</i> L.	500	<i>bygmaeus</i> Rottb.	162
<i>inflatus</i> Salisb.	500	<i>rotundus</i> L.	159, 164
<i>italicus</i> L.	501	Cystopteris	6
<i>polygonoides</i> Willd.	515	<i>filix-fragilis</i> (L.) Borb.	6
<i>venosus</i> Gilib.	500	<i>fragilis</i> Bernh.	6
CUPRESSACEAE	17	<i>regia</i> Presl	6
Cupressus	17	Cytinus	381
<i>semperfivrens</i> L.	17	<i>hypocistis</i> L.	381
Cutandia	95	D	
<i>dichotoma</i> (Forsk.) Trabut	96, 97	Dactylis	99
<i>maritima</i> (L.) Benth.	96	<i>glomerata</i> L.	99
<i>memphitica</i> (Spreng.) Benth.	96	<i>hispanica</i> Roth	99
<i>philistaea</i> (Boiss.) Benth.	96	<i>lagopoides</i> L.	100
Cymbopogon	45	<i>repens</i> Desf.	100
<i>arriani</i> (Edgw.) Aitsch.	45	Dactyloctenium	72
<i>olivieri</i> (Boiss.) Bor	45	<i>aegyptiacum</i> Willd.	72
<i>schoenanthus</i> (L.) Spreng.	45	<i>ægyptium</i> (L.) Asch. et Schw.	72
Cymodocea	- 25	Dactylon	95
<i>aequorea</i> Koenig	25	<i>memphiticum</i> Spreng.	95
<i>major</i> (Cavol.) Grande	25	Damasonium	30
<i>nodosa</i> (Ucria) Asch.	25	<i>alisma</i> Mill.	30
Cynocrambe prostrata Gaertn.	445	<i>bourgaei</i> Coss.	30
Cynodon	73	<i>polyspermum</i> Coss.	30
<i>dactylon</i> (L.) Pers.	73	Danaë	288
CYNOMORIACEAE	381	<i>racemosa</i> (L.) Mœnch.	288
Cynomorium	381	Dianthus	520
<i>coccineum</i> L.	381	<i>actinopetalus</i> Fenzl	521, 529
Cynosurus	97	<i>crinitus</i> Smith	520, 527
<i>aegyptius</i> L.	72	<i>cyri</i> Fisch. et Mey.	521, 522
<i>aureus</i> L.	98	<i>dumulosus</i> Boiss. et Huet	528
<i>callitrichus</i> Barb.	97	<i>fimbriatus</i> M. Bieb.	527
<i>coloratus</i> Lehm.	97	<i>floribundus</i> Boiss.	526
<i>durus</i> L.	101	<i>haussknechtii</i> Boiss.	526
<i>echinatus</i> L.	97	<i>hypachlorus</i> Boiss.	529
<i>effusus</i> Link	97, 98	<i>judaicus</i> Boiss.	521, 526
<i>elegans</i> Desf.	98	<i>karami</i> Bl.	521, 529
CYPERACEAE	158	<i>libanotis</i> Labili.	520, 527
CYPERALES	158	<i>micranthus</i> Boiss. et Held.	521, 526

<i>multipunctatus</i> Ser.	522, 523	campylopoda C. A. Mey.	20
orientalis Adams	521, 527	<i>fragilis</i> Desf.	20
pachypetalus Stapf	521, 526	EPHEDRACEAE	20
<i>pallens</i> Sibth. et Smith	526		
pendulus Boiss. et Bl.	521, 528	Epipactis	325
<i>pogonopetalus</i> Boiss.	529	consimilis Don.	325
<i>polycladus</i> Boiss.	521, 522, 524	<i>helleborine</i> (L.) Crantz	326
strictus Banks et Sol.	521, 522-25	<i>latifolia</i> (L.) All.	325, 326
<i>superbus</i> L.	527	<i>veratrifolia</i> Boiss. et Heldr.	325
tripunctatus Sibth. et Smith	521, 522	EQUISETACEAE	3
<i>velutinus</i> Guss.	518	EQUISETALES	3
<i>Dichoglossis linearifolia</i> Fisch et Mey.	513	Equisetum	3
<i>Digitaria</i>	33	maximum Lam.	3
<i>sanguinalis</i> (L.) Scop.	34	palustre L.	3
DIOSCOREACEAE	294	ramosissimum Desf.	3
<i>Dracunculus crassipes</i> Boiss.	191	<i>ramosum</i> Schleich.	3
Dryopteris	8	<i>telmateia</i> Ehrh.	3
<i>aculeata</i> (L.) O. Kuntze	8	Eragrostis	71
<i>libanotica</i> (Ros.) A. Christ.	8	<i>cilianensis</i> (All.) Vign.-Lut.	71
<i>pallida</i> (Bory) Fomin	9	<i>megastachya</i> Link	71
<i>rigida</i> (Hoffm.) Underw.	8	<i>minor</i> Host	71, 72
<i>spinulosa</i> (Sw.) O. Kuntze	9	<i>pilosa</i> (L.) Beauv.	71, 72
<i>thelypteris</i> (L.) A. Gray	9	<i>poaeoides</i> Beauv.	72
<i>villarsii</i> (Bell.) H. Woynar	9	<i>tatarica</i> (Fisch.) Henr.	71
E		<i>Eremopyron</i>	140
<i>Echinaria</i>	91	<i>buonapartis</i> (Spreng.) Nevski	140
<i>capitata</i> (L.) Desf.	91	<i>distans</i> (C. Koch) Nevski	141
<i>Echinochloa</i>	35	Eremurus	217
<i>colona</i> (L.) Link	36	<i>inderiensis</i> (Stev.) Regel	211, 217
<i>crus-galli</i> (L.) Beauv.	36	<i>libanoticus</i> Boiss. et Bal.	217
<i>eruciformis</i> (Sibth. et Smith) C. Koch	34	<i>spectabilis</i> M. Bieb.	211, 217
<i>Echinodorus</i>	29	Eriogonum	40
<i>ranunculoides</i> (L.) Engelm.	29, 30	<i>hostii</i> Griseb.	40
<i>Echinopsilon</i>	419	<i>ravennae</i> (L.) Beauv.	40
<i>hyssopifolium</i> (Pall.) Moqu.	419	<i>strictus</i> (Host), Bluff. et Fingerh.	40
<i>muricatum</i> L. Moqu.	419	<i>Erythrostictus palaestinus</i> Boiss.	211
<i>Eleocharis</i>	169	Eupteris	7
<i>Elymus</i>	157	<i>Eurotia ceratoides</i> (L.) C. A. Mey.	412
<i>caput-medusae</i> L.	157		
<i>crinitus</i> Schreb.	157	F	
<i>delileanus</i> Schult.	158	FAGACEAE	357
<i>geniculatus</i> Del.	158	FAGALES	355
<i>pilifer</i> Banks et Sol.	142	<i>Fagopyrum convolvulus</i> L.) Gross.	357
<i>Elytrigia</i>	138	<i>Fagus orientalis</i> Lipsky	357
<i>aucherii</i> (Boiss.) Nevski	139	Festuca	110
<i>elongata</i> (Host) Nevski	140	<i>arundinacea</i> Schreb.	111, 113
<i>junccea</i> (L.) Nevski	140	<i>bromoides</i> L.	114
<i>libanotica</i> (Hack.) Nevski	139	<i>callieri</i> (Hack.) Markgr.	111
<i>repens</i> L.) Beauv.	138	<i>ciliata</i> Pers.	114
<i>Emex</i>	405	<i>dichotoma</i> Forsk.	97
<i>spinosa</i> (L.) Campdera	405	<i>diversifolia</i> Boiss. et Bal.	102
<i>Eminium</i>	190	<i>elatior</i> L.	111, 112, 113
<i>intortum</i> (Banks et Sol.) O. Ktze	191	<i>fenas</i> Lag.	113
<i>spiculatum</i> (Blume) O. Kuntze	191	<i>indigesta</i> Boiss.	110, 111
<i>Ephedra</i>	20	<i>inops</i> Del.	116
<i>alata</i> Decne	20, 21	<i>lævis</i> (Hack.) Nym.	111, 112
<i>alte</i> C. A. Mey.	20	<i>maritima</i> L.	118
		<i>myuros</i> L.	114

<i>ovina</i> L.	110, 111	Galanthus	290
<i>phleoides</i> Vill.	87	<i>fosteri</i> Baker	290
<i>pinifolia</i> (Hack.) Bornm.	111	Gastridium	67
<i>pratensis</i> Huds.	110, 111	<i>lendigerum</i> (L.) Gaud.	67
<i>rigida</i> L.	117	<i>scabrum</i> Presl	67
<i>sciurooides</i> Roth	114	<i>ventricosum</i> (Gouan) Schinz et Thell.	67
<i>sylvatica</i> Huds.	131	Gaudinia	86
<i>tenuiflora</i> Schrad.	118	<i>fragilis</i> (L.) Beauv.	86
<i>uniglumis</i> Solander	115	Gaudinopsis	78
<i>valesiaca</i> Schleich.	111	<i>macra</i> (Stev.) Eig	78
FESTUCOIDEAE	47	Girgensohnia	435
Ficus	371	<i>oppositiflora</i> Pall.	435
<i>carica</i> L.	371	Githago <i>segetum</i> Desf.	481
<i>sycomorus</i> L.	371	Gladiolus	303
FILICALES	5	<i>aleppicus</i> Boiss.	303, 305
FILICINAE	4	<i>anatolicus</i> Boiss.	304
Fimbristylis	170	<i>atrovilaceus</i> Boiss.	305
<i>bis-umbellata</i> (Forsk.) Bub.	170	<i>communis</i> L.	303
<i>dichotoma</i> auct.	170	<i>illyricus</i> Koch	304
<i>ferruginea</i> (L.) Vahl	170	<i>imbricatus</i> L.	303, 304
Fritillaria	232	<i>segetum</i> Ker-Gawler	403
<i>açmopetala</i> Boiss.	232, 233	Glinus	449
<i>alfredae</i>	232, 233	<i>dictamnoides</i> Burm. fil.	449
<i>crassifolia</i> Boiss. et Huet	232, 234	<i>lotoides</i> L.	449
<i>elwesii</i> Boiss.	232, 233	Glyceria	108
<i>hermonis</i> Fenzl	234	<i>distans</i> (L.) Wahlgr.	110
<i>libanotica</i> (Boiss.) Baker	232, 235	<i>fluitans</i> L.	109
<i>olivieri</i> Baker	233	<i>plicata</i> Fries	109
<i>persica</i> L.	232, 235	<i>procumbens</i> (Curt.) Smith	109
<i>pinardi</i> Boiss.	232, 234	<i>rupestris</i> (Whit.) E. Marsh.	109
<i>platyptera</i> Sam.	233	Gomphrena	445
Fuirena	168	<i>globosa</i> L.	445
<i>pubescens</i> (Poir.) Kunth	169	<i>sessUis</i> L.	444
G		GRAMINALES	33
Gagea	220	GRAMINEAE	33
<i>anisanthos</i> G. Koch	218, 220	Gymnadenia	327
<i>arvensis</i> (Pers.) Dumort.	218, 220	<i>conopsea</i> (L.) R. Br.	327
<i>bohemica</i> Zausch.	219, 223	Gymnogramma	5
<i>boissieri</i> Pascher	221	<i>leptophylla</i> (L.) Desv.	5
<i>chlorantha</i> M. Bieb.	219, 225	Gynandriris	305
<i>circinata</i> (L. f.) Pascher	219, 224	<i>sisyrinchium</i> (L.) Parl.	305, 306
<i>commutata</i> C. Koch	225	Gypsophila	509
<i>damascena</i> Boiss.	225	<i>anatolica</i> Boiss.	509, 511
<i>dayana</i> Chodat et Bobs.	219, 225	<i>antari</i> Post et Beauv.	510, 513
<i>dubia</i> Terracciano	219, 221	<i>antilibanotica</i> Post	518
<i>fibrosa</i> (Desf.) Schult.	219, 224	<i>arabica</i> Barkoudah	509, 511
<i>fistulosa</i> (Ram.) Ker-Gawl.	219, 220	<i>arsusiana</i> (Ky) Williams	517
<i>foliosa</i> Presl	219, 221, 222	<i>aucheri</i> Boiss.	509, 512
<i>gageoides</i> (Zucc.) Vved.	219, 226	<i>capillaris</i> (Forsk.) Christ.	511
<i>liottardi</i> (Sternb.) Schult. f.	220	<i>cælesyriaca</i> (Boiss.) Williams	517
<i>micrantha</i> (Boiss.) Pascher	218, 222	<i>damascena</i> Boiss.	510, 513
<i>minima</i> (L.) Ker-Gawl.	218, 223	<i>elegans</i> M. Bieb	514
<i>peduncularis</i> (Presl) Pascher	218, 221	<i>filicaulis</i> (Boiss.) Bornm.	510, 516
<i>persica</i> Boiss.	226	<i>frankenioides</i> Boiss.	510, 515
<i>procera</i> Mout.	219, 224	<i>gypsophilooides</i> (Fenzl) Blakel.	517
<i>reticulata</i> (Pall.) Schult.	219, 223	<i>haussknechtii</i> Boiss.	512
<i>rigida</i> Boiss. et Sprun.	219, 224	<i>heteropoda</i> Freyn et Sin t.	510, 514
		<i>hirsuta</i> Labili.	515

<i>hygrophila</i> Post	511	<i>Herniaria</i>	453
<i>libanotica</i> Boiss.	509, 512	<i>arabica</i> Hand.-Mazz.	453, 454
<i>linearifolia</i> Fisch. et Mey.) Boiss.	510, 513	<i>cinerea</i> Lam. et D.C.	453
<i>mollis</i> (Boiss.) Bornm.	510, 515	<i>densiflora</i> Williams	454
<i>pallida</i> Stapf	510, 512	<i>glabra</i> L.	453, 454
<i>perfoliata</i> L.	511	<i>hemistemon</i> J. Gay	453, 455
<i>pilosa</i> Huds.	510, 516	<i>hirsuta</i> L.	453
<i>polygonoid.es</i> (Willd.) Halacsy	510, 515	<i>incana</i> Lam.	453, 454
<i>porrigens</i> (L.) Boiss.	516	<i>macrocarpa</i> Sibth. et Smith	454
<i>rokejeka</i> Del.	511	<i>microcarpa</i> Presl	454
<i>ruscifolia</i> Boiss.	509, 513	<i>Heteranthelium</i>	142
<i>trichopoda</i> Boiss.	513	<i>piliferum</i> (Banks et Sol.) Hochstt.	142
<i>trichotoma</i> Wend.	511	<i>Heteropogon</i>	46
<i>venusta</i> Fenzl	509, 510	f <i>allionii</i> (Lam. et D.C.) Rœm. et Sch.	46
<i>viscosa</i> Murr.	510, 514	<i>contortus</i> (L.) Rœm. et Schult.	46
H			
<i>Habrosia</i>	452	<i>Himantoglossum</i>	344
<i>spinuliflora</i> (Ser.) Fenzl	452	<i>affine</i> (Boiss.) Schlecht.	345
<i>Halimione</i>	412	<i>boleeanum</i> Schlecht.	345
<i>portulacoides</i> (L.) Aellen	412	<i>caprinum</i> (M. Bieb.) Spreng.	345
<i>Halimocnemis</i>	438	<i>Holcus</i>	76
<i>hispida</i> C. A. Mey.	437	<i>annuus</i> Salzm.	76
<i>pilosa</i> Moqu.	438	<i>halepensis</i> L.	42
<i>Halocharis</i>	437	<i>lanatus</i> L.	76, 77
<i>hispida</i> (C. A. Mey.) Moqu.	437	<i>setiglumis</i> Boiss.	76
<i>sulphurea</i> Moqu.	437	<i>setosus</i> Trin.	76
<i>syriaca</i> Eig	437	<i>Holoschænus</i>	166
<i>Halocnemum</i>	422	<i>vulgaris</i> Link	166
<i>strobilaceum</i> (Pall.) Bieb.	422	<i>Holosteum</i>	475
<i>Halogeton</i>	439	<i>liniflorum</i> Stev.	475
<i>alopecuroides</i> (Del.) Moqu.	439	<i>umbellatum</i> L.	475
<i>Haloepolis</i>	422	<i>Hordeum</i>	154
<i>amplexicaulis</i> (Vahl) Ung.-Sternb.	422	<i>bulbosum</i> L.	154, 156
<i>Haloxylon</i>	425	<i>gussoneanum</i> Parl.	155
<i>articulatum</i> (Cav.) Bunge	426	<i>hystrix</i> Roth.	154, 155
<i>ramosissimum</i> (Boiss.) Benth. et Hook	426	<i>ithaburense</i> Boiss.	154
<i>salicornicum</i> (Moqu.) Bunge	426	<i>leporinum</i> Link	154, 155
<i>schweinfurthii</i> Asch.	426	<i>maritimum</i> With.	154, 155
<i>Heleocharis</i>	169	<i>murinum</i> L.	154, 156
<i>macrantha</i> Bockel	169	<i>nodosum</i> L.	154, 157
<i>palustris</i> (L.) R. Br.	169	<i>pratense</i> Huds.	157
<i>Heleochnloa</i>	59	<i>secalinum</i> Schreb.	157
<i>acutiglumis</i> Boiss.	59, 60	<i>spontaneum</i> C. Koch	154
<i>alpicola</i> Hochstt.	60	<i>Humulus</i>	377
<i>alopecuroides</i> (Pill. et Mitterp.) Host	59	<i>lupulus</i> L.	377
<i>orientalis</i> (Boiss.) Dinsm.	60	<i>Hyacinthella</i>	247
<i>schoenoides</i> (L.) Host	59	<i>nervosa</i> (Bertol.) Chouard	247
<i>Helicophyllum</i>	190	<i>Hyacinthus</i>	246
<i>crassipes</i> (Boiss.) Schott	191	<i>comosus</i> L.	253
<i>rauwolfii</i> (Blume) Schott	191	<i>nervosus</i> Bertol.	247
<i>Helictotrichon convolutum</i> (Presl) Henr.	84	<i>orientalis</i> L.	246
HELOBIAE	24	<i>racemosus</i> L.	255
<i>Hemarthria</i>	41	<i>Hydrocharis</i>	31
<i>altissima</i> (Poir.) Stapf et Hubb.	41	<i>morsus-ranae</i> L.	31
<i>fasciculata</i> (Lam.) Kunth	41	HYDROGHARITACEAE	31
<i>Henrardia</i>	137	<i>Hyparrhenia</i>	44
<i>persica</i> (Boiss.) C. Hubb.	135, 137	<i>hirta</i> (L.) Stapf	44
		<i>Hypocyllix</i>	422
		<i>kernerii</i> Wol.	422

<i>.neghevensis</i> Iljin	423	yebrudi Dinsm.	308, 318
<i>Hypoxis fascicularis</i> L.	207, 210	<i>Ischarum</i>	193
I		<i>angustatum</i> J. D. Hooker	193
<i>Illecebrum</i>		<i>pyrami</i> Schott	194
<i>arabicum</i> L.	456	ISOETACEAE	2
<i>paronychia</i> L.	456	<i>ISOETALES</i>	-2
<i>Imperata</i>	39	<i>Isoetes</i>	2
<i>arundinacea</i> Cyr.	39	<i>hystrix</i> Dur.	2
<i>cylindrica</i> (L.) Beauv.	39	<i>olympica</i> A. Br.	2
<i>Ionorchis abortiva</i> (L.) Beck	323	<i>Ixiolirion</i>	293
IRIDACEAE	295	<i>montanum</i> (Labili.) Herb.	293
Iris	306	<i>pallasii</i> (Fisch. et Mey.	293
<i>albicans</i> Lange	307, 314	<i>tataricum</i> (Pall.) Herb.	293
<i>antilibanotica</i> Dinsm.	307, 316	J	
<i>atrofusca</i> Baker	317	JUGLANDACEAE	355
<i>atropurpurea</i> Baker	317	<i>JUGLANDALES</i>	355
<i>auranitica</i> Dinsm.	307, 315	<i>Juglans</i>	355
<i>barnumae</i> Fost. et Bak.	307, 315	<i>regia</i> L.	355
<i>basaltica</i> Dinsm.	308, 317	JUNCACEAE	196
<i>bismarckiana</i> Regel	308, 320	<i>JUNCALES</i>	196
<i>bostrensis</i> Mout.	308, 317	<i>Juncus</i>	197
<i>bulbocodium</i> L.	320	<i>acutus</i> L.	197, 198
<i>cæruleo-violacea</i> (Gomb.) Mout.	307, 312	<i>articulatus</i> L.	197, 201
<i>calcarea</i> Dinsm.	308, 318	<i>bufonius</i> L.	198, 202
<i>caucasica</i> Hoffm.	310	<i>capitatus</i> Weigel	197, 202
<i>cedreti</i> Dinsm.	308, 318	<i>compressas</i> Jacqu.	200
<i>cretensis</i> Janka	312	<i>effusus</i> L.	197, 198
<i>damascena</i> Mout.	308, 318	<i>fontanesii</i> J. Gay	197, 201
<i>fumosa</i> Boiss. et Hausskn.	307, 311	<i>forsteri</i> Smith	196
<i>grant-duffii</i> Baker	307, 312	<i>gerardi</i> Loisel.	197, 200
<i>hauranensis</i> Dinsm.	316	<i>glaucus</i> L.	198
<i>heleneae</i> Barb.	316	<i>inflexus</i> L.	197, 198
<i>hermona</i> Dinsm.	320	<i>lamprocarpus</i> Ehrh.	201
<i>heylandiana</i> Boiss. et Reut.	308, 317	<i>libanoticus</i> Thiéb.	200
<i>histrio</i> Reichenb.	376, 308	<i>maritimus</i> Lam.	197, 199
<i>jordana</i> Dinsm.	308, 316	<i>punctarius</i> L.f.	197, 200
<i>kasruwana</i> Dinsm.	308, 319	<i>pygmæus</i> Rich.	197, 202
<i>lortetii</i> W. Barb.	308, 319	<i>pyramidalatus</i> Laharpe	201
<i>melanosticta</i> Bornm.	307, 313	<i>sphaerocarpus</i> Ness	203
<i>mesopotamica</i> Dykes	307, 314	<i>subulatus</i> Forsk.	197, 199
<i>nazarena</i> (Foster) Dinsm.	320	<i>tenageia</i> Ehrh.	198, 203
<i>nusairiensis</i> Mout.	306, 311	<i>Juniperus</i>	18
<i>ochroleuca</i> L.	307, 313	<i>drupacea</i> Lab.	19
<i>palæstina</i> Baker	306, 310	<i>excelsa</i> M. Bieb.	18, 19
<i>pallida</i> Lam.	314	<i>fœtidissima</i> Willd.	18, 19
<i>persica</i> L.	306, 309	<i>macrocarpa</i> Sibth. et Smith	18
<i>postii</i> Mout.	306, 309	<i>oxycedrus</i> L.	18
<i>pseudacorus</i> L.	307, 313	<i>rufescens</i> Link	18
<i>saari</i> Schott	320	K	
<i>sieheana</i> Lynch.	309	<i>Kochia</i>	418
<i>sindjarensis</i> Boiss. et Hausskn.	307, 311	<i>eriophora</i> Schrad.	420
<i>sisyrinchium</i> L.	305	<i>hyssopifolia</i> (Pall.) Roth	419
<i>sofarana</i> Fost	308, 319	<i>latifolia</i> Fresen.	420
<i>susiana</i> L.	317	<i>monticola</i> Boiss.	419
<i>unguicularis</i> Poiret	307, 312	<i>muricata</i> (L.) Schrad.	419
<i>vartani</i> Fost.	306, 309		
<i>westii</i> Dinsm.	308, 319		

<i>scoparia</i> (L.) Schrad.	418	<i>Lychnis</i>	
Kœleria	86	<i>alba</i> Mill.	482
<i>nitidula</i> Velen.	86	<i>caeli-rosa</i> (L.) Dur.	490
<i>phleoides</i> (Vill.) Pers.	86 à 88	<i>laeta</i> Ait.	489
Kohlrauschia	518	<i>Lycochloa</i>	85
<i>velutina</i> (Guss.) Reichb.	518	<i>avenacea</i> Sam.	85
Krascheninnikovia	411	LYCOPODIACEAE	1
<i>ceratoides</i> L.) Gueld.	412	<i>LYCOPODIALES</i>	1
L		<i>Lycopodium</i>	1
Lagurus	69	<i>cernuum</i> L.	1
<i>cylindricus</i> L.	39	<i>denticulatum</i> L.	2
<i>ovatus</i> L.	69	M	
Lamarckia	98	<i>Maclura</i>	371
<i>aurea</i> (L.) Mœnch	98	<i>aurantiaca</i> Nutt	371
Leersia	47	<i>pomifera</i> (Raf.) Robinson	371
<i>hexandra</i> Sw.	47	<i>Manisurus</i>	41
Lemna	195	<i>altissimus</i> (Poir.) Hitchc.	41
<i>gibba</i> L.	195	<i>Marsilea</i>	13
<i>minor</i> L.	195	<i>natans</i> L.	13
<i>paucicostata</i> Hegelm.	195	<i>Melandrium</i>	481
<i>polyrrhiza</i> L.	196	<i>album</i> (Mill.) Garcke	481, 482
<i>trisulca</i> L.	195	<i>erioqalycinum</i> Boiss.	481, 482
LEMNACEAE	194	<i>pratense</i> Rœhl.	482
LEPIDOSPERMALES	1	<i>Melica</i>	91
Lepturus	136	<i>angustifolia</i> Boiss. et Bl.	91, 92
<i>cylindricus</i> (Will.) Trin.	136	<i>ciliata</i> L.	91, 93
<i>filiformis</i> (Roth) Trin.	136	<i>cretica</i> Boiss. et Heldr.	93
<i>incurvatus</i> (L.) Trin.	136	<i>cupani</i> Guss.	91, 92
<i>persicus</i> Boiss.	137	<i>inaequiglumis</i> Boiss.	91, 93
LILIACEAE	203	<i>minuta</i> L.	92
LILIALES	203	<i>pannosa</i> Boiss.	91, 93
Lilium	236	<i>ramosa</i> Vill.	92
<i>candidum</i> L.	236	<i>uniflora</i> Retz	91, 92
Limodorum	323	<i>Merendera</i>	210
<i>abortivum</i> (L.) Sw.	323	<i>sobolifera</i> C. A. Mey.	203, 210
Lloydia	219	<i>Mesembryanthemum</i>	447
<i>rubroviridis</i> Boiss. et Ky	218, 219	<i>edule</i> L.	447, 448
Lolium	132	<i>forskalei</i> Hochstt.	447
<i>arvense</i> Whit.	133	<i>nodiflorum</i> L.	447, 448
<i>gaudini</i> Parl.	134	<i>Microcnemum</i>	421
<i>loliaceum</i> (Bory et Chaub.) Hand.-Mazz.		<i>coralloides</i> (Loscos et Pardo)	
<i>multiflorum</i> Lam.	132, 134	Font-Quer	421
<i>perenne</i> L.	132, 133	<i>fastigiatum</i> Ung.-Sternb.	421
<i>persicum</i> Boiss. et Hoh.	132, 134	<i>Milium</i>	56
<i>rigidum</i> Gaud.	132, 133	<i>caerulescens</i> Desf.	56
<i>robustum</i> Reichb.	133	<i>lendigerum</i> L.	67
<i>speciosum</i> Stev.	133	<i>montianum</i> Parl.	57
<i>subulatum</i> Vis.	134	<i>pedicellare</i> (Bornm.) Roshev	57
<i>temulentum</i> L.	132	<i>trichopodium</i> Boiss.	56, 57
Lophochloa phleoides (Vill.) Reichenb.	87	<i>vernale</i> M. Bieb.	57
LORANTHACEAE	382	<i>Minuartia</i>	462
Loranthus	382	<i>decipiens</i> (Fenzl) Bornm.	463, 467
<i>europaeus</i> L.	382	<i>formosa</i> (Fenzl) Mattf.	463, 470
Loroglossum hircinum (L.) C. Rich.	345	<i>globulosa</i> (Labili.) Maire et Petitm.	
Luzula	196	<i>hamata</i> (Hausskn.) Mattf.	463, 466
<i>forsteri</i> (Sm.) D.C.	196	<i>hybrida</i> (Vill.) Schiskine	470
			464, 468

innominata Mc Neill	463, 465		24
intermedia (Boiss.) Hand.-Mazz.	463, 466		291
juniperina (L.) Maire et Petitm.	463, 464		292
labillardieri Briquet	463, 464		292
libanotica (Boiss.) Bornm.	463, 464		292
mediterranea (Ledeb.) K. Maly	464, 468		117
mesogitana (Boiss.) Hand.-Mazz.	464, 467		118
meyeri (Boiss.) Bornm.	463, 466		118
montana Loefl.	463, 467		118
<i>mucronata</i> (Sibth. et Smith) Sch. et Th.	468		
parvulorum Mout. et Sam.	463, 465		
<i>picta</i> (Sibth. et Smith) Schinz et Thell.	463, 469		
subtilis (Fenzl) Hand.-Mazz.	464, 468		
<i>tenuifolia</i> (L.) Hiern.	468		
<i>thymifolia</i> (Sibth. et Smith) Bornm.	463, 469		
<i>viscosa</i> (Schreb.) Schinz et Th.	468		
Moenchia	476		
<i>octandra</i> (Ziz) J. Gay	476		
Molinia	94		
<i>cærulea</i> (L.) Mœnch	94		
Monerma	136		
<i>cylindrica</i> (Willd.) Coss. et Dur.	135, 136		
Monocaryum	209		
<i>fasciculare</i> Røem. et Scul t.	204, 210		446
Montia	450		
<i>fontana</i> L.	450		
<i>minor</i> auct.	450		
MORACEAE	370		
Morocarpus <i>foliosus</i>	Mœnch 411		
Morus	370		
<i>alba</i> L.	370		
<i>nigra</i> L.	370		
Muscaria	252		
<i>albicaule</i> Post	254		
<i>comosum</i> (L.) Mill.	252, 253		
<i>commutatum</i> Guss.	253, 256		
<i>deserticolum</i> Rech.	fil. 254		
<i>dinsmorei</i> Rech.	fil. 252, 253		
<i>inconstrictum</i> Rech.	fil. 253, 256		
<i>longipes</i> Boiss.	252, 254		
<i>maritimum</i> Desf.	252, 255		
<i>neglectum</i> Guss.	253, 256		
<i>parviflorum</i> Desf.	• 252, 257		
<i>pinardi</i> Boiss.	252, 253		
<i>pulchellum</i> Heldr. et Sart.	252, 255		
<i>racemosum</i> (L.) Mill.	252, 255		
<i>wallii</i> Rech.	fil. 253		
N			
NAIADACEAE	24		
Naias	24		
<i>armata</i> Lindb.	24		
<i>delilei</i> Rouy	24		
<i>graminea</i> Del.	24		
<i>marina</i> L.	24		
<i>minor</i> L.	24		
<i>muricata</i> Del.			327
Narcissus			
<i>serotinus</i> L.			327
<i>syriacus</i> Boiss. et Gaill.			327
<i>tazzetta</i> L.			327
Nardurus			
<i>maritimus</i> (L.) Janch.			327
<i>orientalis</i> Boiss.			327
<i>tenuiflorus</i> (Schrad.) Boiss.			327
Nardus			
<i>aristata</i> L.			327
<i>incurva</i> Gouan			327
Neotinea			
<i>intacta</i> (Link) Reichenb.			327
Nephrodium			
<i>rigidum</i> (Hoffm.) Desv.			327
Noaea			
<i>mucronata</i> (Forsk.) Asch. et Schw.			327
<i>spinosissima</i> (L. fil.) Moqu.			327
Nothochlaena			
Notholaena			
<i>lanuginosa</i> (Desf.) Desv.			327
<i>marantae</i> (L.) R. Br.			327
<i>vellea</i> (Ait.) R. Br.			327
NYCTAGINACEAE			
O			
Obione			
<i>portulacoides</i> (L.) Moqu.			327
OPHIOGLOSSACEAE			
OPHIOGLOSSALES			
Ophioglossum			
<i>lusitanicum</i> L.			327
<i>vulgatum</i> L.			327
Ophrys			
<i>adonidis</i> A. Camus et R. Gombault			327
<i>apifera</i> Huds.			327
<i>arachnites</i> Lam.			327
<i>argolica</i> Fleischm.			327
<i>attica</i> (Boiss. et Orph.) Soó			327
<i>bombyliflora</i> Link			327
<i>bornmuelleri</i> M. Schulze			327
<i>carmeli</i> Fleischm. et Bornm.			327
<i>cilicica</i> Schlecht.			327
<i>comuta</i> Stev.			327
<i>dinsmorei</i> Schlecht.			327
<i>fuciflora</i> (Crantz) Haller			327
<i>fusca</i> Link			327
<i>galilaea</i> Fleischm. et Bornm.			327
<i>iricolor</i> Desf.			327
<i>lutea</i> (Gouan) Cav.			327
<i>aestrifera</i> M. Bieb.			327
<i>rosea</i> Desf.			327
<i>schulzei</i> Fleischm. et Bornm.			327
<i>scolopax</i> Cav.			327
<i>sintenesii</i> Fleischm. et Bornm.			327
<i>speculum</i> Link			327

<i>spruneri</i> Nym.	334	libanoticum Boiss. et Bl.	239, 240
<i>tenthredinifera</i> Willd.	330	<i>minimum</i> L.	223
<i>Oporanthus fischerianus</i> Herb.	291	<i>montanum</i> Cyr.	239, 243
ORCHIDAGEAE	322	<i>narbonense</i> L.	239, 241
<i>Orchis</i>	334	<i>neurostegium</i> Boiss. et Bl.	240, 244
<i>abortiva</i> L.	323	<i>paterfamilias</i> Godron	240, 245
<i>anatolica</i> Boiss.	335, 342	<i>pedunculare</i> Presl	221
<i>angustifolia</i> M. Bieb.	340	<i>platyphyllum</i> Boiss.	240, 243
<i>autumnalis</i> Balb.	323	<i>pyrenaicum</i> L.	239, 240
<i>caprina</i> M. Bieb.	345	<i>reticulatum</i> Pall.	223
<i>chlorantha</i> Custer	326	<i>tenuifolium</i> Guss.	240, 245
<i>cilicica</i> Schlecht.	343	<i>ulophyllum</i> Hand.-Mazz.	244
<i>collina</i> Banks et Sol.	335, 341	<i>umbellatum</i> L.	245
<i>commutata</i> Tod.	338		47
<i>comperiá</i> a Stev.	334, 355	<i>Oryza</i>	47
<i>coriophora</i> L.	335, 337	<i>hexandra</i> Doell.	47
<i>fuciflora</i> Crantz	330	<i>sativa</i> L.	47
<i>galilaea</i> (Bornm. et M. Sch.) Schlecht.	339	Oryzopsis	55
<i>hircina</i> L.	345	<i>cærulescens</i> (Desf.) Richt.	55, 56
<i>holocheilos</i> (Boiss.) Soo	335, 343	<i>holciformis</i> (M. Bieb.) Reichb.	55, 56
<i>iberica</i> M. Bieb.	335, 340	<i>miliacea</i> (L.) Asch. et Schw.	55
<i>incarnata</i> L.	343		4
<i>intacta</i> Link	327	<i>Osmunda</i>	4
<i>italica</i> Poir.	335, 340	<i>regalis</i> L.	4
<i>lactea</i> Poir.	338	<i>spicant</i> L.	9
<i>laxiflora</i> Lam.	335, 343	OSMUNDACEAE	4
<i>longicurvis</i> Link	340	OSMUNDALES	4
<i>macrostachys</i> Tineo	343	<i>Ostrya</i>	356
<i>maculata</i> L.	335, 343	<i>carpinifolia</i> Scop.	357
<i>mascula</i> L.	342	<i>Osyris</i>	378
<i>morio</i> L.	334, 336	<i>alba</i> L.	378
<i>papilionacea</i> L.	334, 336	<i>Oxyria</i>	405
<i>patens</i> Desf.	335, 341	<i>digyna</i> L.) Hill.	405
<i>pseudosambucina</i> Ten.	342		
<i>punctulata</i> Stev.	335, 339	PALMAE	182
<i>pyramidalis</i> L.	344	<i>Pancratium</i>	292
<i>romana</i> Seb. et Mauri	335, 342	<i>maritimum</i> L.	292
<i>saccata</i> Ten.	341	<i>parviflorum</i> Decne	293
<i>saccigera</i> Brongn.	343	PANDANALES	22
<i>sancta</i> L.	335, 337	<i>Panderia</i>	418
<i>simia</i> Lam.	335, 338	<i>pilosa</i> Fisch. et Mey.	418
<i>sulphurea</i> Link	342	PÀNICOIDEAE	33
<i>tridentata</i> Scop.	334, 338	<i>Panicum</i>	36
<i>vomeracea</i> Burm.	346	<i>colonum</i> L.	36
Ornithogalum	239	<i>crus-galli</i> L.	36
<i>arabicum</i> L.	239, 242	<i>dactylon</i> L.	73
<i>arvense</i> Pers.	220	<i>cruciforme</i> Sibth. et Smith	34
<i>billardieri</i> Mout.	239, 242	<i>geminatum</i> Forsk.	35
<i>bohemicum</i> Zauschn.	223	<i>glaucum</i> L.	37
<i>brachystachys</i> G. Koch	241	<i>lutescens</i> Weigel	37
<i>chloranthum</i> M. Bieb.	225	<i>miliaceum</i> L.	37
<i>circinatum</i> L. fil.	225	<i>muticum</i> Forsk.	34
<i>densum</i> Boiss. et Bl.	239, 241	<i>numidianum</i> Lam.	34
<i>divergens</i> Boreau	240, 245	<i>prostratum</i> Lam.	37
<i>eigii</i> Feinbr.	244	<i>repens</i> L.	36
<i>fimbriatum</i> Willd.	244	<i>sanguinale</i> L.	34
<i>fucescens</i> Boiss. et Gaill.	239, 241	<i>setaceum</i> Gmel.	39
<i>lanceolatum</i> Labili.	242, 243	<i>verticillatum</i> L.	38
		<i>viride</i> L.	37

<i>Pappophorum pumilio</i> Trin.	75	<i>gerardi</i> All.	61
Parapholis	136	<i>graecum</i> Boiss.	64
<i>incurva</i> (Dum. -Cours.) C. Hubb.	135, 136	<i>montanum</i> C. Koch.	63, 64
<i>strigosa</i> (D.C.) C. Hubb.	135, 136	<i>nodosum</i> L.	63, 65
Parietaria	374	<i>pratense</i> L.	65
<i>alsinifolia</i> Del.	375, 376	<i>schaenoides</i> L.	59
<i>cretica</i> L.	375, 376	<i>subulatum</i> (Savi) Asch. et Schw.	63
<i>diffusa</i> Mert. et Koch	375	<i>tenue</i> (Host.) Schrad.	63
<i>erecta</i> Mert. et Koch	376	Phænix	182
<i>judaica</i> L.	374, 375	<i>dactylifera</i> L.	182
<i>lusitanica</i> L.	375, 376	Pholiurus	136
<i>officinalis</i> L.	376	<i>incurvus</i> (L.) Schinz et Thell.	136
<i>ramiflora</i> Mœnch	375	<i>persicus</i> (Boiss.) A. Camus	137
Paronychia	455	Phragmites	74
<i>arabica</i> (L.) D.C.	455, 456	<i>communis</i> Trin.	75
<i>argentea</i> Lam.	455, 456	Phucagrostis major Cavolini	25
<i>capitata</i> Koch	455	Phyllitis	12
<i>chionea</i> Boiss.	455	<i>hemionitis</i> (Lagr.) O. Kuntze	12
<i>echinata</i> Lam.	455, 457	<i>scolopendrium</i> (L.) Newm.	12
<i>kurdica</i> Boiss.	455, 456	Phytolacca	446
<i>macrosepala</i> Boiss.	455, 456	<i>americana</i> L.	446
PARONYCHIOIDEAE	451	<i>decandra</i> L.	446
Paspalidium	35	<i>pruinosa</i> Fenzl	446
<i>geminatum</i> (Forsk.) Stapf	35	PHYTOLACCACEAE	445
Paspalum	35	Pilgerochloa	78
<i>distichum</i> L.	35	<i>blanchei</i> (Boiss.) Eig	78
Pennisetum	38	PINACEAE	15
<i>asperifolium</i> (Desf.) Kunth	38	PINALES	15
<i>ciliare</i> (L.) Link	39	Pinus	15
<i>divisum</i> (CC. Gmel.) Henr.	38, 39	<i>brutia</i> Ten.	16
<i>setaceum</i> (Forsk.) Chiov.	38	<i>cedrus</i> L.	15
Petrorrhagia velutina (Guss.) P. W. Ball	518	<i>halepensis</i> Mill.	16
& Heywood		<i>pinea</i> L.	16
Petrosimonia	436	<i>pithyusa</i> Stev.	16
<i>brachiata</i> (Pall.) Bunge	436	Piptatherum	55
Phacelurus	41	<i>blancheanum</i> E. Desv.	56
<i>digitatus</i> (Sibth. et Smith) Griseb	41	<i>caerulescens</i> (Desf.) Beauv.	56
Phalaris	47	<i>holciforme</i> (M. Bieb.) Rœm. et Sch	56
<i>arundinacea</i> L.	47, 50	<i>miliaceum</i> (L.) Coss.	55
<i>brachystachys</i> L.	48	Platanthera	362
<i>bulbosa</i> L.	48, 49	<i>chlorantha</i> (Custer) Reichb.	362
<i>cærulescens</i> Desf.	47, 49	Poa	101
<i>eruciformis</i> L.	61	<i>annua</i> L.	101, 103
<i>minor</i> L.	48	<i>attica</i> Boiss. et Heldr.	V 104
<i>nodosa</i> L.	49	<i>bulbosa</i> L.	102, 105
<i>paradoxa</i> L.	48, 49	<i>chaixii</i> Vill.	101, 102
<i>semiverticillata</i> Forsk.	66	<i>cilianensis</i> All.	71
<i>setacea</i> Forsk.	39	<i>compressa</i> L.	102, 105
<i>subulata</i> Savi	68	<i>convoluta</i> Hornem.	110
<i>tenuis</i> Host	63	<i>distans</i> L.	110
<i>tuberosa</i> L.	49	<i>divaricata</i> Gouan	95
Phleum	63	<i>diversifolia</i> (Boiss. et Bal.) Hack.	101, 102
<i>alopecuroides</i> Pill. et Mitterp.	59	<i>exilis</i> (Pomm.) Murb.	102
<i>alpinum</i> L.	65	<i>hackeli</i> Post	101, 103
<i>arenarium</i> L.	63, 64	<i>infirma</i> H. B. et K.	101, 103
<i>bæhmeri</i> Wib.	64	<i>littoralis</i> Gouan	100
<i>boissieri</i> Bornm.	63, 64	<i>loliacea</i> Huds.	117
<i>exaratum</i> Griseb.	63, 64	<i>nemoralis</i> L.	102, 106

<i>pectinata</i> Post	103	<i>vulgare</i> L.	13
<i>persica</i> Trin.	101, 107	Polypogon	68
<i>pilosa</i> L.	71	<i>maritimus</i> Willd.	68
<i>pratensis</i> L.	101, 104	<i>monspeliensis</i> (L.) Desf.	68
<i>procumbens</i> Curtis	109	<i>vaginatus</i> Willd.	61
<i>silvicola</i> Guss.	102, 104	Polystichum	8
<i>sinaica</i> Steud.	102, 106	<i>aculeatum</i> (L.) Roth	8
<i>sterilis</i> M. Bieb.	102, 106	Populus	351
<i>sudetica</i> Haenke	102	<i>alba</i> L.	352
<i>tatarica</i> Fisch.	71	<i>bolleana</i> Lauche	351, 352
<i>timoleontis</i> Heldr.	102, 106	<i>canescens</i> Smith	353
<i>trivialis</i> L.	-- 102, 104	<i>carolinensis</i> Foug.	351, 352
<i>Pollinia distachya</i> (L.) Spreng.	46	<i>euphratica</i> Oliv.	351, 354
Polycarpon	457	<i>globosa</i> Dode	354
<i>alsinifolium</i> (Biv.) D.C	458	<i>italica</i> Duroi	351, 352
<i>succulentum</i> (Del.) J. Gay	457	<i>nigra</i> L.	351, 352
<i>tetraphyllum</i> L.	457	<i>tremula</i> L.	351, 352-54
Polycnemum brachiatum Pall.	436	Portulaca	449
POLYGONACEAE	387	<i>oleracea</i> L.	450
POLYGONALES	387	PORTULACACEAE	449
<i>Polygonatum polyanthemum</i> (M. Bieb.) Link	285	Potamogeton	26
Polygonum	396	<i>crispus</i> L.	26
<i>aleppicum</i> Boiss. et Hausskn.	397, 402	<i>densus</i> L.	26, 27
<i>alpestre</i> C. A. Mey.	403	<i>fluitans</i> Roth	26
<i>amphibium</i> L.	396, 398	<i>lucens</i> L.	26, 27
<i>arenarium</i> Waldst. et Kit.	401	<i>natans</i> L.	27
<i>argyrocoleum</i> Steud.	397, 400	<i>nodosus</i> Poir.	26
<i>aviculare</i> L.	397, 401	<i>panormitanus</i> Biv.	26, 28
<i>bellardi</i> Reichb.	400	<i>pectinatus</i> L.	26, 28
<i>cedrorum</i> Boiss. et Ky	397, 404	<i>perfoliatus</i> L.	26, 27
<i>cogna</i> turn Meisn.	397, 403	<i>phialae</i> Post	.27
<i>convolvulus</i> L.	396	<i>pusillus</i> L.	28
<i>corrigioloides</i> Jaub. et Spach	397, 400	<i>trichoides</i> Cham. et Schlecht.	26, 27
<i>equisetiforme</i> Sibth. et Smith	397, 402	POTAMOGETONACEAE	25
<i>herniarioides</i> R. Br.	403	PRINCIPES	182
<i>hydropiper</i> L.	396, 398	Psamma	70
<i>kitaibelianum</i> Sadl.	397, 400	<i>arenaria</i> (L.) Roem. et Sch.	70
<i>lapathifolium</i> L.	396, 399	<i>australis</i> Mabille	70
<i>libani</i> Boiss.	397, 403	Psilurus	135
<i>maritimum</i> L.	397, 402	<i>aristatus</i> (L.) Duval-Jouve	135
<i>nodosum</i> Pers.	399	<i>incurvus</i> Schinz et Thell.	135
<i>patulum</i> M. Bieb	400	<i>nardooides</i> Trin.	135
<i>persicaria</i> L.	396, 399	Pteranthus	451
<i>plebeium</i> Del.	403	<i>dichotomus</i> Forsk.	451
<i>polycnemoides</i> Jaub. et Spach	397, 400	<i>echinatus</i> Desf.	451
<i>salicifolium</i> Brouss.	396, 398	PTERIDACEAE	5
<i>scabrum</i> Poir.	398	Pteridium	7
<i>serrulatum</i> Lagr.	398	<i>aquilinum</i> (L.) Kuhn.	7
<i>setosum</i> Jacq.	397, 403	Pteris	7
<i>venantianum</i> Clem.	397, 401	<i>aquilina</i> L.	7
POLYPODIACEAE	13	<i>longifolia</i> L.	7
Polypodium	13	<i>vittata</i> L.	7
<i>aculeatum</i> L.	8	Puccinellia	109
<i>filix-femina</i> L.	8	<i>convoluta</i> (Hornem.) Fourr.	109, 110
<i>filix-fragile</i> L.	~6	<i>distans</i> (L.) Parl.	109, 110
<i>leptophyllum</i> L.	5	<i>rupestris</i> (Whit.) Fern. et Weath	109
<i>lobatum</i> Huds.	8	Puschkinia	246
<i>pteridioides</i> Reich.	5	<i>libanotica</i> Zucc.	246

scilloides Adams	246	
<i>Pycrus</i>	160	
<i>mundtii</i> Nees	160	
 Quercus		
<i>aegilops</i> L.	357	
<i>boissieri</i> Reut.	365	
<i>brantii</i> Lindley	360	
<i>calliprinos</i> Webb	358, 363	
<i>cedrorum</i> Ky	358, 359	
<i>cerris</i> L.	359, 366	
<i>coccifera</i> L.	367	
<i>ehrenbergii</i> Ky	364	
<i>faginea</i> Lam.	360	
<i>graeca</i> Ky	365	
<i>ilex</i> L.	368	
<i>infectoria</i> Oliv.	358, 360-62	
<i>ithaburensis</i> Decne	358, 365	
<i>lanuginosa</i> Willd.	359	
<i>libani</i> Oliv.	358, 362	
<i>look</i> Ky	363	
<i>lusitanica</i> Lam.	360	
<i>macrolepis</i> Ky	365	
<i>microphylla</i> (Ky) Thiéb.	358, 362	
<i>oophora</i> Ky	363	
<i>palaestina</i> Ky	368	
<i>pedunculiflora</i> C. Koch	359	
<i>petiolaris</i> Boiss. et Reut.	361	
<i>persica</i> Jaub. et Spach	366	
<i>petraea</i> (Matt.) Lindl.	359	
<i>pfaeffingeri</i> Ky	361	
<i>pinnatifida</i> C. C. Gmel.	358, 359	
<i>pseudocerris</i> Boiss.	366	
<i>pyrami</i> Ky	365	
<i>sessiliflora</i> Smith	359	
<i>suber</i> L.	368	
<i>syriaca</i> Ky	361	
<i>tauricola</i> Ky	361	
<i>ungeri</i> Ky	365	
<i>Queria hispanica</i> L.	470	
 RAFFLESIACEAE		
Rheum		
<i>palaestinum</i> Finbr.	381	
<i>ribes</i> L.	406	
Rhizocephalus		
<i>orientalis</i> Boiss.	406	
Rhynchospora		
<i>glauca</i> Vahl	60	
R. Br.	60	
Robbairea		
<i>delileana</i> Milne-Redh.	171	
<i>prostrate</i> (Forsk.) Boiss.	171	
Rægneria		
<i>panormitana</i> (Parl.) Nevski	458	
	458	
	458	
	138	
	138	
 Romulea		
<i>bulbocodium</i> Seb. et Mauri	320	
<i>columnae</i> Seb. et Mauri	320, 322	
<i>nivalis</i> (Boiss. et Ky) Klatt	320, 321	
<i>Phoenicia</i> Mout.	320, 321	
<i>ramiflora</i> Ten.	320, 322	
 Rottbælia		
<i>altissima</i> Poir.	41	
<i>cylindrica</i> Willd.	136	
<i>digitata</i> Sibth. et Smith	41	
<i>fasciculata</i> Lam.	41	
<i>filiformis</i> Roth	136	
<i>loliacea</i> Bory et Jaub.	134	
 Rumex		
<i>acetosella</i> L.	387	
<i>acetoselloides</i> Bal.	388, 395	
<i>angustifolius</i> Campd.	395	
<i>autranianus</i> Freyn et Sint.	388, 389	
<i>bucephalophorus</i> L.	391	
<i>cassius</i> Boiss.	389, 393	
<i>chalepensis</i> Mill.	388, 391	
<i>conglomeratus</i> Murr.	388, 390	
<i>crispus</i> L.	388, 390	
<i>cyprius</i> Murb.	389, 395	
<i>dentatus</i> L.	388, 392	
<i>digynus</i> L.	405	
<i>divaricatus</i> L.	392	
<i>lacerus</i> Balb.	394	
<i>nemorosus</i> Schrad.	390	
<i>nepalensis</i> Spreng.	388, 391	
<i>obtusifolius</i> L.	390	
<i>occultans</i> Sam.	389, 394	
<i>orientalis</i> Bernh.	389	
<i>palustris</i> Smith	388, 393	
<i>patientia</i> L.	388, 389	
<i>pictus</i> Forsk.	394	
<i>pulcher</i> L.	388, 391-92	
<i>roseus</i> L.	395	
<i>sannineus</i> Rech. fil.	391	
<i>spinosus</i> L.	405	
<i>syriacus</i> Meisn.	391	
<i>tuberous</i> L.	88, 394	
<i>vesicarius</i> L.	389, 395	
 Ruppia		
<i>maritima</i> L.	25	
<i>rostellata</i> Koch	25	
 Ruscus		
<i>aculeatus</i> L.	287	
<i>racemosus</i> L.	288	
 S		
 Saccharum		
<i>aegyptiacum</i> Willd.	40	
<i>biflorum</i> Forsk.	40	
<i>officinarum</i> L.	40	
<i>ravennae</i> L.	40	
<i>sara</i> Roxb.	40	
<i>spontaneum</i> L.	40	

Sagina	462	zenobiae Mout.	428, 431
<i>apetala</i> L.	462		13
<i>libanotica</i> Rech. fil.	462	natans (L.) All.	13
<i>maritima</i> G. Don.	462	SALVINIACEAE	13
<i>octandra</i> Ziz	476	SALVINIALES	13
<i>procumbens</i> L.	462	SANTALACEAE	378
SALICACEAE	347	SANTALALES	378
SALICALES	347	Saponaria	507
Salicornia	420	bargyliana Gomb.	507, 508
<i>amplexicaulis</i> Vahl	422	barradensis Boiss.	515
<i>europaea</i> L.	421	Jilicaulis Boiss.	516
<i>fruticosa</i> L.	421	glutinosa M. Bieb.	508
<i>glauca</i> Del.	420	hirsuta Labili.	515
<i>herbacea</i> L.	421	liniflora Boiss. et Hausskn.	507
<i>strobilacea</i> Pall.	422	mollis Boiss.	515
Salix	347	officinalis L.	507
<i>acmophylla</i> Boiss.	347, 348	oxyodonta Boiss.	507
<i>alba</i> L.	348, 350	pulvinaris Boiss.	507, 508
<i>australior</i> Andr.	347, 349	segetalis Neck.	507
<i>babylonica</i> L.	347, 350	syriaca Boiss.	507 , 509
<i>dinsmorei</i> Enander	347, 349	tridentata Boiss.	507, 508
<i>fragilis</i> L.	349	vaccaria L.	507
<i>libani</i> Bornm.	347, 350	Schanginia	425
<i>libanotica</i> Boiss.	350	baccata (Forsk.) Moqu.	425
<i>louisii</i> A. Cam. et R. Gomb.	348	Schismus	89
<i>micans</i> (Andrz.) Gœrz	350	arabicus Nees	89
<i>pedicellata</i> Desf.	350	barbatus (L.) Thell.	89
<i>persica</i> Boiss.	348	calycinus (L.) Host	89
<i>pseudo-safsaf</i> A. Cam. et R. Gomb.	348	Schoberia salsa C. A. Mey.	424
<i>purpurea</i> L.	348, 350	Schoenus	171
<i>safsaf</i> Forsk.	349	compressus L.	168
<i>subserrata</i> Willd.	349	mariscus L.	172
<i>variifolia</i> Freyn et Sint.	350	mucronatus L.	162
Salsola	427	nigricans L.	171
<i>articulata</i> Cav.	426	Scilla	236
<i>autrani</i> Post	428, 430	autumnalis L.	236, 237
<i>azaurena</i> Mout.	428, 433	bifolia L.	236, 238
<i>canescens</i> Moqu.	429, 433	cemua Red.	238
<i>crassa</i> M. Bieb.	428, 430	cilicica Siehe	237
<i>fruticosa</i> L.	424	hanburyi Baker	236, 237
<i>glauca</i> M. Bieb.	428, 434	hohenackeri Fisch. et Mey.	238
<i>helaramiae</i> Mout.	429, 432	hyacinthoides L.	236, 237
<i>hierochuntica</i> Bornm.	428, 434	maritima L.	238
<i>hyssopifolia</i> Pall.	419	sibirica Andr.	237, 238
<i>incanescens</i> C. A. Mey.	428, 430	xanthandra C. Koch	238
<i>inermis</i> Forsk.	428, 429	Scirpus	165
<i>jordanicola</i> Eig	428, 439	bis-umbellatus Forsk.	170
<i>kali</i> L.	428, 424	cernuus Vahl	165, 166
<i>lancifolia</i> Boiss.	434	compressus (L.) Pers.	168
<i>mucronata</i> Forsk.	435	dichotomus L.	170
<i>muricata</i> L.	419	ferrugineus L.	170
<i>postii</i> Eig	428, 432	filiformis Savi	166
<i>rigida</i> Pall.	433	holoschoenus L.	165, 166
<i>subcrassa</i> Popov	428, 431	kalli Forsk.	162
<i>tetrandra</i> Forsk;	428, 431	lacustris L.	165, 167
<i>vermiculata</i> L.	433	libanoticus Post	169
<i>villosa</i> Del.	429, 433	littoralis Schrad.	165, 167
<i>volkensii</i> Asch. et Schw.	428, 429	maritimus L.	167

mucronatus L.	165, 167	apetala Willd.	484, 493
palustris L.	169	astartes Bl.	487, 501
setaceus L.	165	atocion Juss.	495
tabernaemontanus Gmel.	165, 167	behen L.	483, 489
triqueter Gr. et Godr.	167	bipartita Desf.	494
tuberosus Desf.	165, 167	boryi Boiss.	486, 499
Scleranthus	451	caeli-rosa (L.) A. Br.	483, 490
<i>annuus</i> L.	451, 452	capitellata Boiss.	486, 498
<i>collinus</i> Horn.	451, 452	caryophylloides (Poir.) Otth	486, 499
<i>hamatus</i> Hausskn.	470	cassia Boiss.	485, 496
<i>orientalis</i> Rössler	451	cerastoides L.	484, 492
<i>uncinatus</i> Schur.	451	chaetodonta Boiss.	485, 497
<i>verticillatus</i> Tausch	452	chlorifolia Smith	487, 503
Sclerochloa	100	colorata Poir.	485, 494
<i>dura</i> (L.) Beauv.	101	commutata Guss.	501
<i>procumbens</i> (Curt.) Smith	109	compacta Fisch.	483, 488
Scleropoa		confertiflora Chowdhuri	486, 502
<i>dichotoma</i> (Forsk.) Parl.	97	coniflora Otth	483, 487
<i>maritima</i> (L.) Parl.	96	conoidea L.	483, 488
<i>memphitica</i> (Spreng.) Parl.	96	crassipes Fenzl	483, 490
<i>philistaea</i> Boiss.	96	cretica L.	483, 490
<i>procumbens</i> (Curt.) Boiss.	109	cucubalus Wib.	485, 500
<i>rigida</i> (L.) Griseb.	117	damascena Boiss. et Gaill.	484, 492
Scolopendrium		decumbens Bib.	494
<i>hemionitis</i> Lagr.	12	<i>dichotoma</i> Ehrh.	491
<i>vulgare</i> Smith	12	<i>eremophila</i> Bienert	492
Secale	141	fuscata Link	484, 495
<i>cereale</i> L.	141	<i>gallica</i> L.	484, 491
<i>montanum</i> Guss.	141	<i>gigantea</i> L.	505
Seidlitzia	427	<i>gonocalyx</i> Boiss.	490
<i>florida</i> M. Bieb.	427	<i>grisea</i> Boiss.	486, 504
<i>rosmarinus</i> (Ehr.) Bunge	. 427	<i>inflata</i> (Salisb.) Smith	500
Selaginella	2	<i>intricata</i> Post	485, 498
<i>denticulata</i> (L.) Link	2	<i>italica</i> (L.) Pers.	487, 501
SELAGINELLACEAE	1	<i>juncea</i> Sibth. et Smith	485, 497
Serapias	306	<i>kotschy</i> Boiss.	485, 496
<i>damasonium</i> Mill.	324	<i>laeta</i> (Ait.) A. Br.	483, 489
<i>ensifolia</i> Murr.	325	<i>lagenocalyx</i> Fenzl	492
<i>helleborine</i> L.	326	<i>libanotica</i> Boiss.	486, 504
<i>longifolia</i> Huds.	325	<i>linearis</i> Decne	485, 497
<i>longipetala</i> Poll.	346	<i>longipetala</i> Ventenat	486, 502
<i>pollens</i> (Jundz.) L. C. Rich.	324	<i>lydia</i> Boiss.	483, 488
<i>rubra</i> L.	324	<i>macrodonta</i> Boiss.	483, 488
<i>vomeracea</i> (Burm.) Briquet	346	<i>makmeliana</i> Boiss.	487, 504
Sesleria	90	<i>marschallii</i> C. A. Mey.	486, 502
<i>anatolica</i> Deyl	90	<i>modesta</i> Boiss. et Bl.	485, 498
<i>argentea</i> Savi	90	<i>muscipula</i> L.	483, 489
<i>subacaulis</i> Bal.	90	<i>nocturna</i> L.	484, 493
Setaria	37	<i>odontopetala</i> Fenzl	485, 500
<i>glauca</i> (L.) Beauv.	37	<i>oliveriana</i> Otth	485, 494
<i>italica</i> (L.) Beauv.	38	<i>palaestina</i> Boiss.	485, 493
<i>lutescens</i> (Weigel) Hubb.	37	<i>papillosa</i> Boiss.	483, 490
<i>verticillata</i> (L.) Beauv.	37, 38	<i>pharnaceifolia</i> Fenzl	486, 498
<i>viridis</i> (L.) Beauv.	37	<i>physalodes</i> Boiss.	485, 501
Silene	482	<i>physocalyx</i> Ledeb.	500
<i>ægyptiaca</i> L. fil.	484, 495	<i>picta</i> D.C.	. 497
<i>alba</i> Mill.	482	<i>pruinosa</i> Boiss.	486, 499
<i>amana</i> Boiss.	487, 502	<i>racemosa</i> Otth	484, 491

reuteriana Boiss.	483, 489	<i>virginicus</i> (L.) Kunth	70
rubella L.	483, 495	Stellaria	473
schlumbergeri Boiss.	486, 505	<i>apetala</i> Ucria	474
sedoides Poir.	484, 495	<i>cerastoides</i> L.	478
setacea Viv.	484, 492	<i>cilicica</i> Boiss. et Bal.	474
sibthorpina Reichb.	484, 491	<i>dubia</i> Bast.	477
siderophila Boiss. et Gaill.	484, 492	<i>media</i> L.) Vill.	474
stenobotrys Boiss. et Hausskn.	486, 499	<i>neglecta</i> Weihe	474
stentoria Fenzl	499	<i>pallida</i> Piré	474
striata Ehrh.	485, 496	Sternbergia	290
succulenta Forsk.	487, 505	<i>clusiana</i> Ker-Gawler	290, 291
swertiifolia Boiss.	487, 503	<i>colchiciflora</i> Waldst. et Kit.	290
<i>tejedensis</i> Boiss.	499	<i>fischeriana</i> (Herb.) Rœm.	290, 291
trinervis Banks et Sol.	491	<i>macrantha</i> J. Gay	291
<i>venosa</i> (Gilib.) Asch.	500	<i>pulchella</i> Boiss. et Bl.	290, 291
<i>vulgaris</i> Mœnch	500	<i>spaffordiana</i> Dinsmore	291
SILENOIDEAE	481	<i>stipitata</i> Boiss. et Hausskn.	291
SMILACACEAE	288	Stipa	5
Smilax	288	<i>aristella</i> L.	52
aspera L.	288	<i>assyriaca</i> Hand.-Mazz.	54
excelsa L.	289	<i>barbata</i> Desf.	52, 54
Sorghum	42	<i>bromoides</i> (L.) Desf.	52
<i>halepense</i> (L.) Pers.	42	<i>capensis</i> Thunb.	52
<i>vulgare</i> Decne	42	<i>damascena</i> Boiss.	54
SPARGANIACEAE	23	<i>fontanesii</i> Parl.	52, 53
Sparganium	23	<i>lagascae</i> Rœm. et Schult.	54
<i>erectum</i> L.	23	<i>membranacea</i> L.	115
<i>neglectum</i> Beeby	23	<i>paleacea</i> Sçhousb.	52
<i>ramosum</i> Curt.	-23	<i>parviflora</i> Desf.	52, 53
SPATHIFLORAE	182	<i>retorta</i> Cav.	52
Spergula	460	<i>tortilis</i> Desf.	52
arvensis L.	460	Suaeda	423
fallax (Lowe) E. L. Krause	460	<i>altissima</i> L.	423, 424
<i>flaccida</i> (Roxb.) Asch.	460	<i>asphaltica</i> Boiss.	423, 424
Spergularia	458	<i>baccata</i> Forsk.	425
<i>atheniensis</i> (Heldr. et Sart.)		<i>carnosissima</i> Post	423, 425
Asch. et Schw.	460	<i>fruticosa</i> (L.) Forsk.	423, 424
<i>bocconii</i> (Sol.) Fouc.	458, 460	<i>prostrata</i> Pall.	423, 424
diandra Guss.	458, 459	<i>rosmarinus</i> Ehr.	427
<i>marginata</i> (D.C.) Murb.	459	<i>salsa</i> (C. A. Mey.) Pall.	423, 424
marina (L.) Griseb.	458, 459		
media (L.) G. Presl	458, 459	T	
<i>rubra</i> L.	460	Tæniatherum	157
<i>salina</i> J. et C. Presl	459	<i>caput-medusae</i> (L.) Nevski	157
Sphenopus	95	<i>crinitum</i> (Schreb.) Nevski	157
divaricatus (Gouan) Reichenb.	95	Tamus	294
Spinacia	411	communis L.	294
<i>oleracea</i> L.	411	orientalis Thiéb.	294
tetrandra Stev.	411	Telephium	452
Spiranthes	323	imperati L.	453
autumnalis (Balb.) L. C. Rich.	323	THELYGONACEAE	445
<i>spiralis</i> L.	323	Thelygonum	445
Spirodela	195	cynocrambe L.	445
polyrrhiza (L.) Scheid.	195	Themedo	43
Spodiopogon pagonanthus	46	<i>forskalei</i> (Kunth)	43
Sporobolus	70	<i>quadrivalvis</i> (L.) Kuntze	43
arenarius (Gouan) Duval-Jouve	70	<i>triandra</i> Forsk.	43
<i>pungens</i> (Schreb.) Kunth	70	<i>Theresia libanotica</i> Boiss.	233

Thesium	378	brachypetala Jaub. et Spach	519
<i>arvense</i> Horv.	378, 379	<i>pachygora</i> Fisch. et Mey.	519
<i>bergeri</i> Zucc.	379, 380	<i>syriaca</i> Boiss.	518, 519
<i>divarication</i> Jan.	379, 380	<i>velutina</i> (Guss.) Fisch. et Mey.	518
<i>heterophyllum</i> Boiss.	379, 380		
<i>humile</i> Vahl	379, 380	Typha	22
<i>libanoticum</i> Ehrenb.	378, 379	<i>angustata</i> Bory et Chaub.	23
<i>ramosum</i> Hayne	379	<i>angustifolia</i> L.	23
Trachynia	130	<i>australis</i> Schum. et Thonn.	22, 23
<i>distachya</i> (L.) Link	130, 131	<i>latifolia</i> L.	22
Traganum	426	<i>laxmannii</i> Lepechin	22, 23
<i>nudatum</i> Del.	426	<i>stenophylla</i> Fisch. et Mey.	23
Trickonema <i>nivalis</i> Boiss. et Ky	321	TYPHACEAE	22
Trisetaria	79		
<i>cavanillesii</i> (Trin.) Maire	79	U	
<i>flavescens</i> (L.) Maire	79, 80	ULMACEAE	368
<i>glumacea</i> (Boiss.) Maire	81	Ulmus	368
<i>kælerioides</i> (Bornm. et Hack.) Meld.	79, 80	<i>campestris</i> L.	369
<i>linearis</i> Forsk.	79	<i>canescens</i> Melville	369
Trisetum	79	<i>glabra</i> Huds.	369
<i>cavanillesii</i> Trin.	79	<i>minor</i> Mill.	369
<i>flavescens</i> (L.) Beauv.	80	<i>montana</i> Willd.	369
<i>gaudinianum</i> Boiss.	79	Urginea	238
<i>kælerioides</i> Bornm. et Hack.	80	<i>maritima</i> (L.) Baker	238
<i>liniare</i> (Forsk.) Boiss.	79	<i>scilla</i> Sternb.	238
Triticum	143	Urochloa reptans (L.) Stapf	37
<i>bicornе</i> Forsk.	142		
<i>buonapartis</i> Spreng.	140	Urtica	372
<i>dicoccoides</i> (Kornicke) Aar.	143	<i>caudata</i> Vahl	373
<i>elongatum</i> Host	140	<i>dioica</i> L.	372, 373
<i>juncineum</i> L.	140	<i>fragilis</i> Thiéb.	372, 374
<i>ligisticum</i> Bertol.	153	<i>hulensis</i> Feinbr.	374
<i>maritimum</i> L.	96	<i>membranacea</i> Poir.	372, 373
<i>monococcum</i> L.	143	<i>pilulifera</i> L.	372, 373
<i>panormitanum</i> Parl.	138	<i>urens</i> L.	372
<i>peregrinum</i> Hack.	. 149	URTICACEAE	372
<i>repens</i> L.	138	URTICALES	368
<i>squarrosum</i> Roth	140		
<i>thaoudar</i> Reut.	143		
<i>unilaterale</i> L.	117		
<i>vulgare</i> Vill.	143		
Tulipa	226	Vaccaria	506
<i>agenensis</i> D.C.	227, 229	<i>liniflora</i> (Boiss. et Hausskn.) Bornm.	507
<i>aleppensis</i> Regel	227, 229	<i>oxydonta</i> Boiss.	506
<i>aucheriana</i> Baker	226, 227	<i>barviflora</i> Mœnch	506
<i>biflora</i> Pall.	226, 228	<i>pyramidalis</i> Medik.	506
<i>clusiana</i> D.C.	229	<i>segetalis</i> (Necker) Garcke	506
<i>dammani</i> Regel	232		
<i>libanotica</i> Regel	232	Vallisneria	31
<i>lownei</i> Baker	227, 228	<i>spiralis</i> L.	31
<i>montana</i> Lindley	227, 231		
<i>oculus-solis</i> St-Amans	229	Velezia	519
<i>praecox</i> Ten.	227, 230	<i>fasciculata</i> Boiss.	520
<i>systola</i> Stapf	231	<i>rigida</i> L.	520
Tunica	518	Ventenata	78
<i>arabica</i> Boiss.	519	<i>blanchei</i> Boiss.	78
		<i>macra</i> (Stev.) Boiss.	78
		Viscum	382
		<i>album</i> L.	382
		<i>cruciatum</i> Sieb.	383
		<i>laxum</i> Boiss. et Reut.	383

Vulpia	116 .	W	
<i>brevis</i> Boiss.	113		77
<i>bromoides</i> (L.) Gray	114		196
<i>ciliata</i> (Pers.) Link	113, 114		
<i>dertonensis</i> (All.) Gola	113, 114	Z	
<i>hirtiglumis</i> Boiss.	113, 115		26
<i>inops</i> (Del.) Hack.	113, 116		26
<i>membranacea</i> (L.) Link	113, 115		47
<i>myuros</i> (L.) C. C. Gmel.	113, 114		203
<i>patens</i> Boiss.	116		
<i>pectinella</i> Del.	116		24
<i>sciurooides</i> (Roth) Gmel.	114		24
<i>uniglumis</i> (Sol.) Dumort.	115	ZOSTERACEAE	24
Weingartneria			
<i>Wolffia arrhiza</i> (L.) Wimm.			