

# INDEX SPEGIERUM

<p style="text-align: center;"><b>A</b></p> <p>cilicica Ant. et Ky</p> <p><b>Acanthophyllum</b></p> <ul style="list-style-type: none"> <li>kurdicum Boiss. et Hausskn.</li> </ul> <p><b>Aceras</b></p> <ul style="list-style-type: none"> <li>affinis Boiss.</li> <li>anthropophora (L.) R. Br.</li> <li>hircina (L.) Lindl.</li> <li>pyramidalis (L.) Reichb.</li> </ul> <p><b>Achyranthes</b></p> <ul style="list-style-type: none"> <li>aspera L.</li> <li>argentea Lam.</li> </ul> <p><b>Acrostichum</b></p> <ul style="list-style-type: none"> <li>marantae L.</li> <li>velleum Ait.</li> </ul> <p><b>Adiantum</b></p> <ul style="list-style-type: none"> <li>capillus-veneris L.</li> </ul> <p><b>Aegilops</b></p> <ul style="list-style-type: none"> <li>aucheri Boiss.</li> <li>bicornis (Forsk.) Jaub. et Spach</li> <li>biuncialis Vis.</li> <li>caudata L.</li> <li>columnaris Zhuk.</li> <li>crassa Boiss.</li> <li>cylindrica Host</li> <li>cylindrostachys Eig et Fein.br.</li> <li>incurva L.</li> <li>incurvata L.</li> <li>juvenalis Thell.</li> <li>kotschyi Boiss.</li> <li>ligistica Sav.</li> <li>longissima Schw. et Muschl.</li> <li>lorentii Hoschstt.</li> <li>ovata L.</li> <li>peregrina (Hack.) Maire et Weiller</li> <li>sharonensis Eig</li> <li>speltoides Tausch</li> <li>squarrosa L.</li> <li>triaristata Willd.</li> <li>triuncialis L.</li> <li>umbellulata Zhuk.</li> <li>variabilis Eig.</li> <li>ventricosa Tausch</li> </ul> <p><b>Aegilotrichum</b></p> <ul style="list-style-type: none"> <li>loreti (Richt.) Maire et Weiller</li> </ul> <p><b>Aellenia</b></p> <ul style="list-style-type: none"> <li>glauc (Bieb.) Aellen</li> <li>hierochuntica Bornm.) Aellen</li> </ul>	<p>15 15 518 518 344 345 344 345 344 444 444 444 6 6 6 6 6 6 6 6 6 144 153 145, 152 146, 147 - 145, 150 146, 147 145, 151 145, 150 146, 150 136 136 145, 152 146, 148 145, 153 145, 152 146, 149 145, 152 145, 153 144, 152 145, 147 146, 148 145, 146 144, 151 144 434 428, 434 428, 434</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Aeluropus</td> <td style="padding: 5px;">100</td> </tr> <tr> <td style="padding: 5px;">lagopoides L.) Druce</td> <td style="padding: 5px;">100</td> </tr> <tr> <td style="padding: 5px;">littoralis (Gouan) Parl.</td> <td style="padding: 5px;">100</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Agropyron</td> <td style="padding: 5px;">137</td> </tr> <tr> <td style="padding: 5px;">aucherii Boiss.</td> <td style="padding: 5px;">137, 139</td> </tr> <tr> <td style="padding: 5px;">buonapartis Spreng.</td> <td style="padding: 5px;">140</td> </tr> <tr> <td style="padding: 5px;">distans C. Koch</td> <td style="padding: 5px;">141</td> </tr> <tr> <td style="padding: 5px;">elongatum (Host) Beauv.</td> <td style="padding: 5px;">137, 140</td> </tr> <tr> <td style="padding: 5px;">junceum (L.) Beauv.</td> <td style="padding: 5px;">137, 140</td> </tr> <tr> <td style="padding: 5px;">jasianthum Boiss.</td> <td style="padding: 5px;">141</td> </tr> <tr> <td style="padding: 5px;">libanoticum Hack.</td> <td style="padding: 5px;">137, 139</td> </tr> <tr> <td style="padding: 5px;">ligusticum Bert.</td> <td style="padding: 5px;">153</td> </tr> <tr> <td style="padding: 5px;">panormitanum Parl.</td> <td style="padding: 5px;">137, 138</td> </tr> <tr> <td style="padding: 5px;">repens (L.) Desv.</td> <td style="padding: 5px;">137, 138</td> </tr> <tr> <td style="padding: 5px;">squarrosum (Roth) Link</td> <td style="padding: 5px;">140</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Agrostemma</td> <td style="padding: 5px;">481</td> </tr> <tr> <td style="padding: 5px;">caeli-rosa L.</td> <td style="padding: 5px;">490</td> </tr> <tr> <td style="padding: 5px;">githago L.</td> <td style="padding: 5px;">481</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Agrostis</td> <td style="padding: 5px;">65</td> </tr> <tr> <td style="padding: 5px;">alba auct.</td> <td style="padding: 5px;">66</td> </tr> <tr> <td style="padding: 5px;">arenaria Gouan</td> <td style="padding: 5px;">70</td> </tr> <tr> <td style="padding: 5px;">bromoidea L.</td> <td style="padding: 5px;">52</td> </tr> <tr> <td style="padding: 5px;">castellana Boiss. et Reut.</td> <td style="padding: 5px;">66</td> </tr> <tr> <td style="padding: 5px;">holciformis M. Bieb.</td> <td style="padding: 5px;">56</td> </tr> <tr> <td style="padding: 5px;">interrupta L.</td> <td style="padding: 5px;">67</td> </tr> <tr> <td style="padding: 5px;">miliacea L.</td> <td style="padding: 5px;">55</td> </tr> <tr> <td style="padding: 5px;">bungens Schreb.</td> <td style="padding: 5px;">70</td> </tr> <tr> <td style="padding: 5px;">scabriglumis Boiss. et Reut.</td> <td style="padding: 5px;">66</td> </tr> <tr> <td style="padding: 5px;">semiverticillata (Forsk.) Christ.</td> <td style="padding: 5px;">65, 66</td> </tr> <tr> <td style="padding: 5px;">stolonifera L.</td> <td style="padding: 5px;">65, 66</td> </tr> <tr> <td style="padding: 5px;">ventricosa Gouan</td> <td style="padding: 5px;">67</td> </tr> <tr> <td style="padding: 5px;">verticillata Vill.</td> <td style="padding: 5px;">66</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Aira</td> <td style="padding: 5px;">89</td> </tr> <tr> <td style="padding: 5px;">aquatica L.</td> <td style="padding: 5px;">94</td> </tr> <tr> <td style="padding: 5px;">articulata Desf.</td> <td style="padding: 5px;">77</td> </tr> <tr> <td style="padding: 5px;">caerulea L.</td> <td style="padding: 5px;">94</td> </tr> <tr> <td style="padding: 5px;">capillaris Host</td> <td style="padding: 5px;">89</td> </tr> <tr> <td style="padding: 5px;">elegans Willd.</td> <td style="padding: 5px;">89</td> </tr> <tr> <td style="padding: 5px;">humilis M. Bieb.</td> <td style="padding: 5px;">95</td> </tr> <tr> <td style="padding: 5px;">insularis (Parl.) Bornm.</td> <td style="padding: 5px;">88</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Airopsis</td> <td style="padding: 5px;">88</td> </tr> <tr> <td style="padding: 5px;">insularis (Parl.) Nym.</td> <td style="padding: 5px;">88</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">AIZOACEAE</td> <td style="padding: 5px;">447</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Aizoon</td> <td style="padding: 5px;">448</td> </tr> <tr> <td style="padding: 5px;">hispanicum</td> <td style="padding: 5px;">448</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">Alisma</td> <td style="padding: 5px;">28</td> </tr> <tr> <td style="padding: 5px;">arcuatum Michx.</td> <td style="padding: 5px;">29</td> </tr> <tr> <td style="padding: 5px;">damasonium L.</td> <td style="padding: 5px;">30</td> </tr> <tr> <td style="padding: 5px;">gramineum Gmel.</td> <td style="padding: 5px;">29</td> </tr> </table>	Aeluropus	100	lagopoides L.) Druce	100	littoralis (Gouan) Parl.	100	Agropyron	137	aucherii Boiss.	137, 139	buonapartis Spreng.	140	distans C. Koch	141	elongatum (Host) Beauv.	137, 140	junceum (L.) Beauv.	137, 140	jasianthum Boiss.	141	libanoticum Hack.	137, 139	ligusticum Bert.	153	panormitanum Parl.	137, 138	repens (L.) Desv.	137, 138	squarrosum (Roth) Link	140	Agrostemma	481	caeli-rosa L.	490	githago L.	481	Agrostis	65	alba auct.	66	arenaria Gouan	70	bromoidea L.	52	castellana Boiss. et Reut.	66	holciformis M. Bieb.	56	interrupta L.	67	miliacea L.	55	bungens Schreb.	70	scabriglumis Boiss. et Reut.	66	semiverticillata (Forsk.) Christ.	65, 66	stolonifera L.	65, 66	ventricosa Gouan	67	verticillata Vill.	66	Aira	89	aquatica L.	94	articulata Desf.	77	caerulea L.	94	capillaris Host	89	elegans Willd.	89	humilis M. Bieb.	95	insularis (Parl.) Bornm.	88	Airopsis	88	insularis (Parl.) Nym.	88	AIZOACEAE	447	Aizoon	448	hispanicum	448	Alisma	28	arcuatum Michx.	29	damasonium L.	30	gramineum Gmel.	29
Aeluropus	100																																																																																																			
lagopoides L.) Druce	100																																																																																																			
littoralis (Gouan) Parl.	100																																																																																																			
Agropyron	137																																																																																																			
aucherii Boiss.	137, 139																																																																																																			
buonapartis Spreng.	140																																																																																																			
distans C. Koch	141																																																																																																			
elongatum (Host) Beauv.	137, 140																																																																																																			
junceum (L.) Beauv.	137, 140																																																																																																			
jasianthum Boiss.	141																																																																																																			
libanoticum Hack.	137, 139																																																																																																			
ligusticum Bert.	153																																																																																																			
panormitanum Parl.	137, 138																																																																																																			
repens (L.) Desv.	137, 138																																																																																																			
squarrosum (Roth) Link	140																																																																																																			
Agrostemma	481																																																																																																			
caeli-rosa L.	490																																																																																																			
githago L.	481																																																																																																			
Agrostis	65																																																																																																			
alba auct.	66																																																																																																			
arenaria Gouan	70																																																																																																			
bromoidea L.	52																																																																																																			
castellana Boiss. et Reut.	66																																																																																																			
holciformis M. Bieb.	56																																																																																																			
interrupta L.	67																																																																																																			
miliacea L.	55																																																																																																			
bungens Schreb.	70																																																																																																			
scabriglumis Boiss. et Reut.	66																																																																																																			
semiverticillata (Forsk.) Christ.	65, 66																																																																																																			
stolonifera L.	65, 66																																																																																																			
ventricosa Gouan	67																																																																																																			
verticillata Vill.	66																																																																																																			
Aira	89																																																																																																			
aquatica L.	94																																																																																																			
articulata Desf.	77																																																																																																			
caerulea L.	94																																																																																																			
capillaris Host	89																																																																																																			
elegans Willd.	89																																																																																																			
humilis M. Bieb.	95																																																																																																			
insularis (Parl.) Bornm.	88																																																																																																			
Airopsis	88																																																																																																			
insularis (Parl.) Nym.	88																																																																																																			
AIZOACEAE	447																																																																																																			
Aizoon	448																																																																																																			
hispanicum	448																																																																																																			
Alisma	28																																																																																																			
arcuatum Michx.	29																																																																																																			
damasonium L.	30																																																																																																			
gramineum Gmel.	29																																																																																																			

<i>graminifolium</i> Ehrh.	29	<i>rothii</i> Zucc.	262, 284
<i>lanceolatum</i> Whit.	28, 29	<i>rotundum</i> L.	258, 265
<i>plantago-aquatica</i> L.	28, 29	<i>rupicolum</i> Boiss.	260, 273
<i>ranunculoides</i> L.	29, 30	<i>sannineum</i> Gomb.	259, 271
ALISMATACEAE	28	<i>sativum</i> L.	257, 262
Allium	257	<i>schergianum</i> Boiss.	260, 271
<i>affine</i> Ledeb.	258, 267	<i>schuberti</i> Zucc.	262, 281
<i>ampeloprasum</i> L.	257, 263	<i>scorodoprasum</i> L.	262
<i>artemisietorum</i> Feinbr.	259, 271	<i>sindjarensse</i> Boiss. et Hausskn.	276
<i>arvense</i> Guss.	258, 268	<i>sphaerocephalum</i> L.	268
<i>aschersonianum</i> W. Barb.	262, 283	<i>stamineum</i> Boiss.	259, 272
<i>asclepiadeum</i> Bornm.	262, 283	<i>stenopetalum</i> Boiss. et Ky	283
<i>azaurenum</i> Gomb.	276	<i>subhirsutum</i> L.	261, 278
<i>bassitense</i> Thiéb.	260, 272	<i>telavivense</i> Eig	262, 284
<i>calypratum</i> Boiss.	258, 265	<i>trifoliatum</i> Cyr.	261, 278
<i>carmeli</i> Boiss.	261, 280	<i>vineale</i> L.	258, 259, 266
<i>cassium</i> Boiss.	261, 279	<i>viridi-album</i> Tineo	268
<i>cepa</i> L.	259	<i>wiedemannianum</i> Regel	260, 273
<i>chloranthum</i> Boiss.	260, 275	<i>zebdanense</i> Boiss. et Noë	261, 279
<i>chrysanthrum</i> Boiss. et Reut.	262, 282	Alnus	355
<i>cilicum</i> Boiss.	266	<i>orientalis</i> Decne	355
<i>coppoleri</i> Tineo	260, 275	Aloe	218
<i>curtum</i> Boiss. et Gaill.	259, 269	<i>vera</i> L.	218
<i>damascenum</i> Feinbr.	259, 266	Alopecurus	61
<i>descendens</i> Sibth. et Smith	259, 268	<i>agrestis</i> L.	62
<i>deserti</i> syriaci Feinbr.	259, 270	<i>anthoxanthoides</i> Boiss.	61, 62
<i>dictyoprasum</i> C. A. Mey.	270	<i>arundinacea</i> Poir.	62
<i>drusorum</i> Feinbr.	258, 265	<i>gerardi</i> (All.) Vill.	61
<i>dumetorum</i> Feinbr.	262, 281	<i>involucratus</i> Post	58
<i>emarginatum</i> Rech.	fil. 259, 269	<i>monspeliensis</i> L.	68
<i>erdelii</i> Zucc.	261, 277	<i>myosuroides</i> Huds.	61, 62
<i>eriophyllum</i> Boiss.	261, 279	<i>nigricans</i> Hornem.	62
<i>feinbergii</i> Oppenb.	260, 275	<i>pratensis</i> L.	62
<i>graecum</i> d'Urv.	273	<i>vaginatus</i> (Willd.) Pall.	61
<i>haussknechtii</i> Nabelek	283	<i>ventricosus</i> Pers.	61, 62
<i>hierochuntinum</i> Boiss.	259, 271	Alsine	462
<i>hirsutum</i> Zucc.	261, 278	<i>brevis</i> Boiss.	466
<i>karyateini</i> Post	259, 270	<i>decipiens</i> Fenzl.	467
<i>laceratum</i> Boiss. et Noë	261, 280	<i>formosa</i> Fenzl.	470
<i>libani</i> Boiss.	260, 277	<i>globulosa</i> C. A. Mey.	466
<i>lycaonicum</i> Siehe	262, 282	<i>intermedia</i> Boiss.	466
<i>macrochaetum</i> Boiss. et Hausskn.	259, 267	<i>juniperina</i> (L.) Fenzl.	464
<i>makmelianum</i> Post	258, 268	<i>libanotica</i> Boiss.	464
<i>margaritaceum</i> Ledeb.	267	<i>media</i> L.	474
<i>myrianthum</i> Boiss.	260, 273	<i>mesogitana</i> Boiss.	468
<i>neapolitanum</i> Cyr.	260, 280	<i>meyeri</i> Boiss.	466
<i>nigrum</i> L.	262, 281	<i>picta</i> (Sibth. et Smith) Fenzl.	469
<i>noënum</i> Reut.	261, 284	<i>rubestris</i> (Lab.) Fenzl.	464
<i>olivieri</i> Boiss.	262, 285	<i>smithii</i> Fenzl.	466
<i>opacum</i> Rech.	fil. 260, 274	<i>succulenta</i> J. Gay	458
<i>orientale</i> Boiss.	262, 283	<i>tenuifolia</i> (L.) Crantz	467, 468
<i>pollens</i> L.	275	<i>thymifolia</i> (Sibth. et Smith) Boiss.	469
<i>paniculatum</i> L.	260, 274	ALSINOIDEAE	461
<i>phanerantherum</i> Boiss.	258, 267	Alternanthera	444
<i>porrum</i> L.	264	<i>amena</i> (Lam.) Voss.	445
<i>pseudocalyptratum</i> Mout.	258, 264	<i>sessilis</i> (L.) R. Br.	444
<i>pseudophanerantherum</i> Rech. fil.	258, 264	<i>versicolor</i> (Lam.) Niehls.	445
<i>qasyunense</i> Mout.	261, 280	AMARANTHACEAE	439

Amaranthus	440	517
albus L.	440, 442	517
angustifolius Lam.	443	5
ascendens Loisel.	443	5
blitoides G. Wats.	• 440, 442	47
blitum L.	443	43
caudatus L.	441	43
chlorostachys Willd.	440	50
cruentus L.	441	50
deflexus L.	440, 444	88
gracilis Desf.	440, 442	88
græcizans L.	440, 443	67
hybridus L.	440, 441	65, 67
hypochondriacus L.	441	182
lividus L.	440, 443	383
oleraceus L.	443	383
paniculatus L.	441	19
patulus Bertol.	441	18, 19
retroflexus L.	440, 442	470
viridis L.	443	471
AMARYLLIDACEAE	289	472
Amaryllis	293	471, 472
montana Labili.	293	471
tatarica Pall.	293	459
Ammochloa	90	466
humilis M. Bieb.	95	471
palæstina Boiss.	90	468
subacaulis Bal.	90	464
Ammophila	70	471, 472
arenaria (L.) Link	70	471
arundinacea Host	70	459
Anabasis	436	459
alopecuroides Del.	439	468
aphylla L.	436	468
articulata Forsk.	437	473
haussknechtii Bge	436	471, 473
phyllophora Kar. et Kir.	437	469
ramosissima Dingier	426, 437	. 471
setifera Moqu.	436	459, 460
spinosissima L. fil.	435	464
Anacamptis	344	459
pyramidalis (L.) L. C. Rich.	344	471, 472
Androcymbium	211	452
palæstinum (Boiss.) Baker	211	463
Andropogon	46	471, 473
allionii (Lam. et D.C.) Rœm. et Schult.	46	468
arriani Edgw.	45	190
contortus L.	46	190
distachyus L.	46	190
gryllus L.	43	190
hirtus L.	44	190
ischaemum L.	44	52
olivieri Boiss.	45	52
pubescens Vis.	45	50
ravennae L.	40	50, 51
strictus Host	40	50, 51
Ankyropetalum	516	51
arsusianum Boiss.	517	52
coèlesyriacum Boiss.		52
gypsophiloïdes Fenzl		50, 52
Anagramme		50, 52
leptophylla (L.) Link		50, 52
Anthistiria		50, 52
brachyantha Boiss.		50, 52
ciliata L. fil.		50, 52
Anthoxanthum		50, 52
odoratum L.		50, 52
Antinoria		50, 52
insularis Parl.		50, 52
Apera		50, 52
interrupta (L.) Beauv.		50, 52
ARACEAE		50, 52
Arceuthobium		50, 52
oxycedri (D.C.) M. Bieb.		50, 52
Arceuthos		50, 52
drupacea (Lab.) Ant. et Ky		50, 52
Arenaria		50, 52
adonidis Peyron		50, 52
bocconii Soleirol		50, 52
cassia Boiss.		50, 52
deflexa Decne		50, 52
diandra Guss.		50, 52
globulosa Lab.		50, 52
graveolens Schreb.		50, 52
hybrida Vill.		50, 52
juniperina L.		50, 52
leptoclados Guss.		50, 52
libanotica Ky		50, 52
marginata D:C.		50, 52
media L.		50, 52
mediterranea Ledeb.		50, 52
mucronata Sibth. et Smith		50, 52
oxypetala Sibth. et Smith		50, 52
pamphylica Boiss. et Heldr.		50, 52
picta Sibth. et Smith		50, 52
pubescens d'Urv.		50, 52
rubra L.		50, 52
rupestris Labili.		50, 52
salsuginea Bunge		50, 52
serpyllifolia L.		50, 52
spinuliflora Ser.		50, 52
subtilis Fenzl		50, 52
tremula Boiss.		50, 52
viscosa Schreb.		50, 52
Arisarum		50, 52
libani Schott		50, 52
veslingii Schott		50, 52
vulgare Targ.-Tozz.		50, 52
Aristella		50, 52
bromoides (L.) Bertol.		50, 52
Aristida		50, 52
adscensionis L.		50, 52
cærulescens Desf.		50, 52
festucoides Poir.		50, 52
forskalei Tausch		50, 52
lanata Forsk.		50, 52

<i>plumosa</i> L.	50, 51	<i>Asphodeline</i>	213
<i>bumila</i> Decne	51	<i>brevicaulis</i> (Bertol.) J. Gay	212, 214
Aristolochia	383	<i>damascena</i> Boiss.	212, 216
<i>altissima</i> Desf.	383, 384	<i>edumea</i> (Zoh.) Mout.	212, 214
<i>billiardieri</i> Jaub. et Spach	384, 385	<i>globifera</i> J. Gay	212, 216
<i>bottae</i> Jaub. et Spach	384, 387	<i>isthmocarpa</i> J. Gay	216
<i>maurorum</i> L.	384, 386	<i>liburnica</i> (Scop.) Reichenb.	212, 213
<i>parvifolia</i> Sibth. et Sm.	384, 385	<i>lutea</i> (L.) Reichenb.	211, 213
<i>pœcilantha</i> Boiss.	384, 386	<i>recurva</i> Post	214
<i>scabridula</i> Boiss.	384, 386	<i>taurica</i> (Pall.) Kunth	212, 216
<i>sempervirens</i> L.	384	<i>tenuior</i> (Fisch.) Ledeb.	215
ARISTOLOCHIACEAE	383	ASPHODELOIDEAE	211
Arrhenatherum	84	<i>Asphodelus</i>	211
<i>avenaceum</i> Beauv.	84	<i>aestivus</i> Brot.	212
<i>elatius</i> (L.) Mert. et Koch	84	<i>brevicaulis</i> Bertol.	214
<i>kotschyi</i> Boiss.	84, 85	<i>fistulosus</i> L.	211, 212
<i>palaestinum</i> Boiss.	84, 85	<i>inderiensis</i> Stev.	217
Arthrocnemum	420	<i>liburnicus</i> Scop.	213
<i>coralloides</i> Loscos et Pardo	421	<i>luteus</i> L.	213
<i>fruticosum</i> (L.) Moq.	421	<i>microcarpus</i> Salzm. et Viv.	211, 212
<i>glaucum</i> (Del.) Ung.-Sternb.	420	<i>ramosus</i> L.	212
ARTICULATAE	3	<i>tauricus</i> Pall.	216
Arum	183	ASPIDIACEAE	7
<i>arisarum</i> L.	190	<i>Aspidium</i>	8
<i>conophalloides</i> Ky	183, 187	<i>libanoticum</i> Rosenstock	8
<i>detruncatum</i> C. A. Mey.	187	ASPLENIACEAE	10
<i>dioscoridis</i> Sibth. et Smith	183, 184	<i>Asplenium</i>	10
<i>elongatum</i> Stev.	184, 188	<i>adianthum-nigrum</i> L.	10, 11
<i>gratum</i> Schott	184, 189	<i>bourgaei</i> Boiss.	10, 11
<i>hygrophilum</i> Boiss.	183, 187	<i>ceterach</i> L.	10
<i>intortum</i> Banks et Sol.	191	<i>fontanum</i> Bernh.	11
<i>italicum</i> Mill.	184, 189	<i>haussknechtii</i> Godet et Reut.	10, 11
<i>melanopus</i> Boiss.	184, 190	<i>ruta-muraria</i> L.	10, 11
<i>orientale</i> M. Bieb.	188, 189	<i>sagittatum</i> (D.C.) A. Bange	12
<i>palaestinum</i> Boiss.	183, 185	<i>scolopendrium</i> L.	12
<i>rauwolfii</i> Blume	191	<i>trichomanes</i> L.	10, 11
<i>rupicola</i> Boiss.	188	Athyrium	7
<i>spiculatum</i> Blume	191	<i>filix-femina</i> (L.) Roth	8
<i>syriacum</i> Blume	184	Atraphaxis	404
Arundo	73	<i>billardieri</i> Jaub. et Spach	404, 405
<i>arenaria</i> L.	70	<i>spinosa</i> L.	404
<i>donax</i> L.	74	Atriplex	412
<i>epigeios</i> L.	69	<i>alexandrina</i> Boiss.	412, 414
<i>littorea</i> Schrad.	69	<i>amana</i> Post	417
<i>mauritanica</i> Desf.	74	<i>autrani</i> Post	416
<i>phragmites</i> L.	75	<i>crystallina</i> Boiss.	414
<i>pliniana</i> Turra	74	<i>glauca</i> L.	414
<i>plinii</i> Turra	74	<i>halimus</i> L.	412, 413
<i>pseudophragmites</i> Hall. fil.	69	<i>hastata</i> L.	413, 414, 416
Asarum <i>hypocistis</i> L.	381	<i>heterosperma</i> Bunge	414
ASPARAGOIDEAE	285	<i>hortensis</i> L.	416
Asparagus	285	<i>lasiantha</i> Boiss.	413, 416
<i>acutifolius</i> L.	286	<i>leucoclada</i> Boiss.	412, 414
<i>aphyllus</i> L.	286	<i>littoralis</i> L.	413, 417
<i>officinalis</i> L.	286	<i>micrantha</i> C. A. Mey.	413, 414
<i>palaestinus</i> Baker	285, 286	<i>palaestina</i> Boiss.	414
<i>stipularis</i> Forsk.	286	<i>parvifolia</i> Moq.	414
<i>trichophyllum</i> Bunge	285, 287	<i>patula</i> L.	413, 416
	286		

<i>portulacoides</i> L.	412	<i>aleppicum</i> Thiéb.	192, 193
<i>rosea</i> L.	413, 415	<i>angustatum</i> (J. E. Hook.) Boiss.	192, 193
<i>stylosa</i> Viv.	412, 414	<i>auraniticum</i> Mout.	192, 193
<i>tatarica</i> L.	413, 415, 416	<i>bovei</i> Blume	192
<i>thunbergifolia</i> Boiss. et Noë	413, 414	<i>carduchorum</i> (Schott) Engler	192
<i>turcomanica</i> Moqu.	414	<i>pyrami</i> (Schott) Engler	192, 194
<i>zahlensis</i> Mout.	413, 415	<i>russelianum</i> Schott	192, 194
<i>Atropis</i>	109	<i>Bilderdykia</i>	396
<i>convoluta</i> (Hornem.) Griseb.	110	<i>convolvulus</i> (L.) Dumort.	396
<i>distans</i> (L.) Rupr.	110	<b>BLECHNACEAE</b>	9
<i>Avena</i>	81	<i>Blechnum</i>	9
<i>alba</i> Vahl	81, 83	<i>spicant</i> (L.) Roth.	9
<i>barbata</i> Potter	83	<i>Blitum</i>	410
<i>clauda</i> Dur.	81, 82	<i>rubrum</i> (L.) Reichenb.	410
<i>convoluta</i> Presl	81, 84	<i>virgatum</i> L.	411
<i>elatior</i> L.	86	<i>Blysmus</i>	168
<i>fatua</i> L.	81, 82	<i>compressus</i> (L.) Panzer	168
<i>flavescens</i> L.	80	<i>Bœrhavia</i>	446
<i>fragilis</i> L.	86	<i>plumbaginea</i>	446
<i>macra</i> Stev.	78	<i>Boissiera</i>	75
<i>orientalis</i> Schrad.	81	<i>bromoides</i> (Hochst.) Steud.	75
<i>pilosa</i> M. Bieb.	81, 82	<i>pumilio</i> (Trin.) Hackel	75
<i>pratensis</i> L.	81, 83	<i>Bolanthus</i>	510
<i>sativa</i> L.	81	<i>filicaulis</i> (Boiss.) Bark.	516
<i>sterilis</i> L.	81, 82	<i>frankeniioides</i> (Boiss.) Bark.	515
<i>wiestii</i> Steud.	83	<i>hirsutus</i> (Lab.) Bark.	515
<i>Axyrris ceratoides</i> L.	412	<i>Bothriochloa</i>	44
		<i>ischænum</i> (L.) Mansfeld	44
		<i>Brachiaria</i>	34
		<i>eruciformis</i> (Sibth. et Smith) Gmel.	34
		<i>mutica</i> (Forsk.) Stapf	34
		<i>Brachypodium</i>	130
		<i>distachyum</i> (L.) Beauv.	130
		<i>pinnatum</i> (L.) Beauv.	131
		<i>ramosum</i> (L.) Roem. et Schult.	131, 132
		<i>sylvaticum</i> (Huds.) Beauv.	131
		<i>Briza</i>	107
		<i>eragrostis</i> L.	71
		<i>humilis</i> M. Bieb.	108
		<i>maxima</i> L.	107, 108
		<i>minor</i> L.	107, 108
		<i>spicata</i> Sibth. et Smith	107, 108
		<i>Bromus</i>	118
		<i>aegyptiacus</i> Tausch	128
		<i>alopecuroides</i> Poir.	125
		<i>alopecuros</i> Poir.	119, 125
		<i>anatolicus</i> Boiss. et Heldr.	130
		<i>arvensis</i> L.	120, 129
		<i>bikfayensis</i> A. Camus et R. Gomb.	119, 120
		<i>brachystachys</i> Host	120, 129
		<i>contortus</i> Desf.	125
		<i>danthoniae</i> Trin.	120, 127
		<i>dertonensis</i> All.	114
		<i>distachyos</i> L.	130
		<i>divaricatus</i> Rohde	126
		<i>erectus</i> Huds.	120
		<i>fasciculatus</i> Presl	119, 124
		<i>flabellatus</i> (Hack.) Boiss.	119, 123

<i>gussonii</i> Parl.	123	<i>echinata</i> Murr.	176
<i>hordeaceus</i> L.	129	<i>echinata</i> Desf.	178
<i>intermedius</i> Guss.	120, 128	<i>extensa</i> Good.	173, 180
<i>japonicus</i> Thunb.	120, 129	<i>flacca</i> Schreb.	173, 178
<i>lanceolatus</i> Roth	119, 126	<i>glauca</i> Scop.	178
<i>macrostachys</i> Desf.	126	<i>gracilis</i> Curt.	173, 179
<i>madritensis</i> L.	119, 122	<i>gynobasis</i> Vill.	177
<i>maximus</i> Desf.	123	<i>halleriana</i> Asso	173, 177
<i>mollis</i> L.	129	<i>hispida</i> Willd.	173, 178
<i>oxyphlaeus</i> Payne	126	<i>leporina</i> L.	173, 176
<i>palaestinus</i> Melderis	120, 128	<i>maxima</i> Scop.	180
<i>patulus</i> Mert. et Koch	129	<i>mediterranea</i> Clarke	178
<i>pinnatus</i> L.	131	<i>muricata</i> L.	175, 176
<i>ramosus</i> L.	132	<i>nemorosa</i> Rebent.	175
<i>rigens</i> L.	123	<i>otrubae</i> Podp.	173, 175
<i>rigidus</i> Roth	119, 123	<i>bachystylis</i> J. Gay	174
<i>rubens</i> L.	119, 124	<i>pairæi</i> F. Schultz	173, 176
<i>scoparius</i> L.	119, 125	<i>pallescens</i> L.	173, 177
<i>squarrosus</i> L.	120, 127	<i>valudosa</i> Good.	181
<i>sterilis</i> L.	119, 122	<i>pendula</i> Huds.	173, 180
<i>syriacus</i> Boiss. et Bl.	119, 120	<i>phyllostachys</i> C. A. Mey.	173, 177
<i>tectorum</i> L.	119, 121	<i>pseudocyperus</i> L.	174, 181
<i>tomentellus</i> Boiss.	119, 121	<i>pubescens</i> Poir.	169
<i>villosus</i> Forsk.	123	<i>remota</i> L.	177
<i>Broussonetia papyrifera</i> (L.) L'Hér.	371	<i>riparia</i> Gurt.	174, 182
<b>Buffonia</b>	461	<i>rufa</i> (L.) Simonk.	179
<i>ephedrina</i> Sam.	461	<i>silvatica</i> Huds.	180
<i>kotschyana</i> Boiss.	461	<i>stellulata</i> Good.	173, 176
<i>macrosperma</i> J. Gay	461	<i>stenophylla</i> Wahlenb.	172, 174
<i>multiceps</i> Decne	461	<i>subvulpina</i> Senay	175
<i>paniculata</i> Dubois	461	<i>vulpina</i> L.	175
<i>tenuifolia</i> Vill.	461	<b>Caroxylon</b>	
<i>virgata</i> Boiss.	461	<i>articulatum</i> (Cav.) Moqu.	426
<i>Bulbillaria gageoides</i> Zucc.	226	<i>salicicum</i> Moqu.	426
<b>BUTOMACEAE</b>	31	<b>Carpinus</b>	
<b>Butomus</b>	31	<i>duinensis</i> Scop.	356
<i>umbellatus</i> L.	31	<i>orientalis</i> Mill.	356
C			
<b>Calamagrostis</b>	69	<b>Carpobrotus edulis</b> (L.) N. E. Br.	448
<i>epigeios</i> (L.) Roth	69	<b>CARYOPHYLLACEAE</b>	450
<i>littorea</i> (Schrad.) D.C.	69	<b>Castanea sativa</b> L.	357
<i>pseudophragmites</i> (Hall Fil.) Kœl.	69	<b>Catabrosa</b>	94
<b>Calligonum</b>	406	<i>aquatica</i> (L.) Beauv.	94
<i>comosum</i> L'Hér.	407	<i>humilis</i> (M. Bieb.) Trin.	95
<i>tetrapterum</i> Jaub. et Spach	407	<b>Catapodium</b>	116
<b>Cannabis</b>	377	<i>loliaceum</i> (Huds.) Link	117
<i>sativa</i> L.	377	<i>rigidum</i> (L.) C. Hubb.	117
<b>Carex</b>	172	<b>Caulinia</b>	24
<i>acuta</i> L.	179	<i>fragilis</i> Willd.	24
<i>acutiformis</i> Ehrh.	174, 181	<i>graminea</i> (Del.) Batt.	24
<i>banatica</i> Heuff.	179	<b>Cedrus</b>	15
<i>buekii</i> Wimm.	173, 179	<i>libanensis</i> Juss.	15
<i>contigua</i> Hoppe	176	<i>libani</i> A. Rich.	15
<i>distans</i> L.	174, 181	<i>libanotica</i> Link	15
<i>diversicolor</i> Druce	178	<b>Celosia cristata</b> L.	439
<i>divisa</i> Huds.	172, 174	<b>Celtis</b>	369
<i>divulsa</i> Stokes	173, 175	<i>australis</i> L.	369
		<i>tournefortii</i> Lam.	370
		<b>Cenchrus</b>	39

<i>asperifolius</i> Desf.	38	<i>mariscus</i> (L.) R. Br.	172
<i>capitatus</i> L.	91	<i>Colchicum</i>	205
<i>ciliaris</i> L.	39	<i>antilibanoticum</i> R. Gomb.	207
CENTROSPERMAE	407	<i>balansae</i> Planch.	204, 206
Cephalanthera	323	<i>brachiphyllum</i> Boiss. et Hausskn.	205, 208
<i>damasonium</i> (Mill.) Druce	324	<i>byzantinum</i> Park.	204, 207
<i>ensifolia</i> Murr.) L. C. Rich.	325	<i>candidum</i> Schott et Ky	206
<i>epipactoides</i> Fisch. et Mey.	324	<i>crocifolium</i> Boiss.	204", 209
<i>kurdica</i> Bornm.	324	<i>decaisnei</i> Boiss.	204, 205
<i>longifolia</i> (Huds.) Fritsch	324, 325	<i>deserti syriaci</i> Feinbr.	205, 208
<i>vallens</i> (Jundz.) L. G. Rich.	324	<i>fasciculare</i> (L.) Boiss.	205, 207
<i>rubra</i> (L.) L. C. Rich.	324	<i>halepense</i> Freyn	207
Gerastium	476	<i>haussknechtii</i> Boiss.	204, 206
<i>anomalum</i> Walsdt. et Kit.	477	<i>hierosolymitanum</i> Feinbr.	204, 206
<i>brachypetalum</i> Pers.	477, 479	<i>laetum</i> Stev.	206
<i>cerastoides</i> (L.) Britton.	476, 478	<i>libanoticum</i> Ehrenb.	205, 208
<i>comatum</i> Desv.	476, 478	<i>ritchii</i> R. Br.	208
<i>dichotomum</i> L.	476, 478	<i>steveni</i> Kunth	204, 209
<i>dubium</i> (Bast.) Schw.	476, 477	<i>tauri</i> Siehe	204, 207
<i>fragillimum</i> Fries	477, 480	<i>tunicatum</i> Feinbr.	204, 207
<i>glaucum</i> Gren. et Godr.	476	<i>tuviae</i> Feinbr.	204, 209
<i>glomeratum</i> Thuill.	477, 479	Colpodium	95
<i>glutinosum</i> Fries	477, 480	<i>humile</i> (M. Bieb.) Asch. et Gr.	95
<i>illyricum</i> Ser.	478	COMMELINACEAE	203
<i>inflatum</i> Link	477, 479	<b>COMMELINALES</b>	203
<i>kotschy</i> Boiss.	476, 477	<i>Comperia</i> <i>comperiana</i> (Stev. Asch. et Gr.)	335
<i>luridum</i> Guss.	479	CONIFERAE	14
<i>pentandrum</i> L.	477, 480	Cornucopiae	57
<i>perfoliatum</i> L.	476, 478	<i>alopecuroides</i> L.	58
<i>pumilum</i> Curtis	480	<i>cucullatum</i> L.	58
<i>ræseri</i> Boiss. et Heldr.	479	<i>involutcratum</i> (Post) Mez.	58
<i>semidecandrum</i> L.	480	Cornulaca	438
<i>tenue</i> Viv.	476	<i>setifera</i> Moqu.	438
<i>trigynum</i> Willd.	478	Corrigiola	452
<i>viscosum</i> L.	479	<i>littoralis</i> L.	452
Geterach	10	CORYLACEAE	356
<i>officinarum</i> Lam. et D.C.	10	<i>Corylus</i>	356
Cheilanthes	5	<i>avellana</i> L.	356
<i>fragrans</i> Webb et Berth.	5	Corynephorus	77
<i>pteridioides</i> (Reich.) Christ.	5	<i>articulatus</i> (Desf.) Beauv.	77
Chenolea	418	<i>deschampsiodoides</i> Bornm.	77, 78
<i>arabica</i> Boiss.	418	Crithopsis	158
CHENOPODIACEAE	407	<i>delileana</i> (Schult.) Nevski	158
Chenopodium	408	Crocus	295
<i>album</i> L.	408, 409	<i>aleppicus</i> Baker	296, 301
<i>ambrosioides</i> L.	408, 410	<i>cancellatus</i> Herb.	296, 299, 300
<i>botrys</i> L.	408, 410	<i>cilicicus</i> Ky	296, 300
<i>foliosum</i> (Moench) Asch.	408, 411	<i>damascenus</i> Herb.	296, 299
<i>murale</i> L.	408, 409	<i>dispathaceus</i> Bowles	295, 298
<i>opulifolium</i> Schrad.	408, 409	<i>edulis</i> Boiss. et Bl.	299
<i>rubrum</i> L.	408, 410	<i>elwesii</i> (Maw) O. Schwarz	295, 298
<i>scoparium</i> L.	418	<i>gaillardoti</i> (Boiss. et Bl.) Maw	301
<i>urbicum</i> L.	408, 410	<i>graveolens</i> Boiss. et Reuter	296, 303
<i>virgatum</i> (L.) Ambrosi	411	<i>haussknechtii</i> Boiss. et Reut.	295, 297
<i>vulvaria</i> L.	408, 409	<i>hermoneus</i> Ky	296, 300
Chrysopogon	42	<i>hyemalis</i> Boiss. et Bl.	296, 302
<i>gryllus</i> (L.) Trin.	43	<i>kotschy</i> C. Koch	295, 297
Cladium	172	<i>libanoticus</i> Mout.	297

macrobolbos Jovet et Gomb.	295, 299	Cyperus	158
<i>moabiticus</i> Bornm. et Dinsm.	295, 298	<i>alopecuroides</i> Rottb.	159, 161
<i>ochroleucus</i> Feinbr.	295, 296	<i>alternifolius</i> L.	163
<i>palaestinus</i> Feinbr.	296, 301	<i>blanqueanus</i> Desv.	163
<i>sativus</i> L.	297	<i>capitatus</i> Vandelli	162
<i>syriacus</i> Boiss. et Gaill.	302	<i>diformis</i> L.	160, 163
<i>thiebauti</i> Mout.	295, 297	<i>distachyos</i> All.	159, 161
<i>vitellinus</i> Wahlenb.	296, 302	<i>esculentus</i> L.	159, 164
<i>zonatus</i> J. Gay	297	<i>flavescens</i> L.	159, 160
Crypsis	58	<i>fucus</i> L.	160, 162
<i>aculeata</i> (L.) Aiton	59	<i>glaber</i> L.	160, 163
<i>alopecuroides</i> (L.) Host	59	<i>globosus</i> All.	159, 160
<i>factorovskyi</i> Eig	58	<i>junciformis</i> Cav.	161
<i>schænoides</i> (Pill. et Mitterp.) Host	59	<i>kalli</i> (Forsk.) Murb.	159, 162
Ctenopsis	116	<i>laevigatus</i> L.	159, 161
<i>patens</i> (Boiss.) Meld.	116	<i>longus</i> L.	159, 163
<i>pectinella</i> (Del.) De Notaris	116	<i>michelianus</i> (L.) Link	159, 162
Cucubalus	505	<i>mucronatus</i> (L.) Mab.	162
<i>aegyptiacus</i> L.	495	<i>mundtii</i> (Nees) Kunth	159, 160
<i>baccifer</i> L.	505	<i>papyrus</i> L.	163
<i>behen</i> L.	500	<i>bygmaeus</i> Rottb.	162
<i>inflatus</i> Salisb.	500	<i>rotundus</i> L.	159, 164
<i>italicus</i> L.	501	Cystopteris	6
<i>polygonoides</i> Willd.	515	<i>filix-fragilis</i> (L.) Borb.	6
<i>venosus</i> Gilib.	500	<i>fragilis</i> Bernh.	6
CUPRESSACEAE	17	<i>regia</i> Presl	6
Cupressus	17	Cytinus	381
<i>semperfirens</i> L.	17	<i>hypocistis</i> L.	381
Cutandia	95	D	
<i>dichotoma</i> (Forsk.) Trabut	96, 97	Dactylis	99
<i>maritima</i> (L.) Benth.	96	<i>glomerata</i> L.	99
<i>memphitica</i> (Spreng.) Benth.	96	<i>hispanica</i> Roth	99
<i>philistaea</i> (Boiss.) Benth.	45	<i>lagopoides</i> L.	100
Cymbopogon	45	<i>repens</i> Desf.	100
<i>arriani</i> (Edgw.) Aitsch.	45	Dactyloctenium	72
<i>olivieri</i> (Boiss.) Bor	45	<i>aegyptiacum</i> Willd.	72
<i>schoenanthus</i> (L.) Spreng.	45	<i>aegyptium</i> L.) Asch. et Schw.	72
Cymodocea	- 25	Dactylon	95
<i>aequorea</i> Koenig	25	<i>memphiticum</i> Spreng.	95
<i>major</i> (Cavol.) Grande	25	Damasonium	30
<i>nodosa</i> (Ucria) Asch.	25	<i>alisma</i> Mill.	30
Cynocrambe <i>prostrata</i> Gaertn.	445	<i>bourgaei</i> Coss.	30
Cynodon	73	<i>polyspermum</i> Coss.	30
<i>dactylon</i> (L.) Pers.	73	Danaë	288
CYNOMORIACEAE	381	<i>racemosa</i> (L.) Mœnch.	288
Cynomorium	381	Dianthus	520
<i>coccineum</i> L.	381	<i>actinopetalus</i> Fenzl.	521, 529
Cynosurus	97	<i>crinitus</i> Smith	520, 527
<i>aegyptius</i> L.	72	<i>cyri</i> Fisch. et Mey.	521, 522
<i>aureus</i> L.	98	<i>dumulosus</i> Boiss. et Huet	528
<i>callitrichus</i> Barb.	97	<i>fimbriatus</i> M. Bieb.	527
<i>coloratus</i> Lehm.	97	<i>floribundus</i> Boiss.	526
<i>durus</i> L.	101	<i>haussknechtii</i> Boiss.	526
<i>echinatus</i> L.	97	<i>hypachlorus</i> Boiss.	529
<i>effusus</i> Link	97, 98	<i>judaicus</i> Boiss.	521, 526
<i>elegans</i> Desf.	98	<i>karami</i> Bl.	521, 529
CYPERACEAE	158	<i>libanotis</i> Labili.	520, 527
CYPERALES	158	<i>micranthus</i> Boiss. et Held.	521, 526

<i>multipunctatus</i> Ser.	522, 523	<i>campylopoda</i> C. A. Mey.	20
<i>orientalis</i> Adams	521, 527	<i>fragilis</i> Desf.	20
<i>pachypetalus</i> Stapf	521, 526	EPHEDRACEAE	20
<i>vallens</i> Sibth. et Smith	526		
<i>pendulus</i> Boiss. et Bl.	521, 528	Epipactis	325
<i>bogonopetalus</i> Boiss.	529	<i>consimilis</i> Don.	325
<i>polycladus</i> Boiss.	521, 522, 524	<i>helleborine</i> (L.) Crantz	326
<i>strictus</i> Banks et Sol.	521, 522-25	<i>latifolia</i> (L.) All.	325, 326
<i>superbus</i> L.	527	<i>veratrifolia</i> Boiss. et Heldr.	325
<i>tripunctatus</i> Sibth. et Smith	521, 522	EQUISETACEAE	3
<i>velutinus</i> Guss.	518	<i>EQUISETALES</i>	3
<i>Dichoglossis linearifolia</i> Fisch et Mey.	513	Equisetum	3
<i>Digitaria</i>	33	<i>maximum</i> Lam.	3
<i>sanguinalis</i> (L.) Scop.	34	<i>palustre</i> L.	3
DIOSCOREACEAE	294	<i>ramosissimum</i> Desf.	3
<i>Dracunculus crassipes</i> Boiss.	191	<i>ramosum</i> Schleich.	3
Dryopteris	8	<i>telmateia</i> Ehrh.	3
<i>aculeata</i> (L.) O. Kuntze	8	Eragrostis	71
<i>libanotica</i> (Ros.) A. Christ.	8	<i>cilianensis</i> (All.) Vign.-Lut.	71
<i>pallida</i> (Bory) Fomin	9	<i>megastachya</i> Link	71
<i>rigida</i> (Hoffm.) Underw.	8	<i>minor</i> Host	71, 72
<i>spinulosa</i> (Sw.) O. Kuntze	9	<i>pilosa</i> (L.) Beauv.	71, 72
<i>thelypteris</i> (L.) A. Gray	9	<i>poaeoides</i> Beauv.	72
<i>villarsii</i> (Bell.) H. Woynar	9	<i>tatarica</i> (Fisch.) Henr.	71
E		<i>Eremopyron</i>	140
Echinaria	91	<i>buonapartis</i> (Spreng.) Nevski	140
<i>capitata</i> (L.) Desf.	91	<i>distans</i> (C. Koch) Nevski	141
Echinochloa	35	Eremurus	217
<i>colona</i> (L.) Link	36	<i>inderiensis</i> (Stev.) Regel	211, 217
<i>crus-galli</i> (L.) Beauv.	36	<i>libanoticus</i> Boiss. et Bal.	217
<i>eruciformis</i> (Sibth. et Smith) C. Koch	34	<i>spectabilis</i> M. Bieb.	211, 217
Echinodorus	29	Erianthus	40
<i>ranunculoides</i> (L.) Engelm.	29, 30	<i>hostii</i> Griseb.	40
Echinops	419	<i>ravennae</i> (L.) Beauv.	40
<i>hyssopifolium</i> (Pall.) Moqu.	419	<i>strictus</i> (Host), Bluff. et Fingerh.	40
<i>muricatum</i> (L.) Moqu.		Erythrostictus	211
Eleocharis	169	<i>balaestinus</i> Boiss.	
Elymus	157	Eupteris	7
<i>caput-medusae</i> L.	157	Eurotia	412
<i>crinitus</i> Schreb.	157	<i>ceratoides</i> (L.) C. A. Mey.	
<i>delileanus</i> Schult.	158	F	
<i>geniculatus</i> Del.	158	FAGACEAE	357
<i>pilifer</i> Banks et Sol.	142	FAGALES	355
Elytrigia	138	<i>Fagopyrum convolvulus</i> L.) Gross.	357
<i>aucherii</i> (Boiss.) Nevski	139	<i>Fagus orientalis</i> Lipsky	357
<i>elongata</i> (Host) Nevski	140	Festuca	110
<i>junccea</i> (L.) Nevski	140	<i>arundinacea</i> Schreb.	111, 113
<i>libanotica</i> (Hack.) Nevski	139	<i>bromoides</i> L.	114
<i>repens</i> (L.) Beauv.	138	<i>callieri</i> (Hack.) Markgr.	111
Emex	405	<i>ciliata</i> Pers.	114
<i>spinosa</i> (L.) Campdéra	405	<i>dichotoma</i> Forsk.	97
Eminium	190	<i>diversifolia</i> Boiss. et Bal.	102
<i>intortum</i> (Banks et Sol.) O. Ktze	191	<i>elatior</i> L.	111, 112, 113
<i>spiculatum</i> (Blume) O. Kuntze	191	<i>fena</i> Lag.	113
Ephedra	20	<i>indigesta</i> Boiss.	110, 111
<i>alata</i> Decne	20, 21	<i>inops</i> Del.	116
<i>alte</i> C. A. Mey.	20	<i>laevis</i> (Hack.) Nym.	111, 112
		<i>maritima</i> L.	118
		<i>myuros</i> L.	114

<i>ovina</i> L.	110, 111	<i>Galanthus</i>	290
<i>bhleoides</i> Vill.	87	<i>fosteri</i> Baker	290
<i>pinifolia</i> (Hack.) Bornm.	111	<i>Gastridium</i>	67
<i>pratensis</i> Huds.	110, 111	<i>lendigerum</i> (L.) Gaud.	67
<i>rigida</i> L.	117	<i>scabrum</i> Presl	67
<i>sciurooides</i> Roth	114	<i>ventricosum</i> (Gouan) Schinz	et Thell. 67
<i>sylvatica</i> Huds.	131	<i>Gaudinia</i>	86
<i>tenuiflora</i> Schrad.	118	<i>fragilis</i> (L.) Beauv.	86
<i>uniglumis</i> Solander	115	<i>Gaudinopsis</i>	78
<i>valesiaca</i> Schleich.	111	<i>macra</i> (Stev.) Eig	78
FESTUCOIDEAE	47	<i>Girgensohnia</i>	435
Ficus	371	<i>oppositiflora</i> Pall.	435
<i>carica</i> L.	371	<i>Githago</i> <i>segetum</i> Desf.	481
<i>sycomorus</i> L.	371	<i>Gladiolus</i>	303
FILICALES	5	<i>aleppicus</i> Boiss.	303, 305
FILICINAE	4	<i>anatolicus</i> Boiss.	304
Fimbristylis	170	<i>atrovilaceus</i> Boiss.	305
<i>bis-umbellata</i> (Forsk.) Bub.	170	<i>communis</i> L.	303
<i>dichotoma</i> auct.	170	<i>illyricus</i> Koch	304
<i>ferruginea</i> (L.) Vahl	170	<i>imbricatus</i> L.	303, 304
Fritillaria	232	<i>segetum</i> Ker-Gawler	403
<i>acmopetala</i> Boiss.	232, 233	<i>Glinus</i>	449
<i>alfredae</i>	232, 233	<i>dictamnoides</i> Burm. fil.	449
<i>crassifolia</i> Boiss. et Huet	232, 234	<i>lotoides</i> L.	449
<i>elwesii</i> Boiss.	232, 233	<i>Glyceria</i>	108
<i>hermonis</i> Fenzl.	234	<i>distans</i> (L.) Wahlgr.	110
<i>libanotica</i> (Boiss.) Baker	232, 235	<i>fluitans</i> L.	109
<i>olivieri</i> Baker	233	<i>plicata</i> Fries	109
<i>persica</i> L.	232, 235	<i>procumbens</i> (Curt.) Smith	109
<i>pinardi</i> Boiss.	232, 234	<i>rupestris</i> (Whit.) E. Marsh.	109
<i>platyptera</i> Sam.	233	<i>Gomphrena</i>	445
Fuirena	168	<i>globosa</i> L.	445
<i>pubescens</i> (Poir.) Kunth	169	<i>sessilis</i> L.	444
G		<i>GRAMINALES</i>	33
Gagea	220	<i>GRAMINEAE</i>	33
<i>anisanthos</i> G. Koch	218, 220	<i>Gymnadenia</i>	327
<i>arvensis</i> (Pers.) Dumort.	218, 220	<i>conopsea</i> (L.) R. Br.	327
<i>bohemica</i> Zausch.	219, 223	<i>Gymnogramma</i>	5
<i>boissieri</i> Pascher	221	<i>leptophylla</i> (L.) Desv.	5
<i>chlorantha</i> M. Bieb.	219, 225	<i>Gynandriris</i>	305
<i>circinata</i> (L. f.) Pascher	219, 224	<i>sisyrinchium</i> (L.) Parl.	305, 306
<i>commutata</i> C. Koch	225	<i>Gypsophila</i>	509
<i>damascena</i> Boiss.	225	<i>anatolica</i> Boiss.	509, 511
<i>dayana</i> Chodat et Bobs.	219, 225	<i>antari</i> Post et Beauv.	510, 513
<i>dubia</i> Terracciano	219, 221	<i>antilibanotica</i> Post	518
<i>fibrosa</i> (Desf.) Schult.	219, 224	<i>arabica</i> Barkoudah	509, 511
<i>fistulosa</i> (Ram.) Ker-Gawl.	219, 220	<i>arsusiana</i> (Ky) Williams	517
<i>foliosa</i> Presl	219, 221, 222	<i>aucherii</i> Boiss.	509, 512
<i>gageoides</i> (Zucc.) Vved.	219, 226	<i>capillaris</i> (Forsk.) Christ.	511
<i>liottardi</i> (Sternb.) Schult. f.	220	<i>cælesyriaca</i> (Boiss.) Williams	517
<i>micrantha</i> (Boiss.) Pascher	218, 222	<i>damascena</i> Boiss.	510, 513
<i>minima</i> (L.) Ker-Gawler	218, 223	<i>elegans</i> M. Bieb.	514
<i>peduncularis</i> (Presl) Pascher	218, 221	<i>filicaulis</i> (Boiss.) Bornm.	510, 516
<i>persica</i> Boiss.	226	<i>frankeniioides</i> Boiss.	510, 515
<i>procera</i> Mout.	219, 224	<i>gypsophilooides</i> (Fenzl) Blakel.	517
<i>reticulata</i> (Pall.) Schult.	219, 223	<i>haussknechtii</i> Boiss.	512
<i>rigida</i> Boiss. et Sprun.	219, 224	<i>heteropoda</i> Freyn et Sin t.	510, 514
		<i>hirsuta</i> Labili.	515

<i>hygrophila</i> Post	511	<i>Herniaria</i>	453
<i>libanotica</i> Boiss.	509, 512	<i>arabica</i> Hand.-Mazz.	453, 454
<i>linearifolia</i> (Fisch. et Mey.) Boiss.	510, 513	<i>cinerea</i> Lam. et D.C.	453
<i>mollis</i> (Boiss.) Bornm.	510, 515	<i>densiflora</i> Williams	454
<i>pallida</i> Stapf	510, 512	<i>glabra</i> L.	453, 454
<i>perfoliata</i> L.	511	<i>hemistemon</i> J. Gay	453, 455
<i>pilosa</i> Huds.	510, 516	<i>hirsuta</i> L.	453
<i>polygonoides</i> (Willd.) Halacsy	510, 515	<i>incana</i> Lam.	453, 454
<i>porrigens</i> (L.) Boiss.	516	<i>macrocarpa</i> Sibth. et Smith	454
<i>rokejeka</i> Del.	511	<i>microcarpa</i> Presl	454
<i>ruscifolia</i> Boiss.	509, 513	<i>Heteranthelium</i>	142
<i>trichopoda</i> Boiss.	513	<i>piliferum</i> (Banks et Sol.) Hochstt.	142
<i>trichotoma</i> Wend.	511	<i>Heteropogon</i>	46
<i>venusta</i> Fenzl	509, 510	f <i>allionii</i> (Lam. et D.C.) Rœm. et Sch.	46
<i>viscosa</i> Murr.	510, 514	<i>contortus</i> (L.) Rœm. et Schult.	46
H			
<i>Habrosia</i>	452	<i>Himantoglossum</i>	344
<i>spinuliflora</i> (Ser.) Fenzl	452	<i>affine</i> (Boiss.) Schlecht.	345
<i>Halimione</i>	412	<i>bolleanum</i> Schlecht.	345
<i>portulacoides</i> (L.) Aellen	412	<i>caprinum</i> (M. Bieb.) Spreng.	345
<i>Halimocnemis</i>	438	<i>Holcus</i>	76
<i>hispida</i> C. A. Mey.	437	<i>annuus</i> Salzm.	76
<i>pilosa</i> Moqu.	438	<i>halepensis</i> L.	42
<i>Halocharis</i>	437	<i>lanatus</i> L.	76, 77
<i>hispida</i> (C. A. Mey.) Moqu.	437	<i>setiglumis</i> Boiss.	76
<i>sulphurea</i> Moqu.	437	<i>setosus</i> Trin.	76
<i>syriaca</i> Eig	437	<i>Holoschænus</i>	166
<i>Halocnemum</i>	422	<i>vulgaris</i> Link	166
<i>strobilaceum</i> (Pall.) Bieb.	422	<i>Holosteum</i>	475
<i>Halogeton</i>	439	<i>liniflorum</i> Stev.	475
<i>alopecuroides</i> (Del.) Moqu.	439	<i>umbellatum</i> L.	475
<i>Haloepolis</i>	422	<i>Hordeum</i>	154
<i>amplexicaulis</i> (Vahl) Ung.-Sternb.	422	<i>bulbosum</i> L.	154, 156
<i>Haloxylon</i>	425	<i>gussoneanum</i> Parl.	155
<i>articulatum</i> (Cav.) Bunge	426	<i>hystrix</i> Roth.	154, 155
<i>ramosissimum</i> (Boiss.) Benth. et Hook.	426	<i>ithaburense</i> Boiss.	154
<i>salicornicum</i> (Moqu.) Bunge	426	<i>leporinum</i> Link	154, 155
<i>schweinfurthii</i> Asch.	426	<i>maritimum</i> With.	154, 155
<i>Heleocharis</i>	169	<i>murinum</i> L.	154, 156
<i>macrantha</i> Bockel	169	<i>nodosum</i> L.	154, 157
<i>palustris</i> (L.) R. Br.	169	<i>pratense</i> Huds.	157
<i>Heleochnoa</i>	59	<i>secalinum</i> Schreb.	157
<i>acutiglumis</i> Boiss.	59, 60	<i>spontaneum</i> C. Koch	154
<i>alpicola</i> Hochstt.	60	<i>Humulus</i>	377
<i>alopecuroides</i> (Pill. et Mitterp.) Host	59	<i>lupulus</i> L.	377
<i>orientalis</i> (Boiss.) Dinsm.	60	<i>Hyacinthella</i>	247
<i>schoenoides</i> (L.) Host	59	<i>nervosa</i> (Bertol.) Chouard	247
<i>Helicophyllum</i>	190	<i>Hyacinthus</i>	246
<i>crassipes</i> (Boiss.) Schott	191	<i>comosus</i> L.	253
<i>rauwolfii</i> (Blume) Schott	191	<i>nervosus</i> Bertol.	247
<i>Helictotrichon convolutum</i> (Presl) Henr.	84	<i>orientalis</i> L.	246
<b>HELOBIAE</b>	24	<i>racemosus</i> L.	255
<i>Hemarthria</i>	41	<i>Hydrocharis</i>	31
<i>altissima</i> (Poir.) Stapf et Hubb.	41	<i>morsus-ranae</i> L.	31
<i>fasciculata</i> (Lam.) Kunth	41	<b>HYDROGHARITACEAE</b>	31
<i>Henrardia</i>	137	<i>Hyparrhenia</i>	44
<i>persica</i> (Boiss.) C. Hubb.	135, 137	<i>hirta</i> (L.) Stapf	44
		<i>Hypocylinx</i>	422
		<i>kernerii</i> Wol.	422

<i>.neghevensis</i> Ijin	423	yebrudi Dinsm.	308, 318
<i>Hypoxis fascicularis</i> L.	207, 210	<i>Ischarum</i>	193
		<i>angustatum</i> J. D. Hooker	193
I		<i>pyrami</i> Schott	194
<i>Illecebrum</i>		ISOETACEAE	2
<i>arabicum</i> L.	456	ISOETALES	-2
<i>baronychia</i> L.	456	Isoetes	2
<i>Imperata</i>	39	<i>hystrix</i> Dur.	2
<i>arundinacea</i> Cyr.	39	<i>olympica</i> A. Br.	2
<i>cylindrica</i> (L.) Beauv.	39	Ixiolirion	293
<i>Ionorchis abortiva</i> (L.) Beck	323	<i>montanum</i> (Labili.) Herb.	293
IRIDACEAE	295	<i>ballasii</i> (Fisch. et Mey.)	293
Iris	306	<i>tataricum</i> (Pall.) Herb.	293
<i>albicans</i> Lange	307, 314	J	
<i>antilbanotica</i> Dinsm.	307, 316	JUGLANDACEAE	355
<i>atrofusca</i> Baker	317	JUGLANDALES	355
<i>atropurpurea</i> Baker	317	Juglans	355
<i>auranitica</i> Dinsm.	307, 315	<i>regia</i> L.	355
<i>barnumae</i> Fost. et Bak.	307, 315	JUNCACEAE	196
<i>basaltica</i> Dinsm.	308, 317	JUNCALES	196
<i>bismarckiana</i> Regel	308, 320	Juncus	197
<i>bostrensis</i> Mout.	308, 317	<i>acutus</i> L.	197, 198
<i>bulbocodium</i> L.	320	<i>articulatus</i> L.	197, 201
<i>cæruleo-violacea</i> (Gomb.) Mout.	307, 312	<i>bufonius</i> L.	198, 202
<i>calcarea</i> Dinsm.	308, 318	<i>capitatus</i> Weigel	197, 202
<i>caucasica</i> Hoffm.	310	<i>compressas</i> Jacqu.	200
<i>cedreti</i> Dinsm.	308, 318	<i>effusus</i> L.	197, 198
<i>cretensis</i> Janka	312	<i>fontanesii</i> J. Gay	197, 201
<i>damascena</i> Mout.	308, 318	<i>forsteri</i> Smith	196
<i>fumosa</i> Boiss. et Hausskn.	307, 311	<i>gerardi</i> Loisel.	197, 200
<i>grant-duffii</i> Baker	307, 312	<i>glaucus</i> L.	198
<i>hauranensis</i> Dinsm.	316	<i>inflexus</i> L.	197, 198
<i>helenae</i> Barb.	316	<i>lamprocarpus</i> Ehrh.	201
<i>hermona</i> Dinsm.	320	<i>libanoticus</i> Thiéb.	200
<i>heylandiana</i> Boiss. et Reut.	308, 317	<i>maritimus</i> Lam.	197, 199
<i>histrio</i> Reichenb.	376, 308	<i>punctarius</i> L.f.	197, 200
<i>jordana</i> Dinsm.	308, 316	<i>pygmæus</i> Rich.	197, 202
<i>kasruwana</i> Dinsm.	308, 319	<i>pyramidalis</i> Laharpe	201
<i>lortetii</i> W. Barb.	308, 319	<i>sphaerocarpus</i> Ness	203
<i>melanosticta</i> Bornm.	307, 313	<i>subulatus</i> Forsk.	197, 199
<i>mesopotamica</i> Dykes	307, 314	<i>tenageia</i> Ehrh.	198, 203
<i>nazarena</i> (Foster) Dinsm.	320	Juniperus	18
<i>nusairiensis</i> Mout.	306, 311	<i>drupacea</i> Lab.	19
<i>ochroleuca</i> L.	307, 313	<i>excelsa</i> M. Bieb.	18, 19
<i>palæstina</i> Baker	306, 310	<i>fœtidissima</i> Willd.	18, 19
<i>ballida</i> Lam.	314	<i>macrocarpa</i> Sibth. et Smith	18
<i>persica</i> L.	306, 309	<i>oxycedrus</i> L.	18
<i>postii</i> Mout.	306, 309	<i>rufescens</i> Link	18
<i>pseudacorus</i> L.	307, 313	K	
<i>saari</i> Schott	320	Kochia	418
<i>sieheana</i> Lynch.	309	<i>eriophora</i> Schrad.	420
<i>sindjarensis</i> Boiss. et Hausskn.	307, 311	<i>hyssopifolia</i> (Pall.) Roth	419
<i>sisyrinchium</i> L.	305	<i>latifolia</i> Fresen.	420
<i>sofarana</i> Fost	308, 319	<i>monticola</i> Boiss.	419
<i>susiana</i> L.	317	<i>muricata</i> (L.) Schrad.	419
<i>unguicularis</i> Poiret	307, 312		
<i>vartani</i> Fost.	306, 309		
<i>westii</i> Dinsm.	308, 319		

<i>scoparia</i> (L.) Schrad.	418	<i>Lychnis</i>	482
<i>Koeleria</i>	86	<i>alba</i> Mill.	490
<i>nitidula</i> Velen.	86	<i>caeli-rosa</i> (L.) Dur.	489
<i>phleoides</i> (Vill.) Pers.	86 à 88	<i>laeta</i> Ait.	
<i>Kohlrauschia</i>	518	<i>Lycochloa</i>	85
<i>velutina</i> (Guss.) Reichb.	518	<i>avenacea</i> Sam.	85
<i>Krascheninnikovia</i>	411	<b>LYCOPODIACEAE</b>	1
<i>ceratoides</i> L.) Gueld.	412	<b>LYCOPODIALES</b>	1
L			
<i>Lagurus</i>	69	<i>Lycopodium</i>	1
<i>cylindricus</i> L.	39	<i>cernuum</i> L.	1
<i>ovatus</i> L.	69	<i>denticulatum</i> L.	2
<i>Lamarckia</i>	98	 	
<i>aurea</i> (L.) Mœnch	98	<b>M</b>	
<i>Leersia</i>	47	<i>Maclura</i>	371
<i>hexandra</i> Sw.	47	<i>aurantiaca</i> Nutt.	371
<i>Lemna</i>	195	<i>bomifera</i> (Raf.) Robinson	371
<i>gibba</i> L.	195	<i>Manisurus</i>	41
<i>minor</i> L.	195	<i>altissimus</i> (Poir.) Hitchc.	41
<i>paucicostata</i> Hegelm.	195	<i>Marsilea</i>	13
<i>polyrrhiza</i> L.	196	<i>natans</i> L.	13
<i>trisulca</i> L.	195	<i>Melandrium</i>	481
<b>LEMNACEAE</b>	194	<i>album</i> (Mill.) Garcke	481, 482
<b>LEPIDOSPERMALES</b>	1	<i>erioqalycinum</i> Boiss.	481, 482
<i>Lepturus</i>	136	<i>pratense</i> Rœhl.	482
<i>cylindricus</i> (Will.) Trin.	136	 	
<i>filiformis</i> (Roth) Trin.	136	<i>Melica</i>	91
<i>incurvatus</i> (L.) Trin.	136	<i>angustifolia</i> Boiss. et Bl.	91, 92
<i>persicus</i> Boiss.	137	<i>ciliata</i> L.	91, 93
<b>LILIACEAE</b>	203	<i>cretica</i> Boiss. et Heldr.	93
<b>LILIALES</b>	203	<i>cupani</i> Guss.	91, 92
<i>Lilium</i>	236	<i>inaequiglumis</i> Boiss.	91, 93
<i>candidum</i> L.	236	<i>minuta</i> L.	92
<i>Limodorum</i>	323	<i>pannosa</i> Boiss.	91, 93
<i>abortivum</i> (L.) Sw.	323	<i>ramosa</i> Vill.	92
<i>Lloydia</i>	219	<i>uniflora</i> Retz.	91, 92
<i>rubroviridis</i> Boiss. et Ky	218, 219	 	
<i>Lolium</i>	132	<i>Merendera</i>	210
<i>arvense</i> Whit.	133	<i>sobolifera</i> C. A. Mey.	203, 210
<i>gaudini</i> Parl.	134	 	
<i>loliaceum</i> (Bory et Chaub.) Hand.-Mazz.	132, 134	<i>Mesembryanthemum</i>	447
<i>multiflorum</i> Lam.	132, 134	<i>edule</i> L.	447, 448
<i>perenne</i> L.	132, 133	<i>forskalei</i> Hochstt.	447
<i>persicum</i> Boiss. et Hoh.	132, 134	<i>nodiflorum</i> L.	447, 448
<i>rigidum</i> Gaud.	132, 133	 	
<i>robustum</i> Reichb.	133	<i>Microcnemum</i>	421
<i>speciosum</i> Stev.	133	<i>coralloides</i> (Loscos et Pardo)	
<i>subulatum</i> Vis.	134	Font-Quer	421
<i>temulentum</i> L.	132	<i>fastigiatum</i> Ung.-Sternb.	421
<i>Lophochloa phleoides</i> (Vill.) Reichenb.	87	 	
<b>LORANTHACEAE</b>	382	<i>Milium</i>	56
<i>Loranthus</i>	382	<i>caeruleescens</i> Desf.	56
<i>europaeus</i> L.	382	<i>lendigerum</i> L.	67
<i>Loroglossum hircinum</i> (L.) C. Rich.	345	<i>montianum</i> Parl.	57
<i>Luzula</i>	196	<i>pedicellare</i> (Bornm.) Roshev.	57
<i>forsteri</i> (Sm.) D.C.	196	<i>trichopodium</i> Boiss.	56, 57
		<i>vernale</i> M. Bieb.	57
		<i>Minuartia</i>	462
		<i>decipiens</i> (Fenzl) Bornm.	463, 467
		<i>formosa</i> (Fenzl) Mattf.	463, 470
		<i>globulosa</i> (Labili.) Maire et Petitm.	
		<i>hamata</i> (Hausskn.) Mattf.	463, 466
		<i>hybrida</i> (Vill.) Schiskine	470
			464, 468

<i>innominata</i> Mc Neil	463, 465	<i>muricata</i> Del.	24
<i>intermedia</i> (Boiss.) Hand.-Mazz.	463, 466	<i>Narcissus</i>	291
<i>juniperina</i> (L.) Maire et Petitm.	463, 464	<i>serotinus</i> L.	292
<i>labillardieri</i> Briquet	463, 464	<i>syriacus</i> Boiss. et Gaill.	292
<i>ibanotica</i> (Boiss.) Bornm.	463, 464	<i>tazzetta</i> L.	292
<i>mediterranea</i> (Lebed.) K. Maly	464, 468	<i>Nardurus</i>	117
<i>mesogitana</i> (Boiss.) Hand.-Mazz.	464, 467	<i>maritimus</i> (L.) Janch.	118
<i>meyeri</i> (Boiss.) Bornm.	463, 466	<i>orientalis</i> Boiss.	118
<i>montana</i> Loefl.	463, 467	<i>tenuiflorus</i> (Schrad.) Boiss.	118
<i>mucronata</i> (Sibth. et Smith) Sch. et Th.	468	<i>Nardus</i>	135
<i>parvulorum</i> Mout. et Sam.	463,	<i>aristata</i> L.	135
<i>picta</i> (Sibth. et Smith) Schinz et Thell.	463, 469	<i>incurva</i> Gouan	
<i>subtilis</i> (Fenzl) Hand.-Mazz.	464, 468	<i>Neotinea</i>	327
<i>tenuifolia</i> (L.) Hiern.	468	<i>intacta</i> (Link) Reichenb.	327
<i>thymifolia</i> (Sibth. et Smith) Bornm.	463	<i>Nephrodium</i>	8
<i>viscosa</i> (Schreb.) Schinz et Th.	468	<i>rigidum</i> (Hoffm.) Desv.	9
<b>Mœnchia</b>	476	<i>Noaea</i>	435
<i>octandra</i> (Ziz) J. Gay	476	<i>mucronata</i> (Forsk.) Asch. et Schw.	435
<b>Molinia</b>	94	<i>spinosissima</i> (L. fil.) Moqu.	435
<i>cærulea</i> (L.) Mœnch	94	<i>Nothochlaena</i>	5
<b>Monerma</b>	136	<i>Notholaena</i>	5
<i>cylindrica</i> (Willd.) Coss. et Dur.	135, 136	<i>lanuginosa</i> (Desf.) Desv.	6
<b>Monocaryum</b>	209	<i>marantae</i> (L.) R. Br.	6
<i>fasciculare</i> Rœm. et Scul t	204, 210	<i>vellea</i> (Ait.) R. Br.	6
<b>Montia</b>	450	<b>NYCTAGINACEAE</b>	446
<i>fontana</i> L.	450	<b>O</b>	
<i>minor</i> auct.	450	<b>Obione</b>	412
<b>MORACEAE</b>	370	<i>portulacoides</i> (L.) Moqu.	412
<i>Morocarpus</i>	foliosus	<b>OPHIOGLOSSACEAE</b>	4
<b>Morus</b>	<b>Mœnch</b>	<b>OPHIOGLOSSALES</b>	4
<i>alba</i> L.	411	<i>Ophioglossum</i>	4
<i>nigra</i> L.	370	<i>lusitanicum</i> L.	4
<b>Muscari</b>	370	<i>vulgatum</i> L.	4
<i>albicaule</i> Post	252	<b>Ophrys</b>	327
<i>comosum</i> (L.) Mill.	252, 253	<i>adonidis</i> A. Camus et R. Gombault	329
<i>commutatum</i> Guss.	253, 256	<i>apifera</i> Huds.	328, 333
<i>deserticolum</i> Rech.	254	<i>arachnites</i> Lam.	330
<i>dinsmorei</i> Rech.	fil.	<i>argolica</i> Fleischm.	328, 333
<i>inconstrictum</i> Rech.	fil.	<i>attica</i> (Boiss. et Orph.) Sod	328, 331
<i>longipes</i> Boiss.	252, 254	<i>bombylliflora</i> Link	332
<i>maritimum</i> Desf.	252, 255	<i>bornmuelleri</i> M. Schulze	328, 331
<i>neglectum</i> Guss.	253, 256	<i>carmeli</i> Fleischm. et Bornm.	331
<i>parviflorum</i> Desf.	252, 257	<i>cilicica</i> Schlecht.	332
<i>pinardi</i> Boiss.	252, 253	<i>comuta</i> Stev.	332
<i>pulchellum</i> Heldr. et Sart.	252, 255	<i>dinsmorei</i> Schlecht.	331
<i>racemosum</i> (L.) Mill.	252, 255	<i>fuciflora</i> (Crantz) Haller	328, 330
<i>wallii</i> Rech.	fil.	<i>fusca</i> Link	328, 329
	253	<i>galilaea</i> Fleischm. et Bornm.	328, 330
		<i>iricolor</i> Desf.	328, 329
		<i>lutea</i> (Gouan) Cav.	328, 330
<b>NAIADACEAE</b>	24	<i>œstrifera</i> M. Bieb.	331
<b>Naias</b>	24	<i>rosea</i> Desf.	330
<i>armata</i> Lindb.	24	<i>schulzei</i> Fleischm. et Bornm.	332
<i>delilei</i> Rouy	24	<i>scolopax</i> Cav.	328, 332
<i>graminea</i> Del.	24	<i>sintenesii</i> Fleischm. et Bornm.	328, 334
<i>marina</i> L.	24	<i>speculum</i> Link	328, 330
<i>minor</i> L.	24		

<i>spruneri</i> Nym.	334	<i>libanoticum</i> Boiss. et Bl.	239, 240
<i>tenthredinifera</i> Willd.	330	<i>minimum</i> L.	223
<i>Oporanthus fischerianus</i> Herb.	291	<i>montanum</i> Cyr.	239, 243
ORCHIDACEAE	322	<i>narbonense</i> L.	239, 241
Orchis	334	<i>neurostegium</i> Boiss. et Bl.	240, 244
<i>abortiva</i> L.	323	<i>paterfamilias</i> Godron	240, 245
<i>anatolica</i> Boiss.	335, 342	<i>pedunculare</i> Presl	221
<i>angustifolia</i> M. Bieb.	340	<i>platyphyllum</i> Boiss.	240, 243
<i>autumnalis</i> Balb.	323	<i>pyrenaicum</i> L.	239, 240
<i>caprina</i> M. Bieb.	345	<i>reticulatum</i> Pall.	223
<i>chlorantha</i> Custer	326	<i>tenuifolium</i> Guss.	240, 245
<i>cilicica</i> Schlecht.	343	<i>ulophyllum</i> Hand.-Mazz.	244
<i>collina</i> Banks et Sol.	335, 341	<i>umbellatum</i> L.	245
<i>commutata</i> Tod.	338		47
<i>comperia</i> a Stev.	334, 355	<i>Oryza</i>	47
<i>coriophora</i> L.	335, 337	<i>hexandra</i> Doell.	47
<i>fuciflora</i> Crantz	330	<i>sativa</i> L.	47
<i>galilaea</i> (Bornm. et M. Sch.)	Schlecht. 339		55
<i>hircina</i> L.	345	Oryzopsis	55
<i>holocheilos</i> (Boiss.) Soo	335, 343	<i>cærulescens</i> (Desf.) Richt.	55, 56
<i>iberica</i> M. Bieb.	335, 340	<i>holciformis</i> (M. Bieb.) Reichb.	55, 56
<i>incarnata</i> L.	343	<i>miliacea</i> (L.) Asch. et Schw.	55
<i>intacta</i> Link	327		4
<i>italica</i> Poir.	335, 340	<i>Osmunda</i>	4
<i>lactea</i> Poir.	338	<i>regalis</i> L.	4
<i>laxiflora</i> Lam.	335, 343	<i>spicant</i> L.	9
<i>longicurvis</i> Link	340		4
<i>macrostachys</i> Tineo	343	OSMUNDACEAE	4
<i>maculata</i> L.	335, 343	<i>OSMUNDALES</i>	4
<i>mascula</i> L.	342	Ostrya	356
<i>morio</i> L.	334, 336	<i>carpinifolia</i> Scop.	357
<i>papilionacea</i> L.	334, 336	Osyris	378
<i>patens</i> Desf.	335, 341	<i>alba</i> L.	378
<i>pseudosambucina</i> Ten.	342	Oxyria	405
<i>punctulata</i> Stev.	335, 339	<i>digyna</i> L.) Hill	405
<i>pyramidalis</i> L.	344		182
<i>romana</i> Seb. et Mauri	335, 342	PALMAE	292
<i>saccata</i> Ten.	341	<i>Pancratium</i>	292
<i>saccigera</i> Brongn.	343	<i>maritimum</i> L.	292
<i>sancta</i> L.	335, 337	<i>parviflorum</i> Decne	293
<i>simia</i> Lam.	335, 338		22
<i>sulphurea</i> Link	342	PANDANALES	418
<i>tridentata</i> Scop.	334, 338	Panderia	418
<i>vomeracea</i> Burm.	346	<i>pilosa</i> Fisch. et Mey.	33
Ornithogalum	239		36
<i>arabicum</i> L.	239, 242	PANICOIDEAE	36
<i>arvense</i> Pers.	220	Panicum	36
<i>billardieri</i> Mout.	239, 242	<i>colonum</i> L.	36
<i>bohemicum</i> Zauschn.	223	<i>crus-galli</i> L.	36
<i>brachystachys</i> G. Koch	241	<i>dactylon</i> L.	73
<i>chloranthum</i> M. Bieb.	225	<i>cruciforme</i> Sibth. et Smith	34
<i>circinatum</i> L. fil.	225	<i>geminatum</i> Forsk.	35
<i>densum</i> Boiss. et Bl.	239, 241	<i>glaucum</i> L.	37
<i>divergens</i> Boreau	240, 245	<i>lutescens</i> Weigel	37
<i>eigii</i> Feinbr.	244	<i>miliaceum</i> L.	37
<i>fimbriatum</i> Willd.	244	<i>muticum</i> Forsk.	34
<i>fucescens</i> Boiss. et Gaill.	239, 241	<i>numidianum</i> Lam.	34
<i>lanceolatum</i> Labili.	242, 243	<i>prostratum</i> Lam.	34
		<i>repens</i> L.	37
		<i>sanguinale</i> L.	36
		<i>setaceum</i> Gmel.	34
		<i>verticillatum</i> L.	39
		<i>viride</i> L.	38
			37

<i>Pappophorum pumilio</i> Trin.	75	<i>gerardi</i> All.	61
Parapholis	136	<i>graecum</i> Boiss.	64
<i>incurva</i> (Dum. -Cours.) C. Hubb.	135, 136	<i>montanum</i> C. Koch.	63, 64
<i>strigosa</i> (D.C.) C. Hubb.	135, 136	<i>nodosum</i> L.	63, 65
Parietaria	374	<i>pratense</i> L.	65
<i>alsinifolia</i> Del.	375, 376	<i>schaenoides</i> L.	59
<i>cretica</i> L.	375, 376	<i>subulatum</i> (Savi) Asch. et Schw.	63
<i>diffusa</i> Mert. et Koch	375	<i>tenue</i> (Host.) Schrad.	63
<i>erecta</i> Mert. et Koch	376	<i>Phænix</i>	182
<i>judaica</i> L.	374, 375	<i>dactylifera</i> L.	182
<i>lusitanica</i> L.	375, 376	<i>Pholiurus</i>	136
<i>officinalis</i> L.	376	<i>incurvus</i> (L.) Schinz et Thell.	136
<i>ramiflora</i> Mœnch	375	<i>persicus</i> (Boiss.) A. Camus	137
Paronychia	455	Phragmites	74
<i>arabica</i> (L.) D.C.	455, 456	<i>communis</i> Trin.	75
<i>argentea</i> Lam.	455, 456	<i>Phucagrostis major</i> Cavolini	25
<i>capitata</i> Koch	455	Phyllitis	12
<i>chionea</i> Boiss.	455	<i>hemionitis</i> (Lagr.) O. Kuntze	12
<i>echinata</i> Lam.	455, 457	<i>scolopendrium</i> (L.) Newm.	12
<i>kurdica</i> Boiss.	455, 456	Phytolacca	446
<i>macrosepala</i> Boiss.	455, 456	<i>americana</i> L.	446
PARONYCHIOIDEAE	451	<i>decandra</i> L.	446
Paspalidium	35	<i>pruinosa</i> Fenzl.	446
<i>geminatum</i> (Forsk.) Stapf	35	PHYTOLACCACEAE	445
Paspalum	35	Pilgerochloa	78
<i>distichum</i> L.	35	<i>blanchei</i> (Boiss.) Eig	78
Pennisetum	38	PINACEAE	15
<i>asperifolium</i> (Desf.) Kunth	38	PINALES	15
<i>ciliare</i> (L.) Link	39	Pinus	15
<i>divisum</i> (CC. Gmel.) Henr.	38, 39	<i>brutia</i> Ten.	16
<i>setaceum</i> (Forsk.) Chiov.	38	<i>cedrus</i> L.	15
Petrorrhagia <i>velutina</i> (Guss.) P. W. Bal.	518	<i>halepensis</i> Mill.	16
& Heywood		<i>pinea</i> L.	16
Petrosimonia	436	<i>pithyusa</i> Stev.	16
<i>brachiata</i> (Pall.) Bunge	436	Piptatherum	55
Phaelurus	41	<i>blanqueanum</i> E. Desv.	56
<i>digitatus</i> (Sibth. et Smith) Griseb	41	<i>caerulescens</i> (Desf.) Beauv.	56
Phalaris	47	<i>holciforme</i> (M. Bieb.) Rœm. et Sch.	56
<i>arundinacea</i> L.	47, 50	<i>miliaceum</i> (L.) Coss.	55
<i>brachystachys</i> L.	48	Platanthera	362
<i>bulbosa</i> L.	48, 49	<i>chlorantha</i> (Custer) Reichb.	362
<i>cærulescens</i> Desf.	47, 49	Poa	101
<i>eruciformis</i> L.	61	<i>annua</i> L.	101, 103
<i>minor</i> L.	48	<i>attica</i> Boiss. et Heldr.	V 104
<i>nodosa</i> L.	49	<i>bulbosa</i> L.	102, 105
<i>paradoxa</i> L.	48, 49	<i>chaixii</i> Vill.	101, 102
<i>semiverticillata</i> Forsk.	66	<i>ciliarensis</i> All.	71
<i>setacea</i> Forsk.	39	<i>compressa</i> L.	102, 105
<i>subulata</i> Savi	68	<i>convoluta</i> Hornem.	110
<i>tenuis</i> Host	63	<i>distans</i> L.	110
<i>tuberosa</i> L.	49	<i>divaricata</i> Gouan	95
Phleum	63	<i>diversifolia</i> (Boiss. et Bal.) Hack.	101, 102
<i>alopecuroides</i> Pill. et Mitterp.	59	<i>exilis</i> (Pomm.) Murb.	102
<i>alpinum</i> L.	65	<i>hackeli</i> Post	101, 103
<i>arenarium</i> L.	63, 64	<i>infirma</i> H. B. et K.	101, 103
<i>bæhmeri</i> Wib.	64	<i>littoralis</i> Gouan	100
<i>boissieri</i> Bornm.	63, 64	<i>loliacea</i> Huds.	117
<i>exaratum</i> Griseb.	63, 64	<i>nemoralis</i> L.	102, 106

<i>pectinata</i> Post	103	<i>vulgare</i> L.	13
<i>persica</i> Trin.	101, 107	<i>Polypogon</i>	68
<i>pilosa</i> L.	71	<i>maritimus</i> Willd.	68
<i>pratensis</i> L.	101, 104	<i>monspeliensis</i> (L.) Desf.	68
<i>procumbens</i> Curtis	109	<i>vaginatus</i> Willd.	61
<i>silvicola</i> Guss.	102, 104	<i>Polystichum</i>	8
<i>sinaica</i> Steud.	102, 106	<i>aculeatum</i> (L.) Roth	8
<i>sterilis</i> M. Bieb.	102, 106	<i>Populus</i>	351
<i>sudetica</i> Haenke	102	<i>alba</i> L.	352
<i>tatarica</i> Fisch.	71	<i>bolleana</i> Lauche	351, 352
<i>timoleontis</i> Heldr.	102, 106	<i>canescens</i> Smith	353
<i>trivialis</i> L.	-- 102, 104	<i>carolinensis</i> Foug.	351, 352
<i>Pollinia distachya</i> (L.) Spreng.	46	<i>euphratica</i> Oliv.	351, 354
<i>Polycarpon</i>	457	<i>globosa</i> Dode	354
<i>alsinifolium</i> (Biv.) D.C.	458	<i>italica</i> Duroi	351, 352
<i>succulentum</i> (Del.) J. Gay	457	<i>nigra</i> L.	351, 352
<i>tetraphyllum</i> L.	457	<i>tremula</i> L.	351, 352-54
<i>Polycnemum brachiatum</i> Pall.	436	<i>Portulaca</i>	449
<b>POLYGONACEAE</b>	387	<i>oleracea</i> L.	450
<b>POLYGOALES</b>	387	<b>PORTULACACEAE</b>	449
<i>Polygonatum polyanthemum</i> (M. Bieb.) Link	285	<b>Potamogeton</b>	26
<b>Polygonum</b>	396	<i>crispus</i> L.	26
<i>aleppicum</i> Boiss. et Hausskn.	397, 402	<i>densus</i> L.	26, 27
<i>alpestre</i> C. A. Mey.	403	<i>fluitans</i> Roth	26
<i>amphibium</i> L.	396, 398	<i>lucens</i> L.	26, 27
<i>arenarium</i> Waldst. et Kit.	401	<i>natans</i> L.	27
<i>argyrocoleum</i> Steud.	397, 400	<i>nodosus</i> Poir.	26
<i>aviculare</i> L.	397, 401	<i>panormitanus</i> Biv.	26, 28
<i>bellardi</i> Reichb.	400	<i>pectinatus</i> L.	26, 28
<i>cedrorum</i> Boiss. et Ky	397, 404	<i>perfoliatus</i> L.	26, 27
<i>cognatum</i> Meisn.	397, 403	<i>phialae</i> Post	.27
<i>convolvulus</i> L.	396	<i>pusillus</i> L.	28
<i>corrigioloides</i> Jaub. et Spach	397, 400	<i>trichoides</i> Cham. et Schlecht	26, 27
<i>equisetiforme</i> Sibth. et Smith	397, 402	<b>POTAMOGETONACEAE</b>	25
<i>herniarioides</i> R. Br.	403	<b>PRINCIPES</b>	182
<i>hydropiper</i> L.	396, 398	<b>Psamma</b>	70
<i>kitaibelianum</i> Sadl.	397, 400	<i>arenaria</i> (L.) Roem. et Sch.	70
<i>lapathifolium</i> L.	396, 399	<i>australis</i> Mabille	70
<i>libani</i> Boiss.	397, 403	<b>Psilurus</b>	135
<i>maritimum</i> L.	397, 402	<i>aristatus</i> (L.) Duval-Jouve	135
<i>nodosum</i> Pers.	399	<i>incurvus</i> Schinz et Thell.	135
<i>batulum</i> M. Bieb	400	<i>nardooides</i> Trin.	135
<i>persicaria</i> L.	396, 399	<b>Pteranthus</b>	451
<i>plebeium</i> Del.	403	<i>dichotomus</i> Forsk.	451
<i>polycnemoides</i> Jaub. et Spach	397, 400	<i>echinatus</i> Desf.	451
<i>salicifolium</i> Brouss.	396, 398	<b>PTERIDACEAE</b>	5
<i>scabrum</i> Poir.	398	<b>Pteridium</b>	7
<i>serrulatum</i> Lagr.	398	<i>aquilinum</i> (L.) Kuhn.	7
<i>setosum</i> Jacq.	397, 403	<b>Pteris</b>	7
<i>venantianum</i> Clem.	397, 401	<i>aquilina</i> L.	7
<b>POLYPODIACEAE</b>	13	<i>longifolia</i> L.	7
<b>Polypodium</b>	13	<i>vittata</i> L.	7
<i>aculeatum</i> L.	8	<b>Puccinellia</b>	109
<i>filix-femina</i> L.	8	<i>convoluta</i> (Hornem.) Fourr.	109, 110
<i>filix-fragile</i> L.	~ 6	<i>distans</i> (L.) Parl.	109, 110
<i>leptophyllum</i> L.	5	<i>rupestris</i> (Whit.) Fern. et Weath.	109
<i>lobatum</i> Huds.	8	<b>Puschkinia</b>	246
<i>pteridioides</i> Reich.	5	<i>libanotica</i> Zucc.	246

<i>scilloides</i> Adams	246	<i>Romulea</i>	320
<i>Pycrus</i>	160	<i>bulbocodium</i> Seb. et Mauri	320
<i>mundtii</i> Nees	160	<i>columnae</i> Seb. et Mauri	320, 322
		<i>nivalis</i> (Boiss. et Ky) Klatt	320, 321
		<i>Phoenicia</i> Mout.	320, 321
		<i>ramiflora</i> Ten.	320, 322
<i>Quercus</i>	357	<i>Rottbælia</i>	
<i>aegilops</i> L.	365	<i>altissima</i> Poir.	41
<i>boissieri</i> Reut.	360	<i>cylindrica</i> Willd.	136
<i>brantii</i> Lindley	358, 363	<i>digitata</i> Sibth. et Smith	41
<i>calliprinos</i> Webb	358, 367	<i>fasciculata</i> Lam.	41
<i>cedrorum</i> Ky	358, 359	<i>filiformis</i> Roth	136
<i>cerris</i> L.	359, 366	<i>loliacea</i> Bory et Jaub.	134
<i>coccifera</i> L.	367	<i>Rumex</i>	387
<i>ehrenbergii</i> Ky	364	<i>acetosella</i> L.	388, 395
<i>faginea</i> Lam.	360	<i>acetoselloides</i> Bal.	395
<i>graeca</i> Ky	365	<i>angustifolius</i> Campd.	388, 389
<i>ilex</i> L.	368	<i>autranianus</i> Freyn et Sint.	391
<i>infectoria</i> Oliv.	358, 360-62	<i>bucephalophorus</i> L.	389, 393
<i>ithaburensis</i> Decne	358, 365	<i>cassius</i> Boiss.	388, 392
<i>lanuginosa</i> Willd.	359	<i>chalepensis</i> Mill.	388, 391
<i>libani</i> Oliv.	358, 362	<i>conglomeratus</i> Murr.	388, 390
<i>look</i> Ky	363	<i>crispus</i> L.	388, 390
<i>lusitanica</i> Lam.	360	<i>cyprius</i> Murb.	389, 395
<i>macrolepis</i> Ky	365	<i>dentatus</i> L.	388, 392
<i>microphylla</i> (Ky) Thiéb.	358, 362	<i>digynus</i> L.	405
<i>oophora</i> Ky	363	<i>divaricatus</i> L.	392
<i>palaestina</i> Ky	368	<i>lacerus</i> Balb.	394
<i>pedunculiflora</i> C. Koch	359	<i>nemorosus</i> Schrad.	390
<i>petiolaris</i> Boiss. et Reut.	361	<i>nepalensis</i> Spreng.	388, 391
<i>persica</i> Jaub. et Spach	366	<i>obtusifolius</i> L.	390
<i>petraea</i> (Matt.) Lindl.	359	<i>occultans</i> Sam.	389, 394
<i>pfaeffingeri</i> Ky	361	<i>orientalis</i> Bernh.	389
<i>pinnatifida</i> C. C. Gmel.	358, 359	<i>palustris</i> Smith	388, 393
<i>pseudocerris</i> Boiss.	366	<i>patientia</i> L.	388, 389
<i>pyrami</i> Ky	365	<i>pictus</i> Forsk.	394
<i>sessiliflora</i> Smith	359	<i>pulcher</i> L.	388, 391-92
<i>suber</i> L.	368	<i>roseus</i> L.	395
<i>syriaca</i> Ky	361	<i>sannineus</i> Rech. fil.	391
<i>tauricola</i> Ky	361	<i>spinosus</i> L.	405
<i>ungeri</i> Ky	365	<i>syriacus</i> Meisn.	391
<i>Queria hispanica</i> L.	470	<i>tuberosus</i> L.	88, 394
		<i>vesicarius</i> L.	389, 395
RAFFLESIACEAE		<i>Ruppia</i>	25
<i>Rheum</i>	381	<i>maritima</i> L.	25
<i>palaestinum</i> Finbr.	406	<i>rostellata</i> Koch	25
<i>ribes</i> L.	406	<i>Ruscus</i>	287
<i>Rhizocephalus</i>	60	<i>aculeatus</i> L.	288
<i>orientalis</i> Boiss.	60	<i>racemosus</i> L.	288
<i>Rhynchospora</i>	171		S
<i>glauca</i> Vahl.	171	<i>Saccharum</i>	40
R. Br.	171	<i>aegyptiacum</i> Willd.	40
<i>Robbairea</i>	458	<i>biflorum</i> Forsk.	40
<i>delileana</i> Milne-Redh.	458	<i>officinarum</i> L.	40
<i>prostrate</i> (Forsk.) Boiss.	458	<i>ravennae</i> L.	40
<i>Rægneria</i>	138	<i>sara</i> Roxb.	40
<i>panormitana</i> (Parl.) Nevski	138	<i>spontaneum</i> L.	40

<b>Sagina</b>	462	<b>zenobiae</b> Mout.	428, <b>431</b>
<i>apetala</i> L.	462		13
<i>libanotica</i> Rech. fil.	462		13
<i>maritima</i> G. Don.	462		13
<i>octandra</i> Ziz.	476		13
<i>procumbens</i> L.	462		378
<b>SALICACEAE</b>	347		378
<b>SALICALES</b>	347		507
<b>Salicornia</b>	420	<b>bargyliana</b> Gomb.	507, 508
<i>amplexicaulis</i> Vahl.	422	<i>barradensis</i> Boiss.	515
<i>europaea</i> L.	421	<i>Jilicaulis</i> Boiss.	516
<i>fruticosa</i> L.	421	<i>glutinosa</i> M. Bieb.	508
<i>glauca</i> Del.	420	<i>hirsuta</i> Labili.	515
<i>herbacea</i> L.	421	<i>liniflora</i> Boiss. et Hausskn.	507
<i>strobilacea</i> Pall.	422	<i>mollis</i> Boiss.	515
<b>Salix</b>	347	<i>officinalis</i> L.	507
<i>acmophylla</i> Boiss.	347, 348	<i>oxyodonta</i> Boiss.	507
<i>alba</i> L.	348, 350	<i>pulvinaris</i> Boiss.	507, 508
<i>australior</i> Andr.	347, 349	<i>segetalis</i> Neck.	507
<i>babylonica</i> L.	347, 350	<i>syriaca</i> Boiss.	<b>507</b> , 509
<i>dinsmorei</i> Enander	347, 349	<i>tridentata</i> Boiss.	507, 508
<i>fragilis</i> L.	349	<i>vaccaria</i> L.	507
<i>libani</i> Bornm.	347, 350	<b>Schanginia</b>	425
<i>libanotica</i> Boiss.	350	<i>baccata</i> (Forsk.) Moqu.	425
<i>louisii</i> A. Cam. et R. Gomb.	348	<b>Schismus</b>	89
<i>micans</i> (Andrz.) Gœtz	350	<i>arabicus</i> Nees	89
<i>pedicellata</i> Desf.	350	<i>barbatus</i> (L.) Thell.	89
<i>versica</i> Boiss.	348	<i>calycinus</i> (L.) Host	89
<i>pseudo-safsaf</i> A. Cam. et R. Gomb.	348	<b>Schoberia salsa</b> C. A. Mey.	424
<i>purpurea</i> L.	348, 350	<b>Schoenus</b>	<b>171</b>
<i>safsaf</i> Forsk.	349	<i>compressus</i> L.	168
<i>subserrata</i> Willd.	349	<i>mariscus</i> L.	172
<i>variifolia</i> Freyn et Sint.	350	<i>mucronatus</i> L.	162
<b>Salsola</b>	427	<i>nigricans</i> L.	171
<i>articulata</i> Cav.	426	<b>Scilla</b>	236
<i>autrani</i> Post	428, 430	<i>autumnalis</i> L.	236, 237
<i>azaurena</i> Mout.	428, 433	<i>bifolia</i> L.	236, 238
<i>canescens</i> Moqu.	429, 433	<i>cemua</i> Red.	238
<i>crassa</i> M. Bieb.	428, 430	<i>cilicica</i> Siehe	237
<i>fruticosa</i> L.	424	<i>hanburyi</i> Baker	236, 237
<i>glauca</i> M. Bieb.	428, 434	<i>hohenackeri</i> Fisch. et Mey.	238
<i>helaramiae</i> Mout.	429, 432	<i>hyacinthoides</i> L.	236, 237
<i>hierochuntica</i> Bornm.	428, 434	<i>maritima</i> L.	238
<i>hyssopifolia</i> Pall.	419	<i>sibirica</i> Andr.	237, 238
<i>incanescens</i> C. A. Mey.	428, 430	<i>xanthandra</i> C. Koch	238
<i>inermis</i> Forsk.	428, 429	<b>Scirpus</b>	165
<i>jordanicola</i> Eig	428, 439	<i>bis-umbellatus</i> Forsk.	170
<i>kali</i> L.	428, 424	<i>cernuus</i> Vahl	165, 166
<i>lancifolia</i> Boiss.	434	<i>compressus</i> (L.) Pers.	168
<i>mucronata</i> Forsk.	435	<i>dichotomus</i> L.	170
<i>muricata</i> L.	419	<i>ferrugineus</i> L.	170
<i>postii</i> Eig	428, 432	<i>filiformis</i> Savi	166
<i>rigida</i> Pall.	433	<i>holoschoenus</i> L.	165, 166
<i>subcrassa</i> Popov	428, 431	<i>kalli</i> Forsk.	162
<i>tetrandra</i> Forsk.	428, 431	<i>lacustris</i> L.	165, 167
<i>vermiculata</i> L.	433	<i>libanoticus</i> Post	169
<i>villosa</i> Del.	429, 433	<i>littoralis</i> Schrad.	165, 167
<i>volkensii</i> Asch. et Schw.	428, 429	<i>maritimus</i> L.	167

<i>mucronatus</i> L.	165, 167	apetala Willd.	484, 493
<i>balustris</i> L.	169	astartes Bl.	487, 501
<i>setaceus</i> L.	165	<i>atocion</i> Juss.	495
<i>tabernaemontanus</i> Gmel.	165, 167	behen L.	483, 489
<i>triqueter</i> Gr. et Godr.	167	<i>bipartita</i> Desf.	494
<i>tuberosus</i> Desf.	165, 167	boryi Boiss.	486, 499
<b>Scleranthus</b>	451	<b>caeli-rosa</b> (L.) A. Br.	483, 490
<i>annuus</i> L.	451, 452	<i>capitellata</i> Boiss.	486, 498
<i>collinus</i> Horn.	451, 452	<i>caryophylloides</i> (Poir.) Otth	486, 499
<i>hamatus</i> Hausskn.	470	<i>cassia</i> Boiss.	485, 496
<i>orientalis</i> Rössler	451	<i>cerastoides</i> L.	484, 492
<i>uncinatus</i> Schur.	451	<i>chaetodonta</i> Boiss.	485, 497
<i>verticillatus</i> Tausch	452	<i>chlorifolia</i> Smith	487, 503
<b>Sclerochloa</b>	100	<i>colorata</i> Poir.	485, 494
<i>dura</i> (L.) Beauv.	101	<i>commutata</i> Guss.	501
<i>procumbens</i> (Curt.) Smith	109	<i>compacta</i> Fisch.	483, 488
<b>Scleropoa</b>		<i>confertiflora</i> Chowdhuri	486, 502
<i>dichotoma</i> (Forsk.) Parl.	97	<i>coniflora</i> Otth	483, 487
<i>maritima</i> (L.) Parl.	96	<i>conoidea</i> L.	483, 488
<i>memphitica</i> (Spreng.) Parl.	96	<i>crassipes</i> Fenzl	483, 490
<i>philistaea</i> Boiss.	96	<i>cretica</i> L.	483, 490
<i>procumbens</i> (Curt.) Boiss.	109	<i>cucubalus</i> Wib.	485, 500
<i>rigida</i> (L.) Griseb.	117	<i>damascena</i> Boiss. et Gaill.	484, 492
<b>Scolopendrium</b>		<i>decumbens</i> Bib.	494
<i>hemionitis</i> Lagr.	12	<i>dichotoma</i> Ehrh.	491
<i>vulgare</i> Smith	12	<i>eremophila</i> Bienert	492
<b>Secale</b>	141	<i>fuscata</i> Link	484, 495
<i>cereale</i> L.	141	<i>gallica</i> L.	484, 491
<i>montanum</i> Guss.	141	<i>gigantea</i> L.	505
<b>Seidlitzia</b>	427	<i>gonocalyx</i> Boiss.	490
<i>florida</i> M. Bieb.	427	<i>grisea</i> Boiss.	486, 504
<i>rosmarinus</i> (Ehr.) Bunge	. 427	<i>inflata</i> (Salisb.) Smith	500
<b>Selaginella</b>	2	intricata Post	485, 498
<i>denticulata</i> (L.) Link	2	<i>italica</i> (L.) Pers.	487, 501
<b>SELAGINELLACEAE</b>	1	<i>juncea</i> Sibth. et Smith	485, 497
<b>Serapias</b>	306	<i>kotschy</i> Boiss.	485, 496
<i>damasonium</i> Mill.	324	<i>laeta</i> (Ait.) A. Br.	483, 489
<i>ensifolia</i> Murr.	325	<i>lagenocalyx</i> Fenzl	492
<i>helleborine</i> L.	326	<i>libanotica</i> Boiss.	486, 504
<i>longifolia</i> Huds.	325	<i>linearis</i> Decne	485, 497
<i>longipetala</i> Poll.	346	<i>longipetala</i> Ventenat	486, 502
<i>pollens</i> (Jundz.) L. C. Rich.	324	<i>lydia</i> Boiss.	483, 488
<i>rubra</i> L.	324	<i>macrodonta</i> Boiss.	483, 488
<i>vomeracea</i> (Burm.) Briquet	346	<i>makmeliana</i> Boiss.	487, 504
<b>Sesleria</b>	90	<i>marschallii</i> C. A. Mey.	486, 502
<i>anatolica</i> Dey.	90	<i>modesta</i> Boiss. et Bl.	485, 498
<i>argentea</i> Savi	90	<i>muscipula</i> L.	483, 489
<i>subacaulis</i> Bal.	90	<i>nocturna</i> L.	484, 493
<b>Setaria</b>	37	<i>odontopetala</i> Fenzl	485, 500
<i>glauca</i> (L.) Beauv.	37	<i>oliveriana</i> Otth	485, 494
<i>italica</i> (L.) Beauv.	38	<i>palaestina</i> Boiss.	485, 493
<i>lutescens</i> (Weigel) Hubb.	37	<i>papillosa</i> Boiss.	483, 490
<i>verticillata</i> (L.) Beauv.	37, 38	<i>pharnaceifolia</i> Fenzl	486, 498
<i>viridis</i> (L.) Beauv.	37	<i>physalodes</i> Boiss.	485, 501
<b>Silene</b>	482	<i>physocalyx</i> Ledeb.	500
<i>aegyptiaca</i> L. fil.	484, 495	<i>picta</i> D.C.	. 497
<i>alba</i> Mill.	482	<i>pruinosa</i> Boiss.	486, 499
<i>amana</i> Boiss.	487, 502	<i>racemosa</i> Otth	<b>484, 491</b>

<i>reuteriana</i> Boiss.	483, 489	<i>virginicus</i> (L.) Kunth	70
<i>rubella</i> L.	483, 495	<i>Stellaria</i>	473
<i>schlumbergeri</i> Boiss.	486, 505	<i>apetala</i> Ucria	474
<i>sedoides</i> Poir.	484, 495	<i>cerastoides</i> L.	478
<i>setacea</i> Viv.	484, 492	<i>cilicica</i> Boiss. et Bal.	474
<i>sibthorpina</i> Reichb.	484, 491	<i>dubia</i> Bast.	477
<i>siderophila</i> Boiss. et Gaill.	484, 492	<i>media</i> L.) Vill.	474
<i>stenobotrys</i> Boiss. et Hausskn.	486, 499	<i>neglecta</i> Weihe	474
<i>stentoria</i> Fenzl	499	<i>ballida</i> Piré	474
<i>striata</i> Ehrh.	485, 496	<i>Sternbergia</i>	290
<i>succulenta</i> Forsk.	487, 505	<i>clusiana</i> Ker-Gawler	290, 291
<i>swertiifolia</i> Boiss.	487, 503	<i>colchiciflora</i> Waldst. et Kit.	290
<i>tejedensis</i> Boiss.	499	<i>fischeriana</i> (Herb.) Rœm.	290, 291
<i>trinervis</i> Banks et Sol.	491	<i>macrantha</i> J. Gay	291
<i>venosa</i> (Gilib.) Asch.	500	<i>pulchella</i> Boiss. et Bl.	290, 291
<i>vulgaris</i> Mœnch	500	<i>spaffordiana</i> Dinsmore	291
SILENOIDEAE	481	<i>stipitata</i> Boiss. et Hausskn.	291
SMILACACEAE	288	<i>Stipa</i>	5
<i>Smilax</i>	288	<i>aristella</i> L.	52
<i>aspera</i> L.	288	<i>assyriaca</i> Hand.-Mazz.	54
<i>excelsa</i> L.	289	<i>barbata</i> Desf.	52, 54
Sorghum	42	<i>bromoides</i> (L.) Desf.	52
<i>halepense</i> (L.) Pers.	42	<i>capensis</i> Thunb.	52
<i>vulgare</i> Decne	42	<i>damascena</i> Boiss.	54
SPARGANIACEAE	23	<i>fontanesii</i> Parl.	52, 53
<i>Sparganium</i>	23	<i>lagascae</i> Rœm. et Schult.	54
<i>erectum</i> L.	23	<i>membranacea</i> L.	115
<i>neglectum</i> Beeby	23	<i>paleacea</i> Schousb.	52
<i>ramosum</i> Curt.	-23	<i>parviflora</i> Desf.	52, 53
SPATHIFLORAE	182	<i>retorta</i> Cav.	52
<i>Spergula</i>	460	<i>tortilis</i> Desf.	52
<i>arvensis</i> L.	460	<i>Suaeda</i>	423
<i>fallax</i> (Lowe) E. L. Krause	460	<i>altissima</i> L.	423, 424
<i>flaccida</i> (Roxb.) Asch.	460	<i>aspalatica</i> Boiss.	423, 424
Spergularia	458	<i>baccata</i> Forsk.	425
<i>atheniensis</i> (Heldr. et Sart.)	460	<i>carnosissima</i> Post	423, 425
Asch. et Schw.	458, 460	<i>fruticosa</i> (L.) Forsk.	423, 424
<i>bocconii</i> (Sol.) Fouc.	458, 459	<i>prostrata</i> Pall.	423, 424
<i>diandra</i> Guss.	459	<i>rosmarinus</i> Ehr.	427
<i>marginata</i> (D.C.) Murb.	458, 459	<i>salsa</i> (C. A. Mey.) Pall.	423, 424
<i>marina</i> (L.) Griseb.	458, 459		
<i>media</i> (L.) G. Presl	458, 459	T	
<i>rubra</i> L.	460	<i>Tæniatherum</i>	157
<i>salina</i> J. et C. Presl	459	<i>caput-medusae</i> (L.) Nevski	157
Sphenopus	95	<i>crinitum</i> (Schreb.) Nevski	157
<i>divaricatus</i> (Gouan) Reichenb.	95	<i>Tamus</i>	294
Spinacia	411	<i>communis</i> L.	294
<i>oleracea</i> L.	411	<i>orientalis</i> Thiéb.	294
<i>tetrandra</i> Stev.	411	Telephium	452
Spiranthes	323	<i>imperati</i> L.	453
<i>autumnalis</i> (Balb.) L. C. Rich.	323	THELYGONACEAE	445
<i>spiralis</i> L.	323	<i>Thelygonum</i>	445
Spirodela	195	<i>cynocrambe</i> L.	445
<i>polyrrhiza</i> (L.) Scheid.	195	Themedia	43
<i>Spodiopogon pogonanthus</i>	46	<i>forskalei</i> (Kunth)	43
Sporobolus	70	<i>quadrivalvis</i> (L.) Kuntze	43
<i>arenarius</i> (Gouan) Duval-Jouve	70	<i>triandra</i> Forsk.	43
<i>pungens</i> (Schreb.) Kunth	70	<i>Theresia libanotica</i> Boiss.	233

<b>Thesium</b>		378	<b>brachypetala</b> Jaub. et Spach	519
<code>arvense</code> Horv.		378, 379	<b>pachygora</b> Fisch. et Mey.	<b>519</b>
<b>bergeri</b> Zucc.		379, 380	<b>syriaca</b> Boiss.	519
<div style="border: 1px solid black; padding: 2px;"><i>divarication</i> Jan.</div>		379, 380	<b>velutina</b> (Guss.) Fisch. et Mey.	518
<b>heterophyllum</b> Boiss.		379, 380		518
<b>humile</b> Vahl		379, 380		519
<b>libanoticum</b> Ehrenb.		378, 379		22
<b>ramosum</b> Hayne		379		23
<b>Trachynia</b>		130		23
<b>distachya</b> (L.) Link		130, 131		22
<b>Traganum</b>		426		22
<b>nudatum</b> Del.		426		23
<b>Trickonema nivalis</b> Boiss. et Ky		321		22
<b>Trisetaria</b>		79		
<b>cavanillesii</b> (Trin.) Maire		79		
<b>flavescens</b> (L.) Maire		79, 80		
<b>glumacea</b> (Boiss.) Maire		81		
<b>kælerioides</b> (Bornm. et Hack.)				
<b>linearis</b> Forsk.				
<b>Trisetum</b>		79		
<b>cavanillesii</b> Trin.		79		
<b>flavescens</b> (L.) Beauv.		80		
<b>gaudinianum</b> Boiss.		79		
<b>kælerioides</b> Bornm. et Hack.		80		
<b>liniare</b> (Forsk.) Boiss.		79		
<b>Triticum</b>		143		
<b>bicornе</b> Forsk.		142		
<b>buonapartis</b> Spreng.		140		
<b>dicoccoides</b> (Kornicke) Aar.		143		
<b>elongatum</b> Host		140		
<b>juncineum</b> L.		140		
<b>ligusticum</b> Bertol.		153		
<b>maritimum</b> L.		96		
<b>monococcum</b> L.		143		
<b>panormitanum</b> Parl.		138		
<b>peregrinum</b> Hack.		.		
<b>repens</b> L.		149		
<b>squarrosum</b> Roth		138		
<b>thaoudar</b> Reut.		140		
<b>unilaterale</b> L.		143		
<b>vulgare</b> Vill.		117		
		143		
		226		
<b>Tulipa</b>		226		
<b>agenensis</b> D.C.		227, 229		
<b>aleppensis</b> Regel		227, 229		
<b>aucheriana</b> Baker		226, 227		
<b>biflora</b> Pall.		226, 228		
<b>clusiana</b> D.C.		229		
<b>dammanii</b> Regel		232		
<b>libanotica</b> Regel		232		
<b>lowei</b> Baker		227, 228		
<b>montana</b> Lindley		227, 231		
<b>oculus-solis</b> St-Amans		229		
<b>praecox</b> Ten.		227, 230		
<b>systola</b> Stapf		231		
<b>Tunica</b>		518		
<b>arabica</b> Boiss.		519		
				<b>U</b>
			<b>ULMACEAE</b>	368
			<b>Ulmus</b>	368
			<b>campestris</b> L.	369
			<b>canescens</b> Melville	369
			<b>glabra</b> Huds.	369
			<b>minor</b> Mill.	369
			<b>montana</b> Willd.	369
			<b>Urginea</b>	238
			<b>maritima</b> (L.) Baker	238
			<b>scilla</b> Sternb.	238
			<b>Urochloa reptans</b> (L.) Stapf	37
			<b>Urtica</b>	372
			<b>caudata</b> Vahl	373
			<b>dioica</b> L.	372, 373
			<b>fragilis</b> Thiéb.	372, 374
			<b>hulensis</b> Feinbr.	374
			<b>membranacea</b> Poir.	372, 373
			<b>pilulifera</b> L.	372, 373
			<b>urens</b> L.	372
			<b>URTICACEAE</b>	372
			<b>URTICALES</b>	368
			<b>Vaccaria</b>	506
			<b>iniflora</b> (Boiss. et Hausskn.) Bornm.	507
			<b>oxydonta</b> Boiss.	506
			<b>barviflora</b> Mœnch	506
			<b>pyramidalis</b> Medik.	506
			<b>segetalis</b> (Necker) Garcke	506
			<b>Vallisneria</b>	31
			<b>spiralis</b> L.	31
			<b>Velezia</b>	519
			<b>fasciculata</b> Boiss.	520
			<b>rigida</b> L.	520
			<b>Ventenata</b>	78
			<b>blanchei</b> Boiss.	78
			<b>macra</b> (Stev.) Boiss.	78
			<b>Viscum</b>	382
			<b>album</b> L.	382
			<b>cruciatum</b> Sieb.	383
			<b>laxum</b> Boiss. et Reut.	383

**Vulpia**

<i>brevis</i> Boiss.	116 .
<i>bromooides</i> (L.) Gray	113
<i>ciliata</i> (Pers.) Link	114
<i>dertonensis</i> (All.) Gola	113, 114
<i>hirtiglumis</i> Boiss.	113, 115
<i>inops</i> (Del.) Hack.	113, 116
<i>membranacea</i> (L.) Link	113, 115
<i>myuros</i> (L.) C. C. Gmel.	113, 114
<i>patens</i> Boiss.	116
<i>pectinella</i> Del.	116
<i>sciurooides</i> (Roth) Gmel.	114
<i>uniglumis</i> (Sol.) Dumort.	115

## 116 .

113

114

113, 114

113, 114

113, 115

113, 116

113, 115

113, 114

116

116

114

115

## W

**Weingartneria***Wolffia arrhiza* (L.) Wimm.

## Z

**Zannichellia***palustris* L.*Zea mays* L.*Zebrina pendula* Schnizl.**Zingeria biebersteiniana** (Claus) P. Smirnov**Zostera***nana* Roth**ZOSTERACEAE**

77

196

26

26

47

203

57

24

24

24

24