

INDEX SPEGIERUM

<p style="text-align: center;">A</p> <table border="0"> <tr><td><i>cilicica</i> Ant. et Ky.</td><td></td></tr> <tr><td><i>Acanthophyllum</i></td><td></td></tr> <tr><td> <i>kurdicum</i> Boiss. et Hausskn.</td><td></td></tr> <tr><td><i>Aceras</i></td><td></td></tr> <tr><td> <i>affinis</i> Boiss.</td><td></td></tr> <tr><td> <i>anthropophora</i> (L.) R. Br.</td><td></td></tr> <tr><td> <i>hircina</i> (L.) Lindl.</td><td></td></tr> <tr><td> <i>pyramidalis</i> (L.) Reichb.</td><td></td></tr> <tr><td><i>Achyranthes</i></td><td></td></tr> <tr><td> <i>aspera</i> L.</td><td></td></tr> <tr><td> <i>argentea</i> Lam.</td><td></td></tr> <tr><td><i>Acrostichum</i></td><td></td></tr> <tr><td> <i>marantae</i> L.</td><td></td></tr> <tr><td> <i>velleum</i> Ait.</td><td></td></tr> <tr><td><i>Adiantum</i></td><td></td></tr> <tr><td> <i>capillus-veneris</i> L.</td><td></td></tr> <tr><td><i>Aegilops</i></td><td></td></tr> <tr><td> <i>aucherii</i> Boiss.</td><td></td></tr> <tr><td> <i>bicornis</i> (Forsk.) Jaub. et Spach</td><td></td></tr> <tr><td> <i>biuncialis</i> Vis.</td><td></td></tr> <tr><td> <i>caudata</i> L.</td><td></td></tr> <tr><td> <i>columnaris</i> Zhuk.</td><td></td></tr> <tr><td> <i>crassa</i> Boiss.</td><td></td></tr> <tr><td> <i>cylindrica</i> Host</td><td></td></tr> <tr><td> <i>cylindrostachys</i> Eig et Fein.br.</td><td></td></tr> <tr><td> <i>incurva</i> L.</td><td></td></tr> <tr><td> <i>incurvata</i> L.</td><td></td></tr> <tr><td> <i>juvenalis</i> Thell.</td><td></td></tr> <tr><td> <i>kotschyii</i> Boiss.</td><td></td></tr> <tr><td> <i>ligistica</i> Sav.</td><td></td></tr> <tr><td> <i>longissima</i> Schw. et Muschl.</td><td></td></tr> <tr><td> <i>lorentii</i> Hoschst.</td><td></td></tr> <tr><td> <i>ovata</i> L.</td><td></td></tr> <tr><td> <i>peregrina</i> (Hack.) Maire et Weiller</td><td></td></tr> <tr><td> <i>sharonensis</i> Eig</td><td></td></tr> <tr><td> <i>speltoides</i> Tausch</td><td></td></tr> <tr><td> <i>squarrosa</i> L.</td><td></td></tr> <tr><td> <i>triaristata</i> Willd.</td><td></td></tr> <tr><td> <i>triuncialis</i> L.</td><td></td></tr> <tr><td> <i>umbellulata</i> Zhuk.</td><td></td></tr> <tr><td> <i>variabilis</i> Eig.</td><td></td></tr> <tr><td> <i>ventricosa</i> Tausch</td><td></td></tr> <tr><td><i>Aegilotrichum</i></td><td></td></tr> <tr><td> <i>loretii</i> (Richt.) Maire et Weiller</td><td></td></tr> <tr><td><i>Aellenia</i></td><td></td></tr> <tr><td> <i>glauc</i> (Bieb.) Aellen</td><td></td></tr> <tr><td> <i>hierochuntica</i> Bornm.) Aellen</td><td></td></tr> </table>	<i>cilicica</i> Ant. et Ky.		<i>Acanthophyllum</i>		<i>kurdicum</i> Boiss. et Hausskn.		<i>Aceras</i>		<i>affinis</i> Boiss.		<i>anthropophora</i> (L.) R. Br.		<i>hircina</i> (L.) Lindl.		<i>pyramidalis</i> (L.) Reichb.		<i>Achyranthes</i>		<i>aspera</i> L.		<i>argentea</i> Lam.		<i>Acrostichum</i>		<i>marantae</i> L.		<i>velleum</i> Ait.		<i>Adiantum</i>		<i>capillus-veneris</i> L.		<i>Aegilops</i>		<i>aucherii</i> Boiss.		<i>bicornis</i> (Forsk.) Jaub. et Spach		<i>biuncialis</i> Vis.		<i>caudata</i> L.		<i>columnaris</i> Zhuk.		<i>crassa</i> Boiss.		<i>cylindrica</i> Host		<i>cylindrostachys</i> Eig et Fein.br.		<i>incurva</i> L.		<i>incurvata</i> L.		<i>juvenalis</i> Thell.		<i>kotschyii</i> Boiss.		<i>ligistica</i> Sav.		<i>longissima</i> Schw. et Muschl.		<i>lorentii</i> Hoschst.		<i>ovata</i> L.		<i>peregrina</i> (Hack.) Maire et Weiller		<i>sharonensis</i> Eig		<i>speltoides</i> Tausch		<i>squarrosa</i> L.		<i>triaristata</i> Willd.		<i>triuncialis</i> L.		<i>umbellulata</i> Zhuk.		<i>variabilis</i> Eig.		<i>ventricosa</i> Tausch		<i>Aegilotrichum</i>		<i>loretii</i> (Richt.) Maire et Weiller		<i>Aellenia</i>		<i>glauc</i> (Bieb.) Aellen		<i>hierochuntica</i> Bornm.) Aellen		<table border="0"> <tr><td><i>Aeluropus</i></td><td>100</td></tr> <tr><td> <i>lagopoides</i> L.) Druce</td><td>100</td></tr> <tr><td> <i>littoralis</i> (Gouan) Parl.</td><td>100</td></tr> <tr><td><i>Agropyron</i></td><td>137</td></tr> <tr><td> <i>aucherii</i> Boiss.</td><td>137, 139</td></tr> <tr><td> <i>buonapartis</i> Spreng.</td><td>140</td></tr> <tr><td> <i>distans</i> C. Koch</td><td>141</td></tr> <tr><td> <i>elongatum</i> (Host) Beauv.</td><td>137, 140</td></tr> <tr><td> <i>junceum</i> (L.) Beauv.</td><td>137, 140</td></tr> <tr><td> <i>lasianthum</i> Boiss.</td><td>141</td></tr> <tr><td> <i>libanoticum</i> Hack.</td><td>137, 139</td></tr> <tr><td> <i>ligusticum</i> Bert.</td><td>153</td></tr> <tr><td> <i>panormitanum</i> Parl.</td><td>.137, 138</td></tr> <tr><td> <i>repens</i> (L.) Desv.</td><td>137, 138</td></tr> <tr><td> <i>squarrosum</i> (Roth) Link</td><td>140</td></tr> <tr><td><i>Agrostemma</i></td><td>481</td></tr> <tr><td> <i>caeli-rosa</i> L..</td><td>490</td></tr> <tr><td> <i>githago</i> L.</td><td>481</td></tr> <tr><td><i>Agrostis</i></td><td>65</td></tr> <tr><td> <i>alba</i> auct.</td><td>66</td></tr> <tr><td> <i>arenaria</i> Gouan</td><td>70</td></tr> <tr><td> <i>bromooides</i> L.</td><td>52</td></tr> <tr><td> <i>castellana</i> Boiss. et Reut.</td><td>66</td></tr> <tr><td> <i>holciformis</i> M. Bieb.</td><td>56</td></tr> <tr><td> <i>interrupta</i> L.</td><td>67</td></tr> <tr><td> <i>miliacea</i> L.</td><td>55</td></tr> <tr><td> <i>bungens</i> Schreb.</td><td>70</td></tr> <tr><td> <i>scabriglumis</i> Boiss. et Reut.</td><td>66</td></tr> <tr><td> <i>semiverticillata</i> (Forsk.) Christ.</td><td>65, 66</td></tr> <tr><td> <i>stolonifera</i> L.</td><td>65, 66</td></tr> <tr><td> <i>ventricosa</i> Gouan</td><td>67</td></tr> <tr><td> <i>verticillata</i> Vill.</td><td>66</td></tr> <tr><td><i>Aira</i></td><td>89</td></tr> <tr><td> <i>aquatica</i> L.</td><td>94</td></tr> <tr><td> <i>articulata</i> Desf.</td><td>77</td></tr> <tr><td> <i>caerulea</i> L.</td><td>94</td></tr> <tr><td> <i>capillaris</i> Host</td><td>89</td></tr> <tr><td> <i>elegans</i> Willd.</td><td>89</td></tr> <tr><td> <i>humilis</i> M. Bieb.</td><td>95</td></tr> <tr><td> <i>insularis</i> (Parl.) Bornm.</td><td>88</td></tr> <tr><td><i>Aiopsis</i></td><td></td></tr> <tr><td> <i>insularis</i> (Parl.) Nym.</td><td>88</td></tr> <tr><td>AIZOACEAE</td><td>447</td></tr> <tr><td><i>Aizoon</i></td><td></td></tr> <tr><td> <i>hispanicum</i></td><td>448</td></tr> <tr><td><i>Alisma</i></td><td></td></tr> <tr><td> <i>arcuatum</i> Michalet</td><td>28</td></tr> <tr><td> <i>damasonium</i> L.</td><td>29</td></tr> <tr><td> <i>gramineum</i> Gmel.</td><td>30</td></tr> <tr><td></td><td>29</td></tr> </table>	<i>Aeluropus</i>	100	<i>lagopoides</i> L.) Druce	100	<i>littoralis</i> (Gouan) Parl.	100	<i>Agropyron</i>	137	<i>aucherii</i> Boiss.	137, 139	<i>buonapartis</i> Spreng.	140	<i>distans</i> C. Koch	141	<i>elongatum</i> (Host) Beauv.	137, 140	<i>junceum</i> (L.) Beauv.	137, 140	<i>lasianthum</i> Boiss.	141	<i>libanoticum</i> Hack.	137, 139	<i>ligusticum</i> Bert.	153	<i>panormitanum</i> Parl.	.137, 138	<i>repens</i> (L.) Desv.	137, 138	<i>squarrosum</i> (Roth) Link	140	<i>Agrostemma</i>	481	<i>caeli-rosa</i> L..	490	<i>githago</i> L.	481	<i>Agrostis</i>	65	<i>alba</i> auct.	66	<i>arenaria</i> Gouan	70	<i>bromooides</i> L.	52	<i>castellana</i> Boiss. et Reut.	66	<i>holciformis</i> M. Bieb.	56	<i>interrupta</i> L.	67	<i>miliacea</i> L.	55	<i>bungens</i> Schreb.	70	<i>scabriglumis</i> Boiss. et Reut.	66	<i>semiverticillata</i> (Forsk.) Christ.	65, 66	<i>stolonifera</i> L.	65, 66	<i>ventricosa</i> Gouan	67	<i>verticillata</i> Vill.	66	<i>Aira</i>	89	<i>aquatica</i> L.	94	<i>articulata</i> Desf.	77	<i>caerulea</i> L.	94	<i>capillaris</i> Host	89	<i>elegans</i> Willd.	89	<i>humilis</i> M. Bieb.	95	<i>insularis</i> (Parl.) Bornm.	88	<i>Aiopsis</i>		<i>insularis</i> (Parl.) Nym.	88	AIZOACEAE	447	<i>Aizoon</i>		<i>hispanicum</i>	448	<i>Alisma</i>		<i>arcuatum</i> Michalet	28	<i>damasonium</i> L.	29	<i>gramineum</i> Gmel.	30		29
<i>cilicica</i> Ant. et Ky.																																																																																																																																																																																																			
<i>Acanthophyllum</i>																																																																																																																																																																																																			
<i>kurdicum</i> Boiss. et Hausskn.																																																																																																																																																																																																			
<i>Aceras</i>																																																																																																																																																																																																			
<i>affinis</i> Boiss.																																																																																																																																																																																																			
<i>anthropophora</i> (L.) R. Br.																																																																																																																																																																																																			
<i>hircina</i> (L.) Lindl.																																																																																																																																																																																																			
<i>pyramidalis</i> (L.) Reichb.																																																																																																																																																																																																			
<i>Achyranthes</i>																																																																																																																																																																																																			
<i>aspera</i> L.																																																																																																																																																																																																			
<i>argentea</i> Lam.																																																																																																																																																																																																			
<i>Acrostichum</i>																																																																																																																																																																																																			
<i>marantae</i> L.																																																																																																																																																																																																			
<i>velleum</i> Ait.																																																																																																																																																																																																			
<i>Adiantum</i>																																																																																																																																																																																																			
<i>capillus-veneris</i> L.																																																																																																																																																																																																			
<i>Aegilops</i>																																																																																																																																																																																																			
<i>aucherii</i> Boiss.																																																																																																																																																																																																			
<i>bicornis</i> (Forsk.) Jaub. et Spach																																																																																																																																																																																																			
<i>biuncialis</i> Vis.																																																																																																																																																																																																			
<i>caudata</i> L.																																																																																																																																																																																																			
<i>columnaris</i> Zhuk.																																																																																																																																																																																																			
<i>crassa</i> Boiss.																																																																																																																																																																																																			
<i>cylindrica</i> Host																																																																																																																																																																																																			
<i>cylindrostachys</i> Eig et Fein.br.																																																																																																																																																																																																			
<i>incurva</i> L.																																																																																																																																																																																																			
<i>incurvata</i> L.																																																																																																																																																																																																			
<i>juvenalis</i> Thell.																																																																																																																																																																																																			
<i>kotschyii</i> Boiss.																																																																																																																																																																																																			
<i>ligistica</i> Sav.																																																																																																																																																																																																			
<i>longissima</i> Schw. et Muschl.																																																																																																																																																																																																			
<i>lorentii</i> Hoschst.																																																																																																																																																																																																			
<i>ovata</i> L.																																																																																																																																																																																																			
<i>peregrina</i> (Hack.) Maire et Weiller																																																																																																																																																																																																			
<i>sharonensis</i> Eig																																																																																																																																																																																																			
<i>speltoides</i> Tausch																																																																																																																																																																																																			
<i>squarrosa</i> L.																																																																																																																																																																																																			
<i>triaristata</i> Willd.																																																																																																																																																																																																			
<i>triuncialis</i> L.																																																																																																																																																																																																			
<i>umbellulata</i> Zhuk.																																																																																																																																																																																																			
<i>variabilis</i> Eig.																																																																																																																																																																																																			
<i>ventricosa</i> Tausch																																																																																																																																																																																																			
<i>Aegilotrichum</i>																																																																																																																																																																																																			
<i>loretii</i> (Richt.) Maire et Weiller																																																																																																																																																																																																			
<i>Aellenia</i>																																																																																																																																																																																																			
<i>glauc</i> (Bieb.) Aellen																																																																																																																																																																																																			
<i>hierochuntica</i> Bornm.) Aellen																																																																																																																																																																																																			
<i>Aeluropus</i>	100																																																																																																																																																																																																		
<i>lagopoides</i> L.) Druce	100																																																																																																																																																																																																		
<i>littoralis</i> (Gouan) Parl.	100																																																																																																																																																																																																		
<i>Agropyron</i>	137																																																																																																																																																																																																		
<i>aucherii</i> Boiss.	137, 139																																																																																																																																																																																																		
<i>buonapartis</i> Spreng.	140																																																																																																																																																																																																		
<i>distans</i> C. Koch	141																																																																																																																																																																																																		
<i>elongatum</i> (Host) Beauv.	137, 140																																																																																																																																																																																																		
<i>junceum</i> (L.) Beauv.	137, 140																																																																																																																																																																																																		
<i>lasianthum</i> Boiss.	141																																																																																																																																																																																																		
<i>libanoticum</i> Hack.	137, 139																																																																																																																																																																																																		
<i>ligusticum</i> Bert.	153																																																																																																																																																																																																		
<i>panormitanum</i> Parl.	.137, 138																																																																																																																																																																																																		
<i>repens</i> (L.) Desv.	137, 138																																																																																																																																																																																																		
<i>squarrosum</i> (Roth) Link	140																																																																																																																																																																																																		
<i>Agrostemma</i>	481																																																																																																																																																																																																		
<i>caeli-rosa</i> L..	490																																																																																																																																																																																																		
<i>githago</i> L.	481																																																																																																																																																																																																		
<i>Agrostis</i>	65																																																																																																																																																																																																		
<i>alba</i> auct.	66																																																																																																																																																																																																		
<i>arenaria</i> Gouan	70																																																																																																																																																																																																		
<i>bromooides</i> L.	52																																																																																																																																																																																																		
<i>castellana</i> Boiss. et Reut.	66																																																																																																																																																																																																		
<i>holciformis</i> M. Bieb.	56																																																																																																																																																																																																		
<i>interrupta</i> L.	67																																																																																																																																																																																																		
<i>miliacea</i> L.	55																																																																																																																																																																																																		
<i>bungens</i> Schreb.	70																																																																																																																																																																																																		
<i>scabriglumis</i> Boiss. et Reut.	66																																																																																																																																																																																																		
<i>semiverticillata</i> (Forsk.) Christ.	65, 66																																																																																																																																																																																																		
<i>stolonifera</i> L.	65, 66																																																																																																																																																																																																		
<i>ventricosa</i> Gouan	67																																																																																																																																																																																																		
<i>verticillata</i> Vill.	66																																																																																																																																																																																																		
<i>Aira</i>	89																																																																																																																																																																																																		
<i>aquatica</i> L.	94																																																																																																																																																																																																		
<i>articulata</i> Desf.	77																																																																																																																																																																																																		
<i>caerulea</i> L.	94																																																																																																																																																																																																		
<i>capillaris</i> Host	89																																																																																																																																																																																																		
<i>elegans</i> Willd.	89																																																																																																																																																																																																		
<i>humilis</i> M. Bieb.	95																																																																																																																																																																																																		
<i>insularis</i> (Parl.) Bornm.	88																																																																																																																																																																																																		
<i>Aiopsis</i>																																																																																																																																																																																																			
<i>insularis</i> (Parl.) Nym.	88																																																																																																																																																																																																		
AIZOACEAE	447																																																																																																																																																																																																		
<i>Aizoon</i>																																																																																																																																																																																																			
<i>hispanicum</i>	448																																																																																																																																																																																																		
<i>Alisma</i>																																																																																																																																																																																																			
<i>arcuatum</i> Michalet	28																																																																																																																																																																																																		
<i>damasonium</i> L.	29																																																																																																																																																																																																		
<i>gramineum</i> Gmel.	30																																																																																																																																																																																																		
	29																																																																																																																																																																																																		

<i>graminifolium</i>	Ehrh.	29	<i>rothii</i>	Zucc.	262, 284			
<i>lanceolatum</i>	Whit.	28, 29	<i>rotundum</i>	L.	258, 265			
<i>plantago-aquatica</i>	L.	28, 29	<i>rupicolum</i>	Boiss.	260, 273			
<i>ranunculoides</i>	L.	29, 30	<i>sannineum</i>	Gomb.	259, 271			
ALISMATACEAE								
Allium		28	<i>sativum</i>	L.	257, 262			
<i>affine</i>	Ledeb.	257	<i>schergianum</i>	Boiss.	260, 271			
<i>ampeloprasum</i>	L.	258, 267	<i>schuberti</i>	Zucc.	262, 281			
<i>artemisietorum</i>	Feinbr.	257, 263	<i>scorodoprasum</i>	L.	262			
<i>arvense</i>	Guss.	259, 271	<i>sindjarens</i>	Boiss. et Hausskn.	276			
<i>aschersonianum</i>	W. Barb.	258, 268	<i>sphaerocephalum</i>	L.	268			
<i>asclepiadeum</i>	Bornm.	262, 283	<i>stamineum</i>	Boiss.	259, 272			
<i>azaurenum</i>	Gomb.	262, 283	<i>stenopetalum</i>	Boiss. et Ky	283			
<i>bassitense</i>	Thiéb.	276	<i>subhirsutum</i>	L.	261, 278			
<i>calyptatum</i>	Boiss.	260, 272	<i>telavivense</i>	Eig	262, 284			
<i>carmeli</i>	Boiss.	258, 265	<i>trifoliatum</i>	Cyr.	261, 278			
<i>cassium</i>	Boiss.	261, 280	<i>vineale</i>	L.	258, 259, 266			
<i>cepa</i>	L.	261, 279	<i>viridi-album</i>	Tineo	268			
<i>chloranthum</i>	Boiss.	259	<i>wiedemannianum</i>	Regel	260, 273			
<i>chrysanthemum</i>	Boiss. et Reut.	260, 275	<i>zebdanense</i>	Boiss. et Noë	261, 279			
<i>ciliicum</i>	Boiss.	262, 282	Alnus					
<i>coppoleri</i>	Tineo	266	<i>orientalis</i>	Decne	355			
<i>curtum</i>	Boiss. et Gaill.	260, 275	Aloe					
<i>damascenum</i>	Feinbr.	259, 269	<i>vera</i>	L.	355			
<i>descendens</i>	Sibth. et Smith	259, 266	Alopecurus					
<i>deserti</i>	syriaci Feinbr.	259, 270	<i>agrestis</i>	L.	218			
<i>dictyoprasum</i>	C. A. Mey.	270	<i>anthoxanthoides</i>	Boiss.	218			
<i>drusorum</i>	Feinbr.	258, 265	<i>arundinacea</i>	Poir.	61			
<i>dumetorum</i>	Feinbr.	262, 281	<i>gerardi</i>	(All.) Vill.	62			
<i>emarginatum</i>	Rech.	fil. 259, 269	<i>involutus</i>	Post	62			
<i>erdelii</i>	Zucc.	261, 277	<i>monspeliensis</i>	L.	58			
<i>eriophyllum</i>	Boiss.	261, 279	<i>myosuroides</i>	Huds.	68			
<i>feinbergii</i>	Oppenb.	260, 275	<i>nigricans</i>	Hornem.	61, 62			
<i>graecum</i>	d'Urv.	273	<i>pratensis</i>	L.	62			
<i>haussknechtii</i>	Nabelek	283	<i>vaginatus</i>	(Willd.) Pall.	61			
<i>hierochuntinum</i>	Boiss.	259, 271	<i>ventricosus</i>	Pers.	61, 62			
<i>hirsutum</i>	Zucc.	261, 278	Alsine					
<i>karyateini</i>	Post	259, 270	<i>brevis</i>	Boiss.	462			
<i>laceratum</i>	Boiss. et Noë	261, 280	<i>decipiens</i>	Fenzl	466			
<i>libani</i>	Boiss.	260, 277	<i>formosa</i>	Fenzl	467			
<i>lycaonicum</i>	Siehe	262, 282	<i>globulosa</i>	C. A. Mey.	470			
<i>macrochaetum</i>	Boiss. et Hausskn.	259, 267	<i>intermedia</i>	Boiss.	466			
<i>makmelianum</i>	Post	258, 268	<i>juniperina</i>	(L.) Fenzl	466			
<i>margaritaceum</i>	Ledeb.	267	<i>libanotica</i>	Boiss.	464			
<i>myrianthum</i>	Boiss.	260, 273	<i>media</i>	L.	474			
<i>neapolitanum</i>	Cyr.	260, 280	<i>mesogitana</i>	Boiss.	468			
<i>nigrum</i>	L.	262, 281	<i>meyeri</i>	Boiss.	466			
<i>noeanum</i>	Reut.	261, 284	<i>picta</i>	(Sibth. et Smith) Fenzl	469			
<i>olivieri</i>	Boiss.	262, 285	<i>rubestris</i>	(Lab.) Fenzl	464			
<i>opacum</i>	Rech.	260, 274	<i>smithii</i>	Fenzl	466			
<i>orientale</i>	Boiss.	262, 283	<i>succulenta</i>	J. Gay	458			
<i>pollens</i>	L.	275	<i>tenuifolia</i>	(L.) Crantz	467, 468			
<i>paniculatum</i>	L.	260, 274	<i>thymifolia</i>	(Sibth. et Smith) Boiss.	469			
<i>phanerantherum</i>	Boiss.	258, 267	ALSINOIDEAE					
<i>porrum</i>	L.	264	Alternanthera					
<i>pseudocalyptratum</i>	Mout.	258, 264	<i>amena</i>	(Lam.) Voss.	444			
<i>pseudophanerantherum</i>	Rech. fil.	258, 264	<i>sessilis</i>	(L.) R. Br.	445			
<i>qasyunense</i>	Mout.	261, 280	<i>versicolor</i>	(Lam.) Niehls.	445			
AMARANTHACEAE						439		

<i>Amaranthus</i>	440	<i>coelosyriacum</i> Boiss.	517
<i>albus</i> L.	440, 442	<i>gypsophiloides</i> Fenzl	517
<i>angustifolius</i> Lam.	443		5
<i>ascendens</i> Loisel.	443		5
<i>blitoides</i> G. Wats.	• 440, 442		
<i>blitum</i> L.	443		
<i>caudatus</i> L.	441		
<i>chlorostachys</i> Willd.	440		
<i>cruentus</i> L.	441		
<i>deflexus</i> L.	440, 444		
<i>gracilis</i> Desf.	440, 442		
<i>græcizans</i> L.	440, 443		
<i>hybridus</i> L.	440, 441		
<i>hypochondriacus</i> L.	441		
<i>lividus</i> L.	440, 443		
<i>oleraceus</i> L.	443		
<i>paniculatus</i> L.	441		
<i>patulus</i> Bertol.	441		
<i>retroflexus</i> L.	440, 442		
<i>viridis</i> L.	443		
AMARYLLIDACEAE	289		
<i>Amaryllis</i>	293		
<i>montana</i> Labili.	293		
<i>tatarica</i> Pall.	293		
<i>Ammochloa</i>	90		
<i>humilis</i> M. Bieb.	95		
<i>palaestina</i> Boiss.	90		
<i>subacaulis</i> Bal.	90		
<i>Ammophila</i>	70		
<i>arenaria</i> (L.) Link	70		
<i>arundinacea</i> Host	70		
<i>Anabasis</i>	436		
<i>alopécuroides</i> Del.	439		
<i>aphylla</i> L.	436		
<i>articulata</i> Forsk.	437		
<i>haussknechtii</i> Bge	436		
<i>phyllophora</i> Kar. et Kir.	437		
<i>ramosissima</i> Dingier	426, 437		
<i>setifera</i> Moqu.	436		
<i>spinosissima</i> L. fil.	435		
<i>Anacamptis</i>	344		
<i>pyramidalis</i> (L.) L. C. Rich.	344		
<i>Androcymbium</i>	211		
<i>palaestinum</i> (Boiss.) Baker	211		
<i>Andropogon</i>	46		
<i>allionii</i> (Lam. et D.C.) Rœm. et Schult.	46		
<i>arriani</i> Edgw.	45		
<i>contortus</i> L.	46		
<i>distachyus</i> L.	46		
<i>gryllus</i> L.	43		
<i>hirtus</i> L.	44		
<i>ischaemum</i> L.	44		
<i>olivieri</i> Boiss.	45		
<i>pubescens</i> Vis.	45		
<i>ravennae</i> L.	40		
<i>strictus</i> Host	40		
<i>Ankyropetalum</i>	516		
<i>arsusianum</i> Boiss.	517		
<i>coelosyriacum</i> Boiss.			
<i>gypsophiloides</i> Fenzl			
<i>Anagramme</i>			
<i>leptophylla</i> (L.) Link			
<i>Anthistiria</i>			
<i>brachyantha</i> Boiss.			
<i>ciliata</i> L. fil.			
<i>Anthoxanthum</i>			
<i>odoratum</i> L.			
<i>Antinoria</i>			
<i>insularis</i> Parl.			
<i>Apera</i>			
<i>interrupta</i> (L.) Beauv.			
ARACEAE			
<i>Arceuthobium</i>			
<i>oxycedri</i> (D.C.) M. Bieb.			
<i>Arceuthos</i>			
<i>drupacea</i> (Lab.) Ant. et Ky			
<i>Arenaria</i>			
<i>adonidis</i> Peyron			
<i>bocconii</i> Soleirol			
<i>cassia</i> Boiss.			
<i>deflexa</i> Decne			
<i>diandra</i> Guss.			
<i>globulosa</i> Lab.			
<i>graveolens</i> Schreb.			
<i>hybrida</i> Vill.			
<i>juniperina</i> L.			
<i>leptoclados</i> Guss.			
<i>libanotica</i> Ky			
<i>marginata</i> D.C.			
<i>media</i> L.			
<i>mediterranea</i> Ledeb.			
<i>mucronata</i> Sibth. et Smith			
<i>oxypetala</i> Sibth. et Smith			
<i>pamphylica</i> Boiss. et Heldr.			
<i>picta</i> Sibth. et Smith			
<i>pubescens</i> d'Urv.			
<i>rubra</i> L.			
<i>rupestris</i> Labili.			
<i>salsuginea</i> Bunge			
<i>serpyllifolia</i> L.			
<i>spinuliflora</i> Ser.			
<i>subtilis</i> Fenzl			
<i>tremula</i> Boiss.			
<i>viscosa</i> Schreb.			
<i>Arisarum</i>			
<i>libani</i> Schott			
<i>veslingii</i> Schott			
<i>vulgare</i> Targ.-Tozz.			
<i>Aristella</i>			
<i>bromoides</i> (L.) Bertol.			
<i>Aristida</i>			
<i>adscensionis</i> L.			
<i>cærulescens</i> Desf.			
<i>festucoides</i> Poir.			
<i>forskalei</i> Tausch			
<i>lanata</i> Forsk.			

<i>plumosa</i> L.	50, 51	<i>Asphodeline</i>	213
<i>bumila</i> Decne	51	<i>brevicaulis</i> (Bertol.) J. Gay	212, 214
Aristolochia	383	<i>damascena</i> Boiss.	212, 216
<i>altissima</i> Desf.	383, 384	<i>edumea</i> (Zoh.) Mout.	212, 214
<i>billiardieri</i> Jaub. et Spach	384, 385	<i>globifera</i> J. Gay	212, 216
<i>bottae</i> Jaub. et Spach	384, 387	<i>isthmocarpa</i> J. Gay	216
<i>maurorum</i> L.	384, 386	<i>liburnica</i> (Scop.) Reichenb.	212, 213
<i>parvifolia</i> Sibth. et Sm.	384, 385	<i>lutea</i> (L.) Reichenb.	211, 213
<i>pœcilantha</i> Boiss.	384, 386	<i>recurva</i> Post	214
<i>scabridula</i> Boiss.	384, 386	<i>taurica</i> (Pall.) Kunth	212, 216
<i>sempervirens</i> L.	384	<i>tenuior</i> (Fisch.) Ledeb.	215
ARISTOLOCHIACEAE	383	ASPHODELOIDEAE	211
Arrhenatherum	84	<i>Asphodelus</i>	211
<i>avenaceum</i> Beauv.	84	<i>aestivus</i> Brot.	212
<i>elatius</i> (L.) Mert. et Koch	84	<i>brevicaulis</i> Bertol.	214
<i>kotschyi</i> Boiss.	84, 85	<i>fistulosus</i> L.	211, 212
<i>palaestinum</i> Boiss.	84, 85	<i>inderiensis</i> Stev.	217
Arthrocnemum	420	<i>liburnicus</i> Scop.	213
<i>coralloides</i> Loscos et Pardo	421	<i>luteus</i> L.	213
<i>fruticosum</i> (L.) Moq.	421	<i>microcarpus</i> Salzm. et Viv.	211, 212
<i>glaucum</i> (Del.) Ung.-Sternb.	420	<i>ramosus</i> L.	212
ARTICULATAE	3	<i>tauricus</i> Pall.	216
Arum	183	ASPIDIACEAE	7
<i>arisarum</i> L.	190	<i>Aspidium</i>	8
<i>conophalloides</i> Ky	183, 187	<i>libanoticum</i> Rosenstock	8
<i>detruncatum</i> C. A. Mey.	187	ASPLENIACEAE	10
<i>dioscoridis</i> Sibth. et Smith	183, 184	<i>Asplenium</i>	10
<i>elongatum</i> Stev.	184, 188	<i>adiantum-nigrum</i> L.	10, 11
<i>gratum</i> Schott	184, 189	<i>bourgael</i> Boiss.	10, 11
<i>hygrophilum</i> Boiss.	183, 187	<i>ceterach</i> L.	10
<i>intortum</i> Banks et Sol.	191	<i>fontanum</i> Bernh.	11
<i>italicum</i> Mill.	184, 189	<i>haussknechtii</i> Godet et Reut.	10, 11
<i>melanopus</i> Boiss.	184, 190	<i>ruta-muraria</i> L.	10, 11
<i>orientale</i> M. Bieb.	188, 189	<i>sagittatum</i> (D.C.) A. Bange	12
<i>palaestinum</i> Boiss.	183, 185	<i>scolopendrium</i> L.	12
<i>rauwolfii</i> Blume	191	<i>trichomanes</i> L.	10, 11
<i>rupicola</i> Boiss.	188	Athyrium	7
<i>spiculatum</i> Blume	191	<i>filix-femina</i> (L.) Roth	8
<i>syriacum</i> Blume	184	Atraphaxis	404
Arundo	73	<i>billardieri</i> Jaub. et Spach	404, 405
<i>arenaria</i> L.	70	<i>spinosa</i> L.	404
<i>donax</i> L.	74	Atriplex	412
<i>epigeios</i> L.	69	<i>alexandrina</i> Boiss.	412, 414
<i>littorea</i> Schrad.	69	<i>amana</i> Post	417
<i>mauritanica</i> Desf.	74	<i>autranii</i> Post	416
<i>phragmites</i> L.	75	<i>crystallina</i> Boiss.	414
<i>pliniand</i> Turra	74	<i>glauca</i> L.	414
<i>plinii</i> Turra	74	<i>halimus</i> L.	412, 413
<i>pseudophragmites</i> Hall. fil.	69	<i>nastata</i> L.	413, 414, 416
Asarum <i>hypocistis</i> L.	381	<i>heterosperma</i> Bunge	414
ASPARAGOIDEAE	285	<i>hortensis</i> L.	416
Asparagus	285	<i>jasiantha</i> Boiss.	413, 416
<i>acutifolius</i> L.	286	<i>leucoclada</i> Boiss.	412, 414
<i>aphyllus</i> L.	286	<i>littoralis</i> L.	413, 417
<i>officinalis</i> L.	286	<i>micrantha</i> C. A. Mey.	413, 414
<i>palaestinus</i> Baker	285, 286	<i>palaestina</i> Boiss.	414
<i>stipularis</i> Forsk.	286	<i>parvifolia</i> Moq.	414
<i>trichophyllum</i> Bunge	285, 287	<i>patula</i> L.	413, 416
	286		

<i>portulacoides</i>	L.	412	<i>aleppicum</i>	Thiéb.	192, 193
<i>rosea</i>	L.	413, 415	<i>angustatum</i>	(J. E. Hook.) Boiss.	192, 193
<i>stylosa</i>	Viv.	412, 414	<i>auraniticum</i>	Mout.	192, 193
<i>tatarica</i>	L.	413, 415, 416	<i>bovei</i>	Blume	192
<i>thunbergifolia</i>	Boiss. et Noë	413, 414	<i>carduchorum</i>	(Schott) Engler	192
<i>turcomanica</i>	Moqu.	414	<i>pyrami</i>	(Schott) Engler	192, 194
<i>zahlensis</i>	Mout.	413, 415	<i>russelianum</i>	Schott	192, 194
<i>Atropis</i>		109	<i>Bilderdykia</i>		396
<i>convoluta</i>	(Hornem.) Griseb.	110	<i>convolvulus</i>	(L.) Dumort.	396
<i>distans</i>	(L.) Rupr.	110	BLECHNACEAE		9
<i>Avena</i>		81	<i>Blechnum</i>		9
<i>alba</i>	Vahl	81, 83	<i>spicant</i>	(L.) Roth.	9
<i>barbata</i>	Potter	83	<i>Blitum</i>		410
<i>clauda</i>	Dur.	81, 82	<i>rubrum</i>	(L.) Reichenb.	410
<i>convoluta</i>	Presl	81, 84	<i>virgatum</i>	L.	411
<i>elatior</i>	L.	86	<i>Blysmus</i>		168
<i>fatua</i>	L.	81, 82	<i>compressus</i>	(L.) Panzer	168
<i>flavescens</i>	L.	80	<i>Boerhavia</i>		446
<i>fragilis</i>	L.	86	<i>plumbaginea</i>		446
<i>macra</i>	Stev.	78	<i>Boissiera</i>		75
<i>orientalis</i>	Schrad.	81	<i>bromoides</i>	(Hochst.) Steud.	75
<i>pilosa</i>	M. Bieb.	81, 82	<i>pumilio</i>	(Trin.) Hackel	75
<i>pratensis</i>	L.	81, 83	<i>Bolanthus</i>		510
<i>sativa</i>	L.	81	<i>filicaulis</i>	(Boiss.) Bark.	516
<i>sterilis</i>	L.	81, 82	<i>frankeniooides</i>	(Boiss.) Bark.	515
<i>wiestii</i>	Steud.	83	<i>hirsutus</i>	(Lab.) Bark.	515
<i>Axyris ceratoides</i>	L.	412	<i>Bothriochloa</i>		44
■					
<i>Baldingera colorata</i>	Fl. Witt.	50	<i>ischænum</i>	(L.) Mansfeld	44
<i>Bassia</i>		419	<i>Brachiaria</i>		34
<i>arabica</i>	(Bo s.) Maire et Weiller	418	<i>eruciformis</i>	(Sibth. et Smith) Gmel.	34
<i>eriophora</i>	(Schrad.) O. Kuntze	419, 420	<i>mutica</i>	(Forsk.) Stapf	34
<i>hyssopifolia</i>	(Pall.) O. Kuntze	419	<i>Brachypodium</i>		130
<i>monticola</i>	(Boiss.) O. Kuntze	419	<i>distachyum</i>	(L.) Beauv.	130
<i>muricata</i>	L.) Murr.	419	<i>pinnatum</i>	(L.) Beauv.	131
<i>Beckmannia</i>		60	<i>ramosum</i>	(L.) Roem. et Schult.	131, 132
<i>eruciformis</i>	(L.) Host	61	<i>sylvaticum</i>	(Huds.) Beauv.	131
<i>Behen vulgaris</i>	Mœnch	500	<i>Briza</i>		107
<i>Bellevalia</i>		247	<i>eragrostis</i>	L.	71
<i>ciliata</i>	(Cyr.) Nees	247, 249	<i>humilis</i>	M. Bieb.	108
<i>densiflora</i>	Boiss.	247, 251	<i>maxima</i>	L.	107, 108
<i>douini</i>	Pabot et Mout.	249	<i>minor</i>	L.	107, 108
<i>flexuosa</i>	Boiss.	248, 251	<i>spicata</i>	Sibth. et Smith	107, 108
<i>hermonis</i>	Mout.	247, 250	<i>Bromus</i>		118
<i>longipes</i>	Post	247, 248	<i>aegyptiacus</i>	Tausch	128
<i>macrobotrys</i>	Boiss.	247, 248	<i>alopecuroides</i>	Poir.	125
<i>mosheovii</i>	Feinbr.	247, 252	<i>alopecuros</i>	Poir.	119, 125
<i>nivalis</i>	Boiss. et Ky	248, 251	<i>anatolicus</i>	Boiss. et Heldr.	130
<i>palmyrensis</i>	Feinbr.	247, 250	<i>arvensis</i>	L.	120, 129
<i>stepporum</i>	Feinbr.	249	<i>bikfayensis</i>	A. Camus et R. Gomb.	119, 120
<i>trifoliata</i>	Boiss.	247, 248	<i>brachystachys</i>	Host	120, 129
<i>Beta</i>		407	<i>contortus</i>	Desf.	125
<i>maritima</i>	L.	407	<i>danthoniae</i>	Trin.	120, 127
<i>vulgaris</i>	L.	407	<i>dertonensis</i>	All.	114
BETULACEAE		355	<i>distachyos</i>	L.	130
Biarum		192	<i>divaricatus</i>	Rohde	126
Flore — 18			<i>erectus</i>	Huds.	120
			<i>fasciculatus</i>	Presl	119, 124
			<i>flabellatus</i>	(Hack.) Boiss.	119, 123

<i>gussonii</i> Parl.	123	<i>echinata</i> Murr.	176
<i>hordeaceus</i> L.	129	<i>echinata</i> Desf.	178
<i>intermedius</i> Guss.	120, 128	<i>extensa</i> Good.	173, 180
<i>japonicus</i> Thunb.	120, 129	<i>flacca</i> Schreb.	173, 178
<i>lanceolatus</i> Roth	119, 126	<i>glauca</i> Scop.	178
<i>macrostachys</i> Desf.	126	<i>gracilis</i> Curt.	173, 179
<i>madritensis</i> L.	119, 122	<i>gynobasis</i> Vill.	177
<i>maximus</i> Desf.	123	<i>halleriana</i> Asso	173, 177
<i>mollis</i> L.	129	<i>hispida</i> Willd.	173, 178
<i>oxyphlaeus</i> Payne	126	<i>leporina</i> L.	173, 176
<i>palaestinus</i> Melderis	120, 128	<i>maxima</i> Scop.	180
<i>patulus</i> Mert. et Koch	129	<i>mediterranea</i> Clarke	178
<i>pinnatus</i> L.	131	<i>muricata</i> L.	175, 176
<i>ramosus</i> L.	132	<i>nemorosa</i> Rebent.	175
<i>rigens</i> L.	123	<i>otrubae</i> Podp.	173, 175
<i>rigidus</i> Roth	119, 123	<i>bachystylis</i> J. Gay	174
<i>rubens</i> L.	119, 124	<i>pairæi</i> F. Schultz	173, 176
<i>scoparius</i> L.	119, 125	<i>pallescens</i> L.	173, 177
<i>squarrosum</i> L.	120, 127	<i>paludosoides</i> Good.	181
<i>sterilis</i> L.	119, 122	<i>pendula</i> Huds.	173, 180
<i>syriacus</i> Boiss. et Bl.	119, 120	<i>phyllostachys</i> C. A. Mey.	173, 177
<i>tectorum</i> L.	119, 121	<i>pseudocyperus</i> L.	174, 181
<i>tomentellus</i> Boiss.	119, 121	<i>pubescens</i> Poir.	169
<i>villosus</i> Forsk.	123	<i>remota</i> L.	177
<i>Broussonetia papyrifera</i> (L.) L'Hér.	371	<i>riparia</i> Gurt.	174, 182
Buffonia		<i>rufa</i> (L.) Simonk	179
<i>ephedrina</i> Sam.	461	<i>silvatica</i> Huds.	180
<i>kotschyana</i> Boiss.	461	<i>stellulata</i> Good.	173, 176
<i>macrosperma</i> J. Gay	461	<i>stenophylla</i> Wahlenb.	172, 174
<i>multiceps</i> Decne	461	<i>subvulpina</i> Senay	175
<i>paniculata</i> Dubois	461	<i>vulpina</i> L.	175
<i>tenuifolia</i> Vill.	461	Caroxylon	
<i>virgata</i> Boiss.	461	<i>articulatum</i> (Cav.) Moqu.	426
<i>Bulbillaria gageoides</i> Zucc.	226	<i>salicicum</i> Moqu.	426
BUTOMACEAE	31	Carpinus	
Butomus	31	<i>duinensis</i> Scop.	356
<i>umbellatus</i> L.	31	<i>orientalis</i> Mill.	356
C		Carpobrotus edulis (L.) N. E. Br.	448
Calamagrostis	69	CARYOPHYLLACEAE	450
<i>epigeios</i> (L.) Roth	69	Castanea sativa L.	357
<i>littorea</i> (Schrad.) D.C.	69	Catabrosa	94
<i>pseudophragmites</i> (Hall Fil.) Kœl.	69	<i>aquatica</i> (L.) Beauv.	94
Calligonum	406	<i>humilis</i> (M. Bieb.) Trin.	95
<i>comosum</i> L'Hér.	407	Catapodium	116
<i>tetrapterum</i> Jaub. et Spach	407	<i>loliaceum</i> (Huds.) Link	117
Cannabis	377	<i>rigidum</i> (L.) C. Hubb.	117
<i>sativa</i> L.	377	Caulinia	24
Carex	172	<i>fragilis</i> Willd.	24
<i>acuta</i> L.	179	<i>graminea</i> (Del.) Batt.	24
<i>acutiformis</i> Ehrh.	174, 181	Cedrus	15
<i>banatica</i> Heuff.	179	<i>libanensis</i> Juss.	15
<i>buekii</i> Wimm.	173, 179	<i>libani</i> A. Rich.	15
<i>contigua</i> Hoppe	176	<i>libanotica</i> Link	15
<i>distans</i> L.	174, 181	Celosia cristata L.	439
<i>diversicolor</i> Druce	178	Celtis	369
<i>divisa</i> Huds.	172, 174	<i>australis</i> L.	369
<i>divulsa</i> Stokes	173, 175	<i>tournefortii</i> Lam.	370
		Cenchrus	39

<i>asperifolius</i>	Desf.	38	<i>mariscus</i> (L.) R. Br.	172
<i>capitatus</i>	L.	91	<i>Colchicum</i>	205
<i>ciliaris</i>	L.	39	<i>antilibanoticum</i> R. Gomb.	207
CENTROSPERMAE		407	<i>balansae</i> Planch.	204, 206
<i>Cephalanthera</i>		323	<i>brachiphyllum</i> Boiss. et Hausskn.	205, 208
<i>damasonium</i>	(Mill.) Druce	324	<i>byzantinum</i> Park.	204, 207
<i>ensifoloid</i>	Murr.) L. C. Rich.	325	<i>candidum</i> Schott et Ky	206
<i>epipactoides</i>	Fisch. et Mey.	324	<i>crocifolium</i> Boiss.	204", 209
<i>kurdica</i>	Bornm.	324	<i>decaisnei</i> Boiss.	204, 205
<i>longifolia</i>	(Huds.) Fritsch	324, 325	<i>deserti</i> syriaci Feinbr.	205, 208
<i>vallens</i>	(Jundz.) L. G. Rich,	324	<i>fasciculare</i> (L.) Boiss.	205, 207
<i>rubra</i>	(L.) L. C. Rich.	324	<i>halepense</i> Freyn	207
Gerastium		476	<i>haussknechtii</i> Boiss.	204, 206
<i>anomalum</i>	Walsdt. et Kit.	477	<i>hierosolymitanum</i> Feinbr.	204, 206
<i>brachypetalum</i>	Pers.	477, 479	<i>laetum</i> Stev.	206
<i>cerastoides</i>	(L.) Britton.	476, 478	<i>libanoticum</i> Ehrenb.	205, 208
<i>comatum</i>	Desv.	476, 478	<i>ritchii</i> R. Br.	208
<i>dichotomum</i>	L.	476, 478	<i>steveni</i> Kunth	204, 209
<i>dubium</i>	(Bast.) Schw.	476, 477	<i>tauri</i> Siehe	204, 207
<i>fragillimum</i>	Fries	477, 480	<i>tunicatum</i> Feinbr.	204, 207
<i>glaucum</i>	Gren. et Godr.	476	<i>tuviae</i> Feinbr.	204, 209
<i>glomeratum</i>	Thuill.	477, 479	Colpodium	95
<i>glutinosum</i>	Fries	477, 480	<i>humile</i> (M. Bieb.) Asch. et Gr.	95
<i>illyricum</i>	Ser.	478	COMMELINACEAE	203
<i>inflatum</i>	Link	477, 479	COMMELINALES	203
<i>kotschyi</i>	Boiss.	476, 477	<i>Comperia</i> <i>comperiana</i> (Stev. Asch. et Gr.)	335
<i>luridum</i>	Guss.	479	CONIFERAE	14
<i>pentandrum</i>	L.	477, 480	Cornucopiae	57
<i>perfoliatum</i>	L.	476, 478	<i>alopecuroides</i> L.	58
<i>pumilum</i>	Curtis	480	<i>cucullatum</i> L.	58
<i>ræseri</i>	Boiss. et Heldr.	479	<i>involutcratum</i> (Post) Mez.	58
<i>semidecandrum</i>	L.	480	Cornulaca	438
<i>tenue</i>	Viv.	476	<i>setifera</i> Moqu.	438
<i>trigynum</i>	Willd.	478	Corrigiola	452
<i>viscosum</i>	L.	479	<i>littoralis</i> L.	452
Geterach		10	CORYLACEAE	356
<i>officinarum</i>	Lam. et D.C.	10	<i>Corylus</i>	356
Cheilanthes		5	<i>avellana</i> L.	356
<i>fragrans</i>	Webb et Berth.	5	Corynephorus	77
<i>pteridioides</i>	(Reich.) Christ.	5	<i>articulatus</i> (Desf.) Beauv.	77
Chenolea		418	<i>deschampsioides</i> Bornm.	77, 78
<i>arabica</i>	Boiss.	418	Crithopsis	158
CHENOPODIACEAE		407	<i>delileana</i> (Schult.) Nevski	158
<i>Chenopodium</i>		408	Crocus	295
<i>album</i>	L.	408, 409	<i>aleppicus</i> Baker	296, 301
<i>ambrosioides</i>	L.	408, 410	<i>cancellatus</i> Herb.	296, 299, 300
<i>botrys</i>	L.	408, 410	<i>cilicicus</i> Ky	296, 300
<i>foliosum</i>	(Moench) Asch.	408, 411	<i>damascenus</i> Herb.	296, 299
<i>murale</i>	L.	408, 409	<i>dispathaceus</i> Bowles	295, 298
<i>opulifolium</i>	Schrad.	408, 409	<i>edulis</i> Boiss. et Bl.	299
<i>rubrum</i>	L.	408, 410	<i>elwesii</i> (Maw) O. Schwarz	295, 298
<i>scoparium</i>	L.	418	<i>gaillardotii</i> (Boiss. et Bl.) Maw	301
<i>urbicum</i>	L.	408, 410	<i>graveolens</i> Boiss. et Reuter	296, 303
<i>virgatum</i>	(L.) Ambrosi	411	<i>haussknechtii</i> Boiss. et Reut.	295, 297
<i>vulvaria</i>	L.	408, 409	<i>hermoneus</i> Ky	296, 300
Chrysopogon		42	<i>hyemalis</i> Boiss. et Bl.	296, 302
<i>gryllus</i>	(L.) Trin.	43	<i>kotschyanus</i> C. Koch	295, 297
Cladium		172	<i>libanoticus</i> Mout.	297

<i>macrobolbos</i>	Jovet et Gomb.	295, 299	Cyperus	158
<i>moabiticus</i>	Bornm. et Dinsm.	295, 298	<i>alopecuroides</i> Rottb.	159, 161
<i>ochroleucus</i>	Feinbr.	295, 296	<i>alternifolius</i> L.	163
<i>palaestinus</i>	Feinbr.	296, 301	<i>blancheanus</i> Desv.	163
<i>sativus</i>	L.	297	<i>capitatus</i> Vandelli	162
<i>syriacus</i>	Boiss. et Gaill.	302	<i>diformis</i> L.	160, 163
<i>thiebauti</i>	Mout.	295, 297	<i>distachyos</i> All.	159, 161
<i>vitellinus</i>	Wahlenb.	296, 302	<i>esculentus</i> L.	159, 164
<i>zonatus</i>	J. Gay	297	<i>flavescens</i> L.	159, 160
Crypsis		58	<i>fucus</i> L.	160, 162
<i>aculeata</i>	(L.) Aiton	59	<i>glaber</i> L.	160, 163
<i>alopecuroides</i>	(L.) Host	59	<i>globosus</i> All.	159, 160
<i>factorovskyi</i>	Eig	58	<i>junciformis</i> Cav.	161
<i>schænoides</i>	(Pill. et Mitterp.) Host	59	<i>kalli</i> (Forsk.) Murb.	159, 162
Ctenopsis		116	<i>laevigatus</i> L.	159, 161
<i>patens</i>	(Boiss.) Meld.	116	<i>longus</i> L.	159, 163
<i>pectinella</i>	(Del.) De Notaris	116	<i>michelianus</i> (L.) Link	159, 162
Cucubalus		505	<i>mucronatus</i> (L.) Mab.	162
<i>aegyptiacus</i>	L.	495	<i>mundtii</i> (Nees) Kunth	159, 160
<i>baccifer</i>	L.	505	<i>papyrus</i> L.	163
<i>behen</i>	L.	500	<i>bygmaeus</i> Rottb.	162
<i>inflatus</i>	Salisb.	500	<i>rotundus</i> L.	159, 164
<i>italicus</i>	L.	501	Cystopteris	6
<i>polygonoides</i>	Willd.	515	<i>filix-fragilis</i> (L.) Borb.	6
<i>venosus</i>	Gilib.	500	<i>fragilis</i> Bernh.	6
CUPRESSACEAE		17	<i>regia</i> Presl	6
Cupressus		17	Cytinus	381
<i>semperfirens</i>	L.	17	<i>hypocistis</i> L.	381
Cutandia		95		
<i>dichotoma</i>	(Forsk.) Trabut	96, 97	D	
<i>maritima</i>	(L.) Benth.	96	Dactylis	99
<i>memphitica</i>	(Spreng.) Benth.	96	<i>glomerata</i> L.	99
<i>philistaea</i>	(Boiss.) Benth.	96	<i>hispanica</i> Roth	99
Cymbopogon		45	<i>lagopoides</i> L.	100
<i>arriani</i>	(Edgw.) Aitsch.	45	<i>repens</i> Desf.	100
<i>olivieri</i>	(Boiss.) Bor	45	Dactyloctenium	72
<i>schoenanthus</i>	(L.) Spreng.	45	<i>aegytiacum</i> Willd.	72
Cymodocea		- 25	<i>aegyptium</i> L.) Asch. et Schw.	72
<i>aequorea</i>	Koenig	25	<i>Dactylon memphyticum</i> Spreng.	95
<i>major</i>	(Cavol.) Grande	25	Damasonium	30
<i>nodosa</i>	(Ucria) Asch.	25	<i>alisma</i> Mill.	30
<i>Cynocrambe prostrata</i>	Gaertn.	445	<i>bourgaei</i> Coss.	30
Cynodon		73	<i>polyspermum</i> Coss.	30
<i>dactylon</i>	(L.) Pers.	73	Danaë	288
CYNOMORIACEAE		381	<i>racemosa</i> (L.) Mœnch	288
Cynomorium		381	Dianthus	520
<i>coccineum</i>	L.	381	<i>actinopetalus</i> Fenzl	521, 529
Cynosurus		97	<i>crinitus</i> Smith	520, 527
<i>aegyptius</i>	L.	72	<i>cyri</i> Fisch. et Mey.	521, 522
<i>aureus</i>	L.	98	<i>dumulosus</i> Boiss. et Huet	528
<i>callitrichus</i>	Barb.	97	<i>fimbriatus</i> M. Bieb.	527
<i>coloratus</i>	Lehm.	97	<i>floribundus</i> Boiss.	526
<i>durus</i>	L.	101	<i>haussknechtii</i> Boiss.	526
<i>echinatus</i>	L.	97	<i>hypachlorus</i> Boiss.	529
<i>effusus</i>	Link	97, 98	<i>judaicus</i> Boiss.	521, 526
<i>elegans</i>	Desf.	98	<i>karami</i> Bl.	521, 529
CYPERACEAE		158	<i>libanotis</i> Labili.	520, 527
CYPERALES		158	<i>micranthus</i> Boiss. et Held.	521, 526

<i>multipunctatus</i>	Ser.	522, 523	<i>campylopoda</i>	C. A. Mey.	20	
<i>orientalis</i>	Adams	521, 527	<i>fragilis</i>	Desf.	20	
<i>pachypetalus</i>	Stapf	521, 526	EPHEDRACEAE			
<i>vallens</i>	Sibth. et Smith	526	<i>Epipactis</i>			
<i>pendulus</i>	Boiss. et Bl.	521, 528	<i>consimilis</i>	Don.	325	
<i>bogonopetalus</i>	Boiss.	529	<i>helleborine</i>	(L.) Crantz	326	
<i>polycladus</i>	Boiss.	521, 522, 524	<i>latifolia</i>	(L.) All.	325, 326	
<i>strictus</i>	Banks et Sol.	521, 522-25	<i>veratrifolia</i>	Boiss. et Heldr.	325	
<i>superbus</i>	L.	527	EQUISETACEAE			
<i>tripunctatus</i>	Sibth. et Smith	521, 522	EQUISETALES			
<i>velutinus</i>	Guss.	518	<i>Equisetum</i>			
<i>Dichoglossis linearifolia</i>	Fisch et Mey.	513	<i>maximum</i>	Lam.	3	
<i>Digitaria</i>		33	<i>palustre</i>	L.	3	
	<i>sanguinalis</i> (L.) Scop.	34	<i>ramosissimum</i>	Desf.	3	
DIOSCOREACEAE			<i>ramosum</i>	Schleich.	3	
<i>Dracunculus</i>	<i>crassipes</i> Boiss.	191	<i>telmateia</i>	Ehrh.	3	
<i>Dryopteris</i>		8	Eragrostis			
	<i>aculeata</i> (L.) O. Kuntze	8	<i>cilianensis</i>	(All.) Vign.-Lut.	71	
	<i>libanotica</i> (Ros.) A. Christ.	8	<i>megastachya</i>	Link	71	
	<i>bailida</i> (Bory) Fomin	9	<i>minor</i>	Host	71, 72	
	<i>rigida</i> (Hoffm.) Underw.	8	<i>pilosa</i>	(L.) Beauv.	71, 72	
	<i>spinulosa</i> (Sw.) O. Kuntze	9	<i>poaeoides</i>	Beauv.	72	
	<i>thelypteris</i> (L.) A. Gray	9	<i>tatarica</i>	(Fisch.) Henr.	71	
	<i>villarsii</i> (Bell.) H. Woynar	9	<i>Eremopyron</i>			
E			<i>buonapartis</i>	(Spreng.) Nevski	140	
<i>Echinaria</i>		91	<i>distans</i>	(C. Koch) Nevski	141	
	<i>capitata</i> (L.) Desf.	91	<i>Eremurus</i>			
<i>Echinochloa</i>		35	<i>inderiensis</i>	(Stev.) Regel	217	
	<i>colona</i> (L.) Link	36	<i>libanoticus</i>	Boiss. et Bal.	217	
	<i>crus-galli</i> (L.) Beauv.	36	<i>spectabilis</i>	M. Bieb.	211, 217	
	<i>eruciformis</i> (Sibth. et Smith) C. Koch	34	<i>Eruca</i>			
<i>Echinodorus</i>		29	<i>hostii</i>	Griseb.	40	
	<i>ranunculoides</i> (L.) Engelm.	29, 30	<i>ravennae</i>	(L.) Beauv.	40	
<i>Echinopsilon</i>		419	<i>strictus</i>	(Host), Bluff. et Fingerh.	40	
	<i>hyssopifolium</i> (Pall.) Moqu.	419	<i>Erythrostictus</i>			
	<i>muricatum</i> L.) Moqu.	419	<i>palaestinus</i>	Boiss.	211	
<i>Eleocharis</i>		169	<i>Eupteris</i>			
<i>Elymus</i>		157	<i>Eurotia</i>			
	<i>caput-medusae</i> L.	157	<i>ceratoides</i>	(L.) C. A. Mey.	412	
	<i>crinitus</i> Schreb.	157	F			
	<i>delileanus</i> Schult.	158	FAGACEAE			
	<i>geniculatus</i> Del.	158	FAGALES			
	<i>pilifer</i> Banks et Sol.	142	<i>Fagopyrum convolvulus</i> L.) Gross.	357		
<i>Elytrigia</i>		138	<i>Fagus orientalis</i> Lipsky	357		
	<i>aucherii</i> (Boiss.) Nevski	139	Festuca			
	<i>elongata</i> (Host) Nevski	140	<i>arundinacea</i>	Schreb.	110	
	<i>junccea</i> (L.) Nevski	140	<i>bromoides</i>	L.	111, 113	
	<i>libanotica</i> (Hack.) Nevski	139	<i>callieri</i>	(Hack.) Markgr.	114	
	<i>repens</i> L.) Beauv.	138	<i>ciliata</i>	Pers.	111	
<i>Emex</i>		405	<i>dichotoma</i>	Forsk.	114	
	<i>spinosa</i> (L.) Campdera	405	<i>diversifolia</i>	Boiss. et Bal.	97	
<i>Eminium</i>		190	<i>elatior</i>	L.	102	
	<i>intortum</i> (Banks et Sol.) O. Ktze	191	<i>fena</i>	Lag.	111, 112, 113	
	<i>spiculatum</i> (Blume) O. Kuntze	191	<i>indigesta</i>	Boiss.	113	
<i>Ephedra</i>		20	<i>inops</i>	Del.	110, 111	
	<i>alata</i> Decne	20, 21	<i>laevis</i>	(Hack.) Nym.	116	
	<i>alte</i> C. A. Mey.	20	<i>maritima</i>	L.	111, 112	
			<i>myuros</i>	L.	118	
					114	

<i>ovina</i> L.	110, 111	<i>Galanthus</i>	290
<i>phleoides</i> Vill.	87	<i>fosteri</i> Baker	290
<i>pinifolia</i> (Hack.) Bornm.	111	<i>Gastridium</i>	67
<i>pratensis</i> Huds.	110, 111	<i>lendigerum</i> (L.) Gaud.	67
<i>rigida</i> L.	117	<i>scabrum</i> Presl	67
<i>sciurooides</i> Roth	114	<i>ventricosum</i> (Gouan) Schinz et Thell.	67
<i>sylvatica</i> Huds.	131	<i>Gaudinia</i>	86
<i>tenuiflora</i> Schrad.	118	<i>fragilis</i> (L.) Beauv.	86
<i>uniglumis</i> Solander	115	<i>Gaudinopsis</i>	78
<i>valesiaca</i> Schleich.	111	<i>macra</i> (Stev.) Eig	78
FESTUCOIDEAE	47	<i>Girgensohnia</i>	435
<i>Ficus</i>	371	<i>oppositiflora</i> Pall.	435
<i>carica</i> L.	371	<i>Githago</i> <i>segetum</i> Desf.	481
<i>sycomorus</i> L.	371	<i>Gladiolus</i>	303
FILICALES	5	<i>aleppicus</i> Boiss.	303, 305
FILICINAE	4	<i>anatolicus</i> Boiss.	304
<i>Fimbristylis</i>	170	<i>atrovioletaceus</i> Boiss.	305
<i>bis-umbellata</i> (Forsk.) Bub.	170	<i>communis</i> L.	303
<i>dichotoma</i> auct.	170	<i>illyricus</i> Koch	304
<i>ferruginea</i> (L.) Vahl	170	<i>imbricatus</i> L.	303, 304
<i>Fritillaria</i>	232	<i>segetum</i> Ker-Gawler	403
<i>acmopetala</i> Boiss.	232, 233	<i>Glinus</i>	449
<i>alfredae</i>	232, 233	<i>dictamnoides</i> Burm. fil.	449
<i>crassifolia</i> Boiss. et Huet	232, 234	<i>lotoides</i> L.	449
<i>elwesii</i> Boiss.	232, 233	<i>Glyceria</i>	108
<i>hermonis</i> Fenzl	234	<i>distans</i> (L.) Wahlgr.	110
<i>libanotica</i> (Boiss.) Baker	232, 235	<i>fluitans</i> L.	109
<i>olivieri</i> Baker	233	<i>plicata</i> Fries	109
<i>persica</i> L.	232, 235	<i>procumbens</i> (Curt.) Smith	109
<i>pinardi</i> Boiss.	232, 234	<i>rupestris</i> (Whit.) E. Marsh.	109
<i>platyptera</i> Sam.	233	<i>Gomphrena</i>	445
<i>Fuirena</i>	168	<i>globosa</i> L.	445
<i>pubescens</i> (Poir.) Kunth	169	<i>sessilis</i> L.	444
G		<i>GRAMINALES</i>	33
<i>Gagea</i>	220	GRAMINEAE	33
<i>anisanthos</i> G. Koch	218, 220	<i>Gymnadenia</i>	327
<i>arvensis</i> (Pers.) Dumort.	218, 220	<i>conopsea</i> (L.) R. Br.	327
<i>bohemica</i> Zausch.	219, 223	<i>Gymnogramma</i>	5
<i>boissieri</i> Pascher	221	<i>leptophylla</i> (L.) Desv.	5
<i>chlorantha</i> M. Bieb.	219, 225	<i>Gynandriris</i>	305
<i>circinata</i> (L. f.) Pascher	219, 224	<i>sisyrinchium</i> (L.) Parl.	305, 306
<i>commutata</i> C. Koch	225	<i>Gypsophila</i>	509
<i>damascena</i> Boiss.	225	<i>anatolica</i> Boiss.	509, 511
<i>dayana</i> Chodat et Bobs.	219, 225	<i>antari</i> Post et Beauv.	510, 513
<i>dubia</i> Terracciano	219, 221	<i>antilibanotica</i> Post	518
<i>fibrosa</i> (Desf.) Schult.	219, 224	<i>arabica</i> Barkoudah	509, 511
<i>fistulosa</i> (Ram.) Ker-Gawl.	219, 220	<i>arsusiana</i> (Ky) Williams	517
<i>foliosa</i> Presl	219, 221, 222	<i>aucherii</i> Boiss.	509, 512
<i>gageoides</i> (Zucc.) Vved.	219, 226	<i>capillaris</i> (Forsk.) Christ.	511
<i>liottardi</i> (Sternb.) Schult. f.	220	<i>calesyriaca</i> (Boiss.) Williams	517
<i>micrantha</i> (Boiss.) Pascher	218, 222	<i>damascena</i> Boiss.	510, 513
<i>minima</i> (L.) Ker-Gawl.	218, 223	<i>elegans</i> M. Bieb	514
<i>peduncularis</i> (Presl) Pascher	218, 221	<i>filicaulis</i> (Boiss.) Bornm.	510, 516
<i>persica</i> Boiss.	226	<i>frankenioides</i> Boiss.	510, 515
<i>procera</i> Mout.	219, 224	<i>gypsophilooides</i> (Fenzl) Blakel.	517
<i>reticulata</i> (Pall.) Schult.	219, 223	<i>haussknechtii</i> Boiss.	512
<i>rigida</i> Boiss. et Sprun.	219, 224	<i>heteropoda</i> Freyn et Sin t.	510, 514
		<i>hirsuta</i> Labili.	515

<i>hygrophila</i>	Post	511	<i>Herniaria</i>	453
<i>libanotica</i>	Boiss.	509, 512	<i>arabica</i>	453, 454
<i>linearifolia</i>	Fisch. et Mey.) Boiss.	510, 513	<i>cinerea</i>	453
<i>mollis</i>	(Boiss.) Bornm.	510, 515	<i>densiflora</i>	454
<i>pallida</i>	Stapf	510, 512	<i>glabra</i>	453, 454
<i>perfoliata</i>	L.	511	<i>hemistemon</i>	453, 455
<i>pilosa</i>	Huds.	510, 516	<i>hirsuta</i>	453
<i>polygonoides</i>	(Willd.) Halacsy	510, 515	<i>incana</i>	453, 454
<i>porrigens</i>	(L.) Boiss.	516	<i>macrocarpa</i>	454
<i>rokejeka</i>	Del.	511	<i>microcarpa</i>	454
<i>ruscifolia</i>	Boiss.	509, 513	<i>Heteranthelium</i>	142
<i>trichopoda</i>	Boiss.	513	<i>piliferum</i>	142
<i>trichotoma</i>	Wend.	511	<i>Heteropogon</i>	46
<i>venusta</i>	Fenzl	509, 510	f <i>allionii</i>	46
<i>viscosa</i>	Murr.	510, 514	<i>contortus</i>	46
H				
<i>Habrosia</i>		452	<i>Himantoglossum</i>	344
<i>spinuliflora</i>	(Ser.) Fenzl	452	<i>affine</i>	345
<i>Halimione</i>		412	<i>bolleanum</i>	345
<i>portulacoides</i>	(L.) Aellen	412	<i>caprinum</i>	345
<i>Halimocnemis</i>		438	<i>Holcus</i>	76
<i>hispida</i>	C. A. Mey.	437	<i>annuus</i>	76
<i>pilosa</i>	Moqu.	438	<i>halepensis</i>	42
<i>Halocharis</i>		437	<i>lanatus</i>	76, 77
<i>hispida</i>	(C. A. Mey.) Moqu.	437	<i>setiglumis</i>	76
<i>sulphurea</i>	Moqu.	437	<i>setosus</i>	76
<i>syriaca</i>	Eig	437	<i>Holoschænus</i>	166
<i>Halocnemum</i>		422	<i>vulgaris</i>	166
<i>strobilaceum</i>	(Pall.) Bieb.	422	<i>Holosteum</i>	475
<i>Halogeton</i>		439	<i>liniflorum</i>	475
<i>alopecuroides</i>	(Del.) Moqu.	439	<i>umbellatum</i>	475
<i>Halopeplis</i>		422	<i>Hordeum</i>	154
<i>amplexicaulis</i>	(Vahl) Ung.-Sternb.	422	<i>bulbosum</i>	154, 156
<i>Haloxylon</i>		425	<i>gussoneanum</i>	155
<i>articulatum</i>	(Cav.) Bunge	426	<i>hystrix</i>	154, 155
<i>ramosissimum</i>	(Boiss.) Benth. et Hook.	426	<i>ithaburense</i>	154
<i>salicornicum</i>	(Moqu.) Bunge	426	<i>leporinum</i>	154, 155
<i>schweinfurthii</i>	Asch.	426	<i>maritimum</i>	154, 155
<i>Heleocharis</i>		169	<i>murinum</i>	154, 156
<i>macrantha</i>	Bockel	169	<i>nodosum</i>	154, 157
<i>palustris</i>	(L.) R. Br.	169	<i>pratense</i>	157
<i>Heleochnoa</i>		59	<i>secalinum</i>	157
<i>acutiglumis</i>	Boiss.	59, 60	<i>spontaneum</i>	154
<i>alpicola</i>	Hochstt.	60	<i>Humulus</i>	377
<i>alopecuroides</i>	(Pill. et Mitterp.) Host	59	<i>lupulus</i>	377
<i>orientalis</i>	(Boiss.) Dinsm.	60	<i>Hyacinthella</i>	247
<i>schoenoides</i>	(L.) Host	59	<i>nervosa</i>	247
<i>Helicophyllum</i>		190	<i>Hyacinthus</i>	246
<i>crassipes</i>	(Boiss.) Schott	191	<i>comosus</i>	253
<i>rauwolfii</i>	(Blume) Schott	191	<i>nervosus</i>	247
<i>Helictotrichon</i>	<i>convolutum</i> (Presl) Henr.	84	<i>orientalis</i>	246
HELOBIAE		24	<i>racemosus</i>	255
<i>Hemarthria</i>		41	<i>Hydrocharis</i>	31
<i>altissima</i>	(Poir.) Stapf et Hubb.	41	<i>morsus-ranae</i>	31
<i>fasciculata</i>	(Lam.) Kunth	41	<i>HYDROGHARITACEAE</i>	31
<i>Henrardia</i>		137	<i>Hyparrhenia</i>	44
<i>persica</i>	(Boiss.) C. Hubb.	135, 137	<i>hirta</i>	44
			<i>Hypocyllix</i>	422
			<i>kernerii</i>	422

<i>.neghevensis</i>	Ilijin	423
<i>Hypoxis fascicularis</i>	L.	207, 210
I		
<i>Illecebrum</i>		
<i>arabicum</i>	L.	456
<i>baronychia</i>	L.	456
<i>Imperata</i>		
<i>arundinacea</i>	Cyr.	39
<i>cylindrica</i>	(L.) Beauv.	39
<i>Ionorchis abortiva</i>	(L.) Beck	323
IRIDACEAE		295
<i>Iris</i>		306
<i>albicans</i>	Lange	307, 314
<i>antilbanotica</i>	Dinsm.	307, 316
<i>atrofusca</i>	Baker	317
<i>atropurpurea</i>	Baker	317
<i>auranitica</i>	Dinsm.	307, 315
<i>barnumae</i>	Fost. et Bak.	307, 315
<i>basaltica</i>	Dinsm.	308, 317
<i>bismarckiana</i>	Regel	308, 320
<i>bostrensis</i>	Mout.	308, 317
<i>bulbocodium</i>	L.	320
<i>cæruleo-violacea</i>	(Gomb.) Mout.	307, 312
<i>calcarea</i>	Dinsm.	308, 318
<i>caucasica</i>	Hoffm.	310
<i>cedreti</i>	Dinsm.	308, 318
<i>cretensis</i>	Janka	312
<i>damascena</i>	Mout.	308, 318
<i>fumosa</i>	Boiss. et Hausskn.	307, 311
<i>grant-duffii</i>	Baker	307, 312
<i>hauranensis</i>	Dinsm.	316
<i>helenae</i>	Barb.	316
<i>hermona</i>	Dinsm.	320
<i>heylandiana</i>	Boiss. et Reut.	308, 317
<i>histrio</i>	Reichenb.	376, 308
<i>jordana</i>	Dinsm.	308, 316
<i>kasruwana</i>	Dinsm.	308, 319
<i>lortetii</i>	W. Barb.	308, 319
<i>melanosticta</i>	Bornm.	307, 313
<i>mesopotamica</i>	Dykes	307, 314
<i>nazarena</i>	(Foster) Dinsm.	320
<i>nusairiensis</i>	Mout.	306, 311
<i>ochroleuca</i>	L.	307, 313
<i>palæstina</i>	Baker	306, 310
<i>ballida</i>	Lam.	314
<i>persica</i>	L.	306, 309
<i>postii</i>	Mout.	306, 309
<i>pseudacorus</i>	L.	307, 313
<i>saari</i>	Schott	320
<i>sieheana</i>	Lynch.	309
<i>sindjarensis</i>	Boiss. et Hausskn.	307, 311
<i>sisyrinchium</i>	L.	305
<i>sofarana</i>	Fost	308, 319
<i>susiana</i>	L.	317
<i>unguicularis</i>	Poiret	307, 312
<i>vartani</i>	Fost.	306, 309
<i>westii</i>	Dinsm.	308, 319

<i>yebrudi</i>	Dinsm.	308, 318
<i>Ischarum</i>		193
<i>angustatum</i>	J. D. Hooker	193
<i>pyrami</i>	Schott	194
ISOETACEAE		
ISOETALES		
<i>Isoetes</i>		2
<i>hystrix</i>	Dur.	2
<i>olympica</i>	A. Br.	2
<i>Ixiolirion</i>		293
<i>montanum</i>	(Labili.) Herb.	293
<i>ballasii</i>	(Fisch. et Mey.	293
<i>tataricum</i>	(Pall.) Herb.	293
J		
JUGLANDACEAE		
JUGLANDALES		
<i>Juglans</i>		355
<i>regia</i>	L.	355
JUNCACEAE		
JUNCALES		
<i>Juncus</i>		196
<i>acutus</i>	L.	197, 198
<i>articulatus</i>	L.	197, 201
<i>bufonius</i>	L.	198, 202
<i>capitatus</i>	Weigel	197, 202
<i>compressas</i>	Jacqu.	200
<i>effusus</i>	L.	197, 198
<i>fontanesii</i>	J. Gay	197, 201
<i>forsteri</i>	Smith	196
<i>gerardi</i>	Loisel.	197, 200
<i>glaucus</i>	L.	198
<i>inflexus</i>	L.	197, 198
<i>lamprocarpus</i>	Ehrh.	201
<i>libanoticus</i>	Thiéb.	200
<i>maritimus</i>	Lam.	197, 199
<i>punctarius</i>	L.f.	197, 200
<i>pygmæus</i>	Rich.	197, 202
<i>pyramidalus</i>	Laharpe	201
<i>sphaerocarpus</i>	Ness	203
<i>subulatus</i>	Forsk.	197, 199
<i>tenageia</i>	Ehrh.	198, 203
<i>Juniperus</i>		18
<i>drupacea</i>	Lab.	19
<i>excelsa</i>	M. Bieb.	18, 19
<i>fœtidissima</i>	Willd.	18, 19
<i>macrocarpa</i>	Sibth. et Smith	18
<i>oxycedrus</i>	L.	18
<i>rufescens</i>	Link	18
K		
Kochia		
<i>eriophora</i>	Schrad.	418
<i>hyssopifolia</i>	(Pall.) Roth	420
<i>latifolia</i>	Fresen.	419
<i>monticola</i>	Boiss.	420
<i>muricata</i>	(L.) Schrad.	419

<i>scoparia</i> (L.) Schrad.	418	<i>Lychnis</i>	
<i>Koeleria</i>	86	<i>alba</i> Mill.	482
<i>nitidula</i> Velen.	86	<i>caeli-rosa</i> (L.) Dur.	490
<i>phleoides</i> (Vill.) Pers.	86 à 88	<i>laeta</i> Ait.	489
<i>Kohlrauschia</i>	518	<i>Lycochloa</i>	85
<i>velutina</i> (Guss.) Reichb.	518	<i>avenacea</i> Sam.	85
<i>Krascheninnikovia</i>	411	LYCOPODIACEAE	1
<i>ceratoides</i> L.) Gueld.	412	LYCOPODIALES	1
L			
<i>Lagurus</i>	69	<i>Lycopodium</i>	1
<i>cylindricus</i> L.	39	<i>cernuum</i> L.	1
<i>ovatus</i> L.	69	<i>denticulatum</i> L.	2
<i>Lamarckia</i>	98	M	
<i>aurea</i> (L.) Mœnch	98	<i>Maclura</i>	371
<i>Leersia</i>	47	<i>aurantiaca</i> Nutt	371
<i>hexandra</i> Sw.	47	<i>bomifera</i> (Raf.) Robinson	371
<i>Lemna</i>	195	<i>Manisurus</i>	41
<i>gibba</i> L.	195	<i>altissimus</i> (Poir.) Hitchc.	41
<i>minor</i> L.	195	<i>Marsilea</i>	13
<i>paucicostata</i> Hegelm.	195	<i>natans</i> L.	13
<i>polyrrhiza</i> L.	196	<i>Melandrium</i>	481
<i>trisulca</i> L.	195	<i>album</i> (Mill.) Garcke	481, 482
LEMNACEAE	194	<i>erioqalycinum</i> Boiss.	481, 482
LEPIDOSPERMALES	1	<i>pratense</i> Rœhl.	482
<i>Lepturus</i>	136	<i>Melica</i>	91
<i>cylindricus</i> (Will.) Trin.	136	<i>angustifolia</i> Boiss. et Bl.	91, 92
<i>filiformis</i> (Roth) Trin.	136	<i>ciliata</i> L.	91, 93
<i>incurvatus</i> (L.) Trin.	136	<i>cretica</i> Boiss. et Heldr.	93
<i>persicus</i> Boiss.	137	<i>cupani</i> Guss.	91, 92
LILIACEAE	203	<i>inaequiglumis</i> Boiss.	91, 93
LILIALES	203	<i>minuta</i> L.	92
<i>Lilium</i>	236	<i>pannosa</i> Boiss.	91, 93
<i>candidum</i> L.	236	<i>ramosa</i> Vill.	92
<i>Limodorum</i>	323	<i>uniflora</i> Retz	91, 92
<i>abortivum</i> (L.) Sw.	323	<i>Merendera</i>	210
<i>Lloydia</i>	219	<i>sobolifera</i> C. A. Mey.	203, 210
<i>rubroviridis</i> Boiss. et Ky	218, 219	<i>Mesembryanthemum</i>	447
<i>Lolium</i>	132	<i>edule</i> L.	447, 448
<i>arvense</i> Whit.	133	<i>forskalei</i> Hochstt.	447
<i>gaudini</i> Parl.	134	<i>nodiflorum</i> L.	447, 448
<i>loliaceum</i> (Bory et Chaub.) Hand.-Mazz.	132, 134	<i>Microcnemum</i>	421
<i>multiflorum</i> Lam.	132, 134	<i>coralloides</i> (Loscos et Pardo)	
<i>perenne</i> L.	132, 133	Font-Quer	421
<i>persicum</i> Boiss. et Hoh.	132, 134	<i>fastigiatum</i> Ung.-Sternb.	421
<i>rigidum</i> Gaud.	132, 133	<i>Milium</i>	56
<i>robustum</i> Reichb.	133	<i>caerulescens</i> Desf.	56
<i>speciosum</i> Stev.	133	<i>lendigerum</i> L.	67
<i>subulatum</i> Vis.	134	<i>montianum</i> Parl.	57
<i>temulentum</i> L.	132	<i>pedicellare</i> (Bornm.) Roshev	57
<i>Lophochloa phleoides</i> (Vill.) Reichenb.	87	<i>trichopodium</i> Boiss.	56, 57
LORANTHACEAE	382	<i>vernale</i> M. Bieb.	57
<i>Loranthus</i>	382	<i>Minuartia</i>	462
<i>europaeus</i> L.	382	<i>decipiens</i> (Fenzl) Bornm.	463, 467
<i>Loroglossum hircinum</i> (L.) C. Rich.	345	<i>formosa</i> (Fenzl) Mattf.	463, 470
<i>Luzula</i>	196	<i>globulosa</i> (Labili.) Maire et Petitm.	
<i>forsteri</i> (Sm.) D.C.	196	<i>hamata</i> (Hausskn.) Mattf.	463, 466
		<i>hybrida</i> (Vill.) Schiskine	470
			464, 468

innominata	Mc Neill		463, 465
intermedia	(Boiss.) Hand.-Mazz.		463, 466
juniperina	(L.) Maire et Petitm.		463, 464
labillardieri	Briquet		463, 464
ibanotica	(Boiss.) Bornm.		463, 464
mediterranea	(Lebed.) K. Maly		464, 468
mesogitana	(Boiss.) Hand.-Mazz.		464, 467
meyeri	(Boiss.) Bornm.		463, 466
montana	Loefl.		463, 467
mucronata	(Sibth. et Smith) Sch. et Th.		468
parvulorum	Mout. et Sam.	463,	465
picta	(Sibth. et Smith) Schinz et Thell.		463, 469
subtilis	(Fenzl) Hand.-Mazz.		464, 468
tenuifolia	(L.) Hiern.		468
thymifolia	(Sibth. et Smith) Bornm.		463, 469
viscosa	(Schreb.) Schinz et Th.		468
Moenchia			476
octandra	(Ziz) J. Gay		476
Molinia			94
cærulea	(L.) Mœnch		94
Monerma			136
cylindrica	(Willd.) Coss. et Dur.	135,	136
Monocaryum			209
fasciculare	Rœm. et Scul t.	204,	210
Montia			450
fontana	L.		450
minor	auct.		450
MORACEAE			370
<i>Morocarpus</i>	foliosus	Mœnch	411
Morus			370
alba	L.		370
nigra	L.		370
Muscaria			252
albicaule	Post		254
comosum	(L.) Mill.		252, 253
commutatum	Guss.		253, 256
deserticolum	Rech.	fil.	254
dinsmorei	Rech.	fil.	252, 253
inconstrictum	Rech.	fil.	253, 256
longipes	Boiss.		252, 254
maritimum	Desf.		252, 255
neglectum	Guss.		253, 256
parviflorum	Desf.	•	252, 257
pinardi	Boiss.		252, 253
pulchellum	Heldr. et Sart.		252, 255
racemosum	(L.) Mill.		252, 255
wallii	Rech.	fil.	253

N

NAIADACEAE		24
Naias		24
armata	Lindb.	24
delilei	Rouy	24
graminea	Del.	24
marina	L.	24
minor	L.	24

muricata	Del.	24
Narcissus		291
serotinus	L.	292
syriacus	Boiss. et Gaill.	292
tazzetta	L.	292
Nardurus		117
maritimus	(L.) Janch.	118
orientalis	Boiss.	118
<i>tenuiflorus</i>	(Schrad.) Boiss.	118
Nardus		
aristata	L.	135
incurva	Gouan	135
Neotinea		327
intacta	(Link) Reichenb.	327
Nephrodium		8
rigidum	(Hoffm.) Desv.	9
Noaea		435
mucronata	(Forsk.) Asch. et Schw.	435
spinosissima	(L. fil.) Moqu.	435
Nothochlaena		5
Notholaena		5
lanuginosa	(Desf.) Desv.	6
marantae	(L.) R. Br.	6
vellea	(Ait.) R. Br.	6
NYCTAGINACEAE		446
	●	
Obione		412
portulacoides	(L.) Moqu.	412
OPHIOGLOSSACEAE		4
OPHIOGLOSSALES		4
Ophioglossum		4
lusitanicum	L.	4
vulgatum	L.	4
Ophrys		327
adonidis	A. Camus et R. Gombault	329
apifera	Huds.	328, 333
arachnites	Lam.	330
argolica	Fleischm.	328, 333
attica	(Boiss. et Orph.) Soó	328, 331
bombyliflora	Link	332
bornmuelleri	M. Schulze	328, 331
carmeli	Fleischm. et Bornm.	331
cilicica	Schlecht.	332
comuta	Stev.	332
dinsmorei	Schlecht.	331
fuciflora	(Crantz) Haller	328, 330
fusca	Link	328, 329
galilaea	Fleischm. et Bornm.	328, 330
iricolor	Desf.	328, 329
lutea	(Gouan) Cav.	328, 330
astrifera	M. Bieb.	331
rosea	Desf.	330
schulzei	Fleischm. et Bornm.	332
scolopax	Cav.	328, 332
sintenesii	Fleischm. et Bornm.	328, 334
speculum	Link	328, 330

<i>spruneri</i> Nym.	334	<i>libanoticum</i> Boiss. et Bl.	239, 240
<i>tenthredinifera</i> Willd.	330	<i>minimum</i> L.	223
<i>Oporanthus fischerianus</i> Herb.	291	<i>montanum</i> Cyr.	239, 243
ORCHIDACEAE	322	<i>narbonense</i> L.	239, 241
<i>Orchis</i>	334	<i>neurostegium</i> Boiss. et Bl.	240, 244
<i>abortiva</i> L.	323	<i>paterfamilias</i> Godron	240, 245
<i>anatolica</i> Boiss.	335, 342	<i>pedunculare</i> Presl	221
<i>angustifolia</i> M. Bieb.	340	<i>platyphyllum</i> Boiss.	240, 243
<i>autumnalis</i> Balb.	323	<i>pyrenaicum</i> L.	239, 240
<i>caprina</i> M. Bieb.	345	<i>reticulatum</i> Pall.	223
<i>chlorantha</i> Custer	326	<i>tenuifolium</i> Guss.	240, 245
<i>cilicica</i> Schlecht.	343	<i>ulophyllum</i> Hand.-Mazz.	244
<i>collina</i> Banks et Sol.	335, 341	<i>umbellatum</i> L.	245
<i>commutata</i> Tod.	338		47
<i>comperia</i> a Stev.	334, 355	<i>Oryza</i>	47
<i>coriophora</i> L.	335, 337	<i>hexandra</i> Doell.	47
<i>fuciflora</i> Crantz	330	<i>sativa</i> L.	47
<i>galilaea</i> (Bornm. et M. Sch.) Schlecht.	339	Oryzopsis	55
<i>hircina</i> L.	345	<i>cærulescens</i> (Desf.) Richt.	55, 56
<i>holocheilos</i> (Boiss.) Soo	335, 343	<i>holciformis</i> (M. Bieb.) Reichb.	55, 56
<i>iberica</i> M. Bieb.	335, 340	<i>miliacea</i> (L.) Asch. et Schw.	55
<i>incarnata</i> L.	343	Osmunda	4
<i>intacta</i> Link	327	<i>regalis</i> L.	4
<i>italica</i> Poir.	335, 340	<i>spicant</i> L.	9
<i>lactea</i> Poir.	338	OSMUNDACEAE	4
<i>laxiflora</i> Lam.	335, 343	<i>Osmundales</i>	4
<i>longicurvis</i> Link	340	Ostrya	356
<i>macrostachys</i> Tineo	343	<i>carpinifolia</i> Scop.	357
<i>maculata</i> L.	335, 343	Osyris	378
<i>mascula</i> L.	342	<i>alba</i> L.	378
<i>morio</i> L.	334, 336	Oxyria	405
<i>papilionacea</i> L.	334, 336	<i>digyna</i> L.) Hill.	405
<i>patens</i> Desf.	335, 341		
<i>pseudosambucina</i> Ten.	342	PALMAE	182
<i>punctulata</i> Stev.	335, 339	<i>Pancratium</i>	292
<i>pyramidalis</i> L.	344	<i>maritimum</i> L.	292
<i>romana</i> Seb. et Mauri	335, 342	<i>parviflorum</i> Decne	293
<i>saccata</i> Ten.	341	PANDANALES	22
<i>saccigera</i> Brongn.	343	Panderia	418
<i>sancta</i> L.	335, 337	<i>pilosa</i> Fisch. et Mey.	418
<i>simia</i> Lam.	335, 338	PÀNICOIDEAE	33
<i>sulphurea</i> Link	342	<i>Panicum</i>	36
<i>tridentata</i> Scop.	334, 338	<i>colonum</i> L.	36
<i>vomeracea</i> Burm.	346	<i>crus-galli</i> L.	36
Ornithogalum	239	<i>dactylon</i> L.	73
<i>arabicum</i> L.	239, 242	<i>cruciforme</i> Sibth. et Smith	34
<i>arvense</i> Pers.	220	<i>geminatum</i> Forsk.	35
<i>billardieri</i> Mout.	239, 242	<i>glaucum</i> L.	37
<i>bohemicum</i> Zauschn.	223	<i>lutescens</i> Weigel	37
<i>brachystachys</i> G. Koch	241	<i>miliaceum</i> L.	37
<i>chloranthum</i> M. Bieb.	225	<i>muticum</i> Forsk.	34
<i>circinatum</i> L. fil.	225	<i>numidianum</i> Lam.	34
<i>densum</i> Boiss. et Bl.	239, 241	<i>prostratum</i> Lam.	37
<i>divergens</i> Boreau	240, 245	<i>repens</i> L.	36
<i>eigii</i> Feinbr.	244	<i>sanguinale</i> L.	34
<i>fimbriatum</i> Willd.	244	<i>setaceum</i> Gmel.	39
<i>fucescens</i> Boiss. et Gaill.	239, 241	<i>verticillatum</i> L.	38
<i>lanceolatum</i> Labili.	242, 243	<i>viride</i> L.	37

<i>Pappophorum pumilio</i> Trin.	75	<i>gerardi</i> All.	61
<i>Parapholis</i>	136	<i>graecum</i> Boiss.	64
<i>incurva</i> (Dum. -Cours.) C. Hubb.	135, 136	<i>montanum</i> C. Koch.	63, 64
<i>strigosa</i> (D.C.) C. Hubb.	135, 136	<i>nodosum</i> L.	63, 65
<i>Parietaria</i>	374	<i>pratense</i> L.	65
<i>alsinifolia</i> Del.	375, 376	<i>schaenoides</i> L.	59
<i>cretica</i> L.	375, 376	<i>subulatum</i> (Savi) Asch. et Schw.	63
<i>diffusa</i> Mert. et Koch	375	<i>tenue</i> (Host.) Schrad.	63
<i>erecta</i> Mert. et Koch	376	<i>Phænix</i>	182
<i>judaica</i> L.	374, 375	<i>dactylifera</i> L.	182
<i>lusitanica</i> L.	375, 376	<i>Pholiurus</i>	136
<i>officinalis</i> L.	376	<i>incurvus</i> (L.) Schinz et Thell.	136
<i>ramiflora</i> Mœnch	375	<i>persicus</i> (Boiss.) A. Camus	137
<i>Paronychia</i>	455	<i>Phragmites</i>	74
<i>arabica</i> (L.) D.C.	455, 456	<i>communis</i> Trin.	75
<i>argentea</i> Lam.	455, 456	<i>Phucagrostis major</i> Cavolini	25
<i>capitata</i> Koch	455	<i>Phyllitis</i>	12
<i>chionea</i> Boiss.	455	<i>hemionitis</i> (Lagr.) O. Kuntze	12
<i>echinata</i> Lam.	455, 457	<i>scolopendrium</i> (L.) Newm.	12
<i>kurdica</i> Boiss.	455, 456	<i>Phytolacca</i>	446
<i>macrosepala</i> Boiss.	455, 456	<i>americana</i> L.	446
PARONYCHIOIDEAE	451	<i>decandra</i> L.	446
<i>Paspalidium</i>	35	<i>pruinosa</i> Fenzl	446
<i>geminatum</i> (Forsk.) Stapf	35	<i>PHYTOLACCACEAE</i>	445
<i>Paspalum</i>	35	<i>Pilgerochloa</i>	78
<i>distichum</i> L.	35	<i>blanchei</i> (Boiss.) Eig	78
<i>Pennisetum</i>	38	<i>PINACEAE</i>	15
<i>asperifolium</i> (Desf.) Kunth	38	<i>PINALES</i>	15
<i>ciliare</i> (L.) Link	39	<i>Pinus</i>	15
<i>divisum</i> (CC. Gmel.) Henr.	38, 39	<i>brutia</i> Ten.	16
<i>setaceum</i> (Forsk.) Chiov.	38	<i>cedrus</i> L.	15
<i>Petrorhagia velutina</i> (Guss.) P. W. Ball	518	<i>halepensis</i> Mill.	16
& Heywood		<i>pinea</i> L.	16
<i>Petrosimonia</i>	436	<i>pithyusa</i> Stev.	16
<i>brachiata</i> (Pall.) Bunge	436	<i>Piptatherum</i>	55
<i>Phaelurus</i>	41	<i>blancheanum</i> E. Desv.	56
<i>digitatus</i> (Sibth. et Smith) Griseb	41	<i>caerulescens</i> (Desf.) Beauv.	56
<i>Phalaris</i>	47	<i>holciforme</i> (M. Bieb.) Røem. et Sch	56
<i>arundinacea</i> L.	47, 50	<i>miliaceum</i> (L.) Coss.	55
<i>brachystachys</i> L.	48	<i>Platanthera</i>	362
<i>bulbosa</i> L.	48, 49	<i>chlorantha</i> (Custer) Reichb.	362
<i>cærulescens</i> Desf.	47, 49	<i>Poa</i>	101
<i>eruciformis</i> L.	61	<i>annua</i> L.	101, 103
<i>minor</i> L.	48	<i>attica</i> Boiss. et Heldr.	V 104
<i>nodosa</i> L.	49	<i>bulbosa</i> L.	102, 105
<i>paradoxa</i> L.	48, 49	<i>chaixii</i> Vill.	101, 102
<i>semiverticillata</i> Forsk.	66	<i>ciliarensis</i> All.	71
<i>setacea</i> Forsk.	39	<i>compressa</i> L.	102, 105
<i>subulata</i> Savi	68	<i>convoluta</i> Hornem.	110
<i>tenuis</i> Host	63	<i>distans</i> L.	110
<i>tuberosa</i> L.	49	<i>divaricata</i> Gouan	95
<i>Phleum</i>	63	<i>diversifolia</i> (Boiss. et Bal.) Hack.	101, 102
<i>alopecuroides</i> Pill. et Mitterp.	59	<i>exilis</i> (Pomm.) Murb.	102
<i>alpinum</i> L.	65	<i>hackeli</i> Post	101, 103
<i>arenarium</i> L.	63, 64	<i>infirma</i> H. B. et K.	101, 103
<i>bæhmeri</i> Wib.	64	<i>littoralis</i> Gouan	100
<i>boissieri</i> Bornm.	63, 64	<i>loliacea</i> Huds.	117
<i>exaratum</i> Griseb.	63, 64	<i>nemoralis</i> L.	102, 106

<i>pectinata</i>	Post	103	<i>vulgare</i>	L.	13
<i>persica</i>	Trin.	101, 107	<i>Polypogon</i>		68
<i>pilosa</i>	L.	71	<i>maritimus</i>	Willd.	68
<i>pratensis</i>	L.	101, 104	<i>monspeliensis</i>	(L.) Desf.	68
<i>procumbens</i>	Curtis	109	<i>vaginatus</i>	Willd.	61
<i>silvicola</i>	Guss.	102, 104	<i>Polystichum</i>		8
<i>sinaica</i>	Steud.	102, 106	<i>aculeatum</i>	(L.) Roth	8
<i>sterilis</i>	M. Bieb.	102, 106	<i>Populus</i>		351
<i>sudetica</i>	Haenke	102	<i>alba</i>	L.	352
<i>tatarica</i>	Fisch.	71	<i>bolleana</i>	Lauche	351, 352
<i>timoleontis</i>	Heldr.	102, 106	<i>canescens</i>	Smith	353
<i>trivialis</i>	L.	-- 102, 104	<i>carolinensis</i>	Foug.	351, 352
<i>Pollinia distachya</i>	(L.) Spreng.	46	<i>euphratica</i>	Oliv.	351, 354
<i>Polycarpon</i>		457	<i>globosa</i>	Dode	354
<i>alsinifolium</i>	(Biv.) D.C	458	<i>italica</i>	Duroi	351, 352
<i>succulentum</i>	(Del.) J. Gay	457	<i>nigra</i>	L.	351, 352
<i>tetraphyllum</i>	L.	457	<i>tremula</i>	L.	351, 352-54
<i>Polycnemum brachiatum</i>	Pall.	436	<i>Portulaca</i>		449
POLYGONACEAE		387	<i>oleracea</i>	L.	450
POLYGOALES		387	PORTULACACEAE		449
<i>Polygonatum polyanthemum</i>	(M. Bieb.) Link	285	<i>Potamogeton</i>		26
Polygonum		396	<i>crispus</i>	L.	26
<i>aleppicum</i>	Boiss. et Hausskn.	397, 402	<i>densus</i>	L.	26, 27
<i>alpestre</i>	C. A. Mey.	403	<i>fluitans</i>	Roth	26
<i>amphibium</i>	L.	396, 398	<i>lucens</i>	L.	26, 27
<i>arenarium</i>	Waldst. et Kit.	401	<i>natans</i>	L.	27
<i>argyrocoleum</i>	Steud.	397, 400	<i>nodosus</i>	Poir.	26
<i>aviculare</i>	L.	397, 401	<i>panormitanus</i>	Biv.	26, 28
<i>bellardi</i>	Reichb.	400	<i>pectinatus</i>	L.	26, 28
<i>cedrorum</i>	Boiss. et Ky	397, 404	<i>perfoliatus</i>	L.	26, 27
<i>cogna</i>	turn Meisn.	397, 403	<i>phialae</i>	Post	.27
<i>convolvulus</i>	L.	396	<i>pusillus</i>	L.	28
<i>corrigioloides</i>	Jaub. et Spach	397, 400	<i>trichoides</i>	Cham. et Schlecht.	26, 27
<i>equisetiforme</i>	Sibth. et Smith	397, 402	POTAMOGETONACEAE		25
<i>herniarioides</i>	R. Br.	403	PRINCIPES		182
<i>hydropiper</i>	L.	396, 398	<i>Psamma</i>		70
<i>kitaibelianum</i>	Sadl.	397, 400	<i>arenaria</i>	(L.) Roem. et Sch.	70
<i>lapathifolium</i>	L.	396, 399	<i>australis</i>	Mabille	70
<i>libani</i>	Boiss.	397, 403	Psilurus		135
<i>maritimum</i>	L.	397, 402	<i>aristatus</i>	(L.) Duval-Jouve	135
<i>nodosum</i>	Pers.	399	<i>incurvus</i>	Schinz et Thell.	135
<i>batulum</i>	M. Bieb	400	<i>nardooides</i>	Trin.	135
<i>persicaria</i>	L.	396, 399	Pteranthus		451
<i>plebeium</i>	Del.	403	<i>dichotomus</i>	Forsk.	451
<i>polycnemoides</i>	Jaub. et Spach	397, 400	<i>echinatus</i>	Desf.	451
<i>salicifolium</i>	Brouss.	396, 398	PTERIDACEAE		5
<i>scabrum</i>	Poir.	398	Pteridium		7
<i>serrulatum</i>	Lagr.	398	<i>aquininum</i>	(L.) Kuhn.	7
<i>setosum</i>	Jacqu.	397, 403	Pteris		7
<i>venantianum</i>	Clem.	397, 401	<i>aquilina</i>	L.	7
POLYPODIACEAE		13	<i>longifolia</i>	L.	7
<i>Polypodium</i>		13	<i>vittata</i>	L.	7
<i>aculeatum</i>	L.	8	Puccinellia		109
<i>filix-femina</i>	L.	8	<i>convoluta</i>	(Hornem.) Fourr.	109, 110
<i>filix-fragile</i>	L.	~ 6	<i>distans</i>	(L.) Parl.	109, 110
<i>leptophyllum</i>	L.	5	<i>rupestris</i>	(Whit.) Fern. et Weath	109
<i>lobatum</i>	Huds.	8	Puschkinia		246
<i>pteridioides</i>	Reich.	5	<i>libanotica</i>	Zucc.	246

<i>scilloides</i> Adams	246	<i>Romulea</i>	320
<i>Pycrus</i>	160	<i>bulbocodium</i> Seb. et Mauri	320
<i>mundii</i> Nees	160	<i>columnae</i> Seb. et Mauri	320, 322
		<i>nivalis</i> (Boiss. et Ky) Klatt	320, 321
		<i>Phoenicia</i> Mout.	320, 321
		<i>ramiflora</i> Ten.	320, 322
<i>Quercus</i>	357		
<i>aegilops</i> L.	365	<i>Rottbælia</i>	
<i>boissieri</i> Reut.	360	<i>altissima</i> Poir.	41
<i>brantii</i> Lindley	358, 363	<i>cylindrica</i> Willd.	136
<i>calliprinos</i> Webb	358, 367	<i>digitata</i> Sibth. et Smith	41
<i>cedrorum</i> Ky	358, 359	<i>fasciculata</i> Lam.	41
<i>cerris</i> L.	359, 366	<i>filiformis</i> Roth	136
<i>coccifera</i> L.	367	<i>loliacea</i> Bory et Jaub.	134
<i>ehrenbergii</i> Ky	364		
<i>faginea</i> Lam.	360	<i>Rumex</i>	387
<i>graeca</i> Ky	365	<i>acetosella</i> L.	388, 395
<i>ilex</i> L.	368	<i>acetoselloides</i> Bal.	395
<i>infectoria</i> Oliv.	358, 360-62	<i>angustifolius</i> Campd.	388, 389
<i>ithaburensis</i> Decne	358, 365	<i>autranianus</i> Freyn et Sint.	391
<i>lanuginosa</i> Willd.	359	<i>bucephalophorus</i> L.	389, 393
<i>libani</i> Oliv.	358, 362	<i>cassius</i> Boiss.	388, 392
<i>look</i> Ky	363	<i>chalepensis</i> Mill.	388, 391
<i>lusitanica</i> Lam.	360	<i>conglomeratus</i> Murr.	388, 390
<i>macrolepis</i> Ky	365	<i>crispus</i> L.	388, 390
<i>microphylla</i> (Ky) Thiéb.	358, 362	<i>cyprius</i> Murb.	389, 395
<i>oophora</i> Ky	363	<i>dentatus</i> L.	388, 392
<i>palaestina</i> Ky	368	<i>digynus</i> L.	405
<i>pedunculiflora</i> C. Koch	359	<i>divaricatus</i> L.	392
<i>petiolaris</i> Boiss. et Reut.	361	<i>lacerus</i> Balb.	394
<i>persica</i> Jaub. et Spach	366	<i>nemorosus</i> Schrad.	390
<i>petraea</i> (Matt.) Lindl.	359	<i>nepalensis</i> Spreng.	388, 391
<i>pfaeffingeri</i> Ky	361	<i>obtusifolius</i> L.	390
<i>pinnatifida</i> C. C. Gmel.	358, 359	<i>occultans</i> Sam.	389, 394
<i>pseudocerris</i> Boiss.	366	<i>orientalis</i> Bernh.	389
<i>pyrami</i> Ky	365	<i>palustris</i> Smith	388, 393
<i>sessiliflora</i> Smith	359	<i>patientia</i> L.	388, 389
<i>suber</i> L.	368	<i>pictus</i> Forsk.	394
<i>syriaca</i> Ky	361	<i>pulcher</i> L.	388, 391-92
<i>tauricola</i> Ky	361	<i>roseus</i> L.	395
<i>ungeri</i> Ky	365	<i>sannineus</i> Rech. fil.	391
<i>Queria hispanica</i> L.	470	<i>spinosus</i> L.	405
		<i>syriacus</i> Meisn.	391
		<i>tuberosus</i> L.	88, 394
		<i>vesicarius</i> L.	389, 395
RAFFLESIACEAE	381	<i>Ruppia</i>	25
<i>Rheum</i>	406	<i>maritima</i> L.	25
<i>palaestinum</i> Finbr.	406	<i>rostellata</i> Koch	25
<i>ribes</i> L.	406		
<i>Rhizocephalus</i>	60	<i>Ruscus</i>	287
<i>orientalis</i> Boiss.	60	<i>aculeatus</i> L.	288
<i>Rhynchospora</i>	171	<i>racemosus</i> L.	288
<i>glauca</i> Vahl.	171		
R. Br.	171		
<i>Robbairea</i>	458		
<i>delileana</i> Milne-Redh.	458		
<i>prostrate</i> (Forsk.) Boiss.	458		
<i>Rægneria</i>	138		
<i>panormitana</i> (Parl.) Nevski	138		
			S
		<i>Saccharum</i>	40
		<i>aegyptiacum</i> Willd.	40
		<i>biflorum</i> Forsk.	40
		<i>officinarum</i> L.	40
		<i>ravennae</i> L.	40
		<i>sara</i> Roxb.	40
		<i>spontaneum</i> L.	40

Sagina		462	zenobiae Mout.	428, 431
<i>apetala</i> L.		462		13
<i>libanotica</i> Rech. fil.		462		13
<i>maritima</i> G. Don.		462		13
<i>octandra</i> Ziz.		476		13
<i>procumbens</i> L.		462		378
SALICACEAE		347		378
SALICALES		347		507
Salicornia		420	bargyliana Gomb.	507, 508
<i>amplexicaulis</i> Vahl		422	<i>barbadensis</i> Boiss.	515
<i>europaea</i> L.	\	421	<i>Jilicaulis</i> Boiss.	516
<i>fruticosa</i> L.		421	<i>glutinosa</i> M. Bieb.	508
<i>glaucia</i> Del.		420	<i>hirsuta</i> Labili.	515
<i>herbacea</i> L.		421	<i>liniflora</i> Boiss. et Hausskn.	507
<i>strobilacea</i> Pall.		422	<i>mollis</i> Boiss.	515
Salix		347	<i>officinalis</i> L.	507
<i>acmophylla</i> Boiss.		347, 348	<i>oxyodonta</i> Boiss.	507
<i>alba</i> L.		348, 350	<i>pulvinaris</i> Boiss.	507, 508
<i>australior</i> Andr.		347, 349	<i>segetalis</i> Neck.	507
<i>babylonica</i> L.		347, 350	<i>syriaca</i> Boiss.	507 , 509
<i>dinsmorei</i> Enander		347, 349	<i>tridentata</i> Boiss.	507, 508
<i>fragilis</i> L.		349	<i>vaccaria</i> L.	507
<i>libani</i> Bornm.		347, 350	Schanginia	425
<i>libanotica</i> Boiss.		350	<i>baccata</i> (Forsk.) Moqu.	425
<i>louisii</i> A. Cam. et R. Gomb.		348	Schismus	89
<i>micans</i> (Andrz.) Gœtz		350	<i>arabicus</i> Nees	89
<i>pedicellata</i> Desf.		350	<i>barbatus</i> (L.) Thell.	89
<i>versica</i> Boiss.		348	<i>calycinus</i> (L.) Host	89
<i>pseudo-safsaf</i> A. Cam. et R. Gomb.		348	Schoberia salsa C. A. Mey.	424
<i>purpurea</i> L.		348, 350	Schoenus	171
<i>safsaf</i> Forsk.		349	<i>compressus</i> L.	168
<i>subserrata</i> Willd.		349	<i>mariscus</i> L.	172
<i>variifolia</i> Freyn et Sint.		350	<i>mucronatus</i> L.	162
Salsola		427	<i>nigricans</i> L.	171
<i>articulata</i> Cav.		426	Scilla	236
<i>autrani</i> Post		428, 430	<i>autumnalis</i> L.	236, 237
<i>azaurena</i> Mout.		428, 433	<i>bifolia</i> L.	236, 238
<i>canescens</i> Moqu.		429, 433	<i>cemua</i> Red.	238
<i>crassa</i> M. Bieb.		428, 430	<i>cilicica</i> Siehe	237
<i>fruticosa</i> L.		424	<i>hanburyi</i> Baker	236, 237
<i>glaucia</i> M. Bieb.		428, 434	<i>hohenackeri</i> Fisch. et Mey.	238
<i>helaramiae</i> Mout.		429, 432	<i>hyacinthoides</i> L.	236, 237
<i>hierochuntica</i> Bornm.		428, 434	<i>maritima</i> L.	238
<i>hyssopifolia</i> Pall.		419	<i>sibirica</i> Andr.	237, 238
<i>incanescens</i> C. A. Mey.		428, 430	<i>xanthandra</i> C. Koch	238
<i>inermis</i> Forsk.		428, 429	Scirpus	165
<i>jordanicola</i> Eig		428, 439	<i>bis-umbellatus</i> Forsk.	170
<i>kali</i> L.		428, 424	<i>cernuus</i> Vahl	165, 166
<i>lancifolia</i> Boiss.		434	<i>compressus</i> (L.) Pers.	168
<i>mucronata</i> Forsk.		435	<i>dichotomus</i> L.	170
<i>muricata</i> L.		419	<i>ferrugineus</i> L.	170
<i>postii</i> Eig		428, 432	<i>filiformis</i> Savi	166
<i>rigida</i> Pall.		433	<i>holoschoenus</i> L.	165, 166
<i>subcrassa</i> Popov		428, 431	<i>kalli</i> Forsk.	162
<i>tetrandra</i> Forsk;		428, 431	<i>lacustris</i> L.	165, 167
<i>vermiculata</i> L.		433	<i>libanoticus</i> Post	169
<i>villosa</i> Del.		429, 433	<i>littoralis</i> Schrad.	165, 167
<i>volkensii</i> Asch. et Schw.		428, 429	<i>maritimus</i> L.	167

<i>mucronatus</i> L.	165, 167	<i>apetala</i> Willd.	484, 493
<i>palustris</i> L.	169	<i>astartes</i> Bl.	487, 501
<i>setaceus</i> L.	165	<i>atocion</i> Juss.	495
<i>tabernaemontanus</i> Gmel.	165, 167	<i>behen</i> L.	483, 489
<i>triqueter</i> Gr. et Godr.	167	<i>bipartita</i> Desf.	494
<i>tuberosus</i> Desf.	165, 167	<i>boryi</i> Boiss.	486, 499
Scleranthus	451	<i>caeli-rosa</i> (L.) A. Br.	483, 490
<i>annuus</i> L.	451, 452	<i>capitellata</i> Boiss.	486, 498
<i>collinus</i> Horn.	451, 452	<i>caryophylloides</i> (Poir.) Otth	486, 499
<i>hamatus</i> Hausskn.	470	<i>cassia</i> Boiss.	485, 496
<i>orientalis</i> Rössler	451	<i>cerastoides</i> L.	484, 492
<i>uncinatus</i> Schur.	451	<i>chaetodonta</i> Boiss.	485, 497
<i>verticillatus</i> Tausch	452	<i>chlorifolia</i> Smith	487, 503
Sclerochloa	100	<i>colorata</i> Poir.	485, 494
<i>dura</i> (L.) Beauv.	101	<i>commutata</i> Guss.	501
<i>procumbens</i> (Curt.) Smith	109	<i>compacta</i> Fisch.	483, 488
Scleroipoa		<i>confertiflora</i> Chowdhuri	486, 502
<i>dichotoma</i> (Forsk.) Parl.	97	<i>coniflora</i> Otth	483, 487
<i>maritima</i> (L.) Parl.	96	<i>conoidea</i> L.	483, 488
<i>memphitica</i> (Spreng.) Parl.	96	<i>crassipes</i> Fenzl	483, 490
<i>philistaea</i> Boiss.	96	<i>cretica</i> L.	483, 490
<i>procumbens</i> (Curt.) Boiss.	109	<i>cucubalus</i> Wib.	485, 500
<i>rigida</i> (L.) Griseb.	117	<i>damascena</i> Boiss. et Gaill.	484, 492
Scolopendrium		<i>decumbens</i> Bib.	494
<i>hemionitis</i> Lagr.	12	<i>dichotoma</i> Ehrh.	491
<i>vulgare</i> Smith	12	<i>eremophila</i> Bienert	492
Secale	141	<i>fuscata</i> Link	484, 495
<i>cereale</i> L.	141	<i>gallica</i> L.	484, 491
<i>montanum</i> Guss.	141	<i>gigantea</i> L.	505
Seidlitzia	427	<i>gonocalyx</i> Boiss.	490
<i>florida</i> M. Bieb.	427	<i>grisea</i> Boiss.	486, 504
<i>rosmarinus</i> (Ehr.) Bunge	. 427	<i>inflata</i> (Salisb.) Smith	500
Selaginella	2	<i>intricata</i> Post	485, 498
<i>denticulata</i> (L.) Link	2	<i>italica</i> (L.) Pers.	487, 501
SELAGINELLACEAE	1	<i>juncea</i> Sibth. et Smith	485, 497
Serapias	306	<i>kotschy</i> Boiss.	485, 496
<i>damasonium</i> Mill.	324	<i>laeta</i> (Ait.) A. Br.	483, 489
<i>ensifolia</i> Murr.	325	<i>lagenocalyx</i> Fenzl	492
<i>helleborine</i> L.	326	<i>libanotica</i> Boiss.	486, 504
<i>longifolia</i> Huds.	325	<i>linearis</i> Decne	485, 497
<i>longipetala</i> Poll.	346	<i>longipetala</i> Ventenat	486, 502
<i>pollens</i> (Jundz.) L. C. Rich.	324	<i>lydia</i> Boiss.	483, 488
<i>rubra</i> L.	324	<i>macrodonta</i> Boiss.	483, 488
<i>vomeracea</i> (Burm.) Briquet	346	<i>makmeliana</i> Boiss.	487, 504
Sesleria	90	<i>marschallii</i> C. A. Mey.	486, 502
<i>anatolica</i> Deyl	90	<i>modesta</i> Boiss. et Bl.	485, 498
<i>argentea</i> Savi	90	<i>muscipula</i> L.	483, 489
<i>subacaulis</i> Bal.	90	<i>nocturna</i> L.	484, 493
Setaria	37	<i>odontopetala</i> Fenzl	485, 500
<i>glauca</i> (L.) Beauv.	37	<i>oliveriana</i> Otth	485, 494
<i>italica</i> (L.) Beauv.	38	<i>palaestina</i> Boiss.	485, 493
<i>lutescens</i> (Weigel) Hubb.	37	<i>papillosa</i> Boiss.	483, 490
<i>verticillata</i> (L.) Beauv.	37, 38	<i>pharnaceifolia</i> Fenzl	486, 498
<i>viridis</i> (L.) Beauv.	37	<i>physalodes</i> Boiss.	485, 501
Silene	482	<i>physocalyx</i> Ledeb.	500
<i>aegyptiaca</i> L. fil.	484, 495	<i>picta</i> D.C.	. 497
<i>alba</i> Mill.	482	<i>pruinosa</i> Boiss.	486, 499
<i>amana</i> Boiss.	487, 502	<i>racemosa</i> Otth	484, 491

<i>reuteriana</i>	Boiss.	483, 489	<i>virginicus</i> (L.) Kunth	70
<i>rubella</i> L.		483, 495	<i>Stellaria</i>	473
<i>schlumbergeri</i>	Boiss.	486, 505	<i>apetala</i> Ucria	474
<i>sedoides</i>	Poir.	484, 495	<i>cerastoides</i> L.	478
<i>setacea</i>	Viv.	484, 492	<i>cilicica</i> Boiss. et Bal.	474
<i>sibthorpina</i>	Reichb.	484, 491	<i>dubia</i> Bast.	477
<i>siderophila</i>	Boiss. et Gaill.	484, 492	<i>media</i> L.) Vill.	474
<i>stenobotrys</i>	Boiss. et Hausskn.	486, 499	<i>neglecta</i> Weihe	474
<i>stentoria</i>	Fenzl	499	<i>ballida</i> Piré	474
<i>striata</i>	Ehrh.	485, 496	<i>Sternbergia</i>	290
<i>succulenta</i>	Forsk.	487, 505	<i>clusiana</i> Ker-Gawler	290, 291
<i>swertiifolia</i>	Boiss.	487, 503	<i>colchiciflora</i> Waldst. et Kit.	290
<i>tejedensis</i>	Boiss.	499	<i>fischeriana</i> (Herb.) Rœm.	290, 291
<i>trinervis</i>	Banks et Sol.	491	<i>macrantha</i> J. Gay	291
<i>venosa</i> (Gilib.) Asch.		500	<i>pulchella</i> Boiss. et Bl.	290, 291
<i>vulgaris</i>	Mœnch	500	<i>spaffordiana</i> Dinsmore	291
SILENOIDEAE		481	<i>stipitata</i> Boiss. et Hausskn.	291
SMILACACEAE		288	Stipa	5
Smilax		288	<i>aristella</i> L.	52
<i>aspera</i>	L.	288	<i>assyriaca</i> Hand.-Mazz.	54
<i>excelsa</i>	L.	289	<i>barbata</i> Desf.	52, 54
Sorghum		42	<i>bromoides</i> (L.) Desf.	52
<i>halepense</i>	(L.) Pers.	42	<i>capensis</i> Thunb.	52
<i>vulgare</i>	Decne	42	<i>damascena</i> Boiss.	54
SPARGANIACEAE		23	<i>fontanesii</i> Parl.	52, 53
Sparganium		23	<i>lagascae</i> Rœm. et Schult.	54
<i>erectum</i>	L.	23	<i>membranacea</i> L.	115
<i>neglectum</i>	Beeby	23	<i>paleacea</i> Sçhousb.	52
<i>ramosum</i>	Curt.	-23	<i>parviflora</i> Desf.	52, 53
SPATHIFLORAE		182	<i>retorta</i> Cav.	52
Spergula		460	<i>tortilis</i> Desf.	52
<i>arvensis</i>	L.	460	Suaeda	423
<i>fallax</i>	(Lowe) E. L. Krause	460	<i>altissima</i> L.	423, 424
<i>flaccida</i>	(Roxb.) Asch.	460	<i>aspalatica</i> Boiss.	423, 424
Spergularia		458	<i>baccata</i> Forsk.	425
<i>atheniensis</i>	(Heldr. et Sart.)		<i>carnosissima</i> Post	423, 425
	Asch. et Schw.	460	<i>fruticosa</i> (L.) Forsk.	423, 424
<i>bocconii</i>	(Sol.) Fouc.	458, 460	<i>prostrata</i> Pall.	423, 424
<i>diandra</i>	Guss.	458, 459	<i>rosmarinus</i> Ehr.	427
<i>marginata</i>	(D.C.) Murb.	459	<i>salsa</i> (C. A. Mey.) Pall.	423, 424
<i>marina</i>	(L.) Griseb.	458, 459		
<i>media</i>	(L.) G. Presl	458, 459	T	
<i>rubra</i>	L.	460	Tæniatherum	157
<i>salina</i>	J. et C. Presl	459	<i>caput-medusae</i> (L.) Nevski	157
Sphenopus		95	<i>crinitum</i> (Schreb.) Nevski	157
<i>divaricatus</i>	(Gouan) Reichenb.	95	Tamus	294
Spinacia		411	<i>communis</i> L.	294
<i>oleracea</i>	L.	411	<i>orientalis</i> Thiéb.	294
<i>tetrandra</i>	Stev.	411	Telephium	452
Spiranthes		323	<i>imperati</i> L.	453
<i>autumnalis</i>	(Balb.) L. C. Rich.	323	THELYGONACEAE	445
<i>spiralis</i>	L.	323	Thelygonum	445
Spirodela		195	<i>cynocrambe</i> L.	445
<i>polyrrhiza</i>	(L.) Scheid.	195, 196	Themedia	43
Spodiopogon	<i>polygonanthus</i>	46	<i>forskalei</i> (Kunth)	43
Sporobolus		70	<i>quadrivalvis</i> (L.) Kuntze	43
<i>arenarius</i>	(Gouan) Duval-Jouve	70	<i>triandra</i> Forsk.	43
<i>pungens</i>	(Schreb.) Kunth	70	<i>Theresia libanotica</i> Boiss.	233

Thesium		378	brachypetala Jaub. et Spach	519
<code>arvense</code> Horv.		378, 379	pachygora Fisch. et Mey.	519
bergeri Zucc.		379, 380	syriaca Boiss.	518, 519
<divarication< td=""><td>Jan.</td><td>379, 380</td><td> velutina (Guss.) Fisch. et Mey.</td><td>518</td></divarication<>	Jan.	379, 380	velutina (Guss.) Fisch. et Mey.	518
heterophyllum Boiss.		379, 380		
humile Vahl		379, 380	Typha	22
libanoticum Ehrenb.		378, 379	angustata Bory et Chaub.	23
ramosum Hayne		379	angustifolia L.	23
Trachynia		130	australis Schum. et Thonn.	22, 23
distachya (L.) Link		130, 131	latifolia L.	22
Traganum		426	laxmannii Lepechin	22, 23
nudatum Del.		426	stenophylla Fisch. et Mey.	23
Trickonema nivalis Boiss. et Ky		321		22
Trisetaria		79		
cavanillesii (Trin.) Maire		79	ULMACEAE	368
flavescens (L.) Maire		79, 80	Ulmus	368
glumacea (Boiss.) Maire		81	campestris L.	369
kælerioides (Bornm. et Hack.) Meld.		79, 80	canescens Melville	369
linearis Forsk.		79	glabra Huds.	369
Trisetum		79	minor Mill.	369
cavanillesii Trin.		79	montana Willd.	369
flavescens (L.) Beauv.		80		238
gaudinianum Boiss.		79	Urginea	
kælerioides Bornm. et Hack.		80	maritima (L.) Baker	238
liniare (Forsk.) Boiss.		79	scilla Sternb.	238
Triticum		143	Urochloa reptans (L.) Stapf	37
bicornis Forsk.		142		
buonapartis Spreng.		140	Urtica	372
dicoccoides (Kornicke) Aar.		143	caudata Vahl	373
elongatum Host		140	dioica L.	372, 373
juncinum L.		140	fragilis Thiéb.	372, 374
ligisticum Bertol.		153	hulensis Feinbr.	374
maritimum L.		96	membranacea Poir.	372, 373
monococcum L.		143	pilulifera L.	372, 373
panormitanum Parl.		138	urens L.	372
peregrinum Hack.		. 149		372
repens L.		138		368
squarrosum Roth		140		
thaoudar Reut.		143	Vaccaria	506
unilaterale L.		117	liniflora (Boiss. et Hausskn.) Bornm.	507
vulgare Vill.		143	oxydonta Boiss.	506
Tulipa		226	barviflora Mœnch	506
agenensis D.C.		227, 229	pyramidalis Medik.	506
aleppensis Regel		227, 229	segetalis (Necker) Garcke	506
aucheriana Baker		226, 227		31
biflora Pall.		226, 228	Vallisneria	
clusiana D.C.		229	spiralis L.	31
dammanii Regel		232		519
libanotica Regel		232	Velezia	
lowei Baker		227, 228	fasciculata Boiss.	520
montana Lindley		227, 231	rigida L.	520
oculus-solis St-Amans		229		78
praecox Ten.		227, 230	Ventenata	
systola Stapf		231	blanchetii Boiss.	78
Tunica		518	macra (Stev.) Boiss.	78
arabica Boiss.		519		382
			Viscum	
			album L.	382
			cruciatum Sieb.	383
			laxum Boiss. et Reut.	383

Vulpia	116 .	W	
<i>brevis</i> Boiss.	113		77
<i>bromooides</i> (L.) Gray	114		196
<i>ciliata</i> (Pers.) Link	113, 114	Z	
<i>dertonensis</i> (All.) Gola	113, 114		
<i>hirtiglumis</i> Boiss.	113, 115	<i>Zannichellia</i>	26
<i>inops</i> (Del.) Hack.	113, 116	<i>palustris</i> L.	26
<i>membranacea</i> (L.) Link	113, 115	<i>Zea mays</i> L.	47
<i>myuros</i> (L.) C. C. Gmel.	113, 114	<i>Zebrina pendula</i> Schnizl	203
<i>patens</i> Boiss.	116	<i>Zingeria biebersteiniana</i> (Claus) P. Smirnov	57
<i>pectinella</i> Del.	116	<i>Zostera nana</i> Roth	24
<i>sciurooides</i> (Roth) Gmel.	114		24
<i>uniglumis</i> (Sol.) Dumort.	115	ZOSTERACEAE	24