

INDEX SPECIERUM

A

Acacia	
<i>albida</i> Del.	220
<i>cyanophylla</i> Lindl.	221
<i>farnesiana</i> (L.) Willd.	221
<i>seyal</i> Del.	221
<i>spirocarpa</i> Hochstt.	221
<i>tortilis</i> Hayne	221
Acer	
<i>hermoneum</i> Bornm. et Schw.	472
<i>hyrcanum</i> Fisch. et Mey.	473
<i>monspessulanum</i> L.	473
<i>syriacum</i> Boiss. et Gaill.	472, 473
<i>tauricolum</i> Boiss. et Bal.	473
ACERACEAE	
Actinolema	
<i>eryngioides</i> Fenzl	576
<i>macrolema</i> Boiss.	576
Adenocarpus	
<i>complicatus</i> (L.) J. Gay	576
<i>divaricatus</i> (L'Hér.) Boiss.	576
<i>intermedius</i> D.C.	231
Adenotrias	
<i>kotschyi</i> Jaub. et Spach	231
<i>phrygia</i> Jaub. et Spach	231
Adonis	
<i>aestivalis</i> L.	48
<i>aleppica</i> Boiss.	48, 50
<i>annua</i> L.	48, 49
<i>autumnalis</i> L.	49, 50
<i>cupaniana</i> Guss.	50
<i>dentata</i> Del.	50
<i>eriocalycina</i> Boiss.	48, 51
<i>flammea</i> Jacqu.	48, 49
<i>microcarpa</i> D.C.	49, 51
Aegilops	
<i>biuncialis</i> Vis.	48, 50
<i>lorentii</i> Hochstt.	48, 51
<i>squarrosa</i> L.	49, 51
<i>tauschii</i> Cosson	48, 50
Aethionema	
<i>arabicum</i> (L.) Crantz	666
<i>armenum</i> Boiss.	666
<i>buxbaumii</i> Fisch.	666
<i>campylopterum</i> Boiss.	666
<i>capitatum</i> Boiss. et Bal.	666
<i>carneum</i> (Banks et Sol.) Fisch	666

cordatum (Desf.) Boiss.	89, 90
coridifolium D.C.	89, 90
heterocarpum J. Gay	89, 92
lignosum Boiss. et Hausskn.	91
longistylum Post	89, 91
oppositifolium (Lab.) Boiss.	89
polygaloides Ledeb.	90
spicatum Post	91
syriacum (Boiss.) Hd.-Mz.	89, 92
Agrimonia	217
<i>eupatoria</i> L.	217
<i>odorata</i> Mill.	217
Agropyron	665
<i>aucherii</i> Boiss.	665
<i>trichophorum</i> (Link) Richt.	665
Agrostis	663
<i>semiverticillata</i> (Forssk.) Christ.	663
Ailanthus	466
<i>altissima</i> (Mill.) Swingle	467
<i>glandulosa</i> Desf.	467
Ainsworthia	656
<i>cordata</i> (Jacqu.) Boiss.	656
<i>trachycarpa</i> Boiss.	656, 657
Alcea	504
<i>acaulis</i> (Cav.) Alef.	505, 506
<i>apterocarpa</i> Fenzl	505, 512
<i>chrysantha</i> (Sam.) Zoh.	505, 513
<i>damascena</i> (Mout.) Mout.	506, 507
<i>digitata</i> (Boiss.) Alef.	506, 510
<i>dissecta</i> (Baker) Zoh.	506, 511
<i>galilaea</i> Zoh.	507
<i>haussknechtii</i> Boiss.	507
<i>hohenackeri</i> (Boiss. et Huet) Boiss.	512
<i>kurdica</i> (Schlecht.) Alef.	506, 512
<i>lavateriflora</i> (D.C.) Boiss.	509
<i>leiocarpa</i> (Sam.) Mout.	510
<i>pallida</i> Waldst. et Kit.	505, 512
<i>remotiflora</i> (Boiss. et Heldr.) Alef.	513
<i>rhyticarpa</i> (Trautv.) Iljin	509
<i>rosea</i> L.	505, 512
<i>rufescens</i> Boiss.	506, 508, 693
<i>setosa</i> (Boiss.) Alef.	505, 510
<i>striata</i> (D.C.) Alef.	507, 508
<i>sulphurea</i> (Boiss. et Hausskn.) Alef.	509
Alchemilla	215
<i>aphanes</i> Desf.	216
<i>arvensis</i> (L.) Scop.	215, 216
<i>diademata</i> Rothm.	215

<i>floribunda</i>	Murb.	215, 216	<i>contemptum</i>	Schott et Ky	148, 158
<i>microcarpa</i>	Boiss. et Reut.	215, 216	<i>crenulatum</i>	Boiss.	149, 159
<i>Alhagi</i>		386	<i>damascenum</i>	Boiss. et Gaill.	147, 151
<i>camelorum</i>	Fisch.	386	<i>dasycarpum</i>	Steph.	147, 151
<i>mannifera</i>	Desf.	386	<i>degenianum</i>	Nyaradi	158
<i>maurorum</i>	Willd.	386	<i>desertorum</i>	Stapf	148, 152
<i>pseudalhagi</i>	(Bieb.) Desf.	386	<i>dubertretii</i>	Gombault	149
<i>Alliaria</i>		96	<i>filifolium</i>	Wahlenb.	155
<i>officinalis</i>	Andrz.	97	<i>flexibile</i>	Nyaradi	157
<i>petiolata</i>	(Bieb.) Cav. et Grande	97	<i>haradjianii</i>	Rech. fil.	159
<i>Allium</i>		673	<i>hirsutum</i>	Auct.	154
<i>asclepiadeum</i>	Bornm.	673	<i>homalocarpum</i>	(F. et M.) Boiss.	147, 158
<i>birkinshawii</i>	Mout.	673	<i>iranicum</i>	Bornm.	149, 156
<i>myrianthum</i>	Boiss.	673	<i>lepidoto-stellatum</i>	(Hausskn.) Dudley	148
<i>orientale</i>	Boiss.	673	<i>libanoticum</i>	Nyaradi	149, 158
<i>Alopecurus</i>		663	<i>macrostylum</i>	Boiss. et Huet	152
<i>anthoxanthoides</i>	Boiss.	663	<i>marginatum</i>	Steud.	148, 152
<i>arundinaceus</i>	Poir.	663	<i>maritimum</i>	(L.) Lam.	160
<i>utriculatus</i>	Banks et Sol.	663	<i>meniocoides</i>	Boiss.	147, 150
<i>ventricosus</i>	Pers.	663	<i>minimum</i>	L.	160
<i>Althaea</i>		502	<i>minimum</i>	Willd.	152
<i>acaulis</i>	Cav.	506	<i>minus</i>	(L.) Rothm.	148, 154
<i>apterocarpa</i>	Fenzl	512	<i>minutum</i>	Schlecht.	148, 152
<i>bertrami</i>	Post et Beauv.	503, 693	<i>montanum</i>	Auct.	156
<i>cannabina</i>	L.	503, 504	<i>mouradicum</i>	Boiss. et Bal.	149, 155
<i>chrysantha</i>	Sam.	513	<i>murale</i>	Waldst. et Kit.	149, 158
<i>damascena</i>	Mout.	507	<i>oxycarpum</i>	Boiss. et Bal.	157
<i>digitala</i>	Boiss.	510	<i>parviflorum</i>	Bieb.	154
<i>disserta</i>	Baker	511	<i>pyramidalatum</i>	Bornm.	153
<i>haussknechtii</i>	(Boiss.) Benth.	507	<i>repens</i>	Baumg.	149, 156
<i>hirsuta</i>	L.	503	<i>samariferum</i>	Boiss. et Hausskn.	149, 160
<i>hohenackeri</i>	Boiss. et Huet	512	<i>serpyllifolium</i>	Desv.	149
<i>kotschyii</i>	Boiss.	504	<i>singarensse</i>	Boiss. et Hausskn.	149, 158
<i>kurdica</i>	Schlecht.	512	<i>stapffii</i>	Vierh.	148, 155
<i>leiocarpa</i>	Sam. ex Rech. fil.	511	<i>stribryny</i>	Velen.	149, 156
<i>ludwigii</i>	L.	503	<i>strictum</i>	Willd.	148, 154
<i>octaviae</i>	Reut. ex Oppenh.	511	<i>strigosum</i>	Banks et Sol.	148, 154
<i>officinalis</i>	L.	503, 504	<i>subspinosum</i>	Dudley	159
<i>pallida</i>	Waldst. et Kit.	511	<i>sulphureum</i>	Dudl. et Huber-Morath	
<i>remotiflora</i>	Boiss. et Heldr.	513	<i>syriacum</i>	Nyaradi	148, 157
<i>rhyticarpa</i>	Trautv.	509	<i>szowitsianum</i>	Fisch. et Mey.	158
<i>rosea</i>	(L.) Cav.	512	<i>tetrastemon</i>	Boiss.	148, 153
<i>rufescens</i>	Boiss.	508	<i>trochocarpum</i>	Fenzl	156
<i>setosa</i>	Boiss.	510	<i>umbellatum</i>	Desv.	158
<i>striata</i>	D.C.	507	<i>vesicaria</i>	L.	153
<i>sulphurea</i>	Boiss. et Hausskn.	509	<i>xanthocarpum</i>	Boiss. et Huet	135
<i>Alyssum</i>		147			148, 152
<i>alpestre</i>	L.	157	<i>Amaranthus</i>		677
<i>alyssoides</i>	L.	151, 157	<i>albus</i>	L.	677
<i>antilibanoticum</i>	Rech. fil.	155	<i>blitoides</i>	C. Wats.	677
<i>argenteum</i>	Ung.	158	<i>deflexus</i>	L.	677
<i>aureum</i>	(Fenzl) Boiss.	147, 150	<i>hybridus</i>	L.	677
<i>baumgartnerianum</i>	Bornm.	148, 156	<i>Amelanchier</i>		206
<i>calycinum</i>	L. -	151	<i>ovalis</i>	Medik.	206, 681
<i>campestre</i>	L.	151, 154	<i>vulgaris</i>	Moench	206
<i>cassium</i>	Boiss.	149, 158	<i>Ammi</i>		628
<i>clypeatum</i>	L.	161	<i>majus</i>	L.	628
<i>condensation</i>	Boiss. et Hoh.	149, 157	<i>visnaga</i>	L.	628

Ammothamnus	223	Anthyllis	300
<i>gibbosus</i> (D.C.) Boiss.	223	<i>incisa</i> Willd.	395
Ampelopsis	559	<i>maura</i> Beck	300
<i>orientalis</i> (Lam.) Planchon	559	<i>tetraphylla</i> L.	301
Amygdalus	202	<i>vulneraria</i> L.	300
<i>agrestis</i> Boiss.	203, 205	Aphanes	216
<i>arabica</i> Oliv.	203, 204, 681	<i>cornucopiae</i> Pomei	216
<i>communis</i> L.	203	<i>arvensis</i> L.	216
<i>korschinskii</i> (Hd. Mz.) Bornm.	203, 204	Apium	621
<i>kotschyi</i> Boiss. et Heldr.	203, 204	<i>graveolens</i> L.	621
<i>orientalis</i> Mill.	203, 204	<i>nodiflorum</i> (L.) Reichb.	621
<i>persica</i> L.	202, 203	<i>betuloselinum</i> L.	621
<i>spartioides</i> Spach	203, 204, 681	AQUIFOLIACEAE	353
Anabasis	676	Arabidopsis	135
<i>aphylla</i> L.	676	<i>pumila</i> (Steph.) Busch	. 135
<i>articulata</i> (Forssk.) Moqu.	676	<i>thaliana</i> (L.) Heynh.	135, 136
<i>haussknechtii</i> Bge	676	Arabis	136
<i>ramosissima</i> Boiss.	676	<i>albida</i> Stev.	139
<i>syriaca</i> Iljin	676	<i>aucheri</i> Boiss.	137, 138
ANACARDIACEAE	469	<i>auriculata</i> Lam.	138
Anagyris	224	<i>caucasica</i> Schlecht.	136, 139
<i>foetida</i> L.	224	<i>laxa</i> Sibth. et Smith	136, 137
Anastatica	163	<i>montbretiana</i> Boiss.	137, 138
<i>syriaca</i> L.	163	<i>nova</i> Vill.	137, 138
Anatropa	459	<i>nuda</i> Bélanger	134
<i>tenella</i> Ehrenb.	459	<i>petiolata</i> M. Bieb.	97
Anchonium	145	<i>sagittata</i> (Bertol.) D.C.	136, 138
<i>billardieri</i> D.C.	145	<i>thaliana</i> L.	136
<i>elichrysifolium</i> (D.C.) Bornm.	146	<i>turrita</i> L.	136, 139
Andrachne	499	ARALIACEAE	574
<i>rotundifolia</i> C.A. Mey.	499	Argemone	60
<i>telephiooides</i> L.	499	<i>mexicana</i>	60
Androsaemum	520	Argyrolobium	226
<i>hircinum</i> (L.) Spach	520	<i>crotalarioides</i> Jaub. et Spach	226
Andrzeiowskia	100	<i>gracile</i> Fenzl	226
<i>cardamine</i> Reichenb.	100, 680	<i>syriacum</i> Boiss.	226
<i>cardaminifolia</i> (D.C.) Prantl	680	Aristida	662
Anemone	27	<i>plumosa</i> L.	662
<i>blanda</i> Schott et Ky	27, 29	<i>lanata</i> Forssk.	662
<i>coccinea</i> Jord.	27	Armeniaca	202
<i>coronaria</i> L.	27	<i>vulgaris</i> Lam.	202
<i>cyanea</i> Riss.	28	Artedia	602
Anethum	627	<i>squamata</i> L.	602
<i>foeniculum</i> L.	626	Arthrocnemum	675
<i>graveolens</i> L.	627	<i>glaucum</i> (Del.) Ung. Stern.	675
<i>biperitum</i> Ucria	627	<i>macrostachyum</i> (Moricand) et Delponte	Moris 675
<i>segetum</i> L.	622	Arum	666
Anisopleura	620	<i>gramineum</i> Banks et Sol.	666
<i>crenata</i> Fenzl.	620	Arundo	663
Anisocladium	581	<i>australis</i> Cav.	663
<i>isosciadium</i> Boiss.	582	Asphodeline	670
<i>orientale</i> D.C.	582	<i>globifera</i> J. Gay	671
Anogramma	660	<i>recurva</i> Post	670-671
<i>leptophylla</i> (L.) Link	660	<i>taurica</i> (Pall.) Kunth	671
Anthriscus	585	Aspidium	661
<i>lamprocarpa</i> Boiss.	585	<i>libanoticum</i> Ros.	661
<i>nemorosa</i> (M. Bieb) Spreng.	585	Asplenium	661
<i>vulgaris</i> Spreng.	585, 586		

<i>adiantum-nigrum</i> L.	661	<i>deinacanthus</i> Boiss.	324, 358
<i>onopteris</i> L.	-661	<i>delbesii</i> Eig	324, 357, 692
Astoma	612	"	318, 346
<i>seselifolium</i> D.C.	612	<i>deserti-syriaci</i> Eig	322, 371
Astragalus	315	<i>dictyocarpus</i> Boiss.	321, 364
<i>acinaciferus</i> Boiss.	319, 348	<i>dictyolobus</i> C.A. Mey.	347
<i>aintabicus</i> Boiss.	357	<i>dinsmorei</i> Eig	327, 354
<i>alexandrinus</i> Boiss.	357	<i>diphterites</i> Fenzl	323, 359
<i>ammocryptus</i> Boiss.	315, 328	<i>dipodurus</i> Bge	317 , 335
<i>ancistrocarpus</i> Boiss. et Hausskn.	321, 369	<i>dorcoceras</i> Bge	324, 357, 692
<i>ancyleus</i> Boiss.	317, 335	<i>drusorum</i> Boiss.	317, 332
<i>andrachne</i> Boiss.	356	<i>duplostrigosus</i> Post et Beauv.	692
<i>andrachnifolius</i> Fenzl	324, 356	<i>echinatus</i> Murr.	321 , 365
<i>angulosus</i> D.C.	322, 370	<i>echinops</i> Boiss.	325 , 350
<i>angustifolius</i> Lam.	327, 373	<i>echinus</i> D.C.	323, 372
<i>annularis</i> Forssk.	316, 333	<i>ehdenensis</i> Mout.	321 , 365
<i>antabicus</i> Boiss.	324, 357	<i>ehrenbergii</i> Bge	318 , 339
<i>anthylloides</i> Lam.	321, 362	<i>emarginatus</i> Lab.	315, 327
<i>antilibani</i> Bge	320, 341	<i>epiglottis</i> L.	369
<i>antiochianus</i> Post	325, 355	<i>erihanensis</i> Eig	318, 338
<i>arbainensis</i> Eig	369	<i>eriophylloides</i> Rech. fil.	320, 340
<i>argyrophyllus</i> Boiss. et Gaill.	354	<i>eriopodus</i> Boiss.	320, 344
<i>argyrothamnos</i> Boiss.	325, 350	<i>erisyphe</i> Eig	321 , 362
<i>ascophorus</i> Fisch.	347	<i>erythrotaenius</i> Boiss.	326, 355
<i>aulacobolus</i> Boiss.	334	<i>exiguus</i> Post.	366
<i>baalbekensis</i> Bornm.	326 , 353	<i>expansus</i> Boiss.	316, 329
<i>baeticus</i> L.	317, 333	<i>faktorovski</i> Eig	361
<i>barbatus</i> Lam.	340	<i>forskalei</i> Boiss.	324 , 359
<i>barukanus</i> Eig	339	<i>gaillardotii</i> Boiss.	319 , 343
<i>beershagensis</i> Eig et Sam.	346	<i>galilaeus</i> Freyn et Bornm.	372
<i>berytheus</i> Boiss. et Bl.	317, 337	<i>gladiatus</i> Boiss.	370
<i>bethlehemiticus</i> Boiss.	326, 353	<i>gombaultii</i> Eig	325, 351
<i>bhamrensis</i> Sirj. et Rech. fil.	320, 345	<i>gossypinoides</i> Hand.-Mazz.	351
<i>bombycinus</i> Boiss.	318, 336	<i>gossypinus</i> Fisch.	323, 359
<i>brachyceras</i> Ledeb.	317, 335	<i>griseo-sericeus</i> Eig	325, 349
<i>brachystachys</i> D.C.	319, 347	<i>gummifer</i> Lab.	317 , 334
<i>bracteosus</i> Boiss. et Noë	364	<i>guttatus</i> Banks et Sol.	317, 334
<i>butleri</i> Post	364	<i>hamosus</i> L.	317 , 333
<i>callichrous</i> Boiss.	317, 332	<i>hamrinensis</i> Hausskn. et Bornm.	323, 358
<i>canaliculatus</i> Willd.	335	<i>hasbeyanus</i> Boiss.	322, 370
<i>cataonicus</i> Bge	368	<i>heliopolitanus</i> Mout.	327, 374
<i>cedreti</i> Boiss.	318, 338	<i>hermoneus</i> Boiss.	324, 356
<i>cephalotes</i> Banks et Sol.	324, 356	<i>hilaris</i> Bge	318, 337
<i>chaborasicus</i> Boiss. et Hausskn.	322, 367	<i>hirsutissimus</i> D.C.	317, 332
<i>chlorostegius</i> Boiss. et Hausskn.	321 , 364	<i>hispidulus</i> D.C.	320, 340
<i>collinus</i> Boiss.	366	<i>hispidus</i> Lab.	342
<i>coluteoides</i> Willd.	321 , 356	<i>huninensis</i> Freyn et Bornm.	321 , 365
<i>commixtus</i> Bge	317 , 322	<i>kahiricus</i> D.C.	322, 366
<i>conduplicatus</i> Bretol.	334	<i>kotschyanus</i> Boiss.	320, 340
<i>corrugatus</i> Bertol.	316, 331	<i>kurnet-es-saudae</i> Eig	318, 337
<i>cretaceus</i> Boiss. et Ky	318 , 339	<i>lanatus</i> Lab.	326, 354
<i>cruciatus</i> Link	316, 329	<i>lepidanthus</i> Boiss.	372
<i>cruentiflorus</i> Boiss.	325, 352	<i>leptothamnus</i> Boiss.	350
<i>cucullaris</i> Boiss.	321, 364	<i>libanoticus</i> Boiss.	323, 360
<i>dactylocarpus</i> Boiss.	319 , 348	<i>louisir</i> Thiéb.	320, 341
<i>damascenus</i> Boiss. et Gaill.	317, 332	<i>lusitanicus</i> Lam.	347
<i>darmikii</i> Mout.	326, 351	<i>maaratensis</i> Eig	319, 342
		<i>macrocarpus</i> D.C.	319, 343
		<i>megaloceras</i> Sam. et Eig	

<i>microthamnus</i>	Boiss. et Hausskn.	327, 361	<i>vexillaris</i>	Boiss.	320, 339
<i>mitchelii</i>	Post	322, 367	<i>zachlensis</i>	Bge	326, 351
<i>mollis</i>	M. Bieb.	320, 341	<i>zebedanienis</i>	Freyn et Bornm.	352
<i>mossulensis</i>	Bge	322, 368	<i>zemeraniensis</i>	Eig	366
<i>mouterdeianus</i>	Eig	351	<i>Astrantia</i>		582
<i>naftolskyi</i>	Eig	351	<i>brenticei</i>	Post	582
<i>neurocarpus</i>	Boiss.	319 , 345	<i>Astrodaucus</i>		594
<i>nitidulus</i>	Hand.-Mazz.	322, 369	<i>leptocarpus</i>	(Hochst.) Drude	594, 595
<i>nucleiferus</i>	Boiss.	322, 369	<i>orientalis</i>	(L.) Drude	594, 595
<i>nummularius</i>	L.	347	<i>Atriplex</i>		675
<i>nusairiensis</i>	Eig et Sam.	338	<i>laevis</i>	C'A. Mey.	675
<i>nusairiensis</i>	Rech. fil.	345	<i>littoralis</i>	L.	675
<i>odoratus</i>	Lam.	321 , 366	<i>Aubrieta</i>		140
<i>oocephalus</i>	Boiss.	321, 363	<i>canescens</i>	(Boiss.) Bornm.	140
<i>oxyglottis</i>	Stev.	316, 331	<i>libanotica</i>	Boiss.	140
<i>oxyphyllus</i>	Boiss. et Hausskn.	323 , 359	<i>parviflora</i>	Boiss.	140
<i>pabotii</i>	Mout.	315 , 328	<i>Avena</i>		664
<i>palaestinus</i>	Eig	318, 336	<i>alba</i>	auct.	664
<i>palmyrensis</i>	Post	336	<i>barbata</i>	Potter	664
<i>pentaglottis</i>	L.	331 , 692	<i>ludoviciana</i>	Dur.	664
<i>pinetorum</i>	Boiss.	319, 348	<i>sterilis</i>	L.	664
<i>platyraphis</i>	Fisch.	318 , 346			
<i>postii</i>	Eig	344			
<i>pseudostella</i>	Del.	329.			
<i>psilodontius</i>	Boiss.	325, 350	<i>Barbarea</i>		123
<i>qatmensis</i>	Thiéb.	323, 360	<i>minor</i>	C. Koch	123
<i>radiatus</i>	Ehr.	316, 329	<i>plantaginea</i>	D.C.	123
<i>raschyeensis</i>	Freyn et Bornm.	353	<i>Behen</i>		678
<i>rauwolfii</i>	Pall.	361	<i>vulgaris</i>	Moench	678
<i>roussaeanus</i>	Boiss.	324, 349	<i>Bellevalia</i>		672
<i>russellii</i>	Banks et Sol.	327, 361	<i>douinii</i>	Pabot et Mout.	672
<i>samuelssonii</i>	Eig	361	<i>BERBERIDACEAE</i>		2
<i>sanctus</i>	Boiss.	323, 372	<i>Berberis</i>		2
<i>schimperi</i>	Boiss.	316, 331	<i>cretica</i>	L.	2
<i>schizopterus</i>	Boiss.	322, 368	<i>libanotica</i>	Ehrenb.	2
<i>scorpioides</i>	Pourr.	318, 335	<i>Berula</i>		623
<i>selemiensis</i>	Mout.	319 , 347	<i>angustifolia</i>	(L.) Mert. et Koch	623
<i>semaanensis</i>	Eig	355	<i>erecta</i>	(Huds.) Coville	623
<i>sesameus</i>	L.	315 , 329	<i>Biarum</i>		666
<i>sieberi</i>	D.C.	319, 348	<i>gramineum</i>	(Banks et Sol.) Eig	666
<i>sintenesii</i>	Freyn	344	<i>russelianum</i>	Schott	666
<i>sofarensis</i>	Thiéb.	323, 360	<i>Biebersteinia</i>		447
<i>spicaeiformis</i>	Eig	326, 355	<i>multifida</i>	D.C.	447
<i>spinosa</i>	(Forssk.) Muschl.	327, 361	<i>Bifora</i>		613
<i>squarrosum</i>	Bge	322 , 373	<i>testiculata</i>	Roth	613
<i>stojani</i>	Nabelek	321, 363	<i>Bilderdykia</i>		675
<i>stramineus</i>	Boiss. et Ky	320, 342	<i>convolvulus</i>	(L.) Dumort.	675
<i>suberosus</i>	Banks et Sol.	317, 335	<i>Biscutella</i>		86
<i>supranubius</i>	Bornm.	352	<i>ciliata</i>	D.C.	86
<i>surugensis</i>	Boiss. et Hausskn.	320 , 362	<i>columnae</i>	Boiss.	86
<i>tadmorensis</i>	Eig et Sam.	316, 330	<i>didyma</i>	L.	86
<i>trachoniticus</i>	Post	323, 372	<i>Biserrula</i>		375.
<i>transjordanicus</i>	Sam.	316, 330	<i>pelecinus</i>	L.	375
<i>tribuloides</i>	Del.	316, 328	<i>Boerhavia</i>		677
<i>trichopterus</i>	Boiss.	319, 347	<i>africana</i>	Loureiro	677
<i>trifoliolatus</i>	Boiss.	322, 367	<i>plumbaginea</i>	Cav.	677
<i>triradiatus</i>	Bge	316, 330	<i>Boissiera</i>		664
<i>tuberculosus</i>	D.C.	335			

<i>bumilio</i> (Trin.) Beck.	664	<i>glaucum</i> Rob. et Cast.	635
<i>squarrosa</i> (Banks et Sol.) Nevski	664	<i>heterophyllum</i> Link	634
<i>Bonavenia</i>	312	<i>irregulare</i> Boiss. et Ky	633, 639
<i>securidaca</i> (L.) Desv.	312	<i>koechelii</i> Fenzl	632, 638
<i>Bongardia</i>	2	<i>kurdicum</i> Boiss.	633 , 636
<i>chrysogonium</i> (L.) Boiss.	2	<i>lancifolium</i> Hornem.	.632, 634
<i>rauwolfii</i> C.A. Mey.	2	<i>libanoticum</i> Boiss.	633, 638
<i>Brassica</i>	110	<i>linearifolium</i> D.C.	633, 639
<i>assyriaca</i> Mout.	111, 113	<i>nodiflorum</i> Sibth. et Smith	632, 634
<i>cambestris</i> L.	112	<i>odontites</i> Boiss.	634
<i>cretica</i> Lam,	110, 111	<i>papillosum</i> D.C.	632, 636
<i>deflexa</i> Boiss.	111, 113, 680	<i>postii</i> Wolff	633, 637
<i>eruca</i> L.	108	<i>protractum</i> Hoffm. et Link	634
<i>leptocarpos</i> Boiss.	111, 113, 680	<i>rotundifolium</i> L.	634
<i>libanotica</i> Post	111	<i>semicompositum</i> L.	632, 635
<i>napus</i> L.	112	<i>subovatum</i> Link	634
<i>nigra</i> L.	110, 112	<i>trichopodium</i> Boiss. et Sprun.	636
<i>nivea</i> Boiss. et Sprun.	111		636
<i>oleracea</i> L.	110, 111		605
<i>burbascens</i> Banks et Sol.	681	<i>Butinia</i>	605
<i>rapa</i> L.	110, 112	<i>libanotica</i> Boiss.	605
<i>rubicola</i> Bouloumoy	111		474
<i>tournefortii</i> Gouan	110, 114	<i>BUXACEAE</i>	474
<i>vesicaria</i> L.	108	<i>Buxus</i>	474
<i>Briza</i>	664	<i>longifolia</i> Boiss.	474
<i>humilis</i> M. Bieb.	664	<i>sempervirens</i> L.	474
<i>spicata</i> Sibth. et Smith	664		
<i>Bromus</i>	665		
<i>diandrus</i> Roth	665		
<i>gussonii</i> Parl.	665	<i>Cachrys</i>	616
<i>rigidus</i> Roth	665	<i>crispula</i> Pers.	611
<i>Buffonia</i>	677	<i>goniocarpa</i> Boiss.	616, 617
<i>Bullardia</i>	183	<i>microcarpa</i> M. Bieb.	611
<i>vallantii</i> (Willd.) D.C.	183		551
<i>Bunias</i>	101, 102	<i>CACTACEAE</i>	551
<i>aegyptiacus</i> L.	102	<i>Cactus</i>	551
<i>cakile</i> L.	101	<i>ficus-indica</i> L.	551
<i>myagroides</i> L.	102	<i>opuntia</i> L.	552
<i>spinosa</i> Turra	105		
<i>Bunium</i>	630	<i>Cakile</i>	101
<i>cassium</i> Boiss.	631	<i>aegyptiaca</i> (L.) Maire et Weiller	101
<i>creticum</i> d'Urv.	604	<i>maritima</i> Scop.	101
<i>elegans</i> (Fenzl) Freyn	630		
<i>ferulaceum</i> Sibth. et Smith	630, 631	<i>Calepina</i>	104
<i>ferulifolium</i> Desf.	631	<i>corvinii</i> Desv.	104
<i>pestalozzae</i> Boiss.	630, 631	<i>irregularis</i> (Asso) Thell.	104
<i>Bupleurum</i>	632		
<i>aleppicum</i> Bobs.	632, 635	<i>Calligonum</i>	675
<i>australe</i> Jord.	637	<i>comosum</i> L'Hér.	675
<i>boissieri</i> Post	633, 637	<i>tetrapterum</i> Jaub. et Spach	675
<i>brachiatum</i> C. Koch	633, 636		569
<i>brevicaule</i> Schlecht.	632, 635	<i>CALLITRICHACEAE</i>	
<i>cappadocicum</i> Boiss.	632, 639	<i>Callitrichche</i>	569
<i>croceum</i> Fenzl	632, 633	<i>naftolskyi</i> Warb.	569, 570
<i>dichotomum</i> Boiss.	633, 636	<i>sp. nova</i>	569, 570
<i>fontanesii</i> Guss.	632, 634	<i>truncata</i> Guss.	569, 570
<i>fruticosum</i> L.	633, 639		
<i>gerardii</i> All.	633, 637	<i>Calycotome</i>	231
		<i>villosa</i> (Vahl) Link	231
		<i>Camelina</i>	129
		<i>anomala</i> Boiss et Hausskn..	129
		<i>hispida</i> Boiss.	129, 130
		<i>lasiocarpa</i> Boiss. et Hausskn.	129, 130
		<i>microcarpa</i> Andrz.	129
		<i>rumelica</i> Velen.	129
		<i>silvestris</i> Wallr.	129

<i>Campylopterus</i>	92	<i>Caylusea</i>	178
<i>syriacum</i> Boiss.	92	<i>canescens</i> (L.) St. Hil.	178
<i>Capnophyllum</i>	627	<i>hexagyna</i> (Forssk.) M.L. Green	178
<i>peregrinum</i> (L.) Lagr.	628	CELASTRACEAE	552
CAPPARIDACEAE	77	CELASTRALES	552
Capparis	79	<i>Cephalanthera</i>	659, 674
<i>parviflora</i> Boiss.	79	<i>damasonium</i> (Mill.) Druce	659, 674
<i>sicula</i> Duhamel	79	<i>Cerasus</i>	201
<i>spinosa</i> L.	79	<i>antilibanotica</i> Post	202
Capsella	127	<i>mahaleb</i> (L.) Mill.	201
<i>bursa-pastoris</i> (L.) Medik.	127	<i>microcarpa</i> (C.A. Mey.) C. Koch	202
<i>X gelmi</i> Murr.	127	<i>prostrata</i> (Lab.) Ser.	201
<i>procumbens</i> (L.) Fries	128	<i>tortuosa</i> Boiss. et Hausskn.	202
<i>rubella</i> Reut.	127, 128	Ceratocapnos	72
Cardamine	126	<i>palaestina</i> Boiss.	72
<i>fontana</i> Lam.	124	Ceratocephalus	29
<i>graeca</i> L.	126	<i>falcatus</i> (L.) Pers.	29
<i>hirsuta</i> L.	126	<i>syriacus</i> Stev.	29
<i>uliginosa</i> M. Bieb.	126	Ceratonia	222
Cardaria	81, 85	<i>siliqua</i> L.	222
<i>chalepensis</i> (L.) Hand. Mazz.	81, 86	CERATOPHYLLACEAE	56
<i>draba</i> (L.) Desv.	81, 85	<i>Ceratophyllum</i>	56
Carex	666	<i>demersum</i> L.	56
<i>buekii</i> Wimm.	666	Cercis	222
<i>echinata</i> Murr.	666	<i>siliquastrum</i> L.	222
<i>gracilis</i> Curt.	666	Chaerophyllum	583
<i>stellulata</i> Good.	676	<i>aurantiacum</i> Post	583, 584
Caroxylon	€76	<i>libanoticum</i> Boiss. et Ky	584
<i>salicornicum</i> Moqu.	94	<i>macrosperrnum</i> Fisch. et Mey.	584
Carpoceras	94	<i>nemorosum</i> M. Bieb.	585
<i>amani</i> Post	96	<i>nodosum</i> (L.) Lam.	583
<i>cappadocicum</i> Boiss. et Reut.	96	<i>syriacum</i> Hempr. et Ehrenb.	584, 585
<i>oxyceras</i> Boiss.	119	Chaetosciadium	599
Carrichtera	119	<i>trichospermum</i> (L.) Boiss.	599
<i>annua</i> (L.) Asch.	119	Chamaenerion	566
<i>vellae</i> D.C.	630	<i>angustifolium</i> (L.) Scop.	566
Carum	630	Chamaepodium	99
<i>elegans</i> Fenzl	631	<i>officinale</i> (L.) Wallr.	99
<i>ferulifolium</i> Boiss.	631	Cheilanthes	660
<i>paucifolium</i> D.C.	631	<i>catanensis</i> (Cosentini) H.P. Fuchs	660
<i>pestalozzae</i> Boiss.	630	<i>fragrans</i> (L.f.) Swartz	660
<i>polyphyllum</i> Boiss. et Bl.	622	<i>marantae</i> (L.) Domin	660
<i>ridolfia</i> Benth. et Hook.	594	<i>pteridoides</i> (Reich.) Christ.	660
Caucalis	591	Cheiranthus	124
<i>arvensis</i> Huds.	594	<i>bicornis</i> Sibth. et Smith	173
<i>daucoides</i> L.	593	<i>cheiri</i> L.	124
<i>erythrotricha</i> Boiss.	• 592	<i>contortuplicatus</i> Steph.	165
<i>fallax</i> Boiss.	594	<i>fruticosus</i> L.	173
<i>gaillardotii</i> Boiss.	601	<i>longipetalus</i> Vent.	175
<i>latifolia</i> L.	593	<i>maritimus</i> L.	167
<i>leptophylla</i> L.	603	<i>sulphureus</i> Banks et Sol.	145
<i>maritima</i> Gouan	595	<i>tristis</i> L.	173
<i>orientalis</i> L.	603	Chelidonium	57
<i>platycarpus</i> L.	595	<i>comiculatum</i> L.	57
<i>pulcherrima</i> Willd.	603	<i>dodecandrum</i> Forssk.	61
<i>pumila</i> L.	591	<i>glaucium</i> L.	59
<i>purpurea</i> Ten.	602	<i>hybridum</i> L.	60
<i>strigosa</i> Banks et Sol.			

Chesneya		375	Clypeola	162
<i>olivieri</i> Jaub. et Spach		375	<i>campestris</i> L.	151
<i>rhytidosperma</i> Jaub. et Spach		375	<i>echinata</i> D.C.	162, 163
Chorispora		170	<i>ionthlaspi</i> L.	162
<i>purpurascens</i> Banks et Sol.		681	<i>lappacea</i> Boiss.	162, 163
<i>syriaca</i> Boiss.		171, 681	<i>maritima</i> L.	160
<i>tenella</i> (Pall.) D.C.		171	<i>microcarpa</i> Moris	162
Chrozophora		499	<i>minor</i> L.	154
<i>hierosolymitana</i> Spreng.		499, 500	Cnidium	627
<i>obliqua</i> (Vahl) A. de Juss.		500	<i>orientale</i> Boiss.	627
<i>tinctoria</i> (L.) Raf.		499	Cochlearia	86
<i>verbascifolia</i> (Willd.) A. Juss.		500	<i>coronopus</i> L.	86
Chrysocamelia		131	<i>velutina</i> D.C.	131
<i>velutina</i> (D.G.) Boiss.		131	Colchicum	667-670
Cicer		394	<i>fasciculare</i> (L.) R. Br.	667-670
<i>arietinum</i> L.		394, 395	<i>fasciculare</i> Boiss.	667-670
<i>bijugum</i> Rech. fil.		394, 395	<i>halepense</i> Freyn	667, 670
<i>ervoides</i> (Sieb.) Fenzl		395	Colladonia	619
<i>ervoides</i> Brign.		415	<i>alata</i> Boiss.	619
<i>incisum</i> (Willd.) K. Maly		395	<i>anisoptera</i> Boiss.	620
<i>lens</i> Willd.		414	<i>crenata</i> (Fenzl) Boiss.	620
<i>binnatifidum</i> Jaub. et Spach		414	<i>microcarpa</i> (Benth. et Hook.) Boiss.	620
Circaea		565	<i>syriaca</i> Boiss.	616
<i>lutetiana</i> L.		565	Colutea	313
Cissus		559	<i>arborescens</i> L.	314, 659
<i>orientalis</i> Lam.		559	<i>cilicica</i> Boiss. et Bal.	313, 659
CISTACEAE		541	<i>halepica</i> Lam.	314
Cistus		549	<i>istria</i> Mill.	313
<i>aegyptiacus</i> L.		545	<i>*melanocalyx</i> Boiss.	314, 659
<i>arabicus</i> L.		549	<i>spinosa</i> Forssk.	361
<i>creticus</i> L.		550	Coluteocarpus	135
<i>ellipticus</i> Desf.		544	<i>reticulatus</i> (Lam.) Boiss.	135
<i>humana</i> L.		548	<i>vesicarius</i> (L.) Holmboe	135
<i>glutinosus</i> L.		549	Commicarpus	677
<i>guttatus</i> L.		542	<i>africanus</i> (Lour.) Dandy	677
<i>ledifolius</i> L.		543	Conium	610
<i>lippii</i> L.		545	<i>maculatum</i> L.	610
<i>niloticus</i> L.		544	Conringia	146
<i>nudifolius</i> Lám.		548	<i>clavata</i> Boiss.	147
<i>nummularius</i> L.		547	<i>orientalis</i> (L.) Dum.	146
<i>racemosus</i> L.		546	<i>perfoliata</i> (C.A. Mey.) Dum.	146, 147
<i>salviifolius</i> L.		550	Consolida	16
<i>stipulatus</i> Forssk.		545	<i>ambigua</i> (L.) Ball et Heywood	17, 19
<i>thymifolius</i> L.		549	<i>anthoroidea</i> (Boiss.) Schröd.	16, 25
<i>tomentosus</i> Scop.		547	<i>axilliflora</i> (D.C.) Schröd.	16, 17
<i>umbellatus</i> L.		541	<i>coelebsyriaca</i> Mout.	17, 23, 679
<i>vilosus</i> L.		550	<i>deserti-syriaci</i> (Zoh.) Munz	16, 20
Clematis		53	<i>flava</i> (D.C.) Schrod.	17, 21
<i>cirrhosa</i> L.		53, 54	<i>gombaultii</i> (Thiéb.) Munz	16, 18
<i>flammula</i> L.		53, 54	<i>hellespontica</i> (Boiss.) Chater et Heywood	17, 22
<i>vitalba</i> L.		53, 54	<i>hohenackeri</i> (Boiss.) Grossheim	16, 20
<i>miticella</i> L.		53	<i>incana</i> (Clarke) Munz	21
Cleome		78	<i>oligantha</i> (Boiss.) Auct.	23, 679
<i>glauca</i> D.C.		78	<i>oliveriana</i> (D.C.) Schrōd.	17, 20
<i>glaucescens</i> D.C.		78	<i>orientalis</i> (Gay) Schröder	17, 19
<i>kotschyana</i> Boiss.		78	<i>pusilla</i> (Lab.) Schrōd.	17, 22, 679
<i>noëana</i> Boiss.		78, 79	<i>rigida</i> (D.C.) Hayek	17, 21
<i>ornithopodioides</i> L.		78		

<i>rugulosa</i> (Boiss.) Schrød.	16, 19	<i>azarolus</i> L.	209
<i>tomentosa</i> (Auch. ex Boiss.) Schrød.	17, 22	<i>monogyna</i> Willd.	209, 210
Corchorus	502	<i>sinaica</i> Boiss.	209, 210
<i>olitorius</i> L.	502	<i>torminalis</i> L.	208
Coriandrum	612	<i>trilobata</i> Lab.	207
<i>sativum</i> L.	612	Crithmum	623
<i>testiculatum</i> L.	613	<i>maritimum</i> L.	623
<i>tordylioides</i> Boiss.	613	Crithopsis	666
<i>tordylium</i> (Fenzl) Bornm.	612, 613	<i>aegilopoides</i> Link	666
Cornus	657	Crocus	673
<i>australis</i> C.A. Mey.	657, 658	<i>aleppicus</i> Baker	673
<i>mas</i> L.	657	Croton	499
<i>sanguinea</i> L.	658	<i>tinctorium</i> L.	499
Coronilla	380	<i>verbascifolium</i> Willd.	500
<i>cretica</i> L.	380, 381	CRUCIFERAE	80
<i>emeroides</i> Boiss. et Sprun.	380	Cyclotaxis	589
<i>emerus</i> L.	380	<i>palaestina</i> Boiss.	586, 589
<i>libanotica</i> Boiss.	381	<i>turgida</i> Boiss.	586, 589
<i>parviflora</i> Willd.	380, 381	Crystopteris	660
<i>scorpioides</i> (L.) C. Koch	380, 381	<i>filix-fragilis</i> (L.) Borbas	660
<i>securidaca</i> L.	312	<i>fragilis</i> (L.) Bernh.	660
<i>varia</i> L.	380, 381	Cytisopsis	302
Coronopus	86	<i>dorycniiifolia</i> Jaub. et Spach	302
<i>squamatus</i> (Forskk.) Asch. et Graebn.	86	Cytisus	232
<i>verrucarius</i> (Gars.) Muschl. et Thell.	86	<i>cassius</i> Boiss.	232
Corydalis	71	<i>divaricatus</i> L'Hér.	231
<i>libanotica</i> Hochstt.	71	<i>drepanolobus</i> Boiss.	232
<i>rutifolia</i> Sibth. et Smith	71	<i>pterocladus</i> Boiss.	232
<i>solida</i> (L.) Swartz	71	<i>syriacus</i> Boiss. et Bl.	232, 233
Cotinus	469		D
<i>coggygria</i> Scop.	469		
Cotoneaster	208	Danaa	609
<i>nummulariifolia</i> Fisch. et Mey.	208	<i>aquilegifolia</i> All.	609
<i>racemiflora</i> (Desf.) C. Koch	208	<i>cornubiensis</i> (Torn.) Burm.	609
<i>pyracantha</i> (L.) Spach	209	Daphne	572
Cotyledon	178	<i>libanotica</i> Mout.	572, 573
<i>horizontalis</i> Guss.	180	<i>oleifolia</i> Lam.	573
<i>intermedia</i> (Boiss.) Bornm.	180	<i>oleoides</i> Schreb.	573
<i>libanotica</i> (L.) Labili.	181	<i>sericea</i> Vahl	573
<i>pestalozzae</i> (Boiss.) Mart.	181	Datisca	531
<i>tropaeolifolia</i> (Boiss.) Bornm.	179	<i>cannabina</i> L.	531
<i>tuberosa</i> (L.) Halacsy	180	DATISCACEAE	531
<i>umbilicus-veneris</i> L.	180	Daucus	595
Crambe	120	<i>aleppicus</i> Thiéb.	596, 597
<i>alutacea</i> Hand.-Mazz.	121, 122	<i>aureus</i> Desf.	595, 598'
<i>aucherii</i> Boiss.	121	<i>blanchetii</i> Reut.	599
<i>glaberrima</i> (Bornm.) Mout.	121	<i>broterii</i> Ten.	595, 596
<i>hispanica</i> L.	121, 122	<i>carota</i> L. ssp. <i>maximus</i>	596, 598
<i>orientalis</i> L.	121	<i>guttatus</i> Sibth. et Smith	596, 597
<i>persica</i> Boiss.	121	<i>leptocarpus</i> Hochst.	595
Crassula	183	<i>littoralis</i> Sibth. et Smith	596
<i>alata</i> (Viv.) Berger	183	<i>maximus</i> Desf.	598
<i>caespitosa</i> Cav.	187	<i>microsciadius</i> Boiss.	597
<i>magnoliifolia</i> D.C.	187	<i>pulcherrimus</i> (Willd.) Koch	595
<i>microcarpa</i> Sibth. et Smith	189	<i>pumilus</i> (L.) Hall	603
<i>vaiiantii</i> (Willd.) Roth	183	<i>setulosus</i> Guss.	597
CRASSULACEAE	209	<i>speciosus</i> Casati	595
Crataegus	209		

<i>subsessilis</i>	Boiss.
<i>visnaga</i>	L.
Delphinium	
<i>ajacis</i>	Auct.
<i>ambiguum</i>	L.
<i>anthoroideum</i>	Boiss.
<i>axilliflorum</i>	D.C.
<i>cappadocicum</i>	Boiss.
<i>deserti-syriaci</i>	Zoh.
<i>flavum</i>	D.C.
<i>gombaultii</i>	Thiéb.
<i>halteratum</i>	Sibth et Smith
<i>ithaburensse</i>	Boiss.
<i>junceum</i>	D.C.
<i>kurdicum</i>	Boiss. et Hoh.
<i>macrostachyum</i>	Boiss. ex Huth
<i>oliganthum</i>	Boiss.
<i>oliverianum</i>	D.C.
<i>orientale</i>	J. Gay
<i>peregrinum</i>	L.
<i>pusillum</i>	Lab.
<i>pygmaea</i>	Poir.
<i>rigidum</i>	D.C.
<i>rugulosum</i>	Boiss.
<i>salmoneum</i>	Mout.
<i>sclerocladum</i>	Boiss.
<i>staphisagria</i>	L.
<i>tomentosum</i>	Auch.
<i>venulosum</i>	Boiss.
<i>virgatum</i>	Poir.
Descurainia	
<i>sophia</i>	(L.) Webb et Prantl
Desmaziera	
<i>woronowii</i>	(Hack) Ocz
Dictamnus	
<i>albus</i>	L.
<i>fraxinella</i>	Pers.
Didesmus	
<i>rostratus</i>	Boiss.
Diplotaxis	
<i>erucoides</i>	(L.) D.C.
<i>harra</i>	(Forssk.) Boiss.
<i>tenuifolia</i>	(L.) D.C.
<i>viminea</i>	(L.) D.C.
Diptychocarpus	
<i>strictus</i>	(Fisch. et Mey.) Trautv.
Dolichos	
<i>luteolus</i>	Jacqu.
Dorema	
<i>meifolia</i>	Fenzl
Dorycnium	
<i>anatolicum</i>	Boiss.
<i>haussknechtii</i>	Boiss.
<i>hirsutum</i>	(L.) Ser.
<i>libanoticum</i>	Boiss.
<i>rectum</i>	(L.) Ser.
Draba	
<i>oxycarpa</i>	Boiss.

595, 596	
628	
11	
19	
19	
25	
17	
20	
20	
21	
18	
12	
12, 16	
13	
12, 15	
12, 14	
23, 679	
20	
19	
12, 13	
22, 679	
22	
21	
19	
14	
25	
12, 15	
22	
12, 13	
12, 14	
100	
100	
665	
665	
460	
460	
460	
103	
103, 680	
115	
115	
115, 116	
115, 115	
116	
171	
171	
432	
432	
640	
640	
303	
303, 304	
303, 304	
303	
304	
303	
133	
133, 134	
<i>praecox</i>	Stev.
<i>verna</i>	L.
<i>versicaria</i>	Desv.
Drabopsis	
<i>nuda</i>	(Bel.) Stapf
<i>verna</i>	C. Koch
Drosanthe	
<i>helianthemooides</i>	Jaub. et Spach
Drosera	
<i>rotundifolia</i>	L.
DROSERACEAE	
Dryopteris	
<i>aculeata</i>	(L.) O. Kuntze
<i>libanotica</i>	(Ros.) Christ.
<i>pallida</i>	(Bory) Fomin
<i>villarii</i>	(Thell.) Woynar
Ducrosia	
<i>anethifolia</i>	D.C.
<i>flabellifolia</i>	Boiss.
E	
Echinophora	
<i>sibthorpiana</i>	Guss.
<i>tenuifolia</i>	L.
ELAEAGNACEAE	
Elaeagnus	
<i>angustifolia</i>	L.
<i>hortensis</i>	Bieb.
Elaeosticta	
<i>meifolia</i>	Fenzl.
ELATINACEAE	
Elatine	
<i>cambylosperma</i>	Seub.
<i>macropoda</i>	Guss.
Enarthrocarpus	
<i>arcuatus</i>	Lab.
<i>lyratus</i>	(Forssk.) Boiss.
Ephedra	
<i>alata</i>	Decne
<i>alte</i>	C.A. Mey..
<i>transitoria</i>	Riedl
Epilobium	
<i>adnatum</i>	Gmel.
<i>alsinifolium</i>	Vill.
<i>angustifolium</i>	L.
<i>gemmascens</i>	C.A. Mey.
<i>hirsutum</i>	L
<i>lanceolatum</i>	Seb. et Mauri
<i>menthoides</i>	Boiss. et Heldr.
<i>minutiflorum</i>	Hausskn.
<i>modestum</i>	Hausskn.
<i>montanum</i>	L.
<i>parviflorum</i>	Schreb.
<i>roseum</i>	Schreb.
<i>spicatum</i>	Lam.
<i>tetragonum</i>	L.
<i>tomentosum</i>	Vent.
<i>tournefortii</i>	Michalet

Equisetum		660	<i>lens</i> L.	414
<i>maximum</i>	Auct.	660	<i>lenticula</i> Schreb.	415
<i>telmateia</i>	Ehrh.	660	<i>nigricans</i> M. Bieb.	414
Eragrostis		663	<i>orientale</i> Boiss.	414, 415
<i>collina</i>	Trin.	663	<i>pubescens</i> D.C.	413
<i>minor</i>	Host	663	<i>tenuissimum</i> M. Bieb.	413
<i>poaeoides</i>	P. Beauv.	663		577
<i>tatarica</i>	(Fisch.) Henr.	663		577, 578
Eremosporum		526	<i>barrelieri</i> Boiss.	577, 579
<i>olivieri</i>	Spach	526	<i>billardieri</i> Laroche	577, 579
Erianthus		662	<i>bithynicum</i> Boiss.	578, 581
<i>hostii</i>	Griseb.	662	<i>campestre</i> L.	577, 579
<i>ravennae</i>	(L.) Beauv.	662	<i>creticum</i> Lam.	577, 580
Eriocarpaea		392	<i>desertorum</i> Zoh.	578, 580
<i>pinnata</i>	Bertol.	392	<i>falcatum</i> Laroche	578, 579
Eriolobus		207	<i>glomeratum</i> Lam.	577, 578
<i>trilobatus</i>	(Lam.) Roem.	207	<i>heldreichii</i> Boiss.	577, 579
Erodium		440	<i>maritimum</i> L.	578, 580
<i>acaule</i>	(L.) Becherer et Thell.	441, 442	<i>pusillum</i> Desf.	578
<i>amanum</i>	Boiss. et Ky	441, 442	<i>pyramide</i> Boiss. et Hausskn.	578, 580
<i>botrys</i>	(Cav.) Bertol.	441, 442		140
<i>bryoniifolium</i>	Boiss.	442, 446		129
<i>ciconium</i>	(L.) L'Hér.	441, 444	<i>bicorne</i> Ait.	141, 145, 681
<i>cicutarium</i>	(L.) L'Hér.	441, 443	<i>blancheanum</i> Boiss.	141, 143
<i>gaillardotii</i>	Boiss.	440, 446	<i>crassipes</i> C.A. Mey.	141, 143
<i>glaucophyllum</i>	(L.) L'Hér.	442, 446	<i>goniocalon</i> Boiss.	141, 143
<i>gruinum</i>	(L.) L'Hér.	441, 444	<i>hamosum</i> Blanche	145, 681
<i>hirtum</i>	(Forssk.) Willd.	441, 446	<i>hirschfeldioides</i> Bois. et Hskn.	141, 144
<i>laciniatum</i>	(Cav.) Willd.	441, 445	<i>libanoticum</i> Post	141, 143
<i>malacoides</i>	(.) Willd.	441, 445	<i>officinale</i> L.	99
<i>moschatum</i>	(Burm. fil.) L'Hér.	441, 443	<i>oleifolium</i> J. Gay	141, 144
<i>oxyrrhynchum</i>	Boiss.	442, 446	<i>purpureum</i> Auch.	141, 144
<i>pulverulmum</i>	(Cav.) L'Hér.	441, 445	<i>repandum</i> L.	140, 141
<i>romanum</i>	(Burm. fil.) L'Hér.	442	<i>rigidum</i> D.C.	141
<i>subtrilobum</i>	Jord.	441, 446	<i>scabrum</i> D.C.	141, 142
<i>trichomanifolium</i>	L'Hér.	441, 442	<i>smyrnaeum</i> D.C.	142
Erophila		131	<i>tenellum</i> D.C.	140, 142
<i>gilgiana</i>	(Muschl.) O.E. Schulz	132	<i>verrucosum</i> Boiss. et Gaill.	140, 142
<i>minima</i>	C.A. Mey.	131, 132		163
<i>praecox</i>	(Stev.) D.C.	132, 133	<i>Euclidium</i>	163
<i>setulosa</i>	Boiss. et Bal.	132, 133	<i>syriacum</i> (L.) R. Br.	89
<i>verna</i>	(L.) E. Meyer	132	<i>Eunomia</i>	89
<i>vulgaris</i>	D.C.	132	<i>oppositifolia</i> (Lab.) D.C.	552
Eruca		108	<i>Euonymus</i>	553
<i>cappadocica</i>	Reut.	108	<i>latifolius</i> Scop.	475
<i>sativa</i>	Mill.	108		479, 489
<i>vesicaria</i>	(L.) Cav.	108	<i>Euphorbia</i>	476, 483
Erucaria		102	<i>aleppica</i> L.	480, 494
<i>aleppica</i>	Gaertn.	102	<i>altissima</i> Boiss.	476, 485
<i>bornmuelleri</i>	O.E.Sch.	102, 104	<i>antilibanotica</i> Mout.	477, 483
<i>boveana</i>	Coss.	102, 103	<i>arios</i> L.	478, 490
<i>cakiloides</i>	(D.C.) O.E. Schulz	102, 103	<i>arguta</i> Banks et Sol.	477, 488
<i>hamrinensis</i>	Bornm.	103	<i>aulacosperma</i> Boiss.	478, 498
<i>hispanica</i>	(L.) Druce	102	<i>berylea</i> Boiss. et Bl.	477, 488
Ervum		414	<i>biglandulosa</i> Desf.	477, 488
<i>ervilia</i>	L.	413	<i>cassia</i> Boiss.	480, 495
<i>ervoides</i>	(Brign.) Hayek	414, 415	<i>caudiculosa</i> Boiss.	479, 483
<i>hirsutum</i>	L.	413	<i>chaborasica</i> Gombault	479, 491
			<i>chamaepeplus</i> Boiss. et Gaill.	475, 481
			<i>chamaesyce</i> L.	

cheiradenia	Boiss. et Hoh.	480, 493	Factorovskya	251
chesneyi	(Kl. et Garcke) Khan	478, 496	aschersoniana	(Urban) Eig. 252
cornuta	Pers.	482	Fagonia	457
cybirensis	Boiss.	477, 485	bruguieri	D.C. 457
dendroides	L.	482	olivieri	D.C. 457
densa	Schrenk	476, 481	Falcaria	629
erinacea	Boiss. et Ky	476, 486	rivinii	Host. 629
eriophora	Boiss.	477, 484	vulgaris	Bernh. 629
exigua	L.	479, 489	Farsetia	174
falcata	L.	479, 490	aegyptiaca	Turra. 174
fistulosa	M.S. Khan	477, 483	cheiranthoides	R. Br. 174
gaillardotii	Boiss. et Ky	476, 478, 484	clypeata	(L.) R. Br. 161
geniculata	Ortega	475, 480	eriocarpa	D.C. 151
granulata	Forssk.	475, 481	Ferula	639
guestii	Blakelock	484	armandii	Mout. 640, 643
haussknechtii	Boiss. et D.C.	477, 487	barbeyi	Post 640, 641
helioscopia	L.	477, 487	bilasi	Post 642
herniariifolia	Willd.	480, 495	biverticillata	Thiéb. 640, 642
hirta	L.	480	blanchei	Boiss. 640, 641
isthmia	Tack.	478, 482	cassii	Zoh. et Davis 640
kahirensis	Raeusch	482	communis	L. 640, 642
kotschyana	Fenzl	478, 498	hermonis	Boiss. 640
lanata	Siehe	482	hispida	Friv. 646
louisii	Thiéb.	476, 486	meifolia	(Fenzl) Boiss. 640
macroclada	Boiss.	478, 497	orbicularis	Post et Beauv. 641
macrostegia	Boiss.	478, 498	palmyrensis	Post et Beauv. 642
mesopotamica	M.S. Khan	493	scabra	Fenzl. 611
microsphaera	Boiss.	477, 484	tingitana	L. 640, 642
oxyodonta	Boiss et Hausskn.	477, 488	Ferulago	643
palmyrena	Mout.	496	aman	Post 644, 645
paralias	L.	478, 497	auranitica	Post 643, 644
peplis	L.	475, 481	autumnalis	Thiéb. 643
peploides	Gouan	479, 491	cassia	Boiss. 643, 645
peplus	L.	479, 490	frigida	Boiss. 643, 645
petiolata	Banks et Sol.	476, 482	macrocarpa	(Fenzl) Boiss. 643, 645
petrophila	C.A. Mey.	494	pauciradiata	Boiss. et Heldr. 644
phymatosperma	Boiss. et Gaill.	478, 489	syriaca	Boiss. 644, 646
physocaulos	Mout.	477, 487	Fibigia	160
pilulifera	L.	475, 480	clypeata	(L.) Medik. 160, 161
postii	Boiss.	476, 482	eriocarpa	(D.C.) Boiss. 160, 161
promecocarpa	Davis	480, 495	heterophylla	Rech. fil. 160, 162
prunifolia	Jacqu.	480	obovata	Boiss. 161
pubescens	Vahl	486	rostrata	(Schenk) Boiss. 161
pusillima	Post	479, 492	Ficaria	30
retusa	Forssk.	479, 482	ficariooides	(Bory et Chaub.) Hal. 31, 32
reuteriana	Boiss.	479, 492	grandiflora	Robert 31, 32
szovitsii	Fisch. et Mey.	479, 482	Figarea	219
terracina	L.	478, 496	aegyptiaca	Viv. 219
thamnoides	Boiss.	476, 485	Foeniculum	626
tinctoria	Boiss.	497	capillaceum	Gilib. 629
verrucosa	L.	477, 486	officinale	All. 626
EUPHORBIACEAE		475	piperitum	(Ucria) Sweet 626, 627
EUPHORBIALES		475	vulgare	Mill. 626
Exoantha		604	Fragaria	210
heterophylla	Lab.	603	vesca	L. 210
Frangula			Frangula	558
alnus	Mill.		alnus	Mill. 558

Frankenia	
<i>hirsuta</i> L.C.	
<i>hispida</i> D.C.	
<i>intermedia</i> D.C.	
<i>pulverulenta</i> L.	

FRANKENIACEAE

Fumana	
<i>arabica</i> (L.) Spach	
<i>ericoides</i> Auct.	
<i>glutinosa</i> (L.) Boiss.	
<i>oligosperma</i> Boiss. et Ky	
<i>procumbens</i> Dunal	
<i>scoparia</i> Pомel	
<i>spachii</i> Boiss.	
<i>thymifolia</i> (L.) Spach	
<i>viscosa</i> Spach	

Fumaria	
<i>agraria</i> Lagr.	
<i>anatolica</i> Boiss.	
<i>asepala</i> Boiss.	
<i>bulbosa</i> L.	
<i>capreolata</i> L.	
<i>cilicica</i> Hausskn.	
<i>densiflora</i> D.C.	
<i>gaillardotii</i> Boiss.	
<i>judaica</i> Boiss.	
<i>kralikii</i> Jord.	
<i>macrocarpa</i> Parl.	
<i>micrantha</i> Lagr.	
<i>officinalis</i> L.	
<i>parviflora</i> Lam.	
<i>betteri</i> Reichenb.	
<i>rutifolia</i> (Sibth. et Smith) D.C.	
<i>thuretii</i> Boiss.	
<i>vaiantii</i> Lois.	

G

Gagea	
<i>anisanthos</i> C. Koch	
<i>dayana</i> Chodat et Beauv.	
<i>fistulosa</i> (Ram.) Ker-Gawl	

Galega	
<i>assyriaca</i> Mout.	
<i>officinalis</i> L.	
Gamosepalum	
<i>alyssoides</i> Hausskn.	

Garidella	
<i>unguicularis</i> Lam.	
Genista	
<i>acanthoclada</i> D.C.	
<i>albida</i> Willd.	
<i>anatolica</i> Boiss.	
<i>cassia</i> Boiss.	
<i>fasselata</i> Decne	
<i>libanotica</i> Boiss.	
<i>lydia</i> Boiss.	
<i>patula</i> M. Bieb.	

529	<i>pestalozzae</i> Boiss.	229
530	<i>raetam</i> Forssk.	227
530	<i>sphacelata</i> Decne	229
530		434
530		433
529		434
547		442
547, 549	<i>Geranium</i>	435,-437
548	<i>acaule</i> L.	444
549	<i>aspodeloides</i> Burm. f.	444
547, 548	<i>botrys</i> Cav.	444
548	<i>ciconium</i> L.	443
548	<i>cicutarium</i> L.	434, 435
547, 549	<i>cinereum</i> Cav.	435, 439
549	<i>columbinum</i> L.	435, 437
72	<i>crenophilum</i> Boiss.	435, 439
77	<i>dissectum</i> L.	446
76	<i>glaucophyllum</i> L.	444
73, 74	<i>gruinum</i> L.	446
71	<i>hirtum</i> Forssk.	445
73, 76	<i>laciniatum</i> Cav.	435, 437
73, 76	<i>libani</i> P.H. Davis	435, 436
73, 75	<i>libanoticum</i> Schenk	437
73, 77	<i>libanoticum</i> Boiss.	435, 440
73, 77	<i>lucidum</i> L.	445
73, 77	<i>malacoides</i> L.	435, 438
73, 77	<i>molle</i> L.	443
73, 77	<i>moschatum</i> Burm. f.	437
73, 76	<i>pallens</i> M. Bieb.	435, 440
73, 76	<i>purpureum</i> Vill.	435, 438
75	<i>pusillum</i> L.	435, 439
73, 75	<i>pyrenaicum</i> Burm. fil.	442
73, 75	<i>robertianum</i> L.	435, 438
76	<i>romanum</i> Burm. fil.	435
71	<i>rotundifolium</i> L.	434, 436
73, 76	<i>subcaulescens</i> L'Hér.	214
73, 74	<i>tuberosum</i> L.	214, 215
		214, 215
		214, 215
671	Geum	674
671	<i>heterocarpum</i> Boiss.	674
671	<i>urbanum</i> L.	105
671		105
314	Gladiolus	57
314	<i>imbricatus</i> L.	57
315	Glastaria	57
157	<i>deflexa</i> Boiss.	57, 58
157		57, 59
7		59
7		375
228	Glaucium	376, 377
228	<i>aleppicum</i> Boiss. et Hausskn.	376, 377
228, 229	<i>corniculatum</i> (L.) Curt.	376, 377
228, 229	<i>flavum</i> Crantz	376
229	<i>grandiflorum</i> Boiss. et Huet	376
228, 229	<i>leiocarpum</i> Boiss.	376
228, 229	<i>luteum</i> Scop.	376
228		377
228		377
228, 229	Glycyrrhiza	377
228, 229	<i>asperrima</i> L. f.	377
228, 230	<i>echinata</i> L.	377
228, 230	<i>flavescens</i> Boiss.	377
228, 230	<i>glabra</i> L.	377
228, 230	<i>glandulifera</i> Waldst. et Kit.	377
228, 230	<i>violacea</i> Boiss.	377
228, 230	Glycyrrhizopsis	377
228, 230	<i>flavescens</i> (Boiss.) Boiss. et Bal.	377

Goebelia	223
<i>alopecuroides</i> (L.) Boiss.	223
Gonocytisus	231
<i>pterocladus</i> Boiss.	232
GROSSULARIACEAE	192
GUTTIFERAE	518
<i>Gymnogramma</i>	660
<i>leptophylla</i> (L.) Desv.	660
H	
<i>Halimium</i>	541
<i>umbellatum</i> (L.) Spach	541
HALORRHAGACEAE	568
<i>Haloxylon</i>	676
<i>articulatum</i> (Cav.) Bge	676
<i>elegans</i> Bge	676
<i>ramosissimum</i> (Boiss.) Benth. et Hook.	676
<i>salicornicum</i> (Moqu.) Bge	676
<i>Hammada</i>	676
<i>eigii</i> Iljin	676
<i>elegans</i> (Bge) Iljin	676
<i>salicornica</i> (Moq.) Iljin"	676
<i>- syriaca</i> Botsch.	676
<i>Hammatolobium</i>	311
<i>lotoides</i> Fenzl	311
<i>Haplophyllum</i>	461
<i>armenum</i> Spach	462, 463
<i>blanchei</i> Boiss.	462, 464
<i>bourgaei</i> Boiss.	463
<i>buxbaumii</i> Poir.	462, 464
<i>candolleanum</i> Boiss.	466
<i>chaborasium</i> Boiss. et Hausskn.	462, 464
<i>cilicicum</i> Boiss.	463
<i>deserti</i> Post et Beauv.	463
<i>filifolium</i> Spach	462, 466
<i>fruticosum</i> (Lab.) Boiss.	462, 463
<i>glabrum</i> (D.C.) Hand.-Mazz.	462, 466
<i>haussknechtii</i> Boiss.	462, 466
<i>mesopotamicum</i> Boiss.	462, 464
<i>propinquum</i> Spach	465
<i>rubellulum</i> Thiéb. et Gomb.	465
<i>suaveolens</i> (D.C.) G. Don.	462, 463
<i>sylvaticum</i> Boiss.	463
<i>tuberculosum</i> (Forssk.) A. Juss.	462, 465
<i>vilosulum</i> Boiss. et Hausskn.	462, 465
<i>Hasselquistia</i>	655
<i>aegyptiaca</i> L.	655
<i>Hedera</i>	574
<i>helix</i> L.	575
<i>Hedysarum</i>	383
<i>atomarium</i> Boiss.	383, 385
<i>capitatum</i> Desf.	384
<i>coelosyriacum</i> Sam.	384
<i>cornutum</i> L.	391
<i>coronarium</i> L.	383, 384
<i>kotschyi</i> Boiss.	384, 385

<i>pollens</i> (Moris) Halacsy'	384
<i>pannosum</i> Boiss.	384, 385
<i>pseudalkagi</i> (Bieb.) Desv.	386
<i>spinosissimum</i> L.	383, 384
<i>supinum</i> Chaix	390
<i>Heldreichia</i>	87
<i>bupleurifolia</i> Boiss.	87
<i>Helianthemum</i>	542
<i>aegyptiacum</i> (L.) Mill.	542, 545
<i>campylopus</i> Sam.	544
<i>chamaecistus</i> Auct.	547
<i>ellipticum</i> (Desf.) Pers.	545
<i>guttatum</i> (L.) Boiss.	542
<i>kahiricum</i> Del.	543, 545
<i>kotschyanum</i> Boiss.	543, 546
<i>lasiocarpum</i> Willk.	544
<i>lavandulifolium</i> Lam.	546
<i>ledifolium</i> (L.) Mill.	543
<i>lippii</i> (L.) Dum.-Cours.	543, 545
<i>niloticum</i> (L.) Moench	543
<i>nummularium</i> (L.) Mill.	543, 547
<i>procumbens</i> Dunal	548
<i>racemosum</i> (L.) Pau	543, 546
<i>salicifolium</i> (L.) Mill	543, 544
<i>syriacum</i> Boiss/	542
<i>tomentosum</i> Scop.	544
<i>umbellatum</i> (L.) Mill.	541
<i>vesicarium</i> Boiss.	543, 546
<i>viride</i> Ten.	549
<i>vulgare</i> Gaertn.	547
<i>Helleborus</i>	5
<i>vesicarius</i> Auch.	5
<i>Helosciadium</i>	621
<i>nodiflorum</i> C. Koch	621
<i>Henrardia</i>	665
<i>persica</i> (Boiss.) C. Hubb.	665
<i>pubescens</i> (Bertol.) C. Hubb.	665
<i>Heptaptera</i>	619
<i>alata</i> (Boiss.) Tutin	619
<i>anisoptera</i> (Boiss.) Tutin	619, 620
<i>crenata</i> (Fenzl) Tutin	619, 620
<i>microcarpa</i> (Boiss.) Tutin	619, 620
<i>Heracleum</i>	652
<i>absinthifolium</i> Vent.	654
<i>carmeli</i> Labili.	652
<i>humile</i> Sibth. et Smith	652
<i>Hesperis</i>	168
<i>africana</i> L.	166
<i>chia</i> L.	167
<i>crenulata</i> D.C.	167
<i>elata</i> Hornem.	168, 170
<i>kotschyana</i> Fenzl	169, 170
<i>matronalis</i> L.	169, 170
<i>pendula</i> D.C.	168, 169
<i>pulchella</i> D.D.	164
<i>pulmonarioides</i> Boiss.	168, 169
<i>verna</i> L.	137
<i>violacea</i> Boiss.	169, 170

Hibiscus		518	libanoticum N. Robson	520, 524-525
<trionum l.<="" td=""><td></td><td>518</td><td>lorentii Hochst.</td><td>524</td></trionum>		518	lorentii Hochst.	524
Himantoglossum		674	lydium Boiss.	520, 523
caprinum (M. Bieb.) Spreng.		674	montbretii Spach	520, 528
Hippocrepis		382	nanum Poir.	519, 521
bisiliqua Forssk.		382, 383	olivieri (Spach) Boiss.	519, 526
multisiliquosa L.		382	olympicum L.	519, 522
unisiliquosa L.		382, 383	organifolium Willd.	519, 528
Hippomarathrum		610	pallens Banks et Sol.	519, 521
boissieri Reut. et Hausskn.		611	perforatum L.	520, 528
crispum (Pers.) Koch		611	praedonum Hand.-Mazz.	526
scabrum (Fenzl) Boigs.		610, 611	quadrangulum L.	526
Hirschfeldia		114	retusum Auch.	520, 526
incana (L.) Lagrèze-Fossat		114	rubrum Hochstt.	523
Hordeum		666	russeggeri (Fenzl) R. Keller	519, 521
geniculatum All.		666	scabrum L.	519, 522
glaucum Steud.		666	serpyllifolium Lam.	522
- gussoneanum Parl.		666	tetrapterum Fries	520, 526
hystrix Roth		666	thymifolium Banks et Sol.	519, 522
leporinum Link.		666	triquetrum Turra	520, 527
maritimum With.		666	venustum Fenzl	527
Hornungia		128		667-670
brocumbens (L.) Hayek		128		667-670
Hutchinsia		128		
brocumbens (L.) Desv.		128		
Hydrocotyle		575		
natans Cyr.		575		
ranunculoides L. fil.		575		
Hymenocarpus		301		
circinnatus (L.) Savi		301, 302		
nummularius (D.C.) G. Don.		301, 302		
Hymenolobus		128		
procumbens (L.) Nutt.		128		
Hypecoum		69		
grandiflorum Benth.		70		
imberbe Sibth. et Smith		69, 70		
pendulum L.		69, 70		
procumbens L.		69		
Hypericum		518		
acutum Moench		526		
adenocarpum Mirb.		528		
adenocladum Boiss.		523		
alternifolium Labili.		536		
amanum Boiss.		524		
amblyosepalum Hochst.		520, 524		
capitatum Choisy		519, 523		
cardiophyllum Boiss.		519, 521		
cassum Boiss.		528		
confertum Choisy		519, 523		
crispum L.		527		
cuneatum Poir.		521		
fieldianum Rech.		524		
gracile Boiss.		526		
helianthemooides Spach		524		
hircinum L.		519, 520		
hussofifolium Chaix		523		
laeve Boiss.		523		
lanuginosum Lam.		519, 527		
				I
			Iberis	87, 680
			acutiloba Bertol.	680
			odorata L.	88
			sempervirens L.	88
			taurica D.C.	88
			Ilex	99
			aquifolium L.	553
			colchica Poi.	553
			Iris	674
			calcarea Dinsm.	674
			nusairiensis Mout.	674
			sofarana Foster	674
			Isatis	106
			aleppica Scop.	106, 108, 680
			cappadocica Desv.	106
			glauca Auch.	106, 108
			latisiliqua Boiss.	106
			lusitanica L.	106, 680
			microcarpa J. Gay	107
			subradiata Rupr.	106
			tinctpria L.	106, 107
			Isnardia	654
			palustris L.	564
				J
			Johrenia	649
			aurea Boiss. et Bal.	649, 651
			dichotoma D.C.	650
			fungosa Boiss.	650
			juncea Boiss.	649

<i>porteri</i>	Post	649, 650
<i>tordylium</i>	Fenzl	613
<i>westii</i>	Post	650, 651
Juncus		667
<i>arabicus</i>	(Asch. et Schw.) Adams	667
<i>maritimus</i>	Lam.	667
Jussiaea		564
<i>repens</i>	L.	564
<i>stolonifera</i>	Guill. et Perr.	564

K

Keramocarpus		613
<i>tordylium</i>	Fenzl	613
Kitaibelia		514
<i>balansae</i>	Boiss.	514
Koeleria		664
<i>phleoides</i>	(Vill.) Pers.	664
Kohlrauschia		678
<i>velutina</i>	(Guss.) Reichenb.	678
Koniga		160
<i>maritima</i>	(L.) R. Br.	160
Krubera		628
<i>peregrina</i>	(L.) Boiss.	628

L

Lagoecia		576
<i>cumioides</i>	L.	577
Lagonychium		220
<i>farctum</i>	(Banks et Sol.) Bobr.	220
Laser		653
<i>trilobum</i>	(L.) Borkh.	653
Laserpitium		653
<i>glaucum</i>	Post	653
<i>trilobum</i>	L.	653
Lathyrus		415
<i>amoenus</i>	Fenzl	423
<i>annuus</i>	L.	416, 420
<i>aphaca</i>	L.	416, 419
<i>basalticus</i>	Rech. fil.	417, 424
<i>blepharicarpus</i>	Boiss.	417, 423
<i>cassius</i>	Boiss.	416, 420
<i>chrysanthus</i>	Boiss.	417, 425
<i>cicera</i>	L.	417, 423
<i>ciliatus</i>	Guss.	426
<i>ciliolatus</i>	Sam.	417, 424
<i>clymenum</i>	L.	419
<i>digitatus</i>	(Bieb.) Fiori	428
<i>elongatus</i>	(Bornm.) Sirj.	418, 428, 429
<i>erectus</i>	Lagr.	416, 424
<i>gleosperma</i>	Warb. et Eig	418, 427
<i>gorgonii</i>	Parl.	416, 423
<i>grandiflorus</i>	Sibth. et Smith	429
<i>hierosolymitanus</i>	Boiss.	416, 420
<i>hirsutus</i>	L.	417, 425
<i>hispidulus</i>	Boiss.	417, 426

<i>inconspicuus</i>	L.	426
<i>inermis</i>	Rochel	416, 417, 428
<i>laxiflorus</i>	(Desf.) O. Kuntze	428
<i>libani</i>	Fritsch	418, 429
<i>marmoratus</i>	Boiss. et Bl.	417, 422
<i>niger</i>	(L.) Bernh.	418, 429
<i>nissolia</i>	L.	416, 419
<i>ochrus</i>	L.	416, 418
<i>polyanthus</i>	Boiss. et Bl.	419
<i>pratensis</i>	L.	416, 417, 427
<i>pseudocicera</i>	Pampanini	417, 421
<i>pygmaeus</i>	Gombault	416, 423
<i>sativus</i>	L.	417, 422
<i>saxatilis</i>	(Vent.) Vis.	418, 426
<i>sessilifolius</i>	(Sibth. et Sm.) Ten.	428
<i>setifolius</i>	L.	417, 425
<i>sphaericus</i>	Retz.	416, 425
<i>stenolobus</i>	Boiss.	416, 419
<i>stenophyllus</i>	Boiss. et Heldr.	417, 421
<i>variabilis</i>	(Boiss. et Ky) Maly	418, 429
<i>vinealis</i>	Boiss. et Noe	418, 427
LAURACEAE		
<i>Laurocerasus</i>		1
<i>officinalis</i>	Roem.	201
Laurus		201
<i>nobilis</i>	L.	1
Lavatera		516
<i>cretica</i>	L.	516
<i>punctata</i>	AU.	516, 517
<i>trimes</i>	tris L.	516, 517
Lecoquia		619
<i>cretica</i>	(Lam.) D.C.	619
LEGUMINOSAE		
Lens		220
<i>culinaris</i>	Medik.	414
<i>esculenta</i>	Moench	414
<i>lenticula</i>	(Schreb.) Alef.	415
<i>nigricans</i>	(Bieb.) Godr.	414
<i>orientalis</i>	(Boiss.) Hand.-Mazz.	415
Leontice		3
<i>chrysogonium</i>	L.	2
<i>leontopetalum</i>	L.	3
<i>minor</i>	Boiss.	3
Lepidium		81
<i>aucherii</i>	Boiss.	81, 83
<i>chalepense</i>	L.	86
<i>cornutum</i>	Sibth. et Smith	82
<i>crassifolium</i>	Waldst. et Kit.	81, 84
<i>culminicolum</i>	Mout.	81, 84
<i>draba</i>	L.	85
<i>graminifolium</i>	L.	82, 85
<i>hirtum</i>	(L.) Smith	81, 83
<i>latifolium</i>	L.	81, 84
<i>nebrodense</i>	(Raf.) Guss.	83
<i>nudicaule</i>	L.	80
<i>oppositifolium</i>	Labili.	89
<i>oxyotum</i>	D.C.	83
<i>perfoliatum</i>	L.	81, 85

<i>procumbens</i>	L.	128	<i>coimbricensis</i>	Brot.	306, 309
<i>sativum</i>	L.	81, 82	<i>corniculatus</i>	L.	305, 307
<i>spinescens</i>	D.C.	81, 82	<i>creticus</i>	L.	305, 306
<i>spinosum</i>	Ard.	81, 82	<i>cytisoides</i>	L.	305, 306
<i>squamatum</i>	Forssk.	86	<i>edulis</i>	L.	306, 311
<i>virginicum</i>	L.	81, 83	<i>gебelia</i>	Vent.	305, 308
<i>Lepidotis</i>		660	<i>hirsutus</i>	L.	203
<i>cernua</i>	(L.) Beauv.	660	<i>judaicus</i>	Boiss. ex Bornm.	305, 306
<i>Leptaleum</i>		146	<i>lamprocarpus</i>	Boiss.	307
<i>filifolium</i>	(Willd.) D.C.	146	<i>lanuginosus</i>	Vent.	305, 308
<i>bygmaeum</i>	D.C.	146	<i>libanoticus</i>	Boiss.	308
<i>Lepturus</i>		665	<i>ornithopodioides</i>	L.	305, 310
<i>bubescens</i>	(Bertol.) Boiss.	665	<i>palaestinus</i>	(Boiss.) Bornm.	311
<i>Ligusticum</i>		610	<i>palustris</i>	Willd.	305, 307
<i>cornubiense</i>	Torn.	610	<i>parviflorus</i>	Desf.	305, 309
LINACEAE		448	<i>peregrinus</i>	L.	305, 309
<i>Linum</i>		448	<i>pusillus</i>	Medik.	310
<i>album</i>	Ky	449, 453	<i>rectus</i>	L.	303
<i>angustifolium</i>	Huds.	455	<i>tenuifolius</i>	(L.) Reichenb.	307
<i>aroanium</i>	Boiss. et Orph.	450, 453	<i>tenuis</i>	Waldst. et Kit.	305, 307
<i>balansae</i>	Boiss.	452	<i>villosus</i>	Forssk.	305, 310
<i>biende</i>	Mill.	449, 455	<i>Ludwigia</i>		563
<i>bursa-pastoris</i>	Gomb.	453	<i>diffusa</i>	(Forssk.) Greene	564
<i>carnosulum</i>	Boiss..	449, 456	<i>palustris</i>	(L.) Elliott	564
<i>cassium</i>	Rech. fil.	455	<i>stolonifera</i>	(Guill. et Perr.) Raven	564
<i>chaborasicum</i>	Mout.	449, 453	<i>Lunaria</i>		174
<i>corymbulosum</i>	(Planch.) Reichenb.	448, 450	<i>scabra</i>	Forssk.	174
<i>gallicum</i>	L.	450	<i>Lupinus</i>		224
<i>humile</i>	Mill.	455	<i>albus</i>	L.	682
<i>liburnicum</i>	Scop.	450	<i>angustifolius</i>	L.	224, 225
<i>mucronatum</i>	Bertol.	449, 451, 452	<i>digitatus</i>	Forssk.	224
<i>nodiflorum</i>	L.	449, 451	<i>hirsutus</i>	L.	224, 226
<i>orientale</i>	Boiss.	451	<i>luteus</i>	L.	224, 226
<i>peyronii</i>	Post	449, 456	<i>pilosus</i>	L.	224
<i>pubescens</i>	Banks et Sol.	449, 454	<i>termis</i>	Forssk.	224, 226, 682
<i>radiola</i>	L.	448	<i>Lycopodium</i>		660
<i>rigidissimum</i>	Post	453	<i>cernuum</i>	L.	660
<i>strictum</i>	L.	449, 450	<i>Lygia</i>		571
<i>sulphureum</i>	Boiss. et Hausskn.	449, 453	<i>aucherii</i>	(Meisn.) Boiss.	571
<i>siриacum</i>	Boiss.	451	<i>passerina</i>	(L.) Fasano	571
<i>tenuifolium</i>	L.	455	<i>pubescens</i>	(Guss.) C.A. Mey.	571, 572
<i>toxicum</i>	Boiss.	449, 451	LYTHRACEAE		560
<i>trigynum</i>	L.	448, 450	<i>Lythrum</i>		560
<i>usitatissimum</i>	L.	449, 454	<i>bibracteatum</i>	Salzm.	561
<i>Lisaea</i>		601	<i>flexuosum</i>	Auct.	561
<i>strigosa</i>	(Banks et Sol.) Eig	602	<i>graefferi</i>	Ten.	561
<i>siриaca</i>	Boiss.	502	<i>hyssopifolia</i>	L.	560, 561
<i>Lobularia</i>		145	<i>juncinum</i>	Banks et Sol.	560, 561
<i>maritima</i>	(L.) Desv.	146	<i>mucronatum</i>	Link	561
<i>Lophochloa</i>		664	<i>salicaria</i>	L.	560
<i>berythea</i>	(Boiss. et Bl.) Bor	664	<i>salzmannii</i>	Jord.	561
<i>obtusiflora</i>	(Boiss.) Gontsch.	664	<i>tomentosum</i>	Mill.	560
<i>phleoides</i>	(Vill.) Reichb.	664	<i>tribracteatum</i>	Salzm.	560, 561
<i>pumila</i>	(Desf.) Bor	664			
<i>Lotus</i>		305			
		306, 309	M		
		305, 310	Malabarla		646
			<i>graveolens</i>	(M. Bieb.) Hoffm.	647
			<i>secacul</i>	(Banks et Sol.) Boiss.	647

Malcolmia			
africana	(L.) R. Br.	• 166	260
auranitica	Post.	166	261
bungei	Boiss.	171	254, 262
chia	(L.) D.C.	166	262
confusa	Boiss.	166, 167	255, 263
conringioides	Boiss.	164	262
contortuplicata	(Steph.) Boiss.	168	253, 258
crenulata	(D.C.) Boiss.	165	253, 264
exacoides	(D.C.) Spreng.	166, 167	255, 256
grandiflora	(Bge) O. Kuntze	166	253, 256, 659
maritima	(L.) R. Br.	166, 167	255, 263
nana	(D.C.) Boiss.	164	254, 259
pulchella	D.C.	164	302
zachlensis	Post	171	253, 256
Malus		207	259-164
trilobata	(Lab.) C.K. Schneider	207	255, 262
Malva		514	252, 264
aegyptia	L.	514	259
montana	Forssk	000	254, 259
neglecta	Wallr.	514, 515	253, 257
nicaeensis	All.	514, 515	253, 258
oxyloba	Boiss.	514, 515	253, 255
parviflora	L.	514, 515	253, 256
rotundifolia	L.	515	263
sherardiana	L.	517	254, 259
sylvestris	L.	514, 515	258
MALVACEAE		502	254, .258
MALVALES		502	254; 258
Malvella		517	254, 260
sherardiana	(L.) Jaub. et Spach	517	253, 256
Maresia		164	677
nana	(D.C.) Ball	164	467
pulchella	(D.C.) O.E. Schulz	164	467
Matthiola		172	467
bicornis	(Sibth. et Smith) D.C.	173	Melandrium
crassifolia	Boiss. et GaiU.	172	
damascena	Boiss.	172	Melia
fruticulosa	(L.) Maire	172, 173	azedarach L.
longipetala	Vent.	172, 173	
oxyceras	D.C.	174	MELIACEAE
tricuspidata	(L.) R. Br.	172, 173	
tristis	(L.) R. Br.	173	Melilotus
Medicago		252	albus Desr.
agrestis	Ten.	260	compactus Salzm.
apiculata	Willd.	262	indicus (L.) All.
arabica	(L.) Huds.	255, 263	infestus Guss.
blancheana	Boiss.	253, 257	italicus (L.) Lam.
ciliaris	(L.) Krocke	255, 264	messanensis (L.) All.
circinnata	L.	302	officinalis (L.) Lam.
constricta	Durieu	260	parviflorus Desf.
coronata	(L.) Desr.	254, 261	procumbens Besser
cupaniana	Guss.	264	segetalis (Brot.) Ser.
denticulata	Willd.	262	siculus (Turra) Vitm.
elegans	Jacqu.	258	sulcatus Desf.
falcata	L.	253, 255	Metiocarpus
galilaea	Boiss.	254, 261	alatus Boiss.
gerardii	Waldst. et Kit.	259	anisopterus Boiss.
			peduncularis Boiss.
Meniocus			
			aureus Fenzl
			filifolius Jaub. et Spach
			linifolius (Steph.) D.C.
			serpyllifolius Desv.

Mercunalis		500	orientalis L.	6, 10
<i>annua</i> L.		500	oxypetala Boiss.	6, 10
<i>ovata</i> Sternb. et Hoppe		500	<i>persica</i> Boiss.	10
<i>perennis</i> L.		500, 501	<i>sativa</i> L.	6, 9
Mespilus		210	<i>stellaris</i> Boiss.	6, 9
<i>amelanchier</i> L.		206	<i>tuberculata</i> Griseb.	8
<i>germanica</i> L.		210	<i>unguicularis</i> (Lam.) Spenn	6, 7
<i>byracantha</i> L.		209	Nitraria	459
Mimosa		220	<i>retusa</i> (Forssk.) Asch.	460
<i>farcta</i> Banks et Sol.		220	<i>tridentata</i> Desf.	460
<i>farnesiana</i> L.		221	Noccaea	128
Monocaryum		667-670	<i>procumbens</i> (L.) Reichb.	128
<i>fasciculare</i> (L.) Roem. et Sch.		667-670	Notholaena	660
Muscaria		673	<i>marantae</i> (L.) R.Br.	660
<i>maritimum</i> Desf.		673	<i>vellea</i> (Ait.) R.Br.	660
Myagrûm		101	Notoceras	129
<i>irregularis</i> Asso		104	<i>bicorne</i> (Ait.) Caruel.	129
<i>perfoliatum</i> L.		101	<i>canariense</i> R.Br.	129
Myosurus		30	<i>cardaminifolium</i> D.C.	100
<i>minimus</i> L.		30	Nuphar	55
Myriophyllum		568	<i>luteum</i> (L.) Sm.	55
<i>spicatum</i> L.		568	Nymphaea	55
<i>verticillatum</i> L.		568, 569	<i>alba</i> L.	56
MYRTACEAE		563	NYMPHAEACEAE	55
MYRTALES		563		
Myrtus		563	O	
<i>communis</i> L.		563		
	N			
Nardurus		665	Ochthodium	102
<i>orientalis</i> Boiss.		665	<i>aegyptiacum</i> (L.) D.C.	102
<i>subulatus</i> (Banks et Sol.) Bon		665	Oenanthe	624
Nasturtium		124	<i>angulosa</i> Griseb.	624, 625
<i>amphibium</i> (L.) R. Br.		125	<i>aquatica</i> (L.) Poiret	624, 626
<i>fontanum</i> (Lam.) Auch.		124	<i>fistulosa</i> L.	624
<i>macrocarpum</i> Boiss.		125, 680	<i>media</i> Griseb.	624, 625
<i>microphyllum</i> Bönn. ex Reichb.		680	<i>phellandrium</i> Lam.	626
<i>officinale</i> R. Br.		124	<i>pimpinelloides</i> L.	624, 625
<i>sylvestre</i> (L.) R. Br.		125	<i>prolifera</i> L.	624, 625
Neslia		124, 680	Oenothera	565
<i>apiculata</i> (F. et M.) Avé-Lall.		125	<i>biennis</i> L.	565
Neurada		131	Oliveria	629
<i>procumbens</i> L.		131	<i>decumbens</i> Vent.	629
Nigella		219	<i>orientalis</i> D.C.	629
<i>arvensis</i> L.		219	ONAGRACEAE	563
var. <i>caudata</i> Boiss.		5	Onobrychis	387
var. <i>microcarpa</i> Boiss.		6, 8	<i>aequidentata</i> (Sibth. et Smith)	d'Urv.
var. <i>mutica</i> (Bornm.) Mout.		6, 8	<i>aurantiaca</i> Boiss.	387, 389
<i>assyriaca</i> Boiss.		6, 8	<i>cadmea</i> Boiss.	388, 393
<i>ciliaris</i> D.C.		6, 9	<i>caput-galli</i> (L.) Lam.	387, 390
<i>cretensis</i> Stev.		6, 11	<i>cornuta</i> (L.) Desv.	• 387, 389
<i>cretica</i> Mill.		8	<i>crista-galli</i> (L.) Lam.	387, 391
<i>damascena</i> L.		8, 9	<i>gaertneriana</i> Boiss.	387, 388
<i>divaricata</i> Beaupré		10	<i>gaillardotii</i> Boiss.	388, 388
<i>glauca</i> Boiss.		7, 8	<i>gracilis</i> Boiss.	388, 392
<i>latisecta</i> Davis		7, 8	<i>hemicycla</i> Blanche	390
<i>noëana</i> Boiss.		6, 10	<i>kotschyana</i> Fenzl	388, 393
		10	<i>lanata</i> Boiss.	387, 390
			<i>megataphros</i> Boiss.	388, 391
				387, 389

nisibena	Mout.	388, 393		
olivieri	Boiss.	388, 391		
pinnata	(Bertol.) Hand.-Mazz.	388, 392		
sativa	Lam.	390		
squarrosa	Viv.	387, 388		
supina	(Chaix) Lam.	387, 390		
tragacanthoides	D.C.	391		
Ononis				
adenotricha	Boiss.	233		
alopecuroides	L.	233, 235		
antiquorum	Auct.	234, 239		
biflora	Desf.	238		
breviflora	Desf.	234, 236		
cherleri	L.	236		
columnae	All.	238		
diffusa	Turra	234, 240		
ervoides	Sieb.	395		
hirta	Def.	234, 240		
leiosperma	Boiss.	238		
mitissima	L.	234, 239		
natrix	L.	233, 234		
ornithopodoides	L.	234, 235		
phyllocephala	Boiss.	234, 238		
pubescens	L.	234, 237		
pusilla	L.	233, 238		
reclinata	L.	234, 239		
serrata	Forssk.	233, 239		
sicula	Guss.	234, 236		
spinosa	L.	233, 238		
vaginalis	Vahl	233, 235		
variegata	L.	234, 237		
viscosa	L.	234, 236		
Opopanax				
hispidus	(Friv.) Griseb.	646		
prientalis	Boiss.	646		
syriacum	Boiss.	646		
Opuntia				
ficus-indica	(L.) Mill.	551		
monacantha	How.	551		
vulgaris	Mill.	693		
Orlaya				
platycarpus	(L.) Koch	551, 693		
maritima	(Gou.) Koch	603		
Ornithogalum				
billardieri	Mout.	672		
lanceolatum	Auct.	672		
montanum	Cyrillo	672		
Ornithopus				
compressus	L.	379		
ebraeolatus	Brot.	379		
pinnatus	(Mill.) Druce	379		
scorpioides	L.	382		
Orobus				
croceus	Desf.	416		
digitatus	Bieb.	408		
elongatus	Bornm.	428		
grandiflorus	Boiss.	429		
niger	L.	429		
sessiliflorus			Sibth. et Smith	428
variabilis			Boiss.	429
OXALIDACEAE			433	
Oxalis			433	
cernua	Thunb.	433		
corniculata	L.	433		
libyca	Viv.	433		
pes-caprae	L.	433		
P				
Paeonia			4	
corallina	Retz	4		
kesrouanensis	Thiéb.	4		
mascula	(L.) Mill.	4		
Paliurus			553	
aculeata	Lam.	554		
spina-christi	Mill.	554		
Papaver			62	
argemone	L.	63, 64		
belangeri	Boiss.	68		
carmeli	Feinb.	66		
clavatum	Boiss. et Hausskn.	65		
dubium	L.	62, 66		
glaucum	Boiss. et Huet	63, 67		
humifusum	Fedde	65		
laevigatum	M. Bieb.	67		
libanoticum	Boiss;	62, 63		
polytrichum	Boiss. et Ky	63, 66		
postii	Fedde	62, 67		
rapiferum	Fedde	64		
rhoeas	L.	62, 64		
rogersii	Exelm.	63, 68		
sonniferum	L.	63, 67		
strigosum	Bönnigh.	64		
stylatum	Boiss. et Hausskn.	65		
subpiriforme	Fedde	63, 64		
syriacum	Boiss. et Bl.	63, 65		
umbonatum	Boiss.	63, 65		
PAPAVERACEAE			57	
Pappophorum		664		
squarrosum	Banks et Sol.	664		
PAPILIONACEAE			223	
PARIETALES'			518	
Parietaria		659, 674		
officinalis	L.	659, 674		
Paronychia			677	
echinata	Lam.	677		
echinulata	Chater	677		
Paspalum			662	
distichum	Auct.	662		
paspaloides	(Michaux) Scribner	662		
Passerina			571	
annua	Wickstr.	571		
arvensis	Lam.	571		
hirsuta	L.	570		
lessertii	Wickstr.	572		
pubescens	Guss.	572		

Pastinaca		651	corymbosa Boiss.	606, 607
<i>graveolens</i> Bieb.		647	<i>eretica</i> Poir.	606
<i>opanax</i> L.		646	<i>eriocarpa</i> Banks et Sol.	606, 607
<i>second</i> Banks et Sol.		647	<i>kotschyana</i> Boiss.	606, 608
<i>teretiuscula</i> Boiss.		651	<i>olivieri</i> Boiss.	606, 608
<i>urens</i> Requ.		651	<i>peregrina</i> L.	606, 607
Peganum		459	<i>puberalia</i> D.C.	606, 607
<i>harmala</i> L.		459	<i>tragium</i> Vill.	606, 608
Pelargonium		440	<i>triradiata</i> Boiss.	608
<i>endlicherianum</i> Fenzl		440		
Peltaria		96		206
<i>angustifolia</i> D.C.		96		206
<i>glastifolia</i> D.C.		105		206
Pennisetum		662		207
<i>dichotomum</i> (Forssk.) Del.		662		207
<i>divisum</i> (Gmel.) Henr.		662		207
<i>orientale</i> L.C. Rich.		662		207
<i>setaceum</i> (Forssk.) Chiov.		662		207
Peplis		562		207
<i>alternifolia</i> M. Bieb.		562		207
Persica		203		207
<i>vulgaris</i> Mill.		203		207
Petrorrhagia		678		207
<i>arabica</i> (Boiss.) Ball et Heywood		678		207
<i>cretica</i> (L.) Ball et Heywood		678		207
<i>velutina</i> (Guss.) Ball et Heywood		678		207
Petroselinum		621		207
<i>crispum</i> (Mill.) A.W. Hill		621		207
<i>hortense</i> Auct.		621		207
<i>sativum</i> Hoffm.		621		207
Peucedanum		647		207
<i>depauperatum</i> Boiss. et Ba		648		207
<i>haradjianii</i> Rech. fil.		649		207
<i>junceum</i> (Boiss.) Mout.		648		207
<i>libanoticum</i> Peyron		644		207
<i>mucronatum</i> Thiéb.		647, 649		207
<i>spreitzenhoferi</i> Dingier		648		207
Phaca		341		207
<i>baetica</i> L.		341		207
Phellandrium		626		207
<i>aquaticum</i> L.		626		207
Phragmites		663		207
<i>australis</i> (Cav.) Trin.		663		207
<i>commutata</i> Trin.		663		207
Phyllitis		661		207
<i>hemionitis</i> (Lag.) O. Kuntze		661		207
<i>hybrida</i> (Milde) Christ,		661		207
<i>sagittata</i> (D.C.) Guinea et Heywood		661		207
<i>scolopendrium</i> (L.) Newm.		661		207
Physanthyllis		301		207
<i>tetraphylla</i> (L.) Boiss.		301		207
Physocaulis		383		207
<i>nodosus</i> (L.) Tausch		583		207
Physospermum		610		207
<i>aquilegifolium</i> (All.) Koch		610		207
<i>cornubiense</i> (Torn.) Reichb.		610		207
Pimpinella		605		207
<i>anthriscoides</i> Boiss.		606, 609		207
				211
				211, 212
				213
				211, 214
				211, 213
				211, 213
				211, 212

<i>micrantha</i>	Ramond	211, 213	<i>tubestris</i>	(Whit.) Fern et Weath	665
<i>pedata</i>	Willd.	213	<i>Punica</i>		562
<i>reptans</i>	L.	211, 214	<i>granatum</i>		562
<i>speciosa</i>	Willd.	211, 214	PUNICACEAE		562
<i>supina</i>	L.	211, 212	<i>Pyracantha</i>		209
Poterium		211	<i>coccinea</i>	Roem.	209
<i>compactum</i>	Boiss.	217, 218			
<i>gaillardotii</i>	Boiss.	218			
<i>lasiocarpum</i>	Boiss. et Hausskn.	218, 219	R		
<i>muricatum</i>	Spach	219	<i>Radicala</i>		124
<i>polygamum</i>	Waldst. et Kit.	218, 219	<i>nasturtium-aquaticum</i>	(L.) Druce	124
<i>spinosum</i>	L.	217, 218	<i>Radiola</i>		448
<i>verrucosum</i>	Ehrenb.	218, 219	<i>linoides</i>	Roth	448
<i>villosum</i>	Sibth. et Smith	217, 219	RANALES		1
Prangos		617	RANUNCULACEAE		5
<i>asperula</i>	Boiss.	618	<i>Ranunculus</i>		31
<i>deserti</i>	Post et Beauv.	618	<i>aquatilis</i>	L.	35
<i>hermonis</i>	Boiss.	618	<i>arvensis</i>	L.	34, 46
<i>meliocarpoides</i>	Boiss.	618	<i>asiaticus</i>	L.	'34, 38
<i>microcarpa</i>	Benth. et Hook.	620	<i>calthifolius</i>	(Guss.) Jord.	31
Prosopis		220	<i>cassius</i>	Boiss.	41
<i>stephaniana</i>	(Willd.) Kunth	220	<i>chaerophyllum</i>	Auct.	39
Prunus		199	<i>chionophilus</i>	Boiss.	33, 42
<i>agrestis</i>	(Boiss.) n. comb.	681	<i>chius</i>	D.C.	34, 44
<i>amygdalus</i>	(L.) Stokes	203, 681	<i>constantinopolitanus</i>	d'Urv.	33, 41
<i>arabica</i>	(Oliv.) Meikle	681	<i>cornutus</i>	D.C.	34, 46
<i>argentea</i>	(Lam.) Rehder	681	<i>cuneatus</i>	Boiss.	32, 38
<i>armeniaca</i>	L.	203	<i>damascenus</i>	Boiss. et Gaill.	32, 37
<i>cerasia</i>	Bl.	199, 200	<i>dasycarpus</i>	Boiss.	36
<i>korschinskyi</i>	Hand-Mazz.	204	<i>demissus</i>	D.C.	33, 42
<i>kotschyi</i>	(Boiss. et Huet) Meikle	681	<i>eriophyllum</i>	C. Koch	40
<i>laurocerasus</i>	L.	199, 201	<i>falcatus</i>	L.	29
<i>lucioides</i>	(Spach) W.K. Schneider	681	<i>ficaria</i>	L.	31
<i>mahaleb</i>	L.	199, 201	<i>ficariiformis</i>	F. Schultz	31
<i>microcarpa</i>	C.A. Mey.	199, 202	<i>ficarioides</i>	Bory et Chaub.	31
<i>monticola</i>	C. Koch	200	<i>flabellatus</i>	Desf.	39
<i>prostrata</i>	Labili.	199, 201	<i>hierosolymitanus</i>	Boiss.	33, 40
<i>spartioides</i>	(Spach) W.K. Schneider	681	<i>lateriflorus</i>	D.C.	33, 44
<i>spinosa</i>	L.	199, 200	<i>libanoticus</i>	Freyn	41
<i>tortuosa</i>	Boiss. et Hausskn.	199, 202	<i>lomatocarpus</i>	Fisch et Mey.	46
<i>ursina</i>	Ky	199, 200	<i>macrorrhynchus</i>	Boiss.-	33, 36
Psammogeton		599	<i>marginatus</i>	d'Urv.	34, 45
<i>canescens</i>	(D.C.) Vatke	600	<i>millefoliatus</i>	Vahl	33, 39
<i>crinitum</i>	Boiss.	600	<i>millefolius</i>	Banks et Sol.	33, 38
<i>setifolium</i>	Boiss.	600	<i>muricatus</i>	L.	34, 45
<i>triternatum</i>	Edgew.	600	<i>myosuroides</i>	Boiss. et Ky	32, 36
Pseudorlaya		603	<i>myriophyllum</i>	D.C.	40
<i>maritima</i>	(Gou.) Murbeck	603	<i>neapolitanus</i>	Ten	40
<i>pumila</i>	(L.) Grande	603	<i>ophioglossifolius</i>	Vill.	33, 43
Psoralea		312	<i>orbiculatus</i>	Boiss. et Bo.	32, 36
<i>bituminosa</i>	L.	312	<i>orientalis</i>	L.	40
<i>jaubertiana</i>	Fenzl	312	<i>oxyspermus</i>	M. Bieb.	32, 37
Pteris		660	<i>palaestinus</i>	Boiss.	41
<i>longifolia</i>	Auct.	660	<i>paludosus</i>	Poir.	32, 39
<i>vittata</i>	L.	660	<i>baucistamineus</i>	Tausch	35
Ptychosperma		607	<i>peyronii</i>	Briquet	43
<i>puberalia</i>	D.C.	607	<i>pinardii</i>	Boiss.	34, 47
Puccinellia		665	<i>rhynchocarpus</i>	C.A. Mey.	44