INDEX SPEGIERUM

A		Aeluropus	100
	15	lagopoides L.)Druce	100
cilicica Ant. et Ky	15	littoralis (Gouan) Parl.	100
Acanthophyllum	518	Agropyron	137
kurdicum Boiss, et Hausskn.	518	aucheri Boiss.	137, 139
Aceras	344	buonapartis Spreng.	140
affinis Boiss.	345	distans C. Koch	141
anthropophora (L.) R. Br.	344	elongatum (Host) Beauv.	137, 140
hircina (L.) Lindl.	345	junceum (L.) Beauv.	137, 140
pyramidalis (L.) Reichb.	344	lasianthum Boiss.	141
Achyranthes	444	libanoticum Hack.	137, 139
aspera L.	444	ligusticum Bert.	153
argentea Lam.	444	panormitanum Parl.	.137, 138
Acrostichum	6	repens (L.) Desv.	137, 138
marantae L.	6	squarrosum (Roth) Link	140
velleum Ait.	6	Agrostemma	481
Adiantum	6	caeli-rosa L.	490
capillus-veneris L.	6	githago L.	481
Aegilops	144	Agrostis	65
aucheri Boiss.	153	alba auct.	66
bicornis (Forsk.) Jaub. et Spach	145, 152	arenaria Gouan	70
biuncialis Vis.	145, 152	bromoides L.	52
caudata L.	145, 150	castellana Boiss. et Reut.	66
columnaris Zhuk.	145, 150	holciformis M. Bieb.	56
crassa Boiss.	145, 151	interrupta L.	67
cylindrica Host	145, 150	miliacea L.	55
cylindrica Trost cylindrostachys Eig et Fein.br.	145, 150	pungens Schreb.	70
incurva I.	136	scabriglumis Boiss. et Reut.	66
incurvata L.	136	semiverticillata (Forsk.) Christ.	65, 66
juvenalis Thell.	145, 152	stolonifera L.	65, 66
kotschyi Boiss.	146, 148	ventricosa Gouan	67
ligustica Sav.	145, 153	verticillata Vill,	66
longissima Schw. et Muschl.	145, 152	Aira	89
lorentii Hoschstt.	143, 132	aquatica L.	94
ovata L.	145, 146	articulata Desf.	77
peregrina(Hack.) Maire et Weiller		caerulea L.	94
sharonensis Eig	145, 152	capillaris Host	89
speltoides Tausch	145, 153	elegans Willd.	89
squarrosa L.	144, 152	humilis M. Bieb.	95
triaristata Willd.	145, 147	insularis (Parl.) Bornm.	88
triuncialis L.	146, 148	Airopsis	
umbekulata Zhuk.	145, 146	insularis (Parl.) Nym.	88
variabilis Eig.	149	AIZOACEAE	447
ventricosa Tausch	144, 151	Aizoon	448
Aegilotricum	111, 151	hispanicum	448
loreti (Richt.) Maire et Weiller	144	Alisma	28
Aellenia	434	arcuatum Michalet	29
glauc (Bieb.) Aellen	428, 434	damasonium L.	30
hierochuntica Bornm.) Aellen	428, 434	gramineum Gmel.	29
Jiidiidia Dollini, ildiidii	,		-/

1.16.11	-	•	
graminifolium Ehrh.	29	Tottim Euree.	262, 284
lanceolatum Whit.	28 , 29		258, 265
plantago-aquatica L.	28, 29		260, 273
ranunculoides L.	29, 3		259, 271
ALISMATACEAE	2		257, 262
Allium	25′		260, 271
affine Ledeb.	258, 26		262, 281
ampeloprasum L.	257, 26	1 11 TO 1 TT 1	262
artemisietorum Feinbr.	259, 27		276
arvense Guss.	258, 26		268 259, 272
aschersonianum W. Barb.	262, 28		239, 272
asclepiadeum Bornm.	262, 28		
azaurenum Gomb.	270		261, 278 262, 284
	260, 27		261, 278
calyptratum Boiss.	258, 26		58, 259, 266
carmeli Boiss.	261, 28	· · · · · · · · · · · · · · · · · · ·	268
cassium Boiss.	261, 27	' 1 ' D 1	260, 273
cepa L.	25	D A_N"	261, 279
chloranthum Boiss.	260, 27	A 1	355
chrysantherum Boiss. et Reut.	262, 28	Z	355
cilicium Boiss.	26	6 orientalis Decne	218
coppoleri Tineo	260, 27		218
curtum Boiss. et Gaill.	259, 26	410,000,000	61
damascenum Feinbr.	259, 26	4: T	
descendens Sibth. et Smith	259, 26		62 61,62
deserti syriaci Feinbr.	259, 27	anthoxanthoides Boiss. arundinacea Poir.	62
dictyoprasum C.A. Mey.	27	· ·	61
drusorum Feinbr.	258, 26	gerardi (All.) Vill.	
dumetorum Feinbr. 262,		mongnaliangia	58 68
emarginatum Rech. fil.	259, 26	^ ., ,, ,,	
erdelii Zucc.	261, 27		61,62 62
eriophyllum Boiss.	261, 27	6 4	62
feinbergii Oppenh.	260, 27	vocinotus (M/IIId \ Pall	61
graecum d'Urv.	27		
haussknechtii Nabelek	28		61,62 462
hierochuntinum Boiss.	259,27		462
hirsutum Zucc.	261, 27	O Juitima Famal	467
karyateini Post	259, 27	Common Formal	
laceratum Boiss. et Noë	261, 28	111 C A M	470
libani Boiss.	260, 27		466
lycaonicum Siehe	262, 28	in min anima (II) Famal	466 464
macrochætum Boiss. et Hausskn.	,		464
makmelianum Post	258, 26	modia I	474
margaritaceum Ledeb.	26)/ 	468
myrianthum Boiss.	260, 27	. D .	466
neapolitanum Cyr.	260, 28	meyeri Boiss.	
nigrum L.	262, 2 8		469 464
noëanum Reut.	261, 28	amithii Eascal	466
olivieri Boiss	262, 28	out the total and the total	458
opacum Rech. fil.	260, 27	townifolia (T) Country	467, 468
orientale Boiss.	262, 28	thumifolia (Sibth at Smith) Do	
pollens L.	27	ATOMOTOTIAN	461
paniculatum L.	260, 27	T A1: (1 .	444
phanerantherum Boiss.	258 , 26	// // // // // // // // // // // // //	444
porrum L.	26	"" (I) D D	444
pseudocalyptratum Mout.	258, 26	· · · · · · · · · · · · · · · · · · ·	444
pseudophanerantherum Rech. fil.		AMADANTHACEAE	439
qasyunense Mout.	261, 28	SU AMAKAN I HACEAE	439

Amaranthus	440	cœlesyriacum Boiss.	517
albus L.	440,442	gypsophiloides Fenzl	517
angustifolius Lam. ascendens Loisel.	443	Anagramme	5 5
blitoides G. Wats.	443 • 440,442	leptophylla (L.) Link Anthistiria	47
blitum L.	443	brachyantha Boiss.	43
caudatus L.	441	ciliata L. fil.	43
chlorostachys Willd.	440	Anthoxanthum	50
cruentus L.	441	odoratum L.	50
deflexus L.	440,444	Antinoria	88
gracilis Desf.	440,442	insularis Parl.	88
græcizans L.	440,443	Apera	67
hybridus L.	440,441	interrupta (L.) Beauv.	65,67
hypochondriacus L.	441	ARACEAE	182
lividus L.	440,443	Arceuthobium	383
oleraceus L.	443	oxycedri (D.C.) M. Bieb.	383
paniculatus L.	441	Arceuthos	19
patulus Bertol.	441	drupacea (Lab.) Ant. et Ky	18, 19
retroflexus L.	440,442	Arenaria	470
viridis L.	3 280	adonidis Peyron	471
AMARYLLIDACEAE	289	bocconii Soleirol	460
Amaryllis	293	cassia Boiss.	47 1, 472
montana Labili.	293 293	deflexa Decne diandra Guss.	471 459
tatarica Pall. Ammochloa	90	globulosa Lab.	466
humilis M. Bieb.	95	graveolens Schreb.	471
palæstina Boiss.	90	hybrida Vill.	468
subacaulis Bal.	90	juniperina L.	464
Ammophila	70	leptoclados Guss.	471, 472
arenaria (L.) Link	70	liban otica Ky	471
arundinacea Host	70	marginata D:C.	459
Anabasis	436	media L.	459
alopecuroides Del.	439	mediterranea Ledeb.	468
aþĥylla L.	436	mucronata Sibth. et Smith	468
articulata Forsk.	437	oxypetala Sibth. et Smith	473
haussknechtii Bge	436	pamphylica Boiss. et Heldr.	471, 473
phyllophora Kar. et Kir.	437	picta Sibth. et Smith	469
ramosissima Dingier	426, 437	pubescens d'Urv.	. 471
setifera Moqu.	436	rubra L.	459, 460
spinosissima ${f L}$ fil.	435	rupestris Labili.	464
Anacamptis	344	salsuginea Bunge	459
pyramidalis (L.) L. C. Rich.	344	serpyllifolia L.	471,472
Androcymbium	211	<i>spinuliflora</i> Ser. <i>subtilis</i> Fenzl	452
palæstinum (Boiss.) Baker	211	tremula Boiss.	463
Andropogon	46	viscosa Schreb.	471, 473
allionii (Lam. et D.C.) Ræm. e	45	Arisarum	468 190
arriani Edgw. contortus L.	46	libani Schott	190
distachyus L.	46	veslingii Schott	190
gryllus L.	43	vulgare TargTozz.	190
hirtus L.	44	Aristella	52
ischaemum L.	44	bromoides (L.) Bertol.	52
olivieri Boiss.	45	Aristida	50
pubescens Vis.	45	adscensionis L.	50,51
ravennae L.	40	cærulescens Desf.	50,51
strictus Host	40	festucoides Poir.	51
Ankyropetalum	516	forskalei Tausch	52
arsusianum Boiss.	517	lanata Forsk.	50,52

plumosa L.	50,51	Asphodeline	213
pumila Decne	51	brevicaulis (Bertol.) J. Gay	212,214
Aristolochia	383	damascena Boiss.	212, 216
altissima Desf.	383, 384	edumea (Zoh.) Mout.	212,214
billiardieri Jaub. et Spach	384, 385	globifera J. Gay	212,216
bottae Jaub. et Spach	384, 387	isthmocarpa J. Gay	216
maurorum L.	384, 386	liburnica (Scop.) Reichenb.	212,213
parvifolia Sibth. et Sm.	384, 385	lutea (L.) Reichenb.	211, 213
pœcilantha Boiss.	384, 386	recurva Post	214
scabridula Boiss.	384, 386	taurica (Pall.) Kunth	212,216
sempervirens L.	384	tenuior (Fisch.) Ledeb.	215
ARISTOLOCHIACEAE	383	ASPHODELOIDEAE	211
Arrhenatherum	84	${\bf Asphodelus}_{lat}$	211
avenaceum Beauv.	84	aestivus Brot.	212
elatius (L.) Mert. et Koch	84	brevicaulis Bertol.	214
kotschyi Boiss.	84,85	fistulosus L.	211,212
palaestinum Boiss.	84, 85	inderiensis Stev.	217
Arthrocnemum	420	liburnicus Scop.	213
coralloides Loscos et Pardo	421	luteus L.	213
fruticosum (L.) Moq.	421	microcarpus Salzm. et Viv.	211,212
glaucum (Del.) UngSternb.	420	ramosus L.	212
ARTICULATAE	3	tauricus Pall.	216
Arum	183	ASPIDIACEAE	7
arisarum L.	190	Aspidium	8
conophalloides Ky	183, 187	libanoticum Rosenstock	8
detruncatum C. A. Mey.	187	ASPLENIACEAE	10
dioscoridis Sibth. et Smith	183, 184	Asplenium	10
elongatum Stev.	184, 188	adianthum-nigrum L.	10, 11
gratum Schott	184, 189	bourgaei Boiss.	10, 11
hygrophilum Boiss.	183, 187	ceterach L.	10
intortum Banks et Sol.	191	fontanum Bernh.	11
italicum Mill.	184, 189	haussknechtii Godet et Reut	. 10, 11
melanopus Boiss.	184, 190	ruta-muraria L.	10, 11
orientale M. Bieb.	188, 189	sagittatum (D.C.) A. Bange	12
palaestinum Boiss.	183, 185	scolopendrium L.	12
rauwolfii Blume	191	trichomanes L.	10, 11
rupicola Boiss.	188	Athyrium	7
spiculatum Blume	191	filix-femina (L.) Roth	8
syriacum Blume	184	Atraphaxis	404
Arundo	73	billardieri Jaub. et Spach	404, 405
arenaria ${\sf L}.$	70	spinosa L.	404
donax L.	74	Atriplex	412
epigeios L.	69	alexandrina Boiss.	412, 414
littorea Schrad.	69	amana Post	417
•mauritanica Desf.	74	autrani Post	416
phragmites L.	75	crystallina Boiss.	414
pliniana Turra	74	glauca L.	414
plinii Turra	74	halimus L.	412, 413
pseudophragmites Hall.fil.	69	hastata L.	413, 414, 416
Asarum hypocistis L.	381	heterosperma Bunge	414
ASPARAGOIDEAE	285	hortensis L.	416
Asparagus	285	lasiantha Boiss.	413,416
acutifolius L.	286	leucoclada Boiss.	412, 414
aphyllus L.	286, 287	littoralis L.	413,417
officinalis L.	285, 286	micrantha C. A. Mey.	413,414
palaestinus Baker	286	palaestina Boiss.	414
stipularis Forsk.	285, 287	parvifolia Moq.	414
trichophyllus Bunge	286	patula L.	413,416
arenophymus bunge	200	patura D.	713,710

portulacoides L.	412	aleppicum Thiéb.	192, 193
rosea L.	413,415	angustatum (J. E. Hook.) Boiss.	192, 193
stylosa Viv.	412, 414	auraniticum Mout.	192, 193
	3, 415, 416	bovei Blume	192
thunbergifolia Boiss. et Noë <i>turcomanica</i> Moqu.	413, 414 414	carduchorum (Schott) Engler	192 192, 194
zahlensis Mout.	413, 415	pyrami (Schott) Engler russellianum Schott	192, 194
Atropis	109	Bilderdykia	396
convoluta (Hornem.) Griseb.	110	convolvulus (L.) Dumort.	396
distans (L.) Rupr.	110	BLECHNACEAE	9
Avena	81	Blechnum	9
alba Vahl	81,83	spicant (L.) Roth.	9
barbata Potter	83	Blitum	410
clauda Dur.	81,82	rubrum (L.) Reichenb.	410
convoluta Presl	81,84	virgatum L.	411
$elatior {f L}.$	86	Blysmus	168
fatua L.	81,82	compressus (L.) Panzer	168
flavescens L.	80	Bœrhavia	446
fragilis L.	86	plumbaginea	446
macra Stev.	78	Boissiera	75
orientalis Schrad.	81	bromoides (Hochstt.) Steud.	75
pilosa M. Bieb.	81, 82	pumilio (Trin.) Hackel	75
pratensis L.	81, 83	Bolanthus	510
sativa L.	81	filicaulis (Boiss.) Bark.	516
sterilis L.	81,82	frankenioides (Boiss.) Bark.	515
wiestii Steud.	83	hirsutus (Lab.) Bark.	515
Axyris ceratoides L.	412	Bothriochloa	44
		ischæmum (L.) Mansfeld Brachiaria	44 34
		Dracmana	14
Th			
D III	50	eruciformis (Sibth. et Smith) Gme	1. 34
Baldingera colorata Fl. Witt.	50	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf	el. 34 34
Baldingera colorata Fl. Witt. Bassia	419	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium	21. 34 34 34
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller	419 418	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv.	e1. 34 34 130 130
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze	419 418 419, 420	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv.	el. 34 34 34 30 130 131
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze	419 418 419, 420 419	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult.	el. 34 34 130 130 131 131, 132
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze	419 418 419, 420 419 419	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv.	el. 34 34 130 130 131 131, 132 131
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr.	419 418 419, 420 419 419 419	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult, sylvaticum (Huds.) Beauv. Briza	el. 34 34 130 130 131 131, 132 131 107
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia	419 418 419, 420 419 419 419 60	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L.	el. 34 34 130 130 131 131, 132 131
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host	419 418 419, 420 419 419 419	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult, sylvaticum (Huds.) Beauv. Briza	el. 34 34 34 31 30 130 131, 132 131, 132 131 107 71 108
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia	419 418 419, 420 419 419 419 60 61	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb.	el. 34 34 130 130 131 131, 132 131 107 71
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch	419 418 419, 420 419 419 419 60 61 500	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem, et Schult, sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb, maxima L.	el. 34 34 34 31 30 130 131 131, 132 131 107 71 108 107, 108
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia	419 418 419, 420 419 419 419 60 61 500 247	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L.	el. 34 34 130 130 131 131, 132 131 107 71 108 107, 108 107, 108
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees	419 418 419, 420 419 419 419 60 61 500 247 247, 249	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem, et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith	el. 34 34 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv. ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus	el. 34 34 34 34 30 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 107, 108 107, 108 107, 108 128 125
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir.	el. 34 34 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 118 128
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr.	11. 34 34 34 34 31. 30 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 117, 108 118, 128 125 130
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L.	el. 34 34 34 38 39 39 39 30 31 31 31 31 31 31 31 31 31 31 31 31 31
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 248 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb.	el. 34 34 34 38 39 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 118 128 129 119, 125 130 120, 129 119, 120
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 248 247, 252 248, 251	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host	el. 34 34 34 38 39 39 39 30 31 31 31 31 31 31 31 31 31 31 31 31 31
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 248 247, 252 248, 251 247, 250	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv. pinnatum (L.) Beauv. ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf.	11. 34 34 34 34 34 31 30 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 107, 108 119, 129 129 120, 129 120, 129 125
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr. stepporum Feinbr.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 248 247, 248 247, 248 247, 252 248, 251 247, 250 248, 251 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv. pinnatum (L.) Beauv. ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecurois Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf. danthoniae Trin.	el. 34 34 34 38 39 39 39 30 31 31 31 31, 132 31 107 71 108 107, 108 107, 108 107, 108 118 128 125 119, 125 130 120, 129 119, 120 120, 129 125 120, 127
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr. stepporum Feinbr. trifoliata Boiss.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 252 248, 251 247, 252 248, 251 247, 250 247, 248 247, 250 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv. pinnatum (L.) Beauv. ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf. danthoniae Trin. dertonensis All.	el. 34 34 34 33 130 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 118 128 125 119, 125 130 120, 129 119, 120 120, 129 120, 129 120, 127 114
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr. stepporum Feinbr. trifoliata Boiss. Beta	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 252 248, 251 247, 252 248, 251 247, 250 247, 248 247, 250 247, 248 247, 250 249 247, 248 247, 248 247, 248 247, 248 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf. danthoniae Trin. dertonensis All. distachyos L.	el. 34 34 34 34 38 39 39 30 31 31 31 31 31 31 31 31 31 31 31 31 31
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr. stepporum Feinbr. trifoliata Boiss. Beta maritima L.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 252 248, 251 247, 250 247, 248 247, 250 247, 248 247, 250 249 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf. danthoniae Trin. dertonensis All. distachyos L. divaricatus Rohde	el. 34 34 34 34 38 39 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 128 125 119, 125 130 120, 129 119, 120 120, 129 120, 129 120, 127 121 130 126
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr. stepparum Feinbr. trifoliata Boiss. Beta maritima L. vulgaris L.	419 418 419, 420 419 419 419 60 61 500 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 252 248, 251 247, 252 248, 251 247, 252 248, 251 247, 252 248, 251 247, 250 247, 248 247, 250 249 247, 248 407 407 407	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf. danthoniae Trin. dertonensis All. distachyos L. divaricatus Rohde erectus Huds.	el. 34 34 34 34 38 39 39 30 31 31 31 31 31 31 30 7 71 108 107, 108 107, 108 107, 108 128 125 119, 125 120, 129 120, 129 120, 129 120, 127 144 130 126 120
Baldingera colorata Fl. Witt. Bassia arabica (Bo s.) Maire et Weiller eriophora (Schrad.) O. Kuntze hyssopifolia Pall.) O. Kuntze monticola (Boiss.) O. Kuntze muricata L.) Murr. Beckmannia eruciformis (L.) Host Behen vulgaris Mænch Bellevalia ciliata (Cyr.) Nees densiflora Boiss. douini Pabot et Mout. flexuosa Boiss. hermonis Mout. longipes Post macrobotrys Boiss. mosheovii Feinbr. nivalis Boiss. et Ky palmyrensis Feinbr. stepporum Feinbr. trifoliata Boiss. Beta maritima L.	419 418 419, 420 419 419 419 60 61 500 247 247, 249 247, 251 249 248, 251 247, 250 247, 248 247, 250 247, 250 247, 248 247, 250 247, 248 247, 250 247, 248 247, 250 249 247, 248 247, 250 249 247, 248 247, 250 249 247, 248	eruciformis (Sibth. et Smith) Gme mutica (Forsk.) Stapf Brachypodium distachyum (L.) Beauv, pinnatum (L.) Beauv, ramosum (L.) Roem. et Schult. sylvaticum (Huds.) Beauv. Briza eragrostis L. humilis M. Bieb. maxima L. minor L. spicata Sibth. et Smith Bromus aegyptiacus Tausch alopecuroides Poir. alopecuros Poir. anatolicus Boiss. et Heldr. arvensis L. bikfayensis A. Camus et R. Gomb. brachystachys Host contortus Desf. danthoniae Trin. dertonensis All. distachyos L. divaricatus Rohde	el. 34 34 34 34 38 39 130 131 131, 132 131 107 71 108 107, 108 107, 108 107, 108 128 125 119, 125 130 120, 129 119, 120 120, 129 120, 129 120, 127 121 130 126

gussonii Parl.	123	echinata Murr.	176
hordeaceus L.	129	echinata Desf.	178
intermedius Guss.	120, 128	extensa Good.	173, 180
japonicus Thunb.	120, 129	flacca Schreb.	173, 178
lanceolatus Roth	119, 126	glauca Scop.	178
macrostachys Desf.	126	gracilis Curt.	173, 179
madritensis L.	119, 122	gynobasis Vill.	177
maximus Desf.	123	halleriana Asso	173, 177
mollis L.	129	hispida Willd.	173, 178
<i>oxyphlaeus</i> Payne	126	leporina L.	173, 176
palæstinus Melderis	120, 128	maxima Scop.	180
patulus Mert. et Koch	129	mediterranea Clarke	178
pinnatus L.	131	muricata L.	175, 176
ramosus L.	132	nemorosa Rebent.	175
rigensL.	123	otrubae Podp.	173, 175
rigidus Roth	119, 123	<i>pachystylis</i> J. Gay	174
rubens L.	119, 124	pairæi F. Schultz	173, 176
scoparius L.	119, 125	pallescens L.	173, 177
squarrosus L.	120, 127	paludosa Good.	181
sterilis L.	119, 122	pendula Huds.	173, 180
syriacus Boiss. et Bl.	119, 120	phyllostachys C. A. Mey.	173, 177
tectorum L.	119, 121		174, 181
tomentellus Boiss.	119, 121	pubescens Poir.	169
villosus Forsk.	123	remota L.	177
Broussonetia papyrifera (L.) L'Hér.	371	riparia Gurt.	174, 182
Buffonia	461	rufa (L.) Simonk	179
ephedrina Sam.	461	silvatica Huds.	180
kotschyana Boiss.	461	stellulata Good.	173, 176
macrosperma J. Gay	461	stenophylla Wahlenb.	172, 174
multiceps Decne	461	subvúlpina Senay	175
paniculata Dubois	461	vulpina L.	175
tenuifolia Vill.	461	•	1/3
——————————————————————————————————————		Caroxylon	106
virgata Boiss.	461	articulatum (Cav.) Moqu.	426
Bulbillaria gageoides Zucc.	226 31	salicomicum Moqu.	426
BUTOMACEAE		Carpinus	356
Butomus	31	duinensis Scop.	356
umbellatus L.	31	orientalis Mill.	356
		Carpobrotus edulis (L.) N. E. Br.	448
C		CARYOPHYLLACEAE	450
Calamagrostis	69	Castanea sativa L.	357
epigeios (L.) Roth	69	Catabrosa	94
littorea (Schrad.) D.C.	69	aquatica (L.) Beauv.	94
pseudophragmites (Hall Fil.) Kæl.	. 69	humilis (M. Bieb.) Trin.	95
Calligonum	406	Catapodium	116
comosum L'Hér.	407	loliaceum (Huds.) Link	117
tetrapterum Jaub. et Spach	407	rigidum (L.) C. Hubb.	117
Cannabis	377	Caulinia	24
sativa L.	377	fragilis Willd.	24
Carex	172	graminea (Del.) Batt.	24
acuta L.	179	Cedrus	15
acutiformis Ehrh.	174, 181	libanensis Juss.	15
banatica Heuff .	179	libani A. Rich.	15
buekii Wimm.	173, 179	libanotica Link	15
contigua Hoppe	176	Celosia çristata L.	439
distans L.	174, 181	Celtis	369
diversicolor Druce	174, 101	australis L.	369
divisa Huds.	172, 174	tournefortii Lam.	370
divulsa Stokes	173, 175	Cenchrus	39
	, 1,5	Conomico	37

asperifolius Desf.	38	mariscus (L.) R. Br.
capitatus L.	91	Colchicum 20:
ciliaris L.	39	antilibanoticum R. Gomb. 207
CENTROSPERMAE	407	balansae Planch. 204, 206
Cephalanthera	323	brachyphyllum Boiss. et Hausskn. 205, 208
damasonium (Mill.) Druce	324	byzantinum Park. 204, 207
ensifolia Murr.) L. C. Rich.	325	candidum Schott et Ky 200
epipactoides Fisch. et Mey.	324	crocifolium Boiss. 204", 209
kurdica Bornm.	324	decaisnei Boiss. 204, 205
longifolia (Huds.) Fritsch	324, 325	deserti syriaci Feinbr. 205, 208
pallens (Jundz.) L. G. Rich,	324	fasciculare (L.) Boiss. 205, 207
rubra (L.) L. C. Rich.	324	halepense Freyn 207
Gerastium	476	haussknechtii Boiss. 204,206
anomalum Walsdt. et Kit.	477	hierosolymitanum Feinbr. 204,206
brachypetalum Pers.	477, 479	laetum Stev. 206
cerastoides (L.) Britton.	476, 478	libanoticum Ehrenb. 205, 208
comatum Desv.	476, 478	ritchii R. Br. 208
dichotomum L.	476, 478	steveni Kunth 204, 209
dubium (Bast.) Schw.	476, 477	tauri Siehe 204, 207
fragillimum Fries	477, 480	tunicatum Feinbr. 204, 207
glaucum Gren. et Godr.	476	tuviae Feinbr. 204, 209
glomeratum Thuill.	477, 479	Colpodium 95
glutinosum Fries	477, 480	humile (M. Bieb.) Asch. et Gr. 95
illyricum Ser.	478	COMMELINACEAE 203
inflatum Link	477, 479	COMMELINALES 203
kotschyi Boiss.	476, 477	Comperia comperiana (Stev. Asch. et Gr.) 335
luridum Guss.	479	CONIFERAE 14
pentandrum L.	477, 480	Cornucopiae 57
perfoliatum L.	476, 478	alopecuroides L. 58
pumilum Curtis	480	cucullatum L. 58
ræseri Boiss. et Heldr.	479	involucratum (Post) Mez. 58
semidecandrum L.	480	Cornulaca 438
tenue Viv.	476	setifera Moqu. 438
trig ynum Willd.	478	Corrigiola 452
viscosum L.	479	littoralis L. 452
Geterach	10	CORYLACEAE 356
officinarum Lam. et D.C.	10	Corylus 356
Cheilanthes	5	avellana L. 356
fragrans Webb et Berth.	5	Corynephorus 77
pteridioides (Reich.) Christ.	5	articulatus (Desf.) Beauv. 77
Chenolea	418	deschampsioides Bornm. 77,78
arabica Boiss.	418	Crithopsis 158
CHENOPODIACEAE	407	delileana (Schult.) Nevski 158
Chenopodium	408	Crocus 295
album L.	408, 409	aleppicus Baker 296, 301
ambrosioides L.	408, 410	cancellatus Herb. 296, 299, 300
botrys L.	408, 410	cilicious Ky 296, 300
foliosum (Mœnch) Asch.	408, 411	damascenus Herb. 296, 299
murale L.	408 409	dispathaceus Bowles 295, 298
opulifolium Schrad.	408, 409	edulis Boiss. et Bl. 299
rubrum L.	408, 410	elwesii (Maw) O. Schwarz 295, 298
scoparium L.	418	gaillardoti (Boiss. et Bl.) Maw 301
urbicum L.	408, 410	graveolens Boiss. et Reuter 296, 303
virgatum (L.) Ambrosi	411	haussknechtii Boiss. et Reut. 295, 305
vulvaria L.	408, 409	hermoneus Ky 296, 300
Chrysopogon	42	hyemalis Boiss et Bl. 296, 302
gryllus (L.) Trin.	43	kotschyanus C. Koch 295, 297
Cladium	43 172	libanoticus Mout. 293, 297
Ciacium	172	wawaa 1410au 29/

managed by the allower of Campb	205 200	Cromanna	150
macrobolbos Jovet et Gomb.	295, 299	Cyperus	150 161
moabiticus Bornm. et Dinsm.	295, 298	alopecuroides Rottb.	159, 161
ochroleucus Feinbr.	295, 296	alternifolius L.	163
palaestinus Feinbr.	296, 301	blancheanus Desv.	163
sativus L.	297	capitatus Vandelli	162
syriacus Boiss. et Gaill.	302	difformis L.	160, 163
thiebauti Mout.	295, 297	distachyos All.	159, 161
vitellinus Wahlenb.	296, 302	esculentus L .	159, 164
zonatus J. Gay	297	flavescens L.	159, 160
Crypsis	58	fuscus L.	160, 162
aculeata (L.) Aiton	59	glaber L.	160, 163
alopecuroides (L.) Host	59	globosus All.	159, 160
factorovskyi Eig	58	junciformis Cav.	161
: schwnoides (Pill. et Mitterp.) Host		kalli (Forsk.) Murb.	159, 162
Ctenopsis	116	laevigatus L.	159, 161
•	116	longus L.	159, 163
patens (Boiss.) Meld.	116 11 6	michelianus (L.) Link	159, 162
pectinella (Del.) De Notaris			159, 162
Cucubalus	505	mucronatus (L.) Mab.	
aegyptiacus L.	495	mundtii (Nees) Kunth	159, 160
baccifer L.	505	papyrus L.	163
behen L.	500	pygmaeus Rottb.	162
<i>inflatus</i> Salisb.	500	rotundus L.	159, 164
italicus L.	501	Cystopteris	6
polygonoides Willd.	515	filix-fragilis (L.) Borb.	6
venosus Gilib.	500	fragilis Bernh.	6
CUPRESSACEAE	17	regia Presl	6
Cupressus	17	Cytinus	381
sempervirens L.	17	hypocistis L.	381
Cutandia	95		
dichotoma (Forsk.) Trabut	96,97	D	
maritima (L.) Benth.	96	D (1)	00
	96	Dactylis	99
memphitica (Spreng.) Benth.		glomerata L.	99
philistaea (Boiss.) Benth.	96	hispanica Roth	99
Cymbopogon	45	lagopoides L.	100
arriani (Edgw.) Aitsch.	45	repens Desf.	100
olivieri (Boiss.) Bor	45	Dactyloctenium	72
schoenanthus (L.) Spreng.	45	aegyptiacum Willd.	72
Cymodocea	- 25	ægyptium L.) Asch. et Schw.	72
aequorea Kœnig	25		
		Dactyton memphiticum Spreng.	95
major (Cavol.) Grande	25	Dactylon memphiticum Spreng. Damasonium	95 30
major (Cavol.) Grande nodosa (Ucria) Asch.			
	25	Damasonium alisma Mill.	30 30
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn.	25 25	Damasonium alisma Mill. bourgaei Coss.	30 30 30
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon	25 25 445	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss.	30 30 30 30
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers.	25 25 445 73 73	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë	30 30 30 30 288
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE	25 25 445 73 73 381	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mænch	30 30 30 30 288 288
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium	25 25 445 73 73 381 381	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mænch Dianthus	30 30 30 30 288 288 520
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L.	25 25 445 73 73 381 381 381	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mænch Dianthus actinopetalus Fenzl	30 30 30 30 288 288 520 521,529
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus	25 25 445 73 73 381 381 381	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mænch Dianthus actinopetalus Fenzl crinitus Smith	30 30 30 30 288 288 520 521,529 520,527
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L.	25 25 445 73 73 381 381 381 97	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L.	25 25 445 73 73 381 381 381 97 72 98	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb.	25 25 445 73 73 381 381 37 72 98 97	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mænch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm.	25 25 445 73 73 381 381 37 72 98 97 97	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527 526
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm. durus L.	25 25 445 73 73 381 381 381 97 72 98 97 97	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Moench Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss. haussknechtii Boiss.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527 526 526
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm. durus L. echinatus L.	25 25 445 73 73 381 381 381 97 72 98 97 97 101 97	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Moench Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss. haussknechtii Boiss. hypàchlorus Boiss.	30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527 526 526 529
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm. durus L. echinatus L. effusus Link	25 25 445 73 73 381 381 381 97 72 98 97 97 101 97 97,98	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss. haussknechtii Boiss. hypàchlorus Boiss. judaicus Boiss.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527 526 526 529 521, 526
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm. durus L. echinatus L. effusus Link elegans Desf.	25 25 445 73 73 381 381 381 97 72 98 97 97 101 97 97,98 98	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss. haussknechtii Boiss. hypàchlorus Boiss. judaicus Boiss. karami Bl.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527 526 526 529 521, 526 521, 529
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm. durus L. echinatus L. effusus Link elegans Desf. CYPERACEAE	25 25 445 73 73 381 381 381 97 72 98 97 97 101 97 97,98 98 158	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss. haussknechtii Boiss. hypàchlorus Boiss. judaicus Boiss. karami Bl. libanotis Labili.	30 30 30 30 288 288 520 521,529 520,527 521, 522 528 527 526 526 529 521,526 521, 529 520,527
nodosa (Ucria) Asch. Cynocrambe prostrata Gaertn. Cynodon dactylon (L.) Pers. CYNOMORIACEAE Cynomorium coccineum L. Cynosurus aegyptius L. aureus L. callitrichus Barb. coloratus Lehm. durus L. echinatus L. effusus Link elegans Desf.	25 25 445 73 73 381 381 381 97 72 98 97 97 101 97 97,98 98	Damasonium alisma Mill. bourgaei Coss. polyspermum Coss. Danaë racemosa (L.) Mœnch Dianthus actinopetalus Fenzl crinitus Smith cyri Fisch. et Mey. dumulosus Boiss. et Huet fimbriatus M. Bieb. floribundus Boiss. haussknechtii Boiss. hypàchlorus Boiss. judaicus Boiss. karami Bl.	30 30 30 30 288 288 520 521, 529 520, 527 521, 522 528 527 526 526 529 521, 526 521 , 529

multipunctatus Ser.	522, 523	campylopoda C. A. Mey.	20
orientalis Adams	521, 527	fragilis Desf.	20
pachypetalus Stapf	521, 526	EPHEDRACEAE	20
pallens Sibth. et Smith	526	Epipactis	325
pendulus Boiss. et Bl.	521, 528	consimilis Don.	325
pogonopetalus Boiss.	529	helleborine (L.) Crantz	326
	522, 524	latifolia (L.) All.	325, 326 325
strictus Banks et Sol. 521 superbus L.	1, 522-25 527	veratrifolia Boiss. et Heldr. ' EQUISETACEAE	323
•	521, 522	EQUISETALES	3
tripunctatus Sibth. et Smith velutinus Guss.	518	Equisetum	3
Dichoglottis linearifolia Fisch et Mey.	513	maximum Lam.	3
Digitaria	33	palustre L.	3
sanguinalis (L.) Scop.	34	ramosissimum Desf.	3
DIOSCOREACEAE	294	ramosum Schleich	3
Dracunculus crassipes Boiss.	191	telmateia Ehrh.	3
Dryopteris	8	Eragrostis	71
aculeata (L.) O. Kuntze	8	cilianensis (All.) VignLut.	71
libanotica (Ros.) A. Christ.	8	megastachya `Link	71
pallida (Bory) Fomin	9	minor Host	71,72
rigida (Hoffm.) Underw.	8	pilosa (L.) Beauv.	71,72
spinulosa (Sw.) O. Kuntze	9	poaeoides Beauv.	72
thelypteris (L.) A. Gray	9	tatarica (Fisch.) Henr.	71
villarsii (Bell.) H. Woynar	9	Eremopoa persica (Trin.) Roshev	107
		Eremopyron	140
E		buonapartis (Spreng.) Nevski	140
Echinaria	91	distans (C. Koch) Nevski	141
capitata (L.) Desf.	91	Eremurus	217
Echinochloa	35	inderiensis (Stev.) Regel	211, 217
colona (L.) Link	36	libanoticus Boiss. et Bal.	217
crus-galli (L.) Beauv.	36	spectabilis M. Bieb.	211, 217 40
eruciformis (Sibth. et Smith) C. Ko		е наниц hostii Griseb.	40
Echinodorus	29	ravennae (L.) Beauv.	40
ranunculoides (L.) Engelm.	29, 30	strictus (Host), Bluff. et Fingerh.	40
Echinopsilon	410	Erythrostictus palaestinus Boiss.	211
hyssopifolium (Pall.) Moqu. muricatum L.) Moqu.	419	Eupteris	7
	419	Eurotia ceratoides (L.) C. A. Mey.	412
Eleocharis	169 157	•	
Elymus caput-medusae L.	157	ľ	
crinitus Schreb.	157	FAGACEAE	357
delileanus Schult.	158	FAGALES	355
geniculatus Del.	158	Fagopyrum convolvulus L.) Gross.	357
pilifer Banks et Sol.	142	Fagus orientalis Lipsky	357
Elytrigia	138	Festuca	110
aucheri (Boiss.) Nevski	139	arundinacea Schreb.	111, 113
elongata (Host) Nevski	140	bromoides L.	114
juncea (L.) Nevski	140	callieri (Hack.) Markgr.	111
libanotica (Hack.) Nevski	139	ciliata Pers.	114
repens L.) Beauv.	138	dichotoma Forsk.	97
Emex	405	diversifolia Boiss. et Bal.	102
spinosus (L.) Campdera	405		, 112, 113
Eminium	190	fenas Lag.	113
intortum (Banks et Sol.) O. Ktze	191	indigesta Boiss.	110, 111
spiculatum (Blume) O. Kuntze	191	inops Del.	116
Ephedra	20	lævis (Hack.) Nym.	111, 112
alata Decne alte C. A. Mey	20,21	maritima L. myuros L.	118 114
and the Aliviev.	/11	III VIII ON L.	114

ovina L.	110, 111	Galanthus	290
phleoides Vill.	87	fosteri Baker	290
pinifolia (Hack.) Bornm.	111	Gastridium	67
pratensis Huds.	110, 111	lendigerum (L.) Gaud.	67
rigida L.	117	scabrum Presl	67
sciuroides Roth	114	ventricosum (Gouan) Schinz	
sylvatica Huds.	131	Gaudinia	86
tenuiflora Schrad.	118	fragilis (L.) Beauv.	86
uniglumis Solander	115	Gaudinopsis	78
valesiaca Schleich.	111	macra (Stev.) Eig	78
FESTUCOIDEAE	47	Girgensohnia	435
Ficus	371	oppositiflora Pall.	435
carica L.	371	Githago segetum Desf.	481
sycomorus L.	371	Gladiolus	303
FILICALES	5	aleppicus Boiss.	303, 305
FILICINAE	4	anatolicus Boiss.	304
Fimbristylis	170	atroviolaceus Boiss.	305
bis-umbellata (Forsk.) Bub.	170	communis L.	303
dichotoma auct.	170	illyricus Koch	304
ferruginea (L.) Vahl	170	imbricatus L.	303, 304
Fritillaria	232	segetum Ker-Gawler	403
açmopetala Boiss.	232, 233	Glinus	449
alfredae	232, 233	dictamnoides Burm , fil.	449
crassifolia Boiss. et Huet	232, 234	lotoides L.	449
elwesii Boiss.	232, 233	Glyceria	108
hermonis Fenzl	234	distans (L.) Wahlgr.	110
libanotica (Boiss.) Baker	232, 235	fluitans L.	109
olivieri Baker	233	plicata Fries	109
persica L.	232, 235	procumbens (Curt.) Smith	109
pinardi Boiss.	232, 234	rupestris (Whit.) E. Marsh.	109
platyptera Sam.	233	Gomphrena	445
Fuirena	168	globosa L.	445
pubescens (Poir.) Kunth	169	sessUis L.	444
•		GRAMINALES	33
G		GRAMINEAE	33
Gagea	220	Gymnadenia	327
anisanthos G. Koch	218, 220	conopsea (L.) R. Br.	327
arvensis (Pers.) Dumort.	218, 220	Gymnogramma	5
bohemica Zausch.	219, 223	leptophylla (L.) Desv.	5
boissieri Pascher	221	Gynandriris	305
chlorantha M. Bieb.	219,225	sisyrinchium (L.) Parl.	305, 306
circinata (L. f.) Pascher	219, 224	Gypsophila	509
commutata C. Koch	225	anatolica Boiss.	509, 511
damascena Boiss.	225	antari Post et Beauv.	510,513
dayana Chodat et Bobs.	219, 225	antilibanotica Post	518
dubia Terracciano	219, 221	arabica Barkoudah	509, 511
fibrosa (Desf.) Schult.	219, 224	arsusiana (Ky) Williams	517
fistulosa (Ram.) Ker-Gawl.	219, 220	aucheri Boiss.	509, 512
foliosa Presl	219,221, 222	capillaris (Forsk.) Christ.	511
gageoides (Zucc.) Vved.	219, 226	calesyriaca (Boiss.) Williams	517
liottardi (Sternb.) Schult. f.	220	damascena Boiss.	510,513
micrantha (Boiss.) Pascher	218, 222	elegans M. Bieb	514
minima (L.) Ker-Gawler	218, 223	. filicaulis (Boiss.) Bornm.	510,516
peduncularis (Presl) Pascher	218,221	frankenioides Boiss.	510, 515
persica Boiss.	226	gypsophiloides (Fenzl) Blakel.	517
procera Mout.	219, 224	haussknechtii Boiss.	512
reticulata (Pall.) Schult.	219, 223	heteropoda Freyn et Sin t.	510, 514
rigida Boiss. et Sprun.	219, 224	<i>hirsuta</i> Labili.	515

hygrophila Post	511	Herniaria	453
libanotica Boiss.	509, 512	arabica HandMazz.	453, 454
linearifolia Fisch. et Mey.) Boiss.	510, 513	cinerea Lam. et D.C.	453
mollis (Boiss.) Bornm.	510, 515	densiflora Williams	454
pallida Stapf	510, 512	glabra L.	453, 454
perfoliata L.	511	hemistemon J. Gay	453, 455
pilosa Huds.	510,516	hirsuta L.	453
polygonoid.es (Willd.) Halacsy	510, 515	incana Lam.	453, 454
porrigens (L.) Boiss.	516	macrocarpa Sibth. et Smith	454
rokejeka Del.	511	microcarpa Presl	454
ruscifolia Boiss.	509, 513	Heteranthelium	142
trichopoda Boiss.	513	piliferum (Banks et Sol.) Hochs	stt. 142
trichotoma Wend.	511	Heteropogon	46
venusta Fenzl	509, 510	f allionii (Lam. et D.C.) Ræm. e	et Sch. 40
viscosa Murr.	510, 514	contortus (L.) Ræm. et Schult.	40
		Himantoglossum	344
Н		affine (Boiss.) Schlecht.	345
Habrosia	452	bolleanum Schlecht.	34:
spinuliflora (Ser.) Fenzl	452	caprinum (M. Bieb.) Spreng.	34:
Halimione '	412	Holcus	70
portulacoides (L.) Aellen	412	annuus Salzm.	70
Halimocnemis	438	halepensis L.	42
hispida C. A. Mey.	437	lanatus L.	76, 7
pilosa Moqu.	438	setiglumis Boiss.	70
Halocharis	437	setosus Trin.	70
hispida (C. A. Mey.) Moqu.	437	Holoschænus	160
sulphurea Moqu.	437	<i>vulgaris</i> Link	16
syriaca Eig	437	Holosteum	47:
Halocnemum	422	liniflorum Stev.	473
strobilaceum (Pall.) Bieb.	422	umbellatum L.	47:
Halogeton	439	Hordeum	154
alopecuroides (Del.) Moqu.	439	bulbosum L.	154, 150
Halopeplis	422	gussoneanum Parl.	15.
amplexicaulis (Vahl) UngSternt	o. 422	hystrix Roth.	154, 155
Haloxylon	425	ithaburense Boiss.	154
articulatum (Cav.) Bunge	426	leporinum Link	154 , 155
ramosissimum (Boiss.) Benth. et Ho	ook. 426	maritimum With.	154, 15
salicornicum (Moqu.) Bunge	426	murinum L.	154, 150
schweinfurthii Asch.	426	nodosum L.	154, 15
Heleocharis	169	pratense Huds.	15
macrantha Bockel	169	secalinum Schreb.	15
palustris (L.) R. Br.	169	spontaneum C. Koch	154
Heleochloa	59	Humulus	37
acutiglumis Boiss.	59, 60	lupulus L.	37
alpicola Hochstt.	60	Hyacinthella	247
alopecuroides (Pill. et Mitterp.) H	Host 59	nervosa (Bertol.) Chouard	24
orientalis (Boiss.) Dinsm.	60	Hyacinthus	240
schœnoides (L.) Host	59	comosus L.	25:
Helicophyllum	190	nervosus Bertol.	24
crassipes (Boiss.) Schott	191	orientalis L.	24
rauwolfii (Blume) Schott	191	racemosus L. ,	25:
Helictotrichon convolutum (Presl) Henr		Hydrocharis	3
HELOBIAE	24	morsus-ranae L.	3
Hemarthria (P.) Co. C. H. H.	41	HYDROGHARITACEAE	3
altissima (Poir.) Stapf et Hubb.	41	Hyparrhenia	4.
fasciculata (Lam.) Kunth	41	hirta (L.) Stapf	4.
Henrardia	137	Hypocylix	422
persica (Boiss.) C. Hubb.	135, 137	kerneri Wol.	422

neghevensis Iljin Hypoxis fascicularis L.	423 207,210	yebrudi Dinsm. Ischarum	308, 318 193
T		angustatum J. D. Hooker pyrami Schott	193 194
I		ISOETACEAE	2
Illecebrum		ISOETALES	-2
arabicum L.	456	Isoetes	$\frac{2}{2}$
paronychia L.	456	hystrix Dur.	$\frac{2}{2}$
Imperata	39	olympica A. Br.	2 2
arundinacea Cyr.	39	Ixiolirion	293
cylindrica (L.) Beauv.	39	montanum (Labili.) Herb.	293
Ionorchis abortiva (L.)Beck	323	pallasii (Fisch. et Mey.	293
IRIDACEAE '	295	tataricum (Pall.) Herb.	293
Iris	306	,	
albicans Lange	307, 314	τ	
antilibanotica Dinsm.	307, 316	J	
atrofusca Baker	317	JUGLANDACEAE	355
atropurpurea Baker	317	JUGLANDALES	355
auranitica Dinsm.	307, 315	Juglans	355
barnumae Fost. et Bak. basaltica Dinsm.	307, 315	regia L.	355
	308, 317 308, 320	JUNCACEAE	196
bismarckiana Regel		JUNCALES	196
bostrensis Mout. bulbocodium L.	308, 317 320	Juncus	197
cæruleo-violacea (Gomb.) Mout.		acutus L.	197, 198
calcarea Dinsm.	308, 318	articulatus L.	197, 201
caucasica Hoffm.	310	bufonius L.	198, 202
cedreti Dinsm.	308, 318	capitatus Weigel	197, 202
cretensis Janka	312	compressas Jacqu.	200
damascena Mout.	308, 318	effusus L.	197, 198
fumosa Boiss. et Hausskn.	307, 311	fontanesii J. Gay	197, 201
grant-duffii Baker	307, 311	forsteri Smith	196
hauranensis Dinsm.	316	gerardi Loisel.	197, 200
helenae Barb.	316	glaucus L.	198
hermona Dinsm.	320	_ inflexus L.	197, 198
heylandiana Boiss. et Reut.	308, 317	lamprocarpus Ehrh.	201
histrio Reichenb.	376, 308	libanoticus Thiéb.	200
jordana Dinsm.	308, 316	maritimus Lam.	197, 199
kasruwana Dinsm.	308, 319	punctorius L.f.	197, 200
lortetii W. Barb.	308, 319	pygmæus Rich.	197, 202
melanosticta Bornm.	307, 313	pyramidatus Laharpe	201
mesopotamica Dykes	307, 314	sphaerocarpus Ness	203
nazarena (Foster) Dinsm.	320	subulatus Forsk.	197, 199 198, 203
nusairiensis Mout.	306, 311	tenageia Ehrh.	198, 203
ochroleuca L.	307, 313	Juniperus	19
palæstina Baker	306, 310	<i>drupacea</i> Lab. excelsa M. Bieb.	18, 19
pallida Lam.	314	fætidissima Willd.	18, 19
persica L.	306, 309	macrocarpa Sibth. et Smith	18
postii Mout.	306, 309	oxycedrus L.	18
pseudacorus L.	307, 313	rufescens Link	18
saari Schott	320	rajestens Link	10
sieheana Lynch.	309	K	
sindjarensis Boiss. et Hausskn.	307, 311	K	
sisyrinchium L.	305	Kochia	418
sofarana Fost	308, 319	eriophora Schrad.	420
susiana L.	317	hyssopifolia (Pall.) Roth	419
unguicularis Poiret	307, 312	latifolia Fresen.	420
vartani Fost.	306, 309	monticola Boiss.	419
westii Dinsm.	308, 319	muricata (L.) Schrad.	419

scoparia (L.) Schrad.	418	Lychnis	
Kœleria	86	alba Mill.	482
nitidula Velen.	86	caeli-rosa (L.) Dur.	490
phleoides (Vill.) Pers.	86 à 88	<i>laeta</i> Ait.	489
Kohlrauschia	518	Lycochloa	85
velutina (Guss.) Reichb.	518	avenacea Sam.	85
Krascheninnikovia	411	LYCOPODIACEAE	1 1
ceratoides L.) Gueld.	412	LYCOPODIALES Lycopodium	1
L		cernuum L.	1
	co	denticulatum L.	2
Lagurus	69		_
cylindricus L. ovatus L.	39 69	M	
Lamarckia	98	Maclura	371
aurea (L.) Mœnch	98	aurantiaca Nutt	371
Leersia	47	pomifera (Raf.) Robinson	371
hexandra Sw.	47	Manisurus	41
Lemna	195	altissimus (Poir.) Hitchc.	41
gibba L.	195	Marsilea	13
minor L.	195	natans \mathbf{L} .	13
paucicostata Hegelm.	195	Melandrium	481
polyrrhiza L.	196	album (Mill.) Garcke	481, 482
trisulca L.	195	erioqalycinum Boiss.	481, 482
LEMNACEAE	194	pratense Ræhl.	482
LEPIDOSPERMALES	126	Melica	91
Lepturus cylindricus (Will.) Trin.	136 136	angustifolia Boiss. et Bl. ciliata L.	91,92 91,93
filiformis (Roth) Trin.	136	cretica Boiss. et Heldr.	91,93
incurvatus (L.) Trin.	136	cupani Guss.	91,92
persicus Boiss.	137	inaequiglumis Boiss.	91,93
LILIACEAE	203	minuta L.	92
LILIALES	203	pannosa Boiss.	91,93
Lilium	236	ramosa Vill.	92
candidum L.	236	uniflora Retz	91,92
Limodorum	323	Merendera	210
abortivum (L.) Sw.	323	sobolifera C. A. Mey.	203, 210
Lloydia	219	Mesembryanthemum	447
rubroviridis Boiss. et Ky Lolium	218, 219	edule L.	447, 448 447
arvense Whit.	132 133	forskalei Hochstt. nodiflorum L.	447, 448
gaudini Parl.	134	Microcnemum	421
loliaceum (Bory et Chaub.) Hand		coralloides (Loscos et Pardo)	121
Terraceum (Bery et emane), Trans	132, 134	Font-Quer	421
multiflorum Lam.	132, 134	fastigiatum UngSternb.	421
perenne L.	132, 133	Milium	56
persicum Boiss. et Hoh.	132, 134	caerulescens Desf.	56
rigidum Gaud.	132, 133	lendigerum L.	67
robustum Reichb.	133	montianum Parl.	57
speciosum Stev.	133	pedicellare (Bornm.) Roshev	57
subulatum Vis. temulentum L.	134 132	trichopodum Boiss. vernale M.Bieb.	56,57 57
Lophochloa phleoides (Vill.) Reichenb.		Minuartia	462
LORANTHACEAE	382	decipiens (Fenzl) Bornm.	463,467
Loranthus	382	formosa (Fenzl) Mattf.	463, 470
europaeus L.	382	globulosa (Labili.) Maire et Per	
Loroglossum hircinum (L.) C. Rich.	345		463, 466
Luzula	196	hamata (Hausskn.) Mattf.	470
forsteri (Sm.) D.C.	196	hybrida (Vill.) Schiskine	464, 468

innominata Mc Neill	463, 465	muricata Del.	24
intermedia (Boiss.) HandMazz.	463, 466	Narcissus	291
juniperina (L.) Maire et Petitm.	463, 464	serotinus L.	292
labillardieri Briquet	463, 464	syriacus Boiss. et Gaill.	292
libanotica (Boiss.) Bornm.	463, 464	tazzetta L.	292
mediterranea (Ledeb.) K. Maly	464, 468	Nardurus	117
mesogitana (Boiss.) HandMazz.	. 464, 467	maritimus (L.) Janch.	118
meyeri (Boiss.) Bornm.	463, 466	orientalis Boiss.	118
montana Loefl.	463, 467	tenuiflorus (Schrad.) Boiss.	118
mucronata (Sibth. et Smith) Sch.		Nardus	
parvulorum Mout. et Sam.	463 , 465	aristata L.	135
picta (Sibth. et Smith) Schinz et	Thell.	incurva Gouan	135
	463, 469	Neotinea	327
subtilis (Fenzl) HandMazz.	464, 468	intacta (Link) Reichenb.	327
tenuifolia (L.) Hiern.	468	Nephrodium (Constant)	8
thymifolia (Sibth. et Smith) Born		rigidum (Hoffm.) Desv.	9
	463,469	Noaea	435
viscosa (Schreb.) Schinz et Th.	468	mucronata (Forsk.) Asch. et Schw	
Mœnchia (7:1)	476	spinosissima (L. fil.) Moqu.	435
octandra (Ziz) J. Gay	476	Nothochlaena	5
Molinia	94	Notholaena	5
cærulea (L.) Mænch	94	lanuginosa (Desf.) Desv.	6
Monerma	136	marantae (L.) R. Br.	6
cylindrica (Willd.) Coss. et Dur.	135, 136	vellea (Ait.) R. Br.	6
Monocaryum fasciculare Rœm. et Scul t.	209	NYCTAGINACEAE	446
Montia	204, 210 450		
fontana L.	450	O	
minor auct.	450	•	
MORACEAE	370	Obione	412
MONACIAL			
		portulacoides (L.) Moqu.	412
Morocarpus foliosus Mænch	h 411	OPHIOGLOSSACEAE	4
Morocarpus foliosus Mœnc l Morus	h 411 370	OPHIOGLOSSACEAE OPHIOGLOSSALES	4 4
Morocarpus foliosus Mænci Morus alba L.	h 411 370 370	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum	4 4 4
Morocarpus foliosus Mænel Morus alba L. nigra L.	h 411 370 370 370	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L.	4 4 4 4
Morocarpus foliosus Mænci Morus alba L. nigra L. Muscari	h 411 370 370 370 252	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L.	4 4 4 4
Morocarpus foliosus Mænd Morus alba L. nigra L. Muscari albicaule Post	h 411 370 370 370 252 254	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys	4 4 4 4 327
Morocarpus foliosus Mænel Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill.	h 411 370 370 370 252 254 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau	4 4 4 4 327 311 329
Morocarpus foliosus Mænd Morus alba L. nigra L. Muscari albicaule Post	h 411 370 370 370 252 254	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds.	4 4 4 4 327 alt 329 328, 333
Morocarpus foliosus Mænci Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss.	h 411 370 370 370 252 254 252, 253 253, 256 254	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam.	4 4 4 4 327 311 329 328, 333 330
Morocarpus foliosus Mænel Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. fil.	h 411 370 370 370 252 254 252, 253 253, 256 254 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm.	4 4 4 4 327 11t 329 328, 333 330 328, 333
Morocarpus foliosus Meenel Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. fil.	h 411 370 370 370 252 254 252, 253 253, 256 254	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó	4 4 4 4 327 11t 329 328, 333 330 328, 333 328, 331
Morocarpus foliosus Mæned Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. fil.	411 370 370 370 252 254 252, 253 253, 256 254 252, 253 253, 256	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link	4 4 4 4 4 327 328, 333 328, 333 328, 331 332
Morocarpus foliosus Moenel Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss.	h 411 370 370 370 252 254 252, 253 253, 256 254, 253 252, 253 253, 256 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soo bombyliflora Link bornmuelleri M. Schulze	4 4 4 4 327 328, 333 328, 333 328, 331 332 328, 331
Morocarpus foliosus Moened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf.	411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 254 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soo bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm.	4 4 4 4 4 327 311 328, 333 328, 331 332 328, 331 332 328, 331
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss.	h 411 370 370 370 252 254 252, 253 253, 256 254, 253 253, 256 252, 253 253, 256 252, 255 252, 255 253, 256 252, 255 252, 255 252, 255	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soo bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht.	4 4 4 4 327 328, 333 328, 333 328, 331 332 328, 331 331 332
Morocarpus foliosus Mæned Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart.	h 411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 255 252, 255 253, 256 252, 255 252, 255 252, 253 252, 253 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soo bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev.	4 4 4 4 327 1lt 329 328, 333 328, 331 332 328, 331 332 332 333 332 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill.	411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht.	4 4 4 4 327 11t 329 328, 333 328, 331 332 328, 331 332 332 331 332 332 331
Morocarpus foliosus Mæned Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart.	h 411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 255 252, 255 253, 256 252, 255 252, 255 252, 253 252, 253 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller	4 4 4 4 327 11t 329 328, 333 328, 331 332 328, 331 332 332 331 332 332 331 332 332 331
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. fil.	411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 331 332 332 331 332 332 331 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill.	411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 331 332 332 331 332 332 331 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. fil.	411 370 370 370 252 254 252, 253 253, 256 252, 253 253, 256 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm.	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 331 332 332 331 332 332 331 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. N	411 370 370 370 252 254 252, 253 253, 256 254, 253 253, 256 252, 253 253, 256 252, 255 252, 255 252, 253 252, 253 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255 252, 255 253, 256	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm. iricolor Desf.	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 331 332 332 331 332 332 331 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. N NAIADACEAE	411 370 370 370 252 254 252, 253 253, 256 254, 253 253, 256 252, 253 252, 255 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soo bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm. iricolor Desf. lutea (Gouan) Cav. æstrifera M. Bieb. rosea Desf.	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 331 332 332 331 332 332 331 328, 330 328, 330 328, 330 328, 330 328, 330
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. N NAIADACEAE Naias armata Lindb. delilei Rouy	411 370 370 370 252 254 252, 253 253, 256 254, 253 253, 256 252, 254 252, 255 253, 256 252, 255 253, 256 252, 255 252, 255 253, 256 252, 253 252, 253 252, 253 252, 255 253, 256 252, 253 252, 255 253, 256 252, 253 252, 255 252, 255 253, 256 252, 253 252, 255 253, 256 252, 255 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm. iricolor Desf. lutea (Gouan) Cav. astrifera M. Bieb.	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 332 331 332 332 331 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. N NAIADACEAE Naias armata Lindb.	411 370 370 370 252 254 252, 253 253, 256 254 252, 253 253, 256 252, 254 252, 255 253, 256 252, 255 253, 256 252, 255 253, 256 252, 255 253, 256 252, 255 253, 256 252, 255 252, 253 252, 255 252, 253 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm. iricolor Desf. lutea (Gouan) Cav. æstrifera M. Bieb. rosea Desf. schulzei Fleischm. et Bornm. scolopax Cav.	4 4 4 4 327 328, 333 330 328, 333 328, 331 332 332 332 331 332 332 331 328, 330 328, 330 328, 329 328, 330 328, 330 328, 330 328, 330
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. N NAIADACEAE Naias armata Lindb. delilei Rouy	411 370 370 370 252 254 252, 253 253, 256 254 252, 253 253, 256 252, 254 252, 255 253, 256 252, 253 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm. iricolor Desf. lutea (Gouan) Cav. æstrifera M. Bieb. rosea Desf. schulzei Fleischm. et Bornm.	4 4 4 4 4 327 328, 333 328, 331 332 328, 331 332 332 331 332 332 331 328, 330 328, 329 328, 330 328, 329 328, 330 328, 332 331 332 332 332 332 332 332 332 332
Morocarpus foliosus Meened Morus alba L. nigra L. Muscari albicaule Post comosum (L.) Mill. commutatum Guss. deserticolum Rech. dinsmorei Rech. inconstrictum Rech. longipes Boiss. maritimum Desf. neglectum Guss. parviflorum Desf. pinardi Boiss. pulchellum Heldr. et Sart. racemosum (L.) Mill. wallii Rech. N NAIADACEAE Naias armata Lindb. delilei Rouy graminea Del.	411 370 370 370 252 254 252, 253 253, 256 254 252, 253 253, 256 252, 254 252, 255 253, 256 252, 255 253, 256 252, 255 253, 256 252, 255 253, 256 252, 255 253, 256 252, 255 252, 253 252, 255 252, 253 252, 253	OPHIOGLOSSACEAE OPHIOGLOSSALES Ophioglossum lusitanicum L. vulgatum L. Ophrys adonidis A. Camus et R. Gombau apifera Huds. arachnites Lam. argolica Fleischm. attica (Boiss. et Orph.) Soó bombyliflora Link bornmuelleri M. Schulze carmeli Fleischm. et Bornm. cilicica Schlecht. comuta Stev. dinsmorei Schlecht. fuciflora (Crantz) Haller fusca Link galilaea Fleischm. et Bornm. iricolor Desf. lutea (Gouan) Cav. æstrifera M. Bieb. rosea Desf. schulzei Fleischm. et Bornm. scolopax Cav.	4 4 4 4 4 4 327 328, 333 328, 331 332 332, 331 332 332 331 332 332 331 328, 330 328, 329 328, 330 328, 329 328, 330 328, 330 328, 330 328, 332 332 332 332 332 332 332 332 332 332

spruneri Nym.	334 330	libanoticum Boiss. et Bl. minimum L.	239, 240 223
tenthredinifera Willd.		montanum Cyr.	239, 243
Oporanthus fischerianus Herb.	291	narbonense L.	239, 241
ORCHIDAGEAE	322	neurostegium Boiss. et Bl.	240, 244
Orchis	334	paterfamilias Godron	240, 245
abortiva L.	323	pedunculare Presl	221
anatolica Boiss.	335, 342	platyphyllum Boiss.	240, 243
angustifolia M. Bieb.	340	pyrenaicum L.	239, 240
autumnalis Balb.	323	reticulatum Pall.	223
caprina M. Bieb.	345	tenuifolium Guss.	240, 245
chlorantha Custer	326	ulophyllum HandMazz.	244
cilicica Schlecht.	343	umbellatum L.	245
collina Banks et Sol.	335, 341	Oryza	47
commutata Tod.	338	hexandra Doell.	47
comperiá a Stev.	334, 355	sativa L.	47
coriophora L.	335, 337	Oryzopsis	55
fuciflora Crantz	330	cærulescens (Desf.) Richt.	55, 56
galilaea (Bornm. et M. Sch.)	345	holciformis (M. Bieb.) Reichb.	55, 56
hircina L.		miliacea (L.) Asch. et Schw.	55
holocheilos (Boiss.) Soo	335, 343	Osmunda	4
iberica M. Bieb.	335, 340	regalis L.	4
incarnata L. intacta Link	343 327	spicant L.	9
		OSMUNDACEAE	4
italica Poir.	335, 340	OSMUNDALES	4
lactea Poir.	338	Ostrya	356
laxiflora Lam.	335, 343	carpinifolia Scop.	357
longicruris Link	340	Osyris	378
macrostachys Tineo	343 335, 343	alba L.	378
maculata L.	333, 343 342	Oxyria	405
mascula L.	334, 336	digyna L.) Hill.	405
morio L.	334, 336		
papilionacea L.	335, 341		
patens Desf. pseudosambucina Ten.	333, 341	PALMAE	182
<u>-</u>	335, 339	Pancratium .	292
punctulata Stev. pyramidalis L.	333, 339	maritimum L.	292
1.5	335, 342		292
romana Seb. et Mauri saccata Ten.	333, 342	parviflorum Decne PANDANALES	293
saccigera Brongn.	343	Panderia	418
sancta L.	335, 337	pilosa Fisch. et Mey.	418
sancia L. simia Lam.	335, 338	PÀNICOIDEAE	33
sulphurea Link	342	Panicum	36
tridentata Scop.	334, 338	colonum L.	36
vomeracea Burm.	346	crus-galli L.	-36
Ornithogalum	239	dactylon L.	73
arabicum L.	239, 242	cruciforme Sibth. et Smith	34
arvense Pers.	220	geminatum Forsk.	35
billardieri Mout.	239, 242	glaucum L.	37
bohemicum Zauschn.	223	lutescens Weigel	37
brachystachys G. Koch	241	miliaceum L.	37
chloranthum M. Bieb.	225	muticum Forsk.	34
circinatum L. fil.	225	numidianum Lam.	34
densum Boiss. et Bl.	239, 241	prostratum Lam.	37
divergens Boreau	240, 245	repens L.	36
eigii Feinbr.	244	sanguinale L.	34
fimbriatum Willd.	244	setaceum Gmel.	39
fucescens Boiss. et Gaill.	239, 241	verticillatum L.	38
lanceolatum Labili.	242, 243	viride L.	37
	·, = ·-		•

Pappophorum pumilio Trin.	75	gerardi All.	61
Parapholis	136	graecum Boiss.	64
incurva (DumCours.) C. Hubb.		montanum C. Koch.	63,64
strigosa (D.C.) C. Hubb.	135 , 136	nodosum L.	63, 65
Parietaria	374	pratense L.	65
alsinifolia Del.	375, 376	schænoides L.	59
cretica L.	375, 376	subulatum (Savi) Asch. et Schw.	63
diffusa Mert. et Koch	375	tenue (Host.) Schrad.	63
erecta Mert. et Koch	376	Phænix	182
judaica L.	374, 375	dactylifera L. Pholiurus	182
lusitanica L. officinalis L.	375, 376 376		136 136
ramiflora Mænch	375	incurvus (L.) Schinz et Thell. persicus (Boiss.) A. Camus	130
Paronychia	455	Phragmites	74
arabica (L.) D.C.	455, 456	communis Trin.	75
argentea Lam.	455, 456	Phucagrostis major Cavolini	25
capitata Koch	455	Phyllitis	12
chionea Boiss.	455	hemionitis (Lagr.) O. Kuntze	12
echinata Lam.	455, 457	scolopendrium (L.) Newm.	12
kurdica Boiss.	455, 456	Phytolacca	446
macrosepala Boiss.	455, 456	americana L.	446
PARONYCHIOIDEAE	451	decandra L.	446
Paspalidium	35	pruinosa Fenzl	446
geminatum (Forsk.) Stapf	35	PHYTOLACCACEAE	445
Paspalum	35	Pilgerochloa	78
distichum L.	35	blanchei (Boiss.) Eig	78
Pennisetum	38	PINACEAE	15
asperifolium (Desf.) Kunth	38	PINALES	15
ciliare (L.) Link	39	Pinus	15
divisum (CC. Gmel.) Henr.	38,39	brutia Ten.	16
setaceum (Forsk.) Chiov.	38	cedrus L.	15
Petrorhagia velutina (Guss.) P. W. Ball		halepensis Mill.	16
& Heywood	518	pinea L.	16
Petrosimonia	436	pithyusa Stev.	16
brachiata (Pall.) Bunge	436	Piptatherum	55
Phacelurus	41	blancheanum E. Desv.	56
digitatus (Sibth. et Smith) Griseb	41	caerulescens (Desf.) Beauv.	56
Phalaris	47	holciforme (M. Bieb.) Ræm. et Sch	
arundinacea L.	47,50	miliaceum (L.) Coss.	55
brachystachys L.	48	Platanthera	362
bulbosa L.	48, 49	chlorantha (Custer) Reichb.	362
cærulescens Desf.	47,49	Poa	101
eruciformis L.	61	annua L.	101, 103
minor L.	48 49	attica Boiss. et Heldr.	V 104
<i>nodosa</i> L. paradoxa L.	48,49	bulbosa L.	102, 105
semiverticillata Forsk.		chaixii Vill.	101, 102
setacea Forsk.	66 39	cilianensis All. compressa L.	71 102, 105
subulata Savi	68	compressa L. convoluta Hornem.	102, 103
tenuis Host	63	distans L.	110
tuberosa L.	49	divaricata Gouan	95
Phleum	63	diversifolia (Boiss. et Bal.) Hack.	101, 102
alopecuroides Pill, et Mitterp.	59	exilis (Pomm.) Murb.	102
alpinum L.	65	hackeli Post	101, 103
arenarium L.	63, 64	infirma H. B. et K.	101, 103
bæhmeri Wib.	64	littoralis Gouan	100
boissieri Bornm.	63,64	loliacea Huds.	117
exaratum Griseb.	63,64	nemoralis L.	102, 106
	•		-

pectinata Post	103	vulgare L.	13
persica Trin.	101, 107	Polypogon	68
pilosa L.	71	maritimus Willd.	68
pratensis L.	101, 104	monspeliensis (L,) Desf.	68
procumbens Curtis	109	vaginatus Willd.	61
silvicola Guss.	102, 104	Polystichum	8
sinaica Steud.	102, 106	aculeatum (L.) Roth	8
sterilis M. Bieb.	102, 106	Populus	351
sudetica Haenke	102	alba L.	352
tatarica Fisch.	71	bolleana Lauche	351, 352
timoleontis Heldr.	102, 106	canescens Smith	353
trivialis L.	- 102, 104	carolinensis ${f F}$ oug.	351, 352
Pollinia distachya (L.) Spreng.	46	euphratica Oliv.	351, 354
Polycarpon	457	globosa Dode	354
alsinifolium (Biv.) D.C	458	<i>italica</i> Duroi	351 , 352
succulentum (Del.) J. Gay	457	nigra L.	35 1, 352
tetraphyllum L.	457		351, 352-54
Polycnemum brachiatum Pall.	436	Portulaca	449
POLYGONACEAE	387	oleracea L.	450
POLYGONALES	387	PORTULACACEAE	449
Polygonatum polyanthemum (M. Bieb	.)Link 285	Potamogeton	26
Polygonum	396	crispus L.	26
aleppicum Boiss. et Hausskn.	397, 402	densus L.	26,27
alpestre C. A. Mey.	403	fluitans Roth	26
amphibium L.	396, 398	lucens L.	26,27
arenarium Waldst. et Kit.	401	natans L.	27
argyrocoleum Steud.	397, 400	nodosus Poir.	26
aviculare L.	397, 401	panormitanus Biv.	26,28
bellardi Reichb.	400	pectinatus L.	26,28
cedrorum Boiss. et Ky	397, 404	perfoliatus L.	26,27
cogna turn Meisn.	397, 403	phialae Post	.27
convolvuvlus L.	396	pusillus L.	28
corrigioloides Jaub. et Spach	397, 400	trichoides Cham. et Schlecht.	26,27
equisetiforme Sibth. et Smith	397, 402	POTAMOGETONACEAE	25
herniarioides R. Br.	403	PRINCIPES	182
hydropiper L.	396, 398	Psamma	70
kitaibelianum Sadl.	397, 400	arenaria (L.) Roem. et Sch.	70
lapathifolium L.	396, 399	australis Mabille	70
libani Boiss.	397, 403	Psilurus	135
maritimum L.	397, 402	aristatus (L.) Duval-Jouve	135
nodosum Pers.	397, 402	incurvus Schinz et Thell.	135
patulum M. Bieb	400	nardoides Trin.	135
persicaria L.	396, 399	Pteranthus	451
plebeium Del.	403	dichotomus Forsk.	451
		echinatus Desf.	451
polycnemoides Jaub. et Spach salicifolium Brouss.	397, 400 396, 398	PTERIDACEAE	
. scabrum Poir.	390, 398	PTERIDACEAE Pteridium	5
	398 398		7
serrulatum Lagr.		aquilinum (L.) Kuhn.	7 7
setosum Jacqu.	397, 403	Pteris T	
venantianum Clem.	397, 401	aquilina L.	7
POLYPODIACEAE	13	longifolia L.	7
Polypodium	13	vittata L.	7
aculeatum L.	8	Puccinellia	100 110
filix-femina L.	8	convoluta (Hornem.) Fourr.	109, 110
filix-fragile L .	`6	distans (L.) Parl.	109, 110
leptophyllum L.	5	rupestris (Whit.) Fern. et Weath	
lobatum Huds.	8	Puschkinia libanotica Zucc.	246
pteridioides Reich.	5	iioanoiica Lucc.	246

scilloides Adams	246	Romulea	320
Pycreus	160	bulbocodium Seb. et Mauri	320
mundtii Nees	160	columnae Seb. et Mauri	320, 322
		nivalis (Boiss. et Ky) Klatt	320, 321
		Phoenicia Mout.	320, 321
	257	ramiflora Ten.	320, 322
Quercus	357	Rottbælia	,
aegilops L.	365	altissima Poir.	41
boissieri Reut.	360	cylindrica Willd.	136
brantii Lindley	358, 363	digitata Sibth. et Smith	41
calliprinos Webb	358, 367	fasciculata Lam.	41
cedrorum Ky	358, 359	filiformisRoth	136
cerris L.	359, 366	<i>loliacea</i> Bory et Jaub.	134
coccifera L.	367	Rumex	387
ehrenbergii Ky	364	acetosella L.	388, 395
faginea Lam.	360	acetoselloides Bal.	395
graeca Ky	365	angustifolius Campd.	388, 389
<i>ilex</i> L. infectoria Oliv.	368	autranianus Freyn et Sint.	391
	358, 360-62	bucephalophorus L.	389, 393
ithaburensis Decne	358, 365 359	cassius Boiss.	388, 392
lanuginosa Willd.		chalepensis Mill.	388, 391
libani Oliv.	358, 362	conglomeratus Murr.	388, 390
look K y	363	crispus L.	388, 390
lusitanica Lam.	360	cyprius Murb.	389, 395
macrolepis Ky	365	dentatus L.	388, 392
microphylla (Ky) Thiéb.	358, 362	digynus L.	405
oophora Ky	363	divaricatus L.	392
palaestina Ky	368	lacerus Balb.	394
pedunculiflora C. Koch	359	nemorosus Schrad.	390
petiolaris Boiss. et Reut.	361	nepalensis Spreng.	388, 391
persica Jaub, et Spach	366 359	obtusifolius L.	390
petraea (Matt.) Lindl.	339 361	occultans Sam.	389, 394
pfaeffingeri Ky		orientalis Bernh.	389
pinnatifida C. C. Gmel.	358, 359	palustris Smith	388, 393
pseudocerris Boiss.	366	patientia L.	388, 389
pyrami Ky sessiliflora Smith	365 359	pictus Forsk.	394
suber L.	368	pulcher L.	388, 391-92
suver L. syriaca Ky	361	roseus L.	395
	361	sannineus Rech. fil.	391
tauricola Ky	365	spinosus L.	405
ungeri Ky	470	syriacus Meisn.	391
Queria hispanica L.	470	tuberosus L.	88, 394
		vesicarius L.	389, 395
		Ruppia	25
RAFFLESIACEAE	381	maritima L.	25
Rheum	406	rostellata Koch	25
palaestinum Finbr.	406	Ruscus	287
ribes L.	406	aculeatus L.	288
Rhizocephalus	60	racemosus L.	288
orientalîs Boiss.	60		
Rhynchospora	171	S	
ž 1	171	Saccharum	40
glauca Vahl R. Br.	171	aegyptiacum Willd.	40
R. br. Robbairea	458	<i>biflorum</i> Forsk.	40
delileana Milne-Redh.	458	officinarum L.	40
prostrate (Forsk.) Boiss.	458	ravênnae L.	40
Rægneria	138	sara Roxb.	40
panormitana (Parl.) Nevski	138	spontaneum L.	40
panormana (1 all.) Nevski	150	spontaneam E.	.0

Sagina	462	zenobiae Mout.	428, 431
apetala L.	462	Salvinia	13
libanotica Rech. fil.	462	natans (L.) All.	13
maritima G. Don.	462	SALVINIACEAE	13
octandra Ziz	476	SALVINIALES	13
procumbens L.	462	SANTALACEAE	378
SALICACEAE	347	SANTALALES	378
SALICALES	347	Saponaria	507
Salicornia	420	bargyliana Gomb.	507, 508
amplexicaulis Vahl	422	barradensis Boiss.	515
europaea L.	421	Jilicaulis Boiss.	516
fruticosa L.	421 420	glutinosa M. Bieb. hirsuta Labili.	508 515
glauca Del. herbacea L.	421	<i>liniflora</i> Boiss. et Hausskn.	507
strobilacea Pall.	422	mollis Boiss.	515
Salix	347	officinalis L.	507
acmophylla Boiss.	347, 348	oxyodonta Boiss.	507
alba L.	348, 350	pulvinaris Boiss.	507, 508
australior Andrz.	347, 349	segetalis Neck.	507
babylonica L .	347, 350	syriaca Boiss.	507, 509
dinsmorei Enander	347, 349	tridentata Boiss.	507, 508
fragilis L.	349	vaccaria L.	507
libani Bornm.	347, 350	Schanginia	425
libanotica Boiss.	350	baccata (Forsk.) Moqu.	425
louisii A. Cam. et R. Gomb.	348	Schismus	89
micans (Andrz.) Gærz	350	arabicus Nees	89
pedicellata Desf.	350	barbatus (L.) Thell.	89
persica Boiss.	348	calycinus (L.) Host	89
pseudo-safsaf A. Cam. et R.	Gomb. 348	Schoberia salsa C. A. Mey.	424
purpurea L.	348, 350	Scheenus	171
<i>safsaf</i> Forsk.	349	compressus L.	168
subserrata Willd.	349	mariscus L.	172
variifolia Freyn et Sint.	350	mucronatus L.	162
Salsola	427	nigricans L.	171
articulata Cav.	426	Scilla	236
autrani Post	428, 430	autumnalis L.	236, 237
azaurena Mout.	428,433	bifolia L.	236, 238
canescens Moqu.	429, 433	cemua Red.	238
crassa M. Bieb.	428, 430	cilicica Siehe	237
fruticosa L.	424	hanburyi Baker	236, 237
glauca M. Bieb.	428, 434	hohenackeri Fisch. et Mey.	238
heliaramiae Mout.	429, 432	hyacinthoides L.	236, 237
hierochuntica Bornm.	428, 434	maritima L.	238
hyssopifolia Pall.	419	sibirica Andr.	237, 238
incanescens C. A. Mey.	428, 430	xanthandra C. Koch	238
inermis Forsk.	428, 429	Scirpus	165
jordanicola Eig	428, 439	bis-umbellatus Forsk.	170
lancifolia Boiss.	428, 424 434	cernuus Vahl	165, 166 168
mucronata Forsk.	435	compressus (L.) Pers. dichotomus L.	170
muricata L.	419	ferrugineus L.	170
			166
postii Eig <i>rigida Pall.</i>	428, 432 433	filiformis Savi holoschoenus L.	165, 166
subcrassa Popov	428,431	kalli Forsk.	163, 160
tetrandra Forsk;	428, 431	lacustris L.	165, 167
vermiculata L.	433	libanoticus Post	169
villosa Del.	429, 433	littoralis Schrad.	165, 167
volkensii Asch. et Schw.	428, 429	maritimus L.	167
, orkenon risen. et genw.	120, 72)	inconstruct L.	107

mucronatus L.	165, 167	apetala Willd.	484, 493
palustris L.	169	astartes Bl.	487, 501
setaceus L.	165	atocion Juss.	495
$tabernaemontanus~{ m Gmel}.$	165, 167	behen L.	483, 489
<i>triqueter</i> Gr. et Godr.	167	bipartita Desf.	494
tuberosus Desf.	165, 167	boryi Boiss.	486, 499
Scleranthus	451	caeli-rosa (L.) A. Br.	483,490
annuus L.	451 , 452	capitellata Boiss.	486, 498
collinus Horn.	451 , 452	caryophylloides (Poir.) Otth	486, 499
hamatus Hausskn.	470	cassia Boiss.	485, 496
orientalis Rössler	451	cerastoides L.	484, 492
<i>uncinatus</i> Schur. <i>verticillatus</i> Tausch	451	chaetodonta Boiss.	485, 497
	452	chlorifolia Smith	487, 503
Sclerochloa	100	colorata Poir. commutata Guss.	485, 494
dura (L.) Beauv.	101		501
procumbens (Curt.) Smith	109	compacta Fisch.	483,488
Scleropoa	07	confertiflora Chowdhuri coniflora Otth	486, 502
dichotoma (Forsk.) Parl.	97	-	483, 487
maritima (L.) Parl.	96	conoidea L.	483,488
memphitica (Spreng.) Parl. philistaea Boiss.	96 96	crassipes Fenzl cretica L.	483,490
1	109	cucubalus Wib.	483, 490 485, 500
procumbens (Curt.) Boiss. rigida (L.) Griseb.	109	damascena Boiss. et Gaill.	484, 492
Scolopendrium	117	decumbens Bib.	494
hemionitis Lagr.	12	dichotoma Ehrh.	491
vulgare Smith	12	eremophila Bienert	492
Secale	141	fuscata Link	484, 495
cereale L.	141	gallica L.	484, 491
montanum Guss.	141	gigantea L.	505
Seidlitzia Guss.	427	gonocalyx Boiss.	490
florida M. Bieb.	427	grisea Boiss.	486, 504
rosmarinus (Ehr.) Bunge	. 427	inflata (Salisb.) Smith	500
Selaginella	2	intricata Post	485, 498
denticulata (L.) Link	$\frac{2}{2}$	italica (L.) Pers.	487, 501
SELAGINELLACEAE	1	juncea Sibth. et Smith	485, 497
Serapias Serapias	306	kotschyi Boiss.	485, 496
damasonium Mill.	324	laeta (Ait.) A. Br.	483,489
ensifolia Murr.	325	lagenocalyx Fenzl	492
helleborine L.	326	libanotica Boiss.	486, 504
longifolia Huds.	325	linearis Decne	485, 497
longipetala Poll.	346	longipetala Ventenat	486, 502
pollens (Jundz.) L. C. Rich.	324	lydia Boiss.	483,488
rubra L.	324	macrodonta Boiss.	483,488
vomeracea (Burm.) Briquet	346	makmeliana Boiss.	487, 504
Sesleria	90	marschallii C. A. Mey.	486, 502
anatolica Deyl	90	modesta Boiss. et Bl.	485,498
argentea Savi	90	muscipula L.	483,489
subacaulis Bal.	90	nocturna L.	484, 493
Setaria	37	odontopetala Fenzl	485,500
glauca (L.) Beauv.	37	oliveriana Otth	485,494
italica (L.) Beauv.	38	palaestina Boiss.	485,493
lutescens (Weigel) Hubb.	37	papillosa Boiss.	483,490
verticillata (L.) Beauv.	37,38	pharnaceifolia Fenzl	486, 498
viridis (L.) Beauv.	37	physalodes Boiss.	485,501
Silene	482	physocalyx Ledeb.	500
ægyptiaca L. fil.	484, 495	picta D.C.	. 497
alba Mill.	482	pruinosa Boiss.	486, 499
amana Boiss.	487, 502	racemosa Otth	484, 491

reuteriana Boiss.	483, 489	virginicus (L.) Kunth	70
rubella L.	483,495	Stellaria	473
schlumbergeri Boiss.	486, 505	apetala Ucria	474
sedoides Poir.	484, 495	cerastoides L.	478
setacea Viv.	484, 492	cilicica Boiss. et Bal.	474
sibthorpina Reichb.	484, 491	dubia Bast.	477
siderophila Boiss. et Gaill.	484, 492	media L.) Vill.	474
stenobotrys Boiss. et Hausskn.	486, 499	neglecta Weihe	474
stentoria Fenzl	499	pallida Piré	474
striata Ehrh.	485, 496	Sternbergia Kan Can lan	290
succulenta Forsk.	487, 505	clusiana Ker-Gawler	290, 291
swertiifolia Boiss.	487, 503	colchiciflora Waldst. et Kit.	290
tejedensis Boiss.	499	fischeriana (Herb.) Ræm.	290, 291
trinervis Banks et Sol.	491	macrantha J. Gay	291
venosa (Gilib.) Asch.	500	pulchella Boiss. et Bl.	290, 291
vulgaris M œnch	500	spaffordiana Dinsmore	291
SILENOIDEAE	481	stipitata Boiss. et Hausskn.	291
SMILACACEAE	288	Stipa	5
Smilax	288	aristella L.	52
aspera L.	288	assyriaca HandMazz.	54
excelsa L.	289	barbata Desf.	52,54
Sorghum	42	bromoides (L.) Desf.	52
halepense (L.) Pers.	42	capensis Thunb.	52
vulgare Decne	42	damascena Boiss.	54
SPARGANIACEAE	23	fontanesii Parl.	52,53
Sparganium	23	lagascae Rœm. et Schult.	54
erectum L.	23	membranacea L.	115 52
neglectum Beeby	23	paleacea Schousb.	
ramosum Curt.	-23	parviflora Desf.	52,53
SPATHIFLORAE	182	retorta Cav.	52
Spergula	460	tortilis Desf.	52
arvensis L.	460	Suaeda	423
fallax (Lowe) E. L. Krause	460	altissima L.	423, 424
flaccida (Roxb.) Asch.	460	asphaltica Boiss.	423, 424 425
Spergularia	458	baccata Forsk.	
atheniensis (Heldr. et Sart.)		carnosissima Post	423, 425
Asch. et Schw.	460	fruticosa (L.) Forsk.	423, 424
bocconii (Sol.) Fouc.	458, 460	prostrata Pall.	423, 424
diandra Guss.	458, 459	rosmarinus Ehr.	427 423, 424
marginata (D.C.) Murb.	459	salsa (C. A. Mey.) Pall.	423, 424
marina (L.) Griseb.	458, 459	The state of the s	
media (L.) G. Presl	458, 459	_ T	
rubra L.	460	Tæniatherum	157
salina J. et C. Presl	459	caput-medusae (L.) Nevski	157
Sphenopus	95	crinitum (Schreb.) Nevski	157
divaricatus (Gouan) Reichenb.	95	Tamus	294
Spinacia	411	communis L.	294
oleracea L.	411	orientalis Thiéb.	294
tetrandra Stev.	411	Telephium	452
Spiranthes	323	imperati L.	453
autumnalis (Balb.) L. C. Rich.	323	THELYGONACEAE	445
spiralis L.	323	Thelygonum	445
Spirodela	195	cynocrambe L.	445
polyrrhiza (L.) Scheid.	195, 196	Themeda	43
Spodiopogon pogonanthus	46	forskalei (Kunth	43
Sporobolus	70 70	quadrivalvis (L.) Kuntze	43
arenarius (Gouan) Duval-Jouve	70 70	triandra Forsk.\ Theresia libanotica Boiss.	43
pungens (Schreb.) Kunth	70	1 netesta itvanotica Boiss.	233

Thesium	378	brachypetala Jaub. et Spach	519
arvense Horv.	378, 379	pachygona Fisch. et Mey.	519
bergeri Zucc.	379,380	syriaca Boiss.	518, 519
divarication Jan.	379,380	velutina (Guss.) Fisch. et Mey.	518
heterophyllum Boiss.	379, 380	Typha	22
humile Vahl	379, 380	angustata Bory et Chaub.	23
libanoticum Ehrenb.	378, 379	angustifolia L.	23
ramosum Hayne	379	australis Schum. et Thonn.	22, 23
Trachynia	130	latifolia L.	22
distachya (L.) Link	130, 131	laxmannii Lepechin	22, 23
Traganum	426	stenophylla Fisch. et Mey.	23
nudatum Del.	426	TYPHACEAE	22
Trickonema nivalis Boiss. et Ky	321		
Trisetaria	79	U	
cavanillesii (Trin.) Maire	79	O	
flavescens (L.) Maire	79,80	ULMACEAE	368
glumacea (Boiss.) Maire	81	Ulmus	368
kœlerioides (Bornm. et Hack.)	Meld.	campestris L.	369
·	79,80	canescens Melville	369
linearis Forsk.	79	glabra Huds.	369
Trisetum	79	' minor Mill.	369
cavanillesii Trin.	79	montana Willd.	369
flavescens (L.) Beauv.	80	Urginea	238
gaudinianum Boiss.	79	maritima (L.) Baker	238
kælerioides Bornm. et Hack.	80	scilla Sternb.	238
liniare (Forsk.) Boiss.	79	Urochloa reptans (L.) Stapf	37
Triticum	143	Urtica	372
bicorne Forsk.	142	caudata Vahl	373
buonapartis Spreng.	140	dioica L.	372, 373
dicoccoides (Kornicke) Aar.	143	fragilis Thiéb.	372, 374
elongatum Host	140	hulensis Feinbr.	374
junceum L.	140	membranacea Poir.	372, 373
ligusticum Bertol.	153	pilulifera L.	372, 373
maritimum L.	96	urens L.	372
monococcum L.	143	URTICACEAE	372
panormitanum Parl.	138	URTICALES	368
peregrinum Hack.	. 149		
repens L.	138		
squarrosum Roth	140		
thaoudar Reut.	143	T7 '	506
unilaterale L.	117	Vaccaria	506 ornm. 507
vulgare Vill.	143	liniflora (Boiss. et Hausskn.) Bo oxydonta Boiss.	506
Tulipa	226	parviflora Mænch	506
agenensis D.C.	227, 229	pyramidata Medik.	506
aleppensis Regel	227,229	segetalis (Necker) Garcke	506
aucheriana Baker	226, 227	Vallisneria	31
biflora Pall.	226, 228	spiralis L.	31
clusiana D.C.	229	Velezia	519
dammani Regel	232	fasciculata Boiss.	520
libanotica Regel	232	rigida L.	520
lownei Baker	227, 228	Ventenata	78
montana Lindley	227, 231	blanchei Boiss.	78 78
oculus-solis St-Amans	229	macra (Stev.) Boiss.	78
praecox Ten.	227, 230	Viscum	382
systola Stapf	231	album L.	382
Tunica	518	cruciatum Sieb.	383
arabica Boiss.	519	laxum Boiss. et Reut.	383

⁷ ulpia	116.	W	
brevis Boiss.	113	Weingartneria	77
bromoides (L.) Gray	114	Wolffia arrhiza (L.) Wimm.	196
ciliata (Pers.) Link	113, 114		
dertonensis (All.) Gola	113, 114	Z	
hirtiglumis Boiss.	113, 115	Zannichellia	26
inops (Del.) Hack.	113, 116	palustris L.	26
membranacea (L.) Link	113, 115	Zea mays L.	47
myuros (L.) C. C. Gmel.	113, 114	Zebrina pendula Schnizl	203
patens Boiss.	[′] 116	Zingeria biebersteiniana (Claus) P. Smirnov	57
pectinella Del.	116	Zostera	24
sciuroides (Roth) Gmel.	114	nana Roth	24
uniglumis (Sol.) Dumort.	115	ZOSTERACEAE	24