```
initialize global device_selected to " "
set global device_selected to ListView1 . Selection

when Scan_for_Devices .Click
do call BluetoothLE1 .StartScanning
   set status . Text to " Status: Scanning "
   set status . Visible to true
   set Clock2 . TimerEnabled to true

when BluetoothLE1 .DeviceFound
do set ListView1 . ElementsFromString to BluetoothLE1 . DeviceList

when Clock2 .Timer
do call BluetoothLE1 .StopScanning
   set Clock2 . TimerEnabled to false

when Connect .Click
do call BluetoothLE1 .Connect
        index ListView1 . SelectionIndex
   set status . Text to " Connected to "

when BluetoothLE1 .Connected
do set status . Text to join " Connected to: "
                            BluetoothLE1 . ConnectedDeviceName
   set status . Visible to true

when Button1 .Click
do set VerticalArrangement_canvas . Visible to true
   set VerticalArrangement_Bluetooth . Visible to false

when Screen1 .Initialize
do set VerticalArrangement_canvas . Visible to false
   set VerticalArrangement_Bluetooth . Visible to true
   call stage .DrawCircle
        centerX 80
        centerY 130
        radius 10
        fill true
   call stage .DrawCircle
        centerX 230
        centerY 130
        radius 10
        fill true
   call stage .DrawCircle
        centerX 80
        centerY 280
        radius 10
        fill true
   call stage .DrawCircle
        centerX 230
        centerY 280
        radius 10
        fill true

initialize global sequence to " 0 "
initialize global last_x to -1
initialize global last_y to -1
```

when stage .Touched
x y touchedAnySprite
do if
get x > 40 and get x < 140 and get y > 80 and get y < 180
then call add_point
point " 1 "
x get x
y get y
else if
get x > 180 and get x < 300 and get y > 80 and get y < 180
then call add_point
point " 2 "
x get x
y get y
else if
get x > 40 and get x < 140 and get y > 230 and get y < 340
then call add_point
point " 3 "
x get x
y get y
else if
get x > 180 and get x < 300 and get y > 230 and get y < 340
then call add_point
point " 4 "
x get x
y get y

```
to add_point point x y
do
  set global sequence to
    join
      get global sequence
      get point
      " , "
  set sequence . Text to
    get global sequence
  if
    get global last_x ≠ -1
  then
    call stage .DrawLine
      x1 get global last_x
      y1 get global last_y
      x2 get x
      y2 get y
  set global last_x to get x
  set global last_y to get y
```

```
when start .Click
do
  call BluetoothLE1 .WriteStrings
    serviceUuid "6e400001-b5a3-f393-e0a9-e50e24dcca9e"
    characteristicUuid "6e400002-b5a3-f393-e0a9-e50e24dcca9e"
    utf16 false
    values get global sequence
```

```
call BluetoothLE1 .WriteStrings
  serviceUuid "6e400001-b5a3-f393-e0a9-e50e24dcca9e"
  characteristicUuid "6e400002-b5a3-f393-e0a9-e50e24dcca9e"
  utf16 false
  values
```


when clear .Click
do
set global sequence to " "
set global last_x to " -1 "
set global last_y to " -1 "
call stage .Clear
call stage .DrawCircle
centerX 80
centerY 130
radius 10
fill true
call stage .DrawCircle
centerX 230
centerY 130
radius 10
fill true
call stage .DrawCircle
centerX 80
centerY 280
radius 10
fill true
call stage .DrawCircle
centerX 230
centerY 280
radius 10
fill true
set sequence . Text to " "
set global sequence to false