

SOFTWARE REQUIREMENTS SPECIFICATION

Cloud-Based Umrah & Hajj Travel ERP

A secure, AI-assisted, multi-tenant cloud platform to replace the existing desktop ERP — with a dynamic field engine and dynamic bilingual (English / Arabic) printing.

Prepared for

AL RAWDA GROUP HAJJ & UMRAH SERVICES

Bank Street, Street No. 910, Doha — Qatar

Document Control

Field	Detail
Document title	Software Requirements Specification — Cloud-Based Umrah & Hajj Travel ERP
Document reference	ION-SRS-RAWDA-001
Version	1.0 (Draft for client review)
Date	09 June 2026
Prepared by	ionob — info@ionob.com
Prepared for	AL RAWDA GROUP HAJJ & UMRAH SERVICES, Doha, Qatar
Status	For client review & sign-off
Classification	Confidential

Revision History

Version	Date	Author	Summary of changes
0.1	05 Jun 2026	ionob	Initial outline from current-system review
1.0	09 Jun 2026	ionob	First complete draft issued to client

Sign-off

Role	Name	Signature	Date
Client — Authorised representative			
ionob — Project lead			

How to read this document. Sections 1–3 set context and scope. Sections 4–10 are the technical specification (architecture, modules, dynamic engines, AI, security, data model). Sections 11–14 cover quality, migration, delivery plan and the end-to-end process flow. Anything marked **TBC** needs a client decision before build.

Table of Contents

Introduction & Purpose

Current System Analysis

Project Scope & Objectives

Proposed Solution & Architecture

Technology Stack

Functional Requirements (Modules)

Master Data (Packages, Visa Types, Nationalities)

Invoice Management

Receipt / Collection Management

Payment, Expense & Refund

Reporting & Analytics

Approval Workflow

Dynamic Field Engine

Dynamic Print & Document Engine

AI & Automation Features

Security & Compliance

Data Model & Database Design

Non-Functional Requirements

Data Migration Strategy

Delivery Plan, Timeline & Process Flow

Assumptions, Risks & Acceptance Criteria

1. Introduction & Purpose

AL RAWDA GROUP HAJJ & UMRAH SERVICES currently operates a Windows desktop application (“Stimes ERP Solution”) to manage its Umrah and Hajj travel business — issuing invoices, collecting payments, recording office expenses, maintaining packages and visa types, and printing bilingual receipts and management reports.

The business wants to move to a modern, cloud-hosted application built on a MySQL database, accessible from any device, with stronger security, AI-assisted automation, and the flexibility to add or change form fields and printed documents without a code release. This Software Requirements Specification (SRS) defines what the new system must do and the technical approach ionob proposes to build it.

1.1 Objectives of this document

- Capture and confirm the functional and non-functional requirements of the new platform.
- Document the proposed architecture, technology stack and data model.
- Define the dynamic field and dynamic print engines that are central to the client's request.
- Establish the security model, AI scope, migration approach and delivery plan.
- Serve as the agreed baseline for design, build, testing and sign-off.

1.2 Intended audience

The client's management and operations team (for scope confirmation), and ionob's engineering, QA and project teams (for design and build).

1.3 Definitions & abbreviations

Term	Meaning
ERP	Enterprise Resource Planning — the integrated business application
SRS	Software Requirements Specification (this document)
Multi-tenant	One deployment serving multiple branches/companies with isolated data
RBAC	Role-Based Access Control
RTL	Right-to-left text direction (Arabic)
Master data	Reference data: packages, visa types, nationalities, etc.
Dynamic field	A user-configurable form field added without code changes
Voucher	A printed financial document (invoice, receipt, payment voucher)

2. Current System Analysis

The existing “Stimes ERP Solution” is a single-machine Windows desktop application. Based on the screens and reports reviewed, it provides the following capabilities.

2.1 Modules observed

Area	Sub-modules / functions
Transaction	Invoice, Receipt, Payment
Master data (“Basic”)	Package (name + rate), Visa Type (e.g. Umrah Visa, Tourist Visa), Nationality (country name, short code, Arabic name)
Reports	Income Summary, Pending, Income Detail, Passengers List, Departure-Date-wise, Expense

2.2 Key data captured per transaction

Invoice

Invoice no & date, customer name, nationality, mobile 1/2, package, departure date, no. of passengers, no. of seats, no. of visas required, room type (Normal / Separate / Nil), per-passenger details (name, visa type, visa required), amount, discount, net amount, remarks.

Receipt (collection)

Receipt no & date, linked invoice, customer, nationality, mobile 1/2, package, departure date, passengers, seats, visas, room details, passenger details, mode of payment (cash / bank), invoice amount, previous balance, received amount.

Payment

Payment no & date, type (Expense / Refund), paid to, mobile, narration, paid amount, remarks. Used for office expenses and customer refunds.

Reports

Date-range driven. Income Summary & Departure-wise show invoice / received / refund / income / balance with approval status. Passengers List groups passengers by departure date. Expense report lists payment vouchers with totals.

2.3 Strengths to preserve

- Clean, fast data-entry screens with list + detail layout, inline filters and search.
- Bilingual English / Arabic printed vouchers with company branding and RTL Arabic text.
- Tabbed navigation that lets staff keep several records open at once.
- A practical, proven report set tied to the day-to-day Umrah workflow.

2.4 Limitations the new system must address

Limitation today	Impact
Desktop-only, tied to one PC / local network	No remote or multi-branch access; manual backups; single point of failure
Fixed forms — fields cannot be changed without a new build	Slow to adapt to new visa rules, package attributes or document fields
Hard-coded print layouts	Any change to a voucher requires a developer and a re-release

Limited user management & audit trail	Weak accountability and access control
No automation / intelligence	Manual follow-up of balances, duplicates, and departure reminders
Reporting limited to fixed PDFs	No dashboards, export, or ad-hoc analysis

3. Project Scope & Objectives

3.1 Business objectives

- Operate the entire Umrah/Hajj sales-to-collection cycle from a secure cloud application accessible on desktop, tablet and mobile.
- Let authorised staff configure form fields and printed documents themselves, without waiting for a software release.
- Reduce manual effort and errors through AI-assisted automation.
- Strengthen security, access control and auditability of all financial records.
- Preserve the familiar bilingual workflow and the existing voucher/report formats.

3.2 In scope

Functional

Master data, Invoicing, Receipts, Payments (expense & refund), Approval workflow, full Report set, Dashboards, Dynamic field engine, Dynamic print engine, User & role management, Audit log, AI assistant features.

Platform

Cloud hosting, MySQL database, REST API, responsive React web client, bilingual EN/AR UI with RTL, role-based security, automated backups, data migration from the current system.

3.3 Out of scope (this phase)

- Native mobile apps on app stores (the responsive web app covers mobile; native apps can be a later phase). **TBC**
- Direct integration with airline GDS / visa-issuing government portals unless APIs are provided. **TBC**
- Full double-entry general-ledger accounting (the system covers operational income/expense; export to an accounting package can be added). **TBC**
- Payroll/HR beyond recording salary payments as expenses.

3.4 Success criteria

- All current daily operations can be performed in the new system, faster and from anywhere.
- Existing vouchers and reports are reproduced to the client's satisfaction, and can be edited by an admin without code.
- Historical data is migrated accurately and reconciled with the old system's totals.
- The system passes security testing and the agreed acceptance tests.

4. Proposed Solution & Architecture

The platform is a cloud-hosted, multi-tenant-ready web application with a clear separation between the React front-end, a Node.js REST/JSON API, and a managed MySQL database. All access is over HTTPS and protected by token-based authentication and role-based authorisation.




Figure 4.1 — High-level deployment architecture (logical view).

4.1 Architectural principles

- **API-first.** Every screen and report is powered by a documented REST API, enabling future mobile apps and integrations.
- **Stateless app tier.** Application servers hold no session state, so the system scales horizontally behind a load balancer.
- **Separation of concerns.** Presentation (React), business logic (Node API), and data (MySQL) are independent layers.
- **Configuration over code.** Fields, documents, packages, visa types and roles are data, not code — supporting the dynamic requirements.
- **Security by default.** Encryption in transit and at rest, least-privilege access, and full audit logging.
- **Multi-tenant ready.** Schema supports multiple branches/companies with isolated data, should the group expand.

4.2 Environments

Environment	Purpose
Development	Engineering builds and unit testing

Staging / UAT	Client testing and sign-off with migrated sample data
Production	Live operations with automated backups and monitoring

5. Technology Stack

The stack is a modern JavaScript/TypeScript platform on MySQL, chosen for performance, a large talent pool, strong bilingual/RTL support, and rapid delivery.

Layer	Technology	Why
Front-end	React 18 + TypeScript, Vite, Tailwind / component library, i18next (EN/AR + RTL)	Fast, responsive SPA/PWA; first-class bilingual and right-to-left support
Back-end	Node.js (LTS) + NestJS (TypeScript)	Structured, testable REST API with built-in validation, guards and modules
Database	MySQL 8 (InnoDB), Prisma / TypeORM	Client requirement; transactional integrity, JSON columns for dynamic fields
Cache / queue	Redis + BullMQ	Caching, background jobs (PDF, email, reminders)
PDF / print	Headless Chromium (Puppeteer) + HTML/CSS templates	Pixel-accurate, fully dynamic bilingual documents
AI	LLM gateway (configurable provider), OCR engine, vector store	Document extraction, assistant, insights — provider-agnostic
Auth	JWT access/refresh tokens, bcrypt/argon2, optional 2FA (TOTP)	Stateless, secure session management
Infrastructure	Docker containers; cloud host TBC (AWS / Azure / GCP / regional)	Portable, reproducible deployments; region chosen for Qatar data preference
CI/CD & monitoring	Git, automated tests, pipeline deploys; logging, metrics, uptime alerts	Reliable, auditable releases and operations

Hosting region. ionob recommends hosting in a region close to Qatar (e.g. GCC) for latency and any data-residency preference. Final cloud provider and region are a client decision. **TBC**

6. Functional Requirements (Modules)

Requirements use the identifier scheme **FR-<module>-<n>** . Priority: **M** Must, **S** Should, **C** Could.

6.1 Master Data — Packages, Visa Types, Nationalities

ID	Requirement	Pri
FR-MD-1	Maintain Packages with name (English + Arabic), rate, currency (QAR), status (active/inactive), and optional attributes (duration, includes visa Y/N, transport, hotel).	M
FR-MD-2	Maintain Visa Types (e.g. Umrah Visa, Tourist Visa) with name EN/AR and status.	M
FR-MD-3	Maintain Nationalities / Countries with country name, short code, and Arabic name.	M
FR-MD-4	All master lists support search, inline filters, sort, pagination and soft-delete (deactivate).	M
FR-MD-5	Master records cannot be hard-deleted if referenced by transactions; they are deactivated instead.	M
FR-MD-6	Bulk import/export of master data via spreadsheet.	S

6.2 Invoice Management

ID	Requirement	Pri
FR-INV-1	Create/edit invoices with auto-generated invoice number and date, customer name, nationality, mobile 1/2, package, departure date, no. of passengers, seats, visas required, room type (Normal/ Separate/Nil), and remarks.	M
FR-INV-2	Capture a passenger grid : SL no, passenger name, visa type, visa-required flag — rows added dynamically.	M
FR-INV-3	Compute amount, discount and net amount automatically from package rate × passengers, with manual override allowed and audited.	M
FR-INV-4	Track invoice status (Draft, Confirmed, Cancelled) and approval status (Pending, Approved, Rejected) with comments.	M
FR-INV-5	List view with filter/search by no, date, customer, departure, status; open multiple invoices in tabs.	M
FR-INV-6	Print / export invoice to PDF using the dynamic print engine (bilingual).	M
FR-INV-7	Maintain running balance = net amount – received + refund per invoice/customer.	M

6.3 Receipt / Collection Management

ID	Requirement	Pri
FR-RCT-1	Create receipts (collections) with auto receipt no & date, linked invoice, customer, nationality, mobile 1/2, package, departure date, passengers, seats, visas, room details.	M
FR-RCT-2	On selecting an invoice, auto-fill customer/package/passenger details and show invoice amount, previous balance and remaining balance.	M
FR-RCT-3	Record mode of payment (Cash / Bank) and received amount; prevent over-collection beyond balance unless overridden & audited.	M

FR-RCT-4	Print bilingual Receipt Voucher matching the current format (terms text, signatures, totals, remaining balance).	M
FR-RCT-5	List, search and reprint receipts; void with reason (audited).	M

6.4 Payment — Expense & Refund

ID	Requirement	Pri
FR-PAY-1	Record payments of type Expense (e.g. office, salary, taxi, printing) or Refund (to a customer/ invoice) with auto payment no & date, paid-to, mobile, narration, amount, remarks.	M
FR-PAY-2	Refund payments link to an invoice and reduce its income/balance accordingly.	M
FR-PAY-3	Optional expense categories for analysis (office supplies, salary, transport, tickets, etc.).	S
FR-PAY-4	Print payment voucher; list, search, edit and delete (audited).	M

6.5 Reporting & Analytics

All existing reports are reproduced and made date-range driven, with on-screen view, PDF and Excel/CSV export.

ID	Report / requirement	Pri
FR-RPT-1	Income Summary — invoice/received/refund/income/balance per invoice with totals.	M
FR-RPT-2	Pending — invoices with outstanding balance.	M
FR-RPT-3	Income Detail — detailed income breakdown.	M
FR-RPT-4	Passengers List — passengers grouped by departure date with invoice & customer.	M
FR-RPT-5	Departure-Date-wise — invoices grouped/filtered by departure with approval status.	M
FR-RPT-6	Expense — payment vouchers with narration and totals.	M
FR-RPT-7	Dashboard — KPI cards (today's collection, pending balance, departures this week, expenses) and charts.	S
FR-RPT-8	Every report exportable to PDF and Excel; column show/hide and saved filters.	S

6.6 Approval Workflow

ID	Requirement	Pri
FR-APR-1	Invoices carry an approval status (Pending → Approved/Rejected) with approver, comment and timestamp.	M
FR-APR-2	Configurable rule: e.g. discounts above a threshold require manager approval. TBC	S
FR-APR-3	Notifications to approvers (in-app / email) and an approvals queue.	S

7. Dynamic Field Engine

A core client requirement is that **fields can be added or changed without a code release**. The dynamic field engine lets an authorised administrator define custom fields on any entity (invoice, receipt, payment, customer, passenger, package) through a configuration screen.

7.1 Capabilities

- Add fields of types: text, number, currency, date, dropdown (from a managed list or master data), checkbox, multi-select, phone, email, file attachment, and computed/formula fields.
- Set label (English + Arabic), help text, default value, placeholder, required/optional, min/max, regex validation, and display order/section.
- Control visibility and edit-ability by role, and conditional display (“show field B when field A = X”).
- Mark a field as printable and map it into document templates (Section 8).
- Activate/deactivate or version a field without losing historical data.

7.2 How it is stored

Custom field *definitions* live in metadata tables; custom field *values* are stored per record. The engine uses MySQL **JSON** columns plus a definitions table, giving flexibility without schema migrations while keeping core columns strongly typed for reporting.

Table	Purpose
<code>field_definitions</code>	Entity, key, type, labels (EN/AR), validation, options, role visibility, print flag, order, status
<code><entity>.custom_data</code> (JSON)	Key → value store of custom field values for each record
<code>field_audit</code>	Who changed which definition and when



Figure 7.1 — Define-once, use-everywhere flow for dynamic fields.

8. Dynamic Print & Document Engine

The second core requirement is **dynamic printing**: every printed document (invoice, receipt voucher, payment voucher, reports) is driven by an editable template rather than hard-coded layout. Templates render to pixel-accurate PDF via a headless-Chromium HTML/CSS pipeline, fully supporting bilingual English/Arabic content and right-to-left layout.

8.1 Capabilities

- WYSIWYG / HTML template editor with company header, logo, address and Arabic/English blocks (matching the current vouchers).
- Insert any standard or dynamic field as a placeholder (e.g. `{{customer.name}}` , `{{invoice.net_amount}}` , `{{custom.passport_no}}`).
- Repeating sections (passenger lists, line items) and conditional blocks (show terms only on receipts).
- Per-document settings: page size, margins, header/footer, watermark, language(s), and signature lines.
- Multiple templates per document type with versioning; set a default and preview before publishing.
- One-click reprint, bulk print, email as PDF, and download.

8.2 Documents reproduced from the current system

Document	Notes
Invoice	Bilingual, passenger grid, amount/discount/net, remarks
Receipt Voucher (سند قبض)	Matches current layout: terms text, received amount box, package, passenger details, total & remaining balance, three signature lines
Payment Voucher	Expense/refund, paid-to, narration, amount
Income Summary / Departure-wise / Pending / Income Detail	Tabular reports with company header and totals
Passengers List	Grouped by departure date
Expense Report	Vouchers with narration and grand total

Bilingual & RTL. The engine handles mixed Latin/Arabic strings, RTL alignment, and Arabic-Indic numerals where required, so the new vouchers look like the existing ones while remaining fully editable by an admin.

9. AI & Automation Features

AI is applied where it removes manual effort or reduces error. All AI features are optional, auditable, and keep a human in control of financial actions. The provider is configurable through an LLM gateway so the client is not locked to one vendor.

Feature	What it does	Pri
Passport / ID OCR	Scan or photograph a passport; auto-extract passenger name, nationality, passport no, expiry and pre-fill the form for staff to confirm.	S
Smart data entry	Auto-suggest packages, detect duplicate customers, validate phone/visa formats, transliterate names EN ↔ AR.	S
Natural-language reports	Ask “how much did we collect this week?” or “who has pending balance over 1000 QAR?” and get an answer plus the underlying report.	C
Collection assistant	Draft polite bilingual payment-reminder messages for customers with outstanding balances.	C
Anomaly & fraud hints	Flag unusual discounts, duplicate receipts, or out-of-pattern expenses for review.	C
Departure reminders	Auto-notify staff/customers of upcoming departures and missing documents.	S
Document Q&A	Summarise a customer’s history or answer questions over migrated records.	C

Guardrails. AI never posts financial transactions or approves records on its own — it suggests, and a user confirms. Personal data sent to AI services is minimised, and the AI provider/region is a client decision.

TBC

10. Security & Compliance

10.1 Authentication & access

- Individual user accounts with strong password policy; passwords hashed with argon2/bcrypt.
- JWT access/refresh tokens; automatic session expiry and refresh.
- Optional two-factor authentication (TOTP) for admin and finance roles.
- Role-Based Access Control (RBAC) down to module and action level.
- Account lockout after repeated failed logins; forced password reset flows.

10.2 Roles (initial)

Role	Typical permissions
Administrator	Full access incl. users, roles, dynamic fields, templates, settings
Manager	Approve invoices, view all reports & dashboards, void/refund with reason
Counter staff / Agent	Create invoices, receipts, payments; print; no deletions or approvals
Accountant	Payments, expenses, refunds, financial reports & exports
Viewer / Auditor	Read-only access to records, reports and audit log

Roles and permissions are configurable; the above is a starting point for confirmation.

10.3 Data protection

- TLS 1.2+ for all traffic (HTTPS only); HSTS enabled.
- Encryption at rest for the database, backups and document storage.
- Tenant/branch data isolation; row-level scoping by branch where applicable.
- Daily automated backups with retention and tested restore; point-in-time recovery.
- Secrets stored in a managed vault, never in code.

10.4 Auditability & hardening

- Full audit trail: who created/edited/deleted/approved which record and when (immutable log).
- Soft-delete with reason for financial records; no silent hard deletes.
- Protection against OWASP Top 10 (input validation, parameterised queries, output encoding, CSRF/XSS/SQLi defences).
- Web Application Firewall, rate limiting and brute-force protection at the edge.
- Dependency scanning and a security review before go-live.

11. Data Model & Database Design

The MySQL schema (InnoDB, UTF-8mb4 for full Arabic support) centres on transactional integrity with foreign keys and indexed lookups. Core entities are shown below; the dynamic field engine adds metadata tables and JSON value columns alongside these.




Figure 11.1 — Core entity-relationship overview (simplified).

11.1 Core tables

Table	Key columns
branch	id, name, address, contacts (multi-tenant support)
user / role / permission	RBAC: users, roles, permissions, assignments, 2FA
nationality	id, country_name, short_code, name_ar
visa_type	id, name, name_ar, active
package	id, name, name_ar, rate, currency, includes_visa, active
customer	id, name, nationality_id, mobile1, mobile2, custom_data(JSON)
invoice	id, no, date, customer_id, package_id, departure_date, seats, visas, room_type, amount, discount, net_amount, status, approval_status, custom_data
passenger	id, invoice_id, sl_no, name, visa_type_id, visa_required, custom_data
receipt	id, no, date, invoice_id, mode, prev_balance, received_amount, custom_data
payment	id, no, date, type(expense/refund), paid_to, mobile, narration, amount, invoice_id, category_id

field_definition / document_template	Dynamic field & print metadata
audit_log	entity, record_id, action, user_id, before/after, timestamp

12. Non-Functional Requirements

ID	Requirement
NFR-1	Performance. Common screens load in under 2 seconds; report generation under 5 seconds for typical ranges.
NFR-2	Availability. Target 99.5%+ uptime with monitoring and alerting.
NFR-3	Scalability. Horizontal scaling of the app tier; supports growth in branches, users and records.
NFR-4	Usability. Familiar list+detail layout, keyboard-friendly data entry, responsive on mobile/tablet.
NFR-5	Localisation. Full English/Arabic UI with RTL; Hijri/Gregorian date display option. TBC
NFR-6	Compatibility. Latest Chrome, Edge, Safari, Firefox; installable PWA.
NFR-7	Maintainability. Documented API, automated tests, CI/CD, clear coding standards.
NFR-8	Backup & recovery. Daily backups, tested restore, defined RPO ≤ 24h and RTO ≤ 4h. TBC
NFR-9	Auditability. All data changes logged and retained for an agreed period.
NFR-10	Accessibility. Reasonable WCAG-aligned contrast, labels and keyboard navigation.

13. Data Migration Strategy

Historical data from the current desktop application is migrated into the new MySQL database so the business has a single, continuous record.

1. **Assess source.** Identify the current database engine and export options (direct DB access, backup file, or report/CSV export). **TBC**
2. **Map data.** Map source tables/fields to the new schema (customers, packages, visa types, nationalities, invoices, passengers, receipts, payments).
3. **Build ETL.** Scripts to extract, clean (de-duplicate, fix encoding incl. Arabic), transform and load, preserving original document numbers.
4. **Trial migration.** Load into staging; reconcile counts and financial totals against the old system's reports.
5. **Validation & sign-off.** Client verifies key records and report totals match.
6. **Cutover.** Final delta migration, freeze old system, go live; keep the old system read-only as a fallback for an agreed period.

Dependency. Migration scope and effort depend on access to the current data. Earliest possible sharing of a database export or sample helps confirm the plan.

14. Delivery Plan, Timeline & Process Flow

14.1 Engagement & delivery flow



Figure 14.1 — End-to-end project flow from discovery to go-live.

14.2 Indicative timeline

Indicative durations for an iterative delivery; phases overlap. Final schedule is confirmed after design sign-off. No pricing is included in this document.

Phase 1 — Discovery & SRS sign-off	~2 weeks
Confirm requirements, finalise this SRS, agree hosting, AI provider and migration source.	
Phase 2 — UX/UI design	~2–3 weeks
Wireframes and visual design for all screens, bilingual layouts, voucher templates; client approval.	
Phase 3 — Core build (sprints)	~8–12 weeks
Auth/RBAC, master data, invoicing, receipts, payments, dynamic field engine, dynamic print engine, reports & dashboard.	
Phase 4 — AI, migration & integrations	~3–4 weeks
OCR/assistant features, data migration scripts, trial migration & reconciliation.	
Phase 5 — UAT & security testing	~2–3 weeks
Client acceptance testing, bug-fix, performance & security review.	
Phase 6 — Go-live & hypercare	~1–2 weeks + support
Production cutover, training, documentation, and a post-launch support/warranty period.	

Indicative total: roughly 4.5–6 months end-to-end, depending on final scope, migration complexity and AI feature selection.

14.3 Operational process flow (daily use)




Figure 14.2 — Day-to-day operational flow in the new system.

15. Assumptions, Risks & Acceptance Criteria

15.1 Assumptions

- The client will provide branding assets (logo, exact voucher wording EN/AR) and a sample of current data early.
- The client nominates a product owner for timely decisions and UAT.
- Cloud hosting and any third-party AI/email/SMS costs are billed to the client or via ionob as agreed. **TBC**
- Scope is as defined here; changes follow a simple change-control process.

15.2 Key risks & mitigations

Risk	Mitigation
Current data not easily exportable / poor data quality	Early source assessment; ETL with cleansing; trial migration & reconciliation
Voucher layouts must match exactly (Arabic/RTL)	Template engine + side-by-side review against current PDFs in design phase
Scope creep	Signed SRS baseline; change-control for additions
Data-residency / AI privacy concerns	Region selection, data minimisation, configurable AI provider, opt-in features
User adoption	Familiar UX, bilingual UI, training and hypercare support

15.3 Acceptance criteria

- All **M** (Must) requirements implemented and demonstrated.
- Current vouchers and reports reproduced and editable via the dynamic engines.
- Historical data migrated and totals reconciled with the old system.
- Security review passed; backups and restore verified.
- Client UAT sign-off on staging before production go-live.

15.4 Open items for client decision

#	Item
1	Cloud provider & hosting region (data-residency preference)
2	AI provider and which AI features to include in phase 1
3	Access to current data for migration (DB export / sample)
4	Number of branches and concurrent users to plan for
5	Native mobile apps and accounting-package export — phase 1 or later
6	Hijri date display, SMS/WhatsApp notifications, email provider

Next step. Review this SRS, confirm the open items in 15.4, and sign off Section “Document Control”. On sign-off, ionob proceeds to UX/UI design and a confirmed delivery schedule.

Prepared by **ionob** • info@ionob.com • ION-SRS-RAWDA-001 v1.0 • Confidential