

Run npx playwright test ◇ injected env (0) from .env // tip: ~ auth for agents
[www.vestauth.com] [WebServer] [WebServer] > shift-happens-frontend@0.0.1 dev [WebServer] >
vite --host localhost [WebServer] [WebServer] [WebServer] VITE v6.4.2 ready in 174
ms [WebServer] [WebServer] → Local: http://localhost:5173/

Running 106 tests using 1 worker

◇ injected env (0) from .env // tip: ◇ secrets for agents [www.dotenvx.com] ✓ 1 [chromium] ›
tests/api_test_generic/auditlog.api.spec.ts:19:3 › Audit Log API › should get audit logs as admin (90ms) ✓ 2 [chromium] › tests/api_test_generic/department.api.spec.ts:19:3 › Department API ›
should perform full department CRUD lifecycle (212ms) ✓ 3 [chromium] ›
tests/api_test_generic/employeecontract.api.spec.ts:18:5 › Employee Contract API › should perform
full employee contract lifecycle (260ms) ✓ 4 [chromium] ›
tests/api_test_generic/holiday.api.spec.ts:17:5 › Holiday API › should fetch upcoming holidays
without parameters (310ms) ✓ 5 [chromium] › tests/api_test_generic/holiday.api.spec.ts:35:5 ›
Holiday API › should fetch upcoming holidays with countryCode and limit (19ms) ✓ 6
[chromium] › tests/api_test_generic/holiday.api.spec.ts:58:5 › Holiday API › should reject request
without authentication (6ms) ✓ 7 [chromium] › tests/api_test_generic/leave.api.spec.ts:21:3 ›
Leave API › should perform full LeaveType CRUD lifecycle (94ms) ✓ 8 [chromium] ›
tests/api_test_generic/leave.api.spec.ts:69:3 › Leave API › should perform full LeaveRequest CRUD
lifecycle (144ms) ✓ 9 [chromium] › tests/api_test_generic/leave.api.spec.ts:123:3 › Leave API ›
should perform full LeaveApproval CRUD lifecycle (217ms) ✓ 10 [chromium] ›
tests/api_test_generic/leave.api.spec.ts:203:3 › Leave API › should perform full LeaveLedger
CRUD lifecycle (194ms) ✓ 11 [chromium] ›
tests/api_test_generic/shiftswap_approval.api.spec.ts:20:3 › ShiftSwapApproval API › should
perform full ShiftSwapApproval lifecycle (485ms) ✓ 12 [chromium] ›
tests/api_test_generic/shiftswap_extra.api.spec.ts:18:3 › ShiftSwap Extra API › should perform PUT
update on ShiftSwap (387ms) ✓ 13 [chromium] ›
tests/api_test_generic/views_extra.api.spec.ts:20:5 › Database Views API › Employee Shift
Overview View › should fetch all employee shift overviews (34ms) ✓ 14 [chromium] ›
tests/api_test_generic/views_extra.api.spec.ts:27:5 › Database Views API › Employee Shift
Overview View › should fetch employee shift overview by employee ID (15ms) ✓ 15 [chromium]
› tests/api_test_generic/views_extra.api.spec.ts:36:5 › Database Views API › Employee Leave
Overview View › should fetch all employee leave overviews (30ms) ✓ 16 [chromium] ›
tests/api_test_generic/views_extra.api.spec.ts:43:5 › Database Views API › Employee Leave
Overview View › should fetch employee leave overview by employee ID (16ms) ✓ 17 [chromium]
› tests/api_test_generic/views_extra.api.spec.ts:50:5 › Database Views API › Employee Leave
Overview View › should fetch employee leave overview by status (20ms) ✓ 18 [chromium] ›
tests/api_test_generic/views_extra.api.spec.ts:57:5 › Database Views API › Employee Leave
Overview View › should fetch employee leave overview by leave type name (16ms) ✓ 19
[chromium] › tests/api_test_generic/worklocation.api.spec.ts:20:3 › WorkLocation API › should
perform full WorkLocation CRUD lifecycle (77ms) ✓ 20 [chromium] › tests/auth.api.spec.ts:8:3 ›
Auth API Integration › should issue a token for valid login and reject invalid login (210ms) ✓ 21
[chromium] › tests/employee/employee.api.spec.ts:26:3 › Employee API › should perform full
employee lifecycle via API (169ms) ✓ 22 [chromium] › tests/employee/employee.api.spec.ts:75:3
› Employee API › should enforce phone number decision table for create (552ms) ✓ 23
[chromium] › tests/employee/employee.api.spec.ts:97:3 › Employee API › should enforce age

boundaries from birth date (152ms) ✓ 24 [chromium] › tests/employee/employee.api.spec.ts:125:3 › Employee API › should enforce email format and uniqueness (166ms) ✓ 25 [chromium] › tests/employee/employee.api.spec.ts:153:3 › Employee API › should enforce password composition and length constraints (162ms) ✓ 26 [chromium] › tests/employee/employee.api.spec.ts:172:3 › Employee API › should validate employment status and hire date formats (29ms) ✓ 27 [chromium] › tests/employee/employee.e2e.spec.ts:20:3 › Employee E2E › should block deletion of employee with future shifts and allow after deletion (3.6s) ✓ 28 [chromium] › tests/job_role/job_role.api.spec.ts:139:3 › Job Role API › BR-API-JR-01 — unauthenticated GET /jobroles returns 401 (6ms) ✓ 29 [chromium] › tests/job_role/job_role.api.spec.ts:144:3 › Job Role API › BR-API-JR-01 — unauthenticated POST /jobroles returns 401 (5ms) ✓ 30 [chromium] › tests/job_role/job_role.api.spec.ts:157:3 › Job Role API › BR-API-JR-02 — authenticated admin can list job roles (16ms) ✓ 31 [chromium] › tests/job_role/job_role.api.spec.ts:168:3 › Job Role API › BR-API-JR-03 — admin creates, reads, updates and deletes a job role (67ms) ✓ 32 [chromium] › tests/job_role/job_role.api.spec.ts:228:3 › Job Role API › BR-API-JR-06B — manager can create, update and delete a job role (46ms) ✓ 33 [chromium] › tests/job_role/job_role.api.spec.ts:268:3 › Job Role API › BR-API-JR-07 — get non-existent job role returns 404 (9ms) ✓ 34 [chromium] › tests/job_role/job_role.api.spec.ts:276:3 › Job Role API › BR-API-JR-07 — delete non-existent job role returns 404 (10ms) ✓ 35 [chromium] › tests/job_role/job_role.api.spec.ts:286:3 › Job Role API › BR-API-JR-08 — employee cannot create/update/delete job roles (403) (24ms) ✓ 36 [chromium] › tests/job_role/job_role.api.spec.ts:329:3 › Job Role API › BR-API-JR-09 — roleName validation rejects short, long, invalid and blank values (22ms) ✓ 37 [chromium] › tests/job_role/job_role.api.spec.ts:364:3 › Job Role API › BR-API-JR-10 — duplicate roleName is rejected case-insensitively (20ms) ✓ 38 [chromium] › tests/job_role/job_role.api.spec.ts:392:3 › Job Role API › BR-API-JR-11 — missing isCertificationRequired returns 400 (9ms) ✓ 39 [chromium] › tests/job_role/job_role.api.spec.ts:405:3 › Job Role API › BR-API-JR-12 — delete is blocked when role is held by an employee (50ms) ✓ 40 [chromium] › tests/job_role/job_role.api.spec.ts:439:3 › Job Role API › BR-API-JR-12 — delete is blocked when role is required by a shift (55ms) ✓ 41 [chromium] › tests/job_role/job_role.api.spec.ts:492:3 › Job Role API › BR-API-EJR-01 — should perform full lifecycle for EmployeeJobRole (85ms) ✓ 42 [chromium] › tests/job_role/job_role.api.spec.ts:569:3 › Job Role API › BR-API-SRJ-01 — should perform full lifecycle for ShiftRequiredJobRole (93ms) ✓ 43 [chromium] › tests/login.e2e.spec.ts:8:3 › Login E2E › should accept valid credentials and reject invalid ones (748ms) ✓ 44 [chromium] › tests/shift/shift.api.spec.ts:125:3 › Shift API › SH-API-01 — unauthenticated GET /shifts returns 401 (5ms) ✓ 45 [chromium] › tests/shift/shift.api.spec.ts:130:3 › Shift API › SH-API-01 — unauthenticated POST /shifts returns 401 (4ms) ✓ 46 [chromium] › tests/shift/shift.api.spec.ts:137:3 › Shift API › SH-API-02 — authenticated employee can list shifts (12ms) ✓ 47 [chromium] › tests/shift/shift.api.spec.ts:145:3 › Shift API › SH-API-02 — employee cannot create a shift (403) (7ms) ✓ 48 [chromium] › tests/shift/shift.api.spec.ts:155:3 › Shift API › SH-API-03 — admin walks a shift through its full lifecycle (FR-SH-01, 02, 03, 06) (112ms) ✓ 49 [chromium] › tests/shift/shift.api.spec.ts:200:3 › Shift API › SH-API-03 — GET unknown shift id returns 404 (9ms) ✓ 50 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects end time equal to start time with 400 (12ms) ✓ 51 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects end time before start time with 400 (13ms) ✓ 52 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects duration below 60 minutes with 400 (12ms) ✓ 53 [chromium] ›

tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects duration above 12 hours with 400 (12ms) ✓ 54 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects blank shift name with 400 (17ms) ✓ 55 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects shift name over 100 characters with 400 (27ms) ✓ 56 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects shift name with unsafe content with 400 (12ms) ✓ 57 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects unknown shift status with 400 (11ms) ✓ 58 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects missing department with 400 (7ms) ✓ 59 [chromium] › tests/shift/shift.api.spec.ts:231:5 › Shift API › SH-API-04 — rejects non-existent department with 400 (10ms) ✓ 60 [chromium] › tests/shift/shift.e2e.spec.ts:100:3 › Shift E2E › E2E-SH-01 — admin loads the planner, creates a shift and edits it (FR-SH-01, FR-SH-02) (828ms) ✓ 61 [chromium] › tests/shift/shift.e2e.spec.ts:149:3 › Shift E2E › E2E-SH-02 — end time before start time shows a validation error (365ms) ✓ 62 [chromium] › tests/shift/shift.e2e.spec.ts:169:3 › Shift E2E › E2E-SH-03 — form status options match backend VALID_STATUSES (222ms) ✓ 63 [chromium] › tests/shift/shift.e2e.spec.ts:180:3 › Shift E2E › E2E-SH-04 — unauthenticated user is redirected to login (205ms) ✓ 64 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:133:3 › Shift Approval API › POST creates an approval and returns 200 with the persisted body (15ms) ✓ 65 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:145:3 › Shift Approval API › GET list returns 200, a JSON array including the created approval, within 2s (NFR-01) (14ms) ✓ 66 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:158:3 › Shift Approval API › GET by id returns 200 with the matching approval (22ms) ✓ 67 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:169:3 › Shift Approval API › PUT updates an existing approval and returns 200 with the new values (24ms) ✓ 68 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:188:3 › Shift Approval API › DELETE removes an approval and returns 200 (19ms) ✓ 69 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:201:3 › Shift Approval API › PUT on an unknown id returns 404 (10ms) ✓ 70 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:211:3 › Shift Approval API › GET is forbidden for an EMPLOYEE token (403) (8ms) ✓ 71 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:216:3 › Shift Approval API › POST is forbidden for an EMPLOYEE token (403) (6ms) ✓ 72 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:224:3 › Shift Approval API › DELETE is forbidden for an EMPLOYEE token (403) (14ms) ✓ 73 [chromium] › tests/shift_approval/shiftapproval.api.spec.ts:229:3 › Shift Approval API › GET without a token is unauthorized (401) (5ms) ✓ 74 [chromium] › tests/shift_approval/shiftapproval.e2e.spec.ts:103:3 › Shift Approval E2E › E2E-SA-01 — admin approves from a browser session; an employee session cannot (277ms) ✓ 75 [chromium] › tests/shift_assignment/shiftassignment-role-link.api.spec.ts:320:3 › Shift Assignment Role Link API › assign succeeds when employee holds one of shift required roles (185ms) ✓ 76 [chromium] › tests/shift_assignment/shiftassignment-role-link.api.spec.ts:335:3 › Shift Assignment Role Link API › assign fails when shift requires roles employee does not hold (150ms) ✓ 77 [chromium] › tests/shift_assignment/shiftassignment-role-link.api.spec.ts:347:3 › Shift Assignment Role Link API › assign succeeds when shift has no required roles (131ms) ✓ 78 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:112:3 › Shift Assignment API (CRUD + validation) › POST assigns an active employee to an open shift → 201 with JSON body (132ms) ✓ 79 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:128:3 › Shift Assignment API (CRUD +

validation) › POST defaults assignmentStatus to "Assigned" when omitted (129ms) ✓ 80
[chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:135:3 › Shift Assignment API (CRUD + validation) › GET list returns 200 and a JSON array, within 2s (NFR-01) (10ms) ✓ 81
[chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:144:3 › Shift Assignment API (CRUD + validation) › GET by id returns 200 with the matching assignment (175ms) ✓ 82
[chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:156:3 › Shift Assignment API (CRUD + validation) › PUT updates assignment status → 200 with new status (146ms) ✓ 83
[chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:169:3 › Shift Assignment API (CRUD + validation) › DELETE removes an assignment → 204 (145ms) ✓ 84 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:182:3 › Shift Assignment API (CRUD + validation) › POST without shiftId → 400 (112ms) ✓ 85 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:188:3 › Shift Assignment API (CRUD + validation) › POST with a non-existent shiftId → 400 (114ms) ✓ 86 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:194:3 › Shift Assignment API (CRUD + validation) › POST to a shift that is not Open → 400 (126ms) ✓ 87 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:202:3 › Shift Assignment API (CRUD + validation) › POST with an invalid assignmentStatus → 400 (128ms) ✓ 88 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:209:3 › Shift Assignment API (CRUD + validation) › POST that overlaps an existing assignment (rest-period rule) → 400 (152ms) ✓ 89 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:223:3 › Shift Assignment API (CRUD + validation) › PUT with an invalid assignmentStatus → 400 (139ms) ✓ 90 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:237:3 › Shift Assignment API (CRUD + validation) › GET by unknown id → 404 (10ms) ✓ 91 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:242:3 › Shift Assignment API (CRUD + validation) › DELETE by unknown id → 404 (9ms) ✓ 92 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:249:3 › Shift Assignment API (CRUD + validation) › GET without a token → 401 (4ms) ✓ 93 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:254:3 › Shift Assignment API (CRUD + validation) › POST with an EMPLOYEE token → 403 (222ms) ✓ 94 [chromium] › tests/shift_assignment/shiftassignment.api.spec.ts:268:3 › Shift Assignment API (CRUD + validation) › an EMPLOYEE only sees their own assignments and is forbidden from reading others (377ms) ✓ 95 [chromium] › tests/shift_assignment/shiftassignment.e2e.spec.ts:114:3 › Shift Assignment E2E › E2E-SAA-01 — admin creates an assignment via the UI and then deletes it (1.8s) ✓ 96 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:234:3 › Shift Swap API › BR-API-SS-01 — unauthenticated GET /shiftswaps returns 401 (5ms) ✓ 97 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:239:3 › Shift Swap API › BR-API-SS-01 — unauthenticated POST /shiftswaps returns 401 (4ms) ✓ 98 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:254:3 › Shift Swap API › BR-API-SS-02 — authenticated employee can list swaps (10ms) ✓ 99 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:265:3 › Shift Swap API › BR-API-SS-03 — owner creates a swap, a duplicate is rejected, then cancels it (FR-SW-02, FR-SW-07) (43ms) ✓ 100 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:328:5 › Shift Swap API › BR-API-SS-06 — non-owner cannot cancel another employee's swap › non-owner cannot cancel another employee's swap — returns 400 (9ms) ✓ 101 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:338:3 › Shift Swap API › BR-API-SS-07 — non-owner cannot create swap for another employee assignment (8ms) ✓ 102 [chromium] › tests/shift_swap/shiftswap.api.spec.ts:354:3 › Shift Swap API › BR-API-SS-08 — creating swap

with non-existing assignment returns 400 or 404 (10ms) ✓ 103 [chromium] ›
tests/shift_swap/shiftswap.api.spec.ts:370:3 › Shift Swap API › BR-API-SS-09 — missing
originalShiftAssignmentId returns 400 (8ms) ✓ 104 [chromium] ›
tests/shift_swap/shiftswap.api.spec.ts:385:3 › Shift Swap API › BR-API-SS-10 — employee cannot
request swap with themselves (14ms) ✓ 105 [chromium] ›
tests/shift_swap/shiftswap.api.spec.ts:401:3 › Shift Swap API › BR-API-SS-11 — cancelling
already cancelled swap returns 400 (33ms) ✓ 106 [chromium] ›
tests/shift_swap/shiftswap.e2e.spec.ts:181:3 › Shift Swap E2E › E2E-SS-01 — owner manages a
swap from a browser session; non-owner cannot cancel it (315ms)
106 passed (28.6s)