Ticket Simply API CONTRACT

Overview **2**
Ticket Simply Application API 2
1. Coach Type API **3**
2. Coach API **6**
3. Branch Details API **9**
4. User Details API **11**
5. Stage Details API **15**
6. Agent Details API **18**
7. Route Details API **22**
8 .City Details API **28**
9 .Booking Callback Response Changes **28**
1. Bookings Callback 29
2. Release Ticket Callback 30
3. Service Callback 31
4. Boarding Details Callback 34
5. Shift Ticket Callback 35
6. Update Ticket Callback 36

Overview

Ticket Simply Application API.Below API is used to get the details from the Bitla Operator. ‘GET’ api can be called once per day. Authentication for all the API’s x-token is mandatory to pass in Header.

To Generate X-TOKEN
date = '2020/08/26' #current date formate 'yyyy/mm/dd'
api_key = "pass_user_api_key_here" #get this api_key from the login API.
data = "#{travel_subdomain}|#{api_key}|#{date}"
xtoken = encryption(data) #Using SHA256 algorith to encrypt the data

1. Coach Type API

`//To get the particular coach type detail`

Request URL: **GET** `internal/api/coach_type/:coach_id.json?`
`EG: internal/api/coach_type/2.json?`
Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
coach_id	mandatory	integer	7	Coach id

Response Body:

Response key	is_mandatory	Type	Response Value	Remarks
coach_type_id	**mandatory**	**integer**	**2**	**Coach id**
coach_type	mandatory	string	Non A/c Sleeper, Seater, Semi Sleeper	Type of coach(Seater/Sleeper etc)
total_seats	mandatory	integer	30	Total Seat Count
status	mandatory	string	Active, Inactive, Proposed, Delete	Wether coach is Active or not
is_ac	mandatory	string	AC, Non AC	Coach is Air conditioned or

				not
is_video	mandatory	string	LED, LCD, Cabin LED, Non Video	Type of video in coach
bus_type	mandatory	string	seater	Type of seat bus
c_type	mandatory	string	Regular, Pickup	Regular or Pickup van
created_at	mandatory	string	17/08/2018 11:13:36	Date and time of coach creation
updated_at	mandatory	string	20/08/2018 18:26:27	Date and time of coach updation

Response Body:


```
{
  result:[
  [
  "coach_type_id",
  "coach_type",
  "total_seats",
  "status",
  "is_ac",
  "is_video",
  "bus_type",
  "c_type",
  "created_at",
  "updated_at",
  ],
  [
  "2",
  "Non A/C Seater 40 ",
  "40",
  "Out of service",
  "AC",
  "LED",
  "seater",
  "Regular",
  "17/08/2018 11:13:36",
  "20/08/2018 18:26:27",
  ]]
}
```


OR

```
//To get all the coach type details
```

Request URL: **GET** `internal/api/coach_type.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication

Response Body:


```
{
  result:[
  [
  "coach_type_id",
  "coach_type",
  "total_seats",
  "status",
  "is_ac",
  "is_video",
  "bus_type",
  "c_type",
  "created_at",
  "updated_at",
  ],
  [
  "3",
  "Volvo A/C Semi Sleeper ",
  "53",
  "In service",
  "AC",
  "LED",
  "seater",
  "Regular",
  "17/08/2018 11:13:36",
  "20/08/2018 18:26:27",
  ],
  [
  "5",
  "Non A/C Seater 40 ",
  "40",
  "Out of service",
  "Non AC",
  "Non Video",
```

```
    "seater",
    "Regular",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ]]
  }
```


2. Coach API

//To get particular coach detail

Request URL: **GET** `internal/api/coach_details/:coach_id.json?`

EG: `internal/api/coach_details/4.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
coach_id	mandatory	integer	7	Coach id
x-token	mandatory	string	QWERTY	Authentication

Response Data:

Response Body:


```
  {
    result:[
    [
    "id",
    "bus_number",
    "c_type",
    "coach_type",
    "coach_type_id",
    "status",
    "bus_type",
    "created_at",
    "updated_at",
    ],
    [
    "4",
    "CH 01 AC 2828 ",
    "Regular",
    "Non A/C Seater 40",
```

```
    1,
    "Out of service",
    "seater",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ]]
  }
```

OR

```
//To get all the coach details
```

Request URL: **GET** `internal/api/coach_details.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Remarks
Coach_id	mandatory	integer	7	Coach id
bus_number	mandatory	string	WB 73F 1694	Vehicle Registration Number
c_type	mandatory	string	Regular	Regular or Pickup
coach_type	mandatory	string	Non A/c Sleeper, Seater, Semi Sleeper	Type of coach(Seater/Sleeper etc)
coach_type_id	**mandatory**	**integer**	**1**	**Id of the coach type**
status	mandatory	string	Active, Inactive, Proposed, Delete	Status of vehicle wether Active or Inactive.
bus_type	mandatory	string	Seater	Type of seats in coach
created_on	mandatory	string	17/08/2018 11:13:36	Date and time of coach

				creation
updated_on	mandatory	string	20/08/2018 18:26:27	Date and time of coach updation

Response Body:


```
{
  result:[
  [
  "id",
  "bus_number",
  "c_type",
  "coach_type",
  "coach_type_id",
  "status",
  "bus_type",
  "created_at",
  "updated_at",
  ],
  [
  "12",
  "WB 73F 5466 ",
  "Regular",
  "VOLVO A/C Seater",
  1,
  "Out of service",
  "seater",
  "17/08/2018 11:13:36",
  "20/08/2018 18:26:27",
  ],
  [
  "14",
  "CH 01 AC 2828 ",
  "Regular",
  "Non A/C Seater 40",
  2,
  "Out of service",
  "seater",
  "17/08/2018 11:13:36",
  "20/08/2018 18:26:27",
  ]]
}
```

3. Branch Details API

//To get particular branch detail

Request URL: **GET** internal/api/branch_details/:branch_id.json?

EG: internal/api/branch_details/9.json?

Header: X-TOKEN = "QWERTY"

Request Params:

Parameter	is_mandatory	Type	Example	Description
branch_id	mandatory	integer	7	Coach id
x-token	mandatory	string	QWERTY	Authentication

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Remarks
branch_id	**mandatory**	**integer**	**7**	**Branch id in database**
branch_name	mandatory	string	Expresso Ahemdabad	Name of Branch
mobile_number	mandatory	string	011 41764531	Mobile number of Branch
status	mandatory	string	Active, Inactive, Proposed	Status of Branch
primary_contact	mandatory	string	Pradeep-Manager	Contact person of branch
tieup_operator	optional	string	Bitla Travels	Wether Branch tied-up with any other operator
created_at	mandatory	string	17/08/2018 11:13:36	Date and time of coach creation
updated_at	mandatory	string	20/08/2018 18:26:27	Date and time of coach updation

Response Body:

```
{
  result:[
  [
  "branch_id",
  "branch_name",
  "mobile_number",
  "status",
  "primary_contact",
  "tieup_operator",
  "created_at",
  "updated_at",
  ],
  [
  "9",
  "Expresso Ahemdabad ",
  "011 41764531",
  "Active",
  "Pradeep-Manager",
  "Bitla Travels",
  "17/08/2018 11:13:36",
  "20/08/2018 18:26:27",
  ]]
}
```


OR

```
//To get all the branch details
```

Request URL: **GET** `internal/api/branch_details.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication

Response Body:


```
{
  result:[
  [
  "branch_id",
  "branch_name",
  "mobile_number",
  "status",
  "primary_contact",
  "tieup_operator",
  "created_at",
  "updated_at",
```

```
    ],
    [
    "10",
    "Expresso Ahemdabad ",
    "011 41764531",
    "Active",
    "Pradeep-Manager",
    "Bitla Travels",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ],
    [
    "15",
    "Expresso Junagadh ",
    "011 41764555",
    "Active",
    "Pramod-Manager",
    "SRS Travels",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ]]
  }
```


4. User Details API

//To get the particular user detail

Request URL: **GET** internal/api/user_details/:user_id.json?

EG: internal/api/user_details/6.json?

Header: X-TOKEN = "QWERTY"

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication
user id	mandatory	integer	12	Id of the user in Database

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Remarks

id	mandatory	integer	6	User id in database
Login	mandatory	string	unq.owner	Username
first_name	mandatory	string	Pradeep	First name of user
branch_id	**mandatory**	**integer**	**2**	**Travel Branch ID**
travel_branch	mandatory	string	Expresso Ahemdabad	Travel Branch of User
role	mandatory	string	Booking officer/Chairman	Role of user
city	mandatory	string	Bangalore	City of Travel Branch
state	mandatory	string	Karnataka	State of Travel Branch
tieup_operator	optional	string	Bitla Travels	Wether user is in tieup with other operator
user_date_created	mandatory	string	"05/09/2018"	Date when user was created
mobile_number	mandatory	string	011 41764531	Mobile number of user
status	mandatory	string	Active, In-active, Proposed	Status of user
created_at	mandatory	string	17/08/2018 11:13:36	Date and time of user creation
updated_at	mandatory	string	20/08/2018 18:26:27	Date and time of user updation

Response Body:


```
{
   result:[
   [
   "id",
   "Login",
   "first_name",
   "branch_id",
   "travel_branch",
```

```
    "role",
    "city",
    "state",
    "tieup_operator",
    "user_date_created",
    "mobile_number",
    "status",
    "created_at",
    "updated_at",
    ],
    [
    "6",
    "ctwt.abhishek ",
    "Pradeep",
    2,
    "Expresso Ahemdabad",
    "Booking officer",
    "Bangalore",
    "Karnataka ",
    "Bitla Travels",
    "12/06/20",
    "011 41764531",
    "Active",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ]]
  }
```


OR

```
//To get all the user details
```

Request URL: **GET** `internal/api/user_details.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication

Response Body:


```
 {
    result:[
    [
    "id",
    "Login",
    "first_name",
    "branch_id",
```

"travel_branch",
"role",
"city",
"state",
"tieup_operator",
"user_date_created",
"mobile_number",
"status",
"created_at",
"updated_at",
],
[
"8",
"ctwt.abhishek ",
"Pradeep",
2,
"Expresso Ahemdabad",
"Booking officer",
"Bangalore",
"Karnataka ",
"Bitla Travels",
"12/06/20",
"011 41764531",
"Active",
"17/08/2018 11:13:36",
"20/08/2018 18:26:27",
],
[
"9",
"ctwt.ashok ",
"Ashok",
5,
"Expresso Junagadh",
"Booking officer",
"Junagadh",
"Gujarat ",
"SRS Travels",
"12/06/20",
"011 41764522",
"Active",
"17/08/2018 11:13:36",
"20/08/2018 18:26:27",
]]
}

5. Stage Details API

//To get stages of the particular Route. Need to pass route_id to get stages

Request URL: **GET** `internal/api/stage_details/:route_id.json?`

`EG: internal/api/stage_details/6.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication
stage id	mandatory	integer	12	Id of the stage in Database

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Description
id	mandatory	integer	32	Stage id
stage_name	mandatory	string	Madiwala	Name of stage
stage_type	mandatory	string	Boarding, Drop Off	Type wether Boarding or Pickup
contact_person	mandatory	string	Pradeep	Stage contact person
contact_number	mandatory	string	9992213123	Stage Contact Number
address	mandatory	string	Ayappa Swamy Temple	Stage address
city	mandatory	string	Bangalore	City of the stage
state	mandatory	string	Karnataka	State of the stage
latitude	optional	float	3560000.78	Geographical location of stage
longitude	optional	float	3000045.45	Geographical location of stage
mapped_route	optional	integer	1, 4, 12	Route id associated with the stage

created_at	mandatory	string	17/08/2018 11:13:36	Date and time of stage creation
updated_at	mandatory	string	20/08/2018 18:26:27	Date and time of stage updation

Response Body:


```
{
  result:[
  [
  "id",
  "stage_name",
  "stage_type",
  "contact_person",
  "contact_number",
  "address",
  "city",
  "state",
  "latitude",
  "longitude",
  "mapped_route",
  "created_at",
  "updated_at",
  ],
  [
  "32",
  "Madiwala",
  "Boarding",
  "Pradeep",
  "8105855518",
  "Ayappa Swamy Temple",
  "Bangalore",
  "Karnataka",
  "3560000",
  "3000045",
  "Del-Asr_VID00009_001",
  "17/08/2018 11:13:36",
  "20/08/2018 18:26:27",
  ],
  [
  "36",
  "Marathahalli",
```

"Boarding",
"Ashok",
"8105855510",
"Kalamandir",
"Bangalore",
"Karnataka",
"3750000",
"3000143",
"Blr-Chn_VID00009_001",
"17/08/2018 11:13:36",
"20/08/2018 18:26:27",
],
[
"39",
"Medhipatnam",
"Dropoff",
"Azad",
"8105855508",
"Pillar No 42",
"Hyderabad",
"Telangana",
"4650000",
"4120143",
"Blr-Chn_VID00009_001",
"17/08/2018 11:13:36",
"20/08/2018 18:26:27",
],
[
"44",
"SR Nagar",
"Dropoff",
"Akshath",
"8105855522",
"Opposite SBI Bank",
"Hyderabad",
"Telangana",
"7770000",
"5450143",
"Blr-Chn_VID00009_001",
"17/08/2018 11:13:36",
"20/08/2018 18:26:27",
]
}

6. Agent Details API

//To get particular agent detail

Request URL: **GET** internal/api/agent_details/:agent_id.json?

EG: internal/api/agent_details/14.json?

Header: X-TOKEN = "QWERTY"

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication
agent id	mandatory	integer	12	Id of the agent in Database

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Description
id	mandatory	integer	32	Agent id
Login	mandatory	string	unq.agent	Agent Username
first_name	mandatory	string	Prakash	Agent First name
branch_id	**mandatory**	**integer**	**2**	**Travel Branch ID**
travel_branch	mandatory	string	Expresso Ahemdabad	Agent Travel Branch
agent_date_created	mandatory	string	"05/09/2018"	Date when agent was created
mobile_number	mandatory	string	8105855518	Agent Mobile Number
status	mandatory	string	Active, In-Active	Agent status
commission_type	mandatory	string	Fixed, Percent	Agent Commission Type

commission_percent	mandatory	float	5	Agent Comission Percentage
balance	mandatory	float	500.0	Agent Balance amount
Allow_zero_percent_cancellation	mandatory	boolean	yes	Wether agent can do 100% cancellation
agent_type	mandatory	string	Online	Category of agent
city	mandatory	string	Bangalore	City where agent is located
state	mandatory	string	Karnataka	State where agent is located
account_type	mandatory	string	Prepaid, Postpaid	Agent type of account
credit_limit	mandatory	float	100000.0	Credit amount limit of agent
created_at	mandatory	string	17/08/2018 11:13:36	Date and time of agent creation
updated_at	mandatory	string	20/08/2018 18:26:27	Date and time of agent updation

Response Body:


```
{
  result:[
  [
  "id",
  "Login",
  "first_name",
  "branch_id",
  "travel_branch",
  "agent_date_created",
  "mobile_number",
  "status",
  "commission_type",
  "commission_percent",
  "balance",
  "Allow_zero_percent_cancellation",
  "agent_type",
  "city",
```

```
    "state",
    "account_type",
    "credit_limit",
    "created_at",
    "updated_at",
    ],
    [
    "14",
    "ctwt.abhishek ",
    "Pradeep",
    2,
    "Expresso Ahemdabad",
    "12/06/20",
    "8105855518",
    "Active ",
    "Percentage",
    "5%",
    "Rs 3897",
    "true",
    "Online Agent ",
    "Bangalore",
    "Karnataka",
    "Postpaid",
    "100000",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ]]
  }
```


OR

```
//To get all the agent details
```

Request URL: **GET** `internal/api/agent_details.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication


```
{
    result:[
    [
    "id",
    "Login",
    "first_name",
    "branch_id",
    "travel_branch",
```

"agent_date_created",
"mobile_number",
"status",
"commission_type",
"commission_percent",
"balance",
"Allow_zero_percent_cancellation",
"agent_type",
"city",
"state",
"account_type",
"credit_limit",
"created_at",
"updated_at",
],
[
"24",
"ctwt.prakash",
"Prakash",
2,
"Expresso Junagadh",
"18/06/20",
"8105855521",
"Active ",
"Percentage",
"10%",
"Rs 4897",
"true",
"Online Agent ",
"Bangalore",
"Karnataka",
"Postpaid",
"100000",
"17/08/2018 11:13:36",
"20/08/2018 18:26:27",
],
[
"77",
"ctwt.abhishek",
"Pradeep",
5,
"Expresso Ahemdabad",
"12/06/20",
"8105855518",
"Active ",
"Percentage",
"5%",
"Rs 3897",
"true",
"Online Agent ",
"Bangalore",
"Karnataka",

```
    "Postpaid",
    "100000",
    "17/08/2018 11:13:36",
    "20/08/2018 18:26:27",
    ]]
  }
```


7. Route Details API

//To get the particular active route details

Request URL: **GET** internal/api/route_details/:route_id.json?

EG: internal/api/route_details/4.json?

Header: X-TOKEN = "QWERTY"

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication
route_id	mandatory	integer	4	Id of the route in Database

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Description
id	mandatory	integer	4	Id of routes
route_created_date	mandatory	string	"17/08/2018"	Date when route is created
route_name	mandatory	string	string	Name of route
weekly_schedule	mandatory	integer	1,1,1,1,1,1,1	Wether service is weekly or daily
service_number	mandatory	string	BNG_CHN_Package	Service number
coach_type	mandatory	string	Non A/C Seater 40	Type of coach
coach_type_id	**mandatory**	**integer**	**4**	**Coach type ID**

origin	mandatory	string	Bangalore	Starting city of route
destination	mandatory	string	Chennai	End city of route
service_start_date	mandatory	string	Mon, 04 Mar 2019	Start date of service
service_arrival_time	mandatory	string	14:30	Arrival time of service
service_departure_time	mandatory	string	15:00	Departure time of service
advance_booking	mandatory	integer	30	Days before booking opens from travel date
is_multihop	mandatory	boolean	yes	Wether service is multihop or not
multistation	mandatory	string	"Bangalore-chennai": { "departure_time": "17:00", "duration": "05:00", "fares": [{ "weekday": "Sunday", "Seater": { "Adult fare": { "base_fare": 1500, "commission": 150 }, "Child fare": { "base_fare": 750,	Multistation fares and timings.

			"commission": 125
			
			}
			
			},
			"Sleeper": {
			
			"Adult fare": {
			
			"base_fare": 1500,
			
			"commission": 150
			
			},
			
			"Child fare": {
			
			"base_fare": 750,
			
			"commission": 125
			
			}
			
			}
			
			},
			
			{
			
			"weekday": "Monday",
			
			"Seater": {
			
			"Adult fare": {
			
			"base_fare": 1500,
			
			"commission": 150
			
			},
			
			"Child fare": {	

			"base_fare": 750,
			
			"commission": 125
			
			}
			
			},
			"Sleeper": {
			
			"Adult fare": {
			
			"base_fare": 1500,
			
			"commission": 150
			
			},
			
			"Child fare": {
			
			"base_fare": 750,
			
			"commission": 125
			
			}
			
			}
			
			},	

city_seq_order	mandatory	string	"18,29,24,25,1"	Sequence of cities from origin to destination
created_on	mandatory	string	17/08/2018 11:13:36	Date and time of route creation
updated_on	mandatory	string	20/08/2018 18:26:27	Date and time of route updation

Response Body:

```
{
  result:[
```

```
[
"id",
"route_created_date",
"route_name",
"weekly_schedule",
"service_number",
"coach_type",
"coach_type_id",
"origin",
"destination",
"service_start_date",
"service_arrival_time",
"service_departure_time",
"advance_booking",
"is_multihop",
"multistation",
"city_seq_order",
"created_at",
"updated_at",
],
[
"4",
"12/06/20",
"TN-05 RAM",
"1,1,1,1,1,1,1",
"BNG_CHN_Package",
"Non A/C Seater 40",
4,
"Bangalore",
"Chennai",
"12/5/2020",
"21:00",
"23:45",
"30 days",
"Yes",
{ "Bangalore-chennai": {     //we passing string data here'
   "departure_time": "17:00",
   "arrival_time": "05:00",
   "fares": [ {
          "weekday": "Monday",
          "citizen_type": "Adult",
          "base fare": 525,
          "commission": 12},
          {"weekday": "Monday",
          "citizen_type": "child",
          "base fare": 300,
          "commission": 12},
          {"weekday": "Tuesday",
          "citizen_type": "Adult",
          "base fare": 525,
          "commission": 12} ]
    }
```

```
    }
    ]
```

OR

```
//To get all active route details
```

Request URL: **GET** `internal/api/route_details.json?`

Header: `X-TOKEN = "QWERTY"`

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication

Response Body:


```
{
  result:[
  [
  "id",
  "route_created_date",
  "route_name",
  "weekly_schedule",
  "service_number",
  "coach_type",
  "coach_type_id",
  "origin",
  "destination",
  "service_start_date",
  "service_arrival_time",
  "service_departure_time",
  "advance_booking",
  "Is_multihop",
  "city_sequence",
  "Multistation",
 "city_seq_order",
 "created_at",
 "updated_at",
  ],
  [
  "4",
  "12/06/20 ",
  "TN-05 RAM",
  "1,1,1,1,1,1,1",
  "BNG_CHN_Package",
  "Non A/C Seater 40",
  4,
  "Bangalore",
```

"Chennai",
"12/5/2020",
"21:00",
"23:45",
"30 days",
"Yes",
"18,22,21",
{ "Bangalore-chennai": {   //we passing string data here
   "departure_time": "17:00",
   "arrival_time": "05:00",
   "fares": [{
          "weekday": "Monday",
          "citizen_type": "Adult",
          "base fare": 525,
          "commission": 12},
          {"weekday": "Monday",
          "citizen_type": "child",
          "base fare": 300,
          "commission": 12},
          {"weekday": "Tuesday",
          "citizen_type": "Adult",
          "base fare": 525,
          "commission": 12}]
    }
   }
],
[
"24",
"12/06/20",
"BNG CHN",
"1,1,1,1,1,1,1",
"SPL 1",
"A/C Seater",
3,
"Bangalore",
"Chennai",
"10/05/2020",
"20:00",
"00:45",
"30 days",
"Yes",
{ "Bangalore-chennai": {   //we passing string data here like 'Bangalore-Mysore'
   "departure_time": "17:00",
   "arrival_time": "05:00",
   "fares": [{
          "weekday": "Monday",
          "citizen_type": "Adult",
          "base fare": 525,
          "commission": 12},
          {"weekday": "Monday",
          "citizen_type": "child",
          "base fare": 300,
          "commission": 12},

```
            {"weekday": "Tuesday",
            "citizen_type": "Adult",
            "base fare": 525,
            "commission": 12} ]
        }
      }
  }
```


8 .City Details API

//To get the particular active city details

Request URL: **GET** internal/api/cities/:city_id.json?

EG: internal/api/cities/4.json?

Header: X-TOKEN = "QWERTY"

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication
city_id	mandatory	integer	1	Id of the agent in Database

Response Body:

Response key	is_mandatory	Type	Sample Response Value	Description
id	mandatory	integer	1	Id of routes
name	mandatory	string	Agra	Name of the city

Response Body:


```
{
  [
  ["id",
  "name"],
  [1,
  "Agra"]
  ]
}
```

OR

//To get all active cities details

Request URL: **GET** internal/api/cities.json?

Header: X-TOKEN = "QWERTY"

Request Params:

Parameter	is_mandatory	Type	Example	Description
x-token	mandatory	string	QWERTY	Authentication

Response Body:


```
{
  [
  ["id",
  "name"],
  [1,
  "Agra"],
  [2,
  "Akola"],
  [16,
  "Bangalore"],
  [18,
  "Bhopal"]
  ]
}
```


9 .Booking Callback Response Changes

1. Bookings Callback

Response Data:

Response key	is_mandatory	Type	Sample Response Value	Description
requestType	mandatory	string	BOOKING	Request type of API
Bookingdate	mandatory	string	2020-06-18	Issued date of the ticket
ticket_status	mandatory	string	Booked	Status of the ticket

ticket_number	mandatory	string	R2445	Ticket number
travel_operator_pnr	mandatory	string	248038	Operator PNR number
origin	mandatory	string	Bangalore	Boarding city of the ticket
destination	mandatory	string	Chennai	Drop off city of the ticket
travel_date	mandatory	string	2020-06-24	Journey Date
no_of_seats	mandatory	string	1	No of seats booked
seat_numbers	mandatory	string	U1	Seat number
travels	mandatory	string	GZB-VRN_VID00016_01	Service number
route_id	mandatory	string	20	route_id
bus_type	mandatory	string	TEST-232	Coach name
dep_time	mandatory	string	16200	Departure time in seconds
duration	mandatory	string	21:00	Duration of the service
boarding_point_details_address	mandatory	string	R k Ashram Metro station	Boarding Point address details
boarding_point_details_dep_time	mandatory	string	16201	Boarding Point departure time in secs
boarding_point_details_landmark	mandatory	string	Bangalore Majestic	Boarding Point landmark details
boarding_point_details_contact_numbers	mandatory	string	9876346574	Boarding Point contact number
boarding_point_details_total_fare	mandatory	string	[1000.0]	Total net fare amount

seat_detail_title	mandatory	string	Mr	Title of the Passenger
seat_detail_name	mandatory	string	Passenger1	Name of the Passenger
seat_detail_mobile	mandatory	string	8884924077	Mobile number of Passenger
seat_detail_email	mandatory	string	sample_test@gmail.com	Email ID of Passenger
drop_off_point_details_address	mandatory	string	Patlikuhal Bypass near fish farm	Dropping Point address details
drop_off_point_details_time	mandatory	string	2000-01-01T01:30:01.000Z	Dropping Point departure time
drop_off_point_details_landmark	mandatory	string	Karnataka	Boarding Point landmark details
drop_off_point_details_contact_numbers	mandatory	string	8884924077	Boarding Point contact number
schedule_id	mandatory	string	4344	Service Id
issued_by	mandatory	string	“Admin Admin/Bangalore /Branch Booking” or “Admin Admin/Branch Booking”	“Ticket Issued by/ Issued by travel branch name/ Ticket Booking type” or “Ticket Booked by/ Ticket Booking type”
discount_amount	mandatory	float	0.0	Discount amount for the ticket
passenger_details	optional	string	Hash data	Give the data with respect to seat numbers
payment_mode	optional	string	Cash or Wallet or Credit or OTHERS	Type of the Ticket Payment.

gst_company	optional	string	Test Company Pvt ltd	Customer provided GST company details
gst_number	optional	string	29KA78654544236778	Customer provided GST Number
booking_on_behalf	optional	string	Shubham	Booking on behalf of other person
booking_category	mandatory	string	Branch	Type of booking


```
{
   "requestType":"BOOKING",
   "Bookingdate":"2020-06-18",
   "ticket_status":"Booked",
   "ticket_number":"R2445",
   "travel_operator_pnr":"248038",
   "origin":"Bangalore",
   "destination":"Chennai",
   "travel_date":"2020-06-24",
   "no_of_seats":"1",
   "seat_numbers":"U1",
   "travels":"GZB-VRN_VID00016_01",
   "route_id":"20",
   "bus_type":"TEST-232",
   "dep_time":"16200",
   "duration":"21:00",
   "boarding_point_details_address":"R k Ashram Metro station",
   "boarding_point_details_dep_time":"16201",
   "boarding_point_details_landmark":"Bangalore Majestic",
   "boarding_point_details_contact_numbers":"9876346574",
   "boarding_point_details_total_fare":"[1000.0]",
   "seat_detail_title":"Mr",
   "seat_detail_name":"Passenger1",
   "seat_detail_mobile":"8884924077",
   "seat_detail_email":"sample_test@gmail.com",
   "drop_off_point_details_address":"Patlikuhal Bypass near fish farm",
   "drop_off_point_details_time":"2000-01-01T01:30:01.000Z",
   "drop_off_point_details_landmark":"Karnataka",
   "drop_off_point_details_contact_numbers":"8884924077",
   "schedule_id":"4344",
```

```
  "issued_by"=>"Admin Admin/Bangalore/Branch Booking",
  "discount_amount":"0.0",
  "passenger_details":
    [{"pnr_number":"248038",
     "seat_number":"U1",
     "name":"Passenger1",
     "gender":"Mr",
     "phone_number":"8884924077",
     "email":"sample_test@gmail.com",
     "age":27,
     "adult_fare":1000.0,
     "net_amount":1000.0,
     "commission_amount":0.0,
     "service_tax_amount":0.0}],
  "payment_mode":"Cash",
  "booking_created_by":"Pradeep",
  "booking_on_behalf":"Shubham",
  "booking_category":"Branch"
}
```


2. Cancellation Callback

Response Data:

Response key	is_mandatory	Type	Sample Response Value	Description
requestType	mandatory	string	CANCEL	Request type of API
travel_operator_pnr	mandatory	string	248038	Operator PNR number
no_of_seats	mandatory	string	1	No of seats booked
ticket_status	mandatory	string	Cancelled	Current ticket status
seat_numbers	mandatory	string	U1	Seat numbers of the ticket
cancellation_charge	optional	string	300	Cancellation charges of the ticket
cancelled_by	optional	string	Pradeep	Cancelled by which user

cancelled_on	optional	string	17/08/2018	Date on which it is cancelled
cancelled_remark	optional	string	xyz	Cancelled Remarks


```
{
      "requestType":"CANCEL",
      "travel_operator_pnr": "248038",
      "no_of_seats": "1",
      "ticket_status": "Cancelled",
      "seat_numbers": "U1",
      "cancellation_charge": "300",
      "cancelled_by":"Pradeep",
      "cancelled_on":"12/06/2020",
      "cancelled_remark":"xyz",
     }
 }
```


3. Release Ticket Callback

Response Data:

Response key	is_mandatory	Type	Sample Response Value	Description
requestType	**mandatory**	**string**	**RELEASE**	**Request type of API**
ticket_number	mandatory	string	248038	PNR Number of ticket
seat_number	mandatory	string	2	Seat number of passenger
passeneger_details	mandatory	string	Shivam chaurasia	Name of passenger
phone_number	mandatory	string	9129209450	Phone number of passenger
email	optional	string	sc2729354@gmail.com	Email number of passenger
issue_date	mandatory	string	11/07/20	Date of booking
travel_date	mandatory	string	11/07/20	Date of journey

amount	mandatory	float	356	Total amount
service	mandatory	string	GZB-VRN_VID00016_01	Service name/number
booked_by	mandatory	string	Paytm	Ticket Booked by source
confirmed/released_by	mandatory	string	System Administrator	Ticket confirmed/released by which user
status	mandatory	string	Released, Confirmed	Status of ticker
time_of_release	mandatory	string	61201	Time at which ticket was released
Remarks	mandatory	string	via Paytm	Remarks/Comments


```
{
  "requestType":"RELEASE",
  "ticket_number":"248038",
  "seat_number":"2",
  "passeneger_details":"Shivam chairasia",
  "phone_number":"9129209450",
  "email":"sc2729354@gmail.com",
  "issue_date":"11/07/20",
  "travel_date":"11/07/20",
  "amount":"356",
  "service":"GZB-VRN_VID00016_01",
  "booked_by":"Paytm",
  "confirmed/released_by":"System Administrator",
  "status":"Released",
  "time_of_release":"44011.9902777778",
  "Remarks":"via Paytm",
}
```


4. Service Callback

//Callback hits if any values changes in the below keys

Response key	is_mandatory	Type	Sample Response Value	Description

requestType	**mandatory**	**string**	**SERVICE**	**Request type of API**
service_number	mandatory	string	BNG_CHN_Package	Number of service
reservation_id	mandatory	integer	7482	Reservation id of the service
coach_number	mandatory	string	CH 01 AC 2828	Registration number of coach
journey_date	mandatory	string	Sat, 01 Jan 2020	Date of Journey
origin	mandatory	string	Bangalore	Starting City
destination	mandatory	string	Chennai	Ending City
Service_arrival_time	mandatory	string	21:00	Arrival time of service
total_seats_booked	mandatory	integer	30	Total seats booked so far
total_capacity	mandatory	integer	45	Total seating capacity of the coach
driver_1_number	mandatory	string	8105855518	Contact number of Driver
driver_2_number	optional	string	8105855522	Contact number of Driver
cleaner_number	optional	string	8105855753	Contact number of cleaner
trip_status	mandatory	string	Running, Completed	Current status of trip
multistation	mandatory	string	"Bangalore-chennai": { "departure_time": "17:00", "duration": "05:00", "fares": ["Seater": { "Adult fare": { "base_fare": 1500,	Multistation fares and timings.

			"commission": 150
			
			},
			
			"Child fare": {
			
			"base_fare": 750,
			
			"commission": 125
			
			}
			
			},
			"Sleeper": {
			
			"Adult fare": {
			
			"base_fare": 1500,
			
			"commission": 150
			
			},
			
			"Child fare": {
			
			"base_fare": 750,
			
			"commission": 125
			
			}
			
			}	

is_rate_card_applied	mandatory	string	Yes	Whether rate card fare is applied or not
is_seatwise_fare_applied	mandatory	string	No	Whether seat wise fare is applied or not

is_dp_rule_based_pricing_applied	mandatory	string	Yes	Whether dynamic pricing rule is applied or not
is_transfer_pricing_applied	mandatory	string	Yes	Whether transfer pricing is applied or not
is_bp_dp_fare_applied	mandatory	string	No	Weather boarding point dropping point fare is applied or not


```
{
  "requestType":"SERVICE",
  "service_number":"BNG_CHN_Package",
  "reservation_id":"7482",
  "coach_number":"CH 01 AC 2828",
  "journey_date":"12/06/20",
  "origin":"Bangalore",
  "destination":"Chennai",
  "Service_arrival_time":"21:00",
  "total_seats_booked":"36",
  "total_capacity":"45",
  "driver_1_number":"8105855518",
  "driver_2_number":"8105855519",
  "Cleaner_number":"8105855520",
  "trip_status":"Running",
  "multistation": "{"18-19":
  [["11:30", "15:00", 0, 0],
   {"2":{"1":"1600", "2":250}, "3":{"1":"1600", "2":250}, "12":{"1":"1500",
"2":250}, "13":{"1":"1500", "2":250}}],
 "29-23":
  [["14:30", "02:00", 0, 0],
   {"2":{"1":"1500", "2":250}, "3":{"1":"1500", "2":250}, "12":{"1":"1500",
"2":250}, "13":{"1":"1500", "2":250}}]}"
  "is_rate_card_applied":"Yes",
  "is_seatwise_fare_applied":"Yes",
  "is_dp_rule_based_pricing_applied":"Yes",
  "is_transfer_pricing_applied":No",
  "is_bp_dp_fare_applied":"No",
}
```

5. Boarding Details Callback

```
//When Boarding status of the ticket is updated and it will be seat-wise updates.
```

Response Data:

Response key	is_mandatory	Type	Sample Response Value	Description
requestType	**mandatory**	**string**	**BOARDING**	**Request type of API**
ticket_number	mandatory	integer	248038	Ticket PNR Number
service_number	mandatory	string	BNG_CHN_Package	Service Number of route
seat_number	mandatory	string	C1	Seat number of passenger
boarding_status	mandatory	string	Boarded, Yet to Board	Status of boarding

```
{
  "requestType":"BOARDING",
  "ticket_number":"248038",
  "service_number": "BNG_CHN_Package",
  "seat_number": "C1"
  "boarding_status": "Boarded"
}
```

6. Shift Ticket Callback

Response Data:

Response key	is_mandatory	Type	Sample Response Value	Description
requestType	**mandatory**	**string**	**SHIFT**	**Request type of API**
travel_operator_pnr	mandatory	string	248038	PNR number of ticket
old_service_number	mandatory	string	BNG_CHN_Package	Service name from which ticket is shifted

new_service_number	mandatory	string	BNG_CHN_NEW	Service name to which ticket is shifted
old_seat_number	mandatory	string	24	Seat number in old service
new_seat_number	mandatory	string	10	Seat number in new service
boarding_point_details	mandatory	string	Madiwala	Boarding point of passenger
shifted_by	mandatory	string	Pradeep	Shifting done by which user
shifted_on	mandatory	string	16/02/2020	Shifting done on which date
travel_date	mandatory	string	16/02/2020	Date of journey
remark	optional	string	Xyz	Remarks/Comments

```
{
    "requestType":"SHIFT",
    "travel_operator_pnr":"248038",
    "old_service_name": "BNG_CHN_Package",
    "new_service_name": "BNG_CHN_NEW"
    "old_seat_number": "24"
    "new_seat_number":"10",
    "boarding_point_details": "Madiwala",
    "shifted_by": "Pradeep"
    "shifted_on": "16/02/2020"
    "travel_date": "16/02/2020"
    "remark": "XYZ"
}
```

7. Update Ticket Callback

Response Data:

Response key	is_mandatory	Type	Sample Response Value	Description
requestType	**mandatory**	**string**	**UPDATE**	**Request type of API**

travel_operator_pnr	mandatory	string	256542	PNR number of ticket
boarding_point_details_address	mandatory	string	R Ashram Metro station	Address of Boarding point
boarding_point_details_dep_time	mandatory	string	61113	Departure time of boading point
boarding_point_details_landmark	mandatory	string	Bangalore Majestic	Landmark of Boarding point
boarding_point_details_contact_numbers	mandatory	string	11616161616	Contact number of Boarding point
boarding_point_details_total_fare	mandatory	float	1000.0	Fare from Boarding point
drop_off_point_details_address	mandatory	string	Patlikuhal	Address of Dropping point
drop_off_point_details_time	mandatory	string	61201	Time of Dropping point
drop_off_point_details_landmark	mandatory	string	Karnataka	Landmark of Dropping point
drop_off_point_details_contact_numbers	mandatory	string	11616161616	Contact number of Dropping point
remarks	optional	string	xyz	Remarks/Comments
name	mandatory	string	Shubh	Name of passenger
age	mandatory	string	24	Age of passenger
gender	mandatory	string	Male	Gender of passenger
phone_number	mandatory	string	8887776664	Phone number of passenger
email	optional	string	s@gmail.com	Email of passenger

seat_number	mandatory	string	C2	Seat number of passenger


```
{
    "requestType":"UPDATE",
    "travel_operator_pnr":"256542",
    "boarding_point_details_address": "R Ashram Metro station",
    "boarding_point_details_dep_time": "61113",
    "boarding_point_details_landmark": "Bangalore Majestic"
    "boarding_point_details_contact_numbers":"11616161616",
    "boarding_point_details_total_fare": "1000.0",
    "drop_off_point_details_address": "Patlikuhal",
    "drop_off_point_details_time": "61201",
    "drop_off_point_details_landmark": "Karnataka",
    "drop_off_point_details_contact_numbers": "11616161616",
    "remarks":"xyz",
    Passenger_details: (Seat wise records)
          [
          "name": "Shubh",
          "age": "24"
          "gender": "Male"
          "phone_number":"8887774443",
          "email": "s@gmail.com",
          "seat_number": "C2"
          ]
}
```