

いた うった 痛みの 訴え

A Pain Complaint — Asking, Observing, and Reporting — Scenario Dialogue

Can-do: Respond to a resident's pain with concern, ask where and how much it hurts, reassure them, and report clearly to the nurse — without medicating.

1 · Dialogue & Why — 会話

Tanaka-san
(resident)

ねえ、腰^{こし}が 痛^{いた}いのよ。

Excuse me, my back hurts.

Why: ねえ = a soft 'hey / excuse me' to get your attention. 腰[こし] = 'lower back'; 痛[いた]い = 'hurts / painful'. When a resident reports pain, stop what you're doing and respond with full attention and concern — never brush it off with '大丈夫[だいじょうぶ]でしょう' ('you're probably fine'), which is a classic NG response.

Hana
(caregiver)

つらいですね。どの あたり^{いた}が 痛^{いた}いですか。

That must be hard. Around where does it hurt?

Why: Empathise first — つらいですね ('that must be hard') shows you take it seriously. Then localise: どのあたり = 'around where / which area'. Pinpointing the location is the first thing the nurse will need, so you ask it right away.

Tanaka-san
(resident)

この へん^{うご}。動^{いた}くと 痛^{いた}むの。

Around here. It hurts when I move.

Why: このへん = 'around here' (へん = area). 動[うご]くと痛[いた]む = 'it hurts when I move' (~と = 'whenever/when'). Whether pain is triggered by movement, or constant, is important information — note exactly what the resident tells you, in their words.

Hana
(caregiver)

いつから 痛^{いた}みますか。どれくらい 痛^{いた}いですか。

Since when has it hurt? How much does it hurt?

Why: Two more key questions: いつから ('since when' — the timeline) and どれくらい ('how much' — the severity). These build the factual picture. For severity, a simple scale helps: 少[すこ]しですか、とてもですか ('a little, or a lot?'), or onomatopoeia — ズキズキ (throbbing) / ジンジン (dull ache).

Tanaka-san
(resident)

さっきから。ズキズキ するの。

Since a little while ago. It's throbbing.

Why: さっきから = 'since a little while ago'. ズキズキ is the onomatopoeia for throbbing pain — Japanese uses these sound-words to describe pain precisely (ズキズキ throbbing, ジンジン tingling/dull, チクチク stinging). Learning them lets you report the KIND of pain accurately.

Hana
(caregiver)

つらいですね。大丈夫ですよ。すぐに^{だいじょうぶ} 看護師^{かんごし}さんを^よ呼びますね。

That must be hard. It's all right — I'll call the nurse right away.

Why: Here is the caregiver's boundary: you observe and report, you do NOT medicate or diagnose. すぐに ('right away') 呼[よ]びますね ('I'll call') escalates promptly to the 看護師[かんごし] (nurse), who decides on treatment. Reassure the resident while you get help — never leave them feeling dismissed.

Hana
(caregiver)

先に^{さき} 楽^{らく}な 姿勢^{しせい}に なりましょうか。無理^{むり}に 動^{うご}かないで くださいね。すぐ^{もと} 戻りますね。

First, shall we get you into a comfortable position? Please don't force yourself to move. I'll be right back.

Why: While waiting, ease the resident: 楽[らく]な姿勢[しせい] = 'a comfortable position' (楽[らく] = at ease, 姿勢[しせい] = posture). Helping them settle and promising すぐ戻[もと]ります ('I'll be right back') keeps them calm and cared-for. Then you observe — face, swelling, warmth (熱感[ねつかん]) — to report. 先[さき]に (Ep 14) puts comfort before the phone call; 無理[むり]に 動[うご]かないで (無理[むり]に from Ep 14) protects the back while you fetch help.

Hana
(caregiver)

(看護師に) 田中^{たなか}さんが、さっきから 腰^{こし}の 痛み^{いた}を ^{うった}訴えています。熱感^{ねつかん} は ありません。

(to the nurse) Tanaka-san has been complaining of lower-back pain since a little while ago. There's no heat/warmth.

Why: The factual handover — the same clear reporting as 申[もう]し送[おく]り (ks-10). State WHO (田中[たなか]さん), WHAT (腰[こし]の 痛[いた]み), SINCE WHEN (さっきから), and an OBSERVATION (熱感[ねつかん] はありません = 'no warmth'). 訴[うった]える = 'to complain of (a symptom)', the standard care/medical verb. Concise facts help the nurse act fast.

2 · Key Vocabulary — 語彙

#	日本語	ROMAJI	ENGLISH	メモ / NOTES
1	こし 腰	<i>koshi</i>	lower back; waist	
2	いた 痛い	<i>itai</i>	painful; it hurts	
3	つらい		hard; painful (to bear)	
4	あたり		area; around	
5	うご 動く	<i>ugoku</i>	to move	
6	いた 痛む	<i>itamu</i>	to hurt, ache	仕事日本語 · Shigoto Nihongo Free video lessons on YouTube · ks-15-pain-complaint

7	いつから		since when	
8	どれくらい		how much; to what extent	
9	さっき		a little while ago	
10	ズキズキ		throbbing (pain)	
11	かんごし 看護師	<i>kangoshi</i>	nurse	
12	よ 呼ぶ	<i>yobu</i>	to call	
13	だいじょうぶ 大丈夫	<i>daijoubu</i>	okay; all right (recycled from Ep 14)	
14	らく 楽	<i>raku</i>	comfortable; at ease	
15	しせい 姿勢	<i>shisei</i>	posture; position	
16	さき 先に	<i>sakini</i>	first; before anything else (recycled from Ep 14)	
17	むり 無理に	<i>murini</i>	by force; straining (recycled from Ep 14)	
18	うった 訴える	<i>uttaeru</i>	to complain of (a symptom)	
19	ねつかん 熱感	<i>nekkkan</i>	warmth; heat (a sign)	

3・Patterns to Reuse — 使える かたち

PATTERN	MEANING & USE
どのあたりが 痛[いた] みますか	'Around where does it hurt?' — localise the pain
いつから / どれくらい 痛[いた]いですか	'Since when / how much?' — timeline + severity
ズキズキ / ジンジン	Onomatopoeia for the KIND of pain — throbbing / dull
すぐに 看護師[かんごし]さんを 呼[よ]びます 仕事日本語・Shigoto Nihongo	Escalate promptly — caregivers report, nurses treat Free video lessons on YouTube · ks-15-pain-complaint

ね	
～さんが、～を 訴[うった]えています	Factual symptom report to the nurse (who/what/since when/sign)

4・Practice — れんしゅう

Say / write it in Japanese, then check with the answer key.

#	SAY THIS IN JAPANESE	YOUR ANSWER
1	Where does Tanaka-san hurt? A) 頭[あたま] B) 腰[こし] C) 足[あし] D) 腕[うで]	
2	What kind of pain is it? A) ジンジン B) ズキズキ C) 熱感[ねつかん]がある D) 動[うご]かなくても 痛[いた]い	
3	Ease them: 'First, shall we get you into a comfortable position?'	
4	Report to the nurse: 'Tanaka-san is complaining of back pain; no warmth.'	
5	Tell her not to strain: 'Please don't force yourself to move.'	

5・Answer Key — こたえ

1. 腰^{こし}が 痛^{いた}いのよ。
2. ズキズキ するの。
3. 先^{さき}に 楽^{らく}な 姿勢^{しせい}に なりましょうか。
4. 田中^{たなか}さんが 腰^{こし}の 痛^{いた}みを 訴^{うった}えています。熱感^{ねつかん}は ありま
せん。
5. 無理^{むり}に 動^{うご}かないで くださいね。