

いた うった 痛みの 訴え

A Pain Complaint — Asking, Observing, and Reporting — Scenario Dialogue

Can-do: Respond to a resident's pain with concern, ask where and how much it hurts, reassure them, and report clearly to the nurse — without medicating.

1 · Dialogue & Why — 会話

Tanaka-san
(resident)

ねえ、^{こし}腰が^{いた}痛いよ。

Excuse me, my back hurts.

Why: ねえ = a soft 'hey / excuse me' to get your attention. 腰 = 'lower back'; 痛い = 'hurts / painful'. When a resident reports pain, stop what you're doing and respond with full attention and concern — never brush it off with '大丈夫でしょう' ('you're probably fine'), which is a classic NG response.

Hana
(caregiver)

つらいですね。どの^{いた}あたりが痛いですか。

That must be hard. Around where does it hurt?

Why: Empathise first — つらいですね ('that must be hard') shows you take it seriously. Then localise: どのあたり = 'around where / which area'. Pinpointing the location is the first thing the nurse will need, so you ask it right away.

Tanaka-san
(resident)

この^{うご}へん。^{いた}動くと痛むの。

Around here. It hurts when I move.

Why: このへん = 'around here' (へん = area). 動くと痛む = 'it hurts when I move' (〜と = 'whenever/when'). Whether pain is triggered by movement, or constant, is important information — note exactly what the resident tells you, in their words.

Hana
(caregiver)

いつから^{いた}痛みますか。どれくらい^{いた}痛いですか。

Since when has it hurt? How much does it hurt?

Why: Two more key questions: いつから ('since when' — the timeline) and どれくらい ('how much' — the severity). These build the factual picture. For severity, a simple scale helps: 少しですか、とてもですか ('a little, or a lot?'), or onomatopoeia — ズキズキ (throbbing) / ジンジン (dull ache).

Tanaka-san
(resident)

さっきから。ズキズキするの。

Since a little while ago. It's throbbing.

Why: さっきから = 'since a little while ago'. ズキズキ is the onomatopoeia for throbbing pain — Japanese uses these sound-words to describe pain precisely (ズキズキ throbbing, ジンジン tingling/dull, チクチク pricking). Learning them lets you report the KIND of pain accurately.

Hana
(caregiver)

つらいですね。すぐに^{かんごし}看護師さん^よを呼びますね。

That sounds hard. I'll call the nurse right away.

Why: Here is the caregiver's boundary: you observe and report, you do NOT medicate or diagnose. すぐに ('right away') 呼びますね ('I'll call') escalates promptly to the 看護師 (nurse), who decides on treatment. Reassure the resident while you get help — never leave them feeling dismissed.

Hana
(caregiver)

らく^{しせい}楽な姿勢^{もど}になりましょうか。すぐ戻りますね。

Shall we get you into a more comfortable position? I'll be right back.

Why: While waiting, ease the resident: 楽な姿勢 = 'a comfortable position' (楽 = at ease, 姿勢 = posture). Helping them settle and promising すぐ戻ります ('I'll be right back') keeps them calm and cared-for. Then you observe — face, swelling, warmth (熱感) — to report.

Hana
(caregiver)

(看護師に) 田中^{かんごし}さんが、さっきから^{たなか}腰^{こし}の痛み^{いた}を^{うった}訴^{ねっかん}えています。熱感
はありません。

(to the nurse) Tanaka-san has been complaining of lower-back pain since a little while ago. There's no heat/warmth.

Why: The factual handover — the same clear reporting as 申し送り (ks-10). State WHO (田中さん), WHAT (腰の痛み), SINCE WHEN (さっきから), and an OBSERVATION (熱感はありません = 'no warmth'). 訴える = 'to complain of (a symptom)', the standard care/medical verb. Concise facts help the nurse act fast.

2・Key Vocabulary — 語彙

#	日本語	ROMAJI	ENGLISH	メモ / NOTES
1	^{こし} 腰	<i>koshi</i>	lower back; waist	
2	^{いた} 痛い	<i>itai</i>	painful; it hurts	
3	つらい		hard; painful (to bear)	
4	あたり		area; around	
5	^{うご} 動く	<i>ugoku</i>	to move	
6	^{いた} 痛む	<i>itamu</i>	to hurt; ache	
7	いつから		since when	
8	どれくらい		how much; to what extent	
9	^{仕事日本語} ・Shigoto Nihongo さっき		Free video lessons on YouTube・ks-15-pain-complaint a little while ago	

10	ズキズキ		throbbing (pain)	
11	かんごし 看護師	kangoshi	nurse	
12	よ 呼ぶ	yobu	to call	
13	らく 楽	raku	comfortable; at ease	
14	しせい 姿勢	shisei	posture; position	
15	うった 訴える	uttaeru	to complain of (a symptom)	
16	ねっかん 熱感	nekkan	warmth; heat (a sign)	

3・Patterns to Reuse — 使える かたち

PATTERN	MEANING & USE
どのあたりが痛みますか	'Around where does it hurt?' — localise the pain
いつから / どれくらい痛いですか	'Since when / how much?' — timeline + severity
ズキズキ / ジンジン	Onomatopoeia for the KIND of pain — throbbing / dull
すぐに看護師さんを呼びますね	Escalate promptly — caregivers report, nurses treat
～さんが、～を訴えています	Factual symptom report to the nurse (who/what/since when/sign)

4・Practice — れんしゅう

Say / write it in Japanese, then check with the answer key.

#	SAY THIS IN JAPANESE	YOUR ANSWER
1	Empathise + localise: 'That must be hard. Around where does it hurt?'	
2	Ask timeline + severity: 'Since when? How much does it hurt?'	
3	仕事日本語・Shigoto Nihongo Escalate: 'I'll call the nurse right away.'	Free video lessons on YouTube · ks-15-pain-complaint

4	Ease them: 'Shall we get you into a comfortable position?'	
5	Report to the nurse: 'Tanaka-san is complaining of back pain; no warmth.'	

5・Answer Key — こたえ

- | | |
|--|--|
| <p>1. つらいですね。どの あたりが ^{いた} 痛いですか。</p> <p>2. いつから ^{いた} 痛みますか。どれくらい ^{いた} 痛いですか。</p> <p>3. すぐに ^{かんごし} 看護師さんを ^よ 呼びますね。</p> | <p>4. ^{らく} 楽な ^{しせい} 姿勢に なりましょうか。</p> <p>5. ^{たなか} 田中さんが ^{こし} 腰の ^{いた} 痛みを ^{うった} 訴えています。 ^{ねっかん} 熱感 は ありま
せん。</p> |
|--|--|