

Detection of Brain Tumor in MRI Images, using Combination of Fuzzy C-Means and SVM

1. Summary

1.1 Motivation/Purpose/Aims/Hypothesis

The purpose of this study was to develop a more effective method for detecting brain tumors using brain MRI images. The researchers hypothesized that a hybrid methodology combining support vector machine and fuzzy c-means clustering could provide accurate results for identifying brain tumors.

1.2 Contribution

The study contributes to the field by proposing a hybrid methodology for brain tumor detection. This methodology combines the support vector machine and fuzzy c-means clustering for classification, providing accurate results for identifying brain tumors.

1.3 Methodology

The methodology involved using a dataset of 120 patients' MRI brain images. The images were enhanced and cleaned using various techniques such as contrast improvement, mid-range stretch, and Skull stripping using double thresholding and morphological operations. The SVM classifier was trained using 96 brain MRI images, and the remaining 24 brain MRI images were used for testing the trained SVM. The performance of the SVM classifier was evaluated using three different kernel functions: Linear, Quadratic, and Polynomial. Combined SVM and Fuzzy C-Means for classification.

Fuzzy C-Means clustering for image segmentation.

Feature extraction using Gray Level Run Length Matrix (GLRLM).

SVM classification for accurate results.

1.4 Conclusion

The proposed system demonstrated that brain MRI images are a significant tool for detecting brain tumors. The hybrid methodology provided accurate results for identifying brain tumors. For future work, a hybrid SVM algorithm is proposed to improve the accuracy rate and reduce the error rate.

2. Limitations

2.1 First Limitation/Critique

One potential limitation of the study is the limited diversity in the data. The effectiveness of the proposed method may be limited by the size and diversity of the dataset used (120 patients' MRI brain images).

2.2 Second Limitation/Critique

Another potential limitation is the dependence on image enhancement techniques. The success of the system might be sensitive to the quality of image enhancement techniques used, and these techniques may not always guarantee improved classification, especially in the presence of noise or artifacts in the original images.

3. Synthesis

The ideas presented in the paper have potential applications in the medical field, particularly in the early detection and diagnosis of brain tumors. The proposed hybrid methodology could be integrated into existing diagnostic tools to improve their accuracy. In terms of future scope, the study suggests exploring different data mining techniques and increasing the size of the data sets used for training and testing. These enhancements could lead to even more precise and reliable tumor detection in brain MRI images. Furthermore, the methodology could potentially be adapted for the analysis of other types of medical images, broadening its applicability.