Department of Computer Science and Engineering (CSE) BRAC University

Summer 2022

CSE250 – Circuits and Electronics


Practice Problems

(Nodal analysis, Mesh analysis, Source transformation)



Purbayan Das, C. Lecturer Department of Computer Science and Engineering (CSE) BRAC University


Use nodal analysis to determine the voltage across the **3A** current source. What is the power of the it? Is it absorbing or supplying?



Ans: Node voltages = 0 V; $10 \times 4.933 \text{ V}$; 12.267 V; $4.933 \times 4.933 \text{ V}$; Voltage across the 3A source = \pm 2.267 V




Use nodal analysis to determine the voltage across the **3A** current source. What is the power of the it? Is it absorbing or supplying?



. Node voltages = 0 V; - 7.19 V; - 2.78 V; 2.89 V; $\frac{Ans}{A}$: Node voltage across the 3A source = -10.08 V




Use nodal analysis to determine the current through the $4I_0$ source.



 λ 21.0 - λ 4.85 λ ; λ 70 - λ 4.85 λ ; λ 90 - λ 3.35 λ 5.35 λ 5.15 λ 6.17 λ 6.15 λ 6.15 λ 6.15 λ 7.15 λ 7.16 λ 7.17 λ 7.18 λ 7.19 λ 7.19




Use mesh analysis to determine \mathbf{v}_{o} and \mathbf{i}_{o} . What is the voltage across the 5A source?



Ans: $\mathbf{v_0} = 2.941 \, \text{V}; \, \mathbf{i_0} = 0.49 \, \text{A}$




Use mesh analysis to determine $\mathbf{v}_{\mathbf{x}}$ and $\mathbf{i}_{\mathbf{x}}$. What is the voltage across the 3A source?



Ans: $V_x = -4 V$; $i_x = 2.105 A$



Use source transformation to find $\boldsymbol{v_o}$



$$\nabla \varepsilon = \sqrt[0]{v}$$
: \overline{v}



Thank you for your attention

