

Differential Calculus

*Home work sheet #1

Domain & Range

1. Sketch the following functions and find the domain and range:

i. $f(x) = \frac{1}{x-2}$

ii. $g(x) = \frac{|x|}{x}$

iii. $h(x) = x^2 - 2$

iv. $k(x) = \sqrt{4-x^2}$

Find out the domain and range of the following functions:

1. $f(x) = \frac{1}{x-3}$

10. $f(x) = \sqrt{2x+4}$

2. $f(x) = \sqrt{x^2-9}$

11. $f(x) = \frac{1}{5x+7}$

3. $f(x) = \sqrt{9-x^2}$

12. $f(x) = -\sqrt{x^2-7x+10}$

4. $f(x) = \begin{cases} 2x+6 & , -3 \leq x \leq 0 \\ 6 & , 0 < x < 2 \\ 2x-6 & , 2 \leq x \leq 5 \end{cases}$

13. $f(x) = \begin{cases} x^2 & , x < 0 \\ x & , 0 \leq x \leq 1 \\ \frac{1}{x} & , x > 1 \end{cases}$

5. $f(x) = \frac{x}{|x|}$

14. $f(x) = \sqrt{x^2-5x+6}$

6. $f(x) = x^3 + 2$

15. $f(x) = \sin^2 x$

7. $f(x) = \begin{cases} x+2 & , x \leq -1 \\ x^3 & , |x| < 1 \\ -x+3 & , x \geq 1 \end{cases}$

16. $f(x) = \begin{cases} \frac{x^2-1}{x-1} & , x \neq 1 \\ 2 & , x = 1 \end{cases}$

8. $f(x) = e^x$

17. $f(x) = \log x$

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

9. $f(x) = 3\sin x$

18. $f(x) = \ln(x^2 + 1)$

Sketch the above functions except 16 and 18.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet #2

Limit

Find the limit of the following functions:

1. $\lim_{x \rightarrow 0} \frac{x}{\sqrt{x+1}-1}$

2. $\lim_{x \rightarrow 2} \frac{2x^2 - 5x + 2}{5x^2 - 7x - 6}$

3. $f(x) = \begin{cases} x^2 + 1 & , x > 0 \\ 1 & , x = 0 \\ 1 + x & , x < 0 \end{cases}$

4. $f(x) = \begin{cases} 3x - 1 & , x < 1 \\ 3 - x & , x > 1 \end{cases}$

Find $\lim_{x \rightarrow 0} f(x)$

Find $\lim_{x \rightarrow 1} f(x)$

5. $\lim_{x \rightarrow 0} \frac{x}{|x|}$

6. $\lim_{x \rightarrow \infty} \frac{3x + 5}{6x - 8}$

7. $f(x) = \begin{cases} 2 - x & , x < 1 \\ x^2 + 1 & , x > 1 \end{cases}$

8. $f(x) = \begin{cases} e^{\frac{-|x|}{2}} & , -1 < x < 0 \\ x^2 & , 0 < x < 2 \end{cases}$

Find $\lim_{x \rightarrow 1} f(x)$ Find $\lim_{x \rightarrow 0} f(x)$

9. $f(x) = \begin{cases} \frac{1}{x+2} & , x < -2 \\ x^2 - 5 & , -2 < x < 3 \\ \sqrt{x+13} & , x > 3 \end{cases}$

10. $f(x) = \begin{cases} x^2 & , x < 1 \\ 2.4 & , x = 1 \\ x^2 + 1 & , x > 1 \end{cases}$

Find $\lim_{x \rightarrow -2} f(x)$ and $\lim_{x \rightarrow 3} f(x)$ Does $\lim_{x \rightarrow 1} f(x)$ exist?

11. $\lim_{x \rightarrow \infty} (\sqrt{x^6 + 5x^3} - x^3)$

12. Prove that $\lim_{x \rightarrow \infty} \left(1 + \frac{1}{x}\right)^x = e$

13. $\lim_{x \rightarrow \infty} \sqrt[3]{\frac{3x+5}{6x-8}}$

14. $\lim_{x \rightarrow -\infty} \frac{4x^2 - x}{2x^3 - 5}$

15. Let $f(x) = \begin{cases} 2x+1 & , x < 1 \\ 3-x & , x > 1 \end{cases}$, find $\lim_{x \rightarrow 1} f(x)$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet # 3

Continuity and Differentiability

a) Test the continuity of the following functions:

$$1. f(x) = \begin{cases} \cos x, & x \geq 0 \\ -\cos x, & x < 0 \end{cases} \text{ at } x = 0.$$

$$2. f(x) = \begin{cases} x \cos(1/x), & x \neq 0 \\ 0, & x = 0 \end{cases} \text{ at } x = 0.$$

$$3. f(x) = \begin{cases} e^{1/x}, & x \neq 0 \\ 1, & x = 0 \end{cases} \text{ at } x = 0.$$

$$4. f(x) = \begin{cases} e^{\frac{-|x|}{2}}, & -1 < x < 0 \\ x^2, & 0 \leq x < 2 \end{cases} \text{ at } x = 0.$$

$$5. f(x) = \begin{cases} (x-a) \sin\left(\frac{1}{x-a}\right), & x \neq a \\ 0, & x = a \end{cases} \text{ at } x = a.$$

$$6. f(x) = \begin{cases} 1, & x < 0 \\ 1 + \sin x, & 0 \leq x < \pi/2 \\ 2 + (x - \pi/2)^2, & x \geq \pi/2 \end{cases} \text{ at } x = 0 \text{ and } x = \pi/2.$$

$$7. f(x) = \begin{cases} x \sin(1/x), & x \neq 0 \\ 0, & x = 0 \end{cases} \text{ at } x = 0.$$

$$8. f(x) = \begin{cases} \frac{|x-3|}{x-3}, & x \neq 3 \\ 0, & x = 3 \end{cases} \text{ at } x = 3.$$

$$9. f(x) = |x| + |x-1| \text{ at } x = 0 \text{ and } x = 1.$$

$$10. f(x) = \begin{cases} (1+x)^{1/x}, & x \neq 0 \\ 1, & x = 0 \end{cases} \text{ at } x = 0.$$

b) Test the differentiability of the following functions:

$$2. f(x) = \begin{cases} x^2 \cos(1/x), & x \neq 0 \\ 0, & x = 0 \end{cases} \text{ at } x = 0.$$

$$3. f(x) = |x| \text{ at } x = 0.$$

$$2. f(x) = \begin{cases} x^2 \sin(1/x), & x \neq 0 \\ 0, & x = 0 \end{cases} \text{ at } x = 0.$$

(c) Let $f(x) = \begin{cases} x^2 - 16x, & x < 9 \\ 12\sqrt{x}, & x \geq 9 \end{cases}$. Is $f(x)$ continuous at $x = 9$? Determine whether $f(x)$ is differentiable at $x = 9$.

(d) Let $f(x) = \begin{cases} x^2, & x \leq 1 \\ \sqrt{x}, & x > 1 \end{cases}$. Is $f(x)$ continuous at $x = 1$? Determine whether $f(x)$ is

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

differentiable at $x = 1$.

(e) Show that $f(x) = \begin{cases} x^2 + 1, & x \leq 1 \\ x, & x > 1 \end{cases}$ is neither continuous nor differentiable at $x = 1$. Also sketch the graph of $f(x)$.

*Home work sheet # 4

Techniques of Differentiation

1. Find the differential coefficients of the following functions with respect to x . (i.e. $\frac{dy}{dx}$).

(i) $y = \sin x \sin 2x \sin 3x$, (ii) $y = \operatorname{cosec}^3 x$, (iii) $y = \cos 2x \cos 3x$, (iv) $y = \sin^{-1}(x^2)$,

(v) $y = \tan(\sin^{-1} x)$, (vi) $\cot^{-1}\left(\frac{1+x}{1-x}\right)$, (vii) $\cos^{-1}\left(\frac{1-x^2}{1+x^2}\right)$, (viii) $\sin^{-1}\left(\frac{2x}{1+x^2}\right)$,

(ix) $\tan^{-1}\left(\frac{2x}{1-x^2}\right)$, (x) $\tan^{-1}\left(\frac{x}{\sqrt{1-x^2}}\right)$, (xi) $\sin\left(2 \tan^{-1} \sqrt{\frac{1-x}{1+x}}\right)$, (xii) $\ln \sqrt{\frac{1-\cos x}{1+\cos x}}$.

2. Find the differential coefficients of:

(i) $(\sin x)^{\ln x}$, (ii) $(\sin x)^{\cos x} + (\cos x)^{\sin x}$.

3. Find $\frac{dy}{dx}$ in the following cases:

(i) $3x^4 - x^2y + 2y^3 = 0$, (ii) $x^3 + y^3 + 4x^2y - 25 = 0$, (iii) $x^y = y^x$.

4. Find $\frac{dy}{dx}$ when

(i) $x = a \cos^3 \theta$, $y = a \sin^3 \theta$, (ii) $x = \sin^2 \theta$, $y = \tan \theta$, (iii) $x = a \sec^2 \theta$, $y = a \tan^2 \theta$.

5. Differentiate the left-side functions with respect to the right-side ones:

(i) $\cos^{-1}\left(\frac{1-x^2}{1+x^2}\right)$ with respect to $\tan^{-1}\left(\frac{2x}{1-x^2}\right)$ (ii) $x^{\sin^{-1}(x)}$ with respect to $\sin^{-1} x$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet #5

Maxima and minima

1. Find (a) the open intervals on which f is increasing, (b) the open intervals on which f is decreasing, (c) the open intervals on which f is concave up, (d) the open intervals on which f is concave down and (e) the x -coordinate of all inflection points.

(i) $f(x) = x^2 - 5x + 6$ (ii) $f(x) = 5 + 12x - x^3$

(iii) $f(x) = x^4 - 8x^2 + 16$ (iv) $f(x) = \frac{x^2}{x^2 + 2}$ (v) $f(x) = \sqrt[3]{x+2}$.

2. Locate the critical numbers and identify which critical numbers correspond to stationary points.

(i) $f(x) = x^3 + 3x^2 - 9x + 1$ (ii) $f(x) = x^4 - 6x^2 - 3$

(iii) $f(x) = \frac{x}{x^2 + 2}$ (iv) $f(x) = x^{2/3}$

(v) $f(x) = x^{1/3}(x+4)$ (vi) $f(x) = \cos 3x$.

3. Find the relative extrema (maxima/ minima) using both the first and second derivative tests.

(i) $f(x) = 2x^3 - 9x^2 + 12x$ (ii) $f(x) = \frac{x}{2} - \sin x, \quad 0 < x < 2\pi$.

4. Use the given derivative to find all critical numbers of f and determine whether a relative maximum, relative minimum, or neither occurs there.

(i) $f'(x) = x^3(x^2 - 5)$ (ii) $f'(x) = \frac{x^2 - 1}{x^2 + 1}$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet # 6

Successive Differentiation

a. Find the n th derivative of the following functions:

1. $y = x^n$

2. $y = (ax + b)^n$

3. $y = \ln(ax + b)$

4. $y = \frac{1}{x + a}$

5. $y = e^{ax}$

6. $y = \sin(ax + b)$

7. $y = \cos(ax + b)$

b. If $y = e^{ax} \sin bx$, then show that $y_2 - 2ay_1 + (a^2 + b^2)y = 0$.

c. If $y = e^x \sin x$, then show that $y_4 + 4y = 0$.

Rolle's and Mean Value Theorem

a. Verify the hypothesis of Rolle's Theorem for the following functions:

1. $f(x) = x^2 - 6x + 8$; $[2, 4]$

2. $f(x) = \cos x$; $[\pi/2, 3\pi/2]$

3. $f(x) = \frac{x}{2} - \sqrt{x}$; $[0, 4]$.

b. Verify the hypothesis of Mean Value Theorem for the following functions:

1. $f(x) = x^3 + x - 4$; $[-1, 2]$

2. $f(x) = \sqrt{x+1}$; $[0, 3]$

3. $f(x) = \sqrt{25 - x^2}$; $[0, 5]$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

Maclaurin and Taylor Series

1. Find the Taylor series for the following functions:

(i) $\sin x$, at $x_0 = \frac{\pi}{2}$. (ii) $\ln x$, at $x_0 = 2$.

2. Expand $y = \ln x$ in the power of $x - 2$ and $y = e^{ax}$ in the power of $x - 1$.

3. Find the Maclaurin series for the function e^{ax} and $\cos x$.

4. Find the Maclaurin polynomial P_0, P_1, P_2, P_3 for $e^x \cos x$.

5. Expand $y = \ln(x+1)$, $y = \sin x$, $y = \cos x$ in the power of x .

*Home work sheet # 7

Leibnitz's Theorem

1. If $y = \tan^{-1} x$, then show that $(1+x^2)y_{n+2} + 2(n+1)xy_{n+1} + n(n+1)y_n = 0$.

2. If $y = \cot^{-1} x$, then show that $(1+x^2)y_{n+2} + 2(n+1)xy_{n+1} + n(n+1)y_n = 0$.

3. If $y\sqrt{1-x^2} = \sin^{-1} x$, then show that $(1-x^2)y_{n+1} - (2n+1)xy_n - n^2y_{n-1} = 0$.

4. If $y = e^{\tan^{-1} x}$, then show that $(1+x^2)y_{n+2} + (2nx + 2x - 1)y_{n+1} + n(n+1)y_n = 0$.

5. If $y = e^{m \sin^{-1} x}$, then show that $(1-x^2)y_{n+2} - (2n+1)xy_{n+1} - (n^2 + m^2)y_n = 0$.

6. If $y = (\sin^{-1} x)^2$, then show that $(1-x^2)y_{n+2} - (2n+1)xy_{n+1} - n^2y_n = 0$.

7. If $\log_e y = a \sin^{-1} x$ then show that $(1-x^2)y_{n+2} - (2n+1)xy_{n+1} - (n^2 + a^2)y_n = 0$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

8. If $y = e^{m \cos^{-1} x}$ then show that $(1 - x^2)y_{n+2} - (2n + 1)xy_{n+1} - (n^2 + m^2)y_n = 0$.
9. If $\log_e y = \tan^{-1} x$ then show that $(1 + x^2)y_{n+2} + (2nx + 2x - 1)y_{n+1} + n(n + 1)y_n = 0$.
10. If $y = (\cos^{-1} x)^2$, then show that $(1 - x^2)y_{n+2} - (2n + 1)xy_{n+1} - n^2 y_n = 0$.
11. If $\ln y = m \cos^{-1} x$, then show that $(1 - x^2)y_{n+2} - (2n + 1)xy_{n+1} - (n^2 + m^2)y_n = 0$.
12. If $x = \tan(\ln y)$, then show that $(1 + x^2)y_{n+2} + (2nx + 2x - 1)y_{n+1} + n(n + 1)y_n = 0$.

Indeterminate Forms

Find the limit using L' Hospital's rule:

1. $\lim_{x \rightarrow 1} \frac{\ln x}{x - 1}$, 2. $\lim_{x \rightarrow 3} \frac{x - 3}{3x^2 - 13x + 12}$, 3. $\lim_{x \rightarrow 0} \left(\frac{1}{x^2} - \frac{\cos 3x}{x^2} \right)$, 4. $\lim_{x \rightarrow \pi} \frac{\sin x}{x - \pi}$
5. $\lim_{x \rightarrow 0} \frac{x - \tan^{-1} x}{x^3}$, 6. $\lim_{x \rightarrow +\infty} \frac{e^{3x}}{x^2}$, 7. $\lim_{x \rightarrow 0} \frac{a^x - 1 - x \log a}{x^2}$, 8. $\lim_{x \rightarrow 0} (e^x + x)^{\frac{1}{x}}$
9. $\lim_{x \rightarrow 0} \left(\frac{1}{x} - \frac{1}{\sin x} \right)$, 10. $\lim_{x \rightarrow \pi} (x - \pi) \cot x$, 11. $\lim_{x \rightarrow 0} \frac{\ln(\sin x)}{\ln(\tan x)}$, 12. $\lim_{x \rightarrow \infty} x e^{-x}$
13. $\lim_{x \rightarrow 0} \frac{\sin 2x}{x}$, 14. $\lim_{x \rightarrow 0} \frac{\sin x}{x^2}$, 15. $\lim_{x \rightarrow \infty} \frac{x}{e^x}$, 16. $\lim_{x \rightarrow 0} \left(\frac{1}{x} - \frac{1}{x e^x} \right)$, 17. $\lim_{x \rightarrow 0} \frac{\sin 2x}{\sin 5x}$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet # 8

Partial derivative

1. Let $f(x, y) = 3x^3y^2$. Find

(a) $f_x(x, y)$ (b) $f_y(x, y)$ (c) $f_x(x, 1)$ (d) $f_y(1, y)$ (f) $f_x(1, 2)$ (g) $f_y(1, 2)$.

2. Let $f(x, y) = xe^{-y} + 5y$, $f(x, y) = \sqrt{3x + 2y}$

(a) Find the Slope of the surface $f(x, y)$ in the x- direction at the point (3,0) and (4,2)

(b) Find the slope of the surface $f(x, y)$ in the y direction of the point (3,0) and (4,2)

3. Let $f(x, y) = 4x^2 - 2y + 7x^4y^5$, Find (a) f_{xx} (b) f_{yy} (c) f_{xy} (d) f_{yx} .

4. Let $z = \sin(y^2 - 4x)$ and $z = (x + y)^{-1}$

(a) Find the rate of Change of z w. r. to x at the point (2,1) and (-2, 4) with y kept fixed.

(b) Find the rate of Change of z w. r. to y at the point (2,1) and (-2, 4) with x kept fixed.

5. Let $f(x, y, z) = x^3y^5z^7 + xy^2 + y^3z$, find

(a) f_{xy} (b) f_{yz} (c) f_{xz} (d) f_{zz} (e) f_{zyy} (f) f_{zxy} (g) f_{zyx} (h) f_{xyz} .

6. Let $f(x, y, z) = \sqrt{xy} + \ln(x^2z^3) - x \tan(z)$. Compute f_x , f_z , f_{xy} , f_{xyz}

Maxima Minima of

function of several variable

986 Chapter 13 / Partial Derivatives

9-20 Locate all relative maxima, relative minima, and saddle points, if any. ■

9. $f(x, y) = y^2 + xy + 3y + 2x + 3$

10. $f(x, y) = x^2 + xy - 2y - 2x + 1$

11. $f(x, y) = x^2 + xy + y^2 - 3x$

12. $f(x, y) = xy - x^3 - y^2$ 13. $f(x, y) = x^2 + y^2 + \frac{2}{xy}$

14. $f(x, y) = xe^y$ 15. $f(x, y) = x^2 + y - e^y$

16. $f(x, y) = xy + \frac{2}{x} + \frac{4}{y}$ 17. $f(x, y) = e^x \sin y$

18. $f(x, y) = y \sin x$ 19. $f(x, y) = e^{-(x^2+y^2+2x)}$

20. $f(x, y) = xy + \frac{a^3}{x} + \frac{b^3}{y}$ ($a \neq 0, b \neq 0$)

*These problems are for the students only as home work. Search the reference books for more examples.

Differential Calculus

Lagrange Multiplier

5–12 Use Lagrange multipliers to find the maximum and minimum values of f subject to the given constraint. Also, find points at which these extreme values occur. ■

5. $f(x, y) = xy$; $4x^2 + 8y^2 = 16$

6. $f(x, y) = x^2 - y^2$; $x^2 + y^2 = 25$

7. $f(x, y) = 4x^3 + y^2$; $2x^2 + y^2 = 1$

8. $f(x, y) = x - 3y - 1$; $x^2 + 3y^2 = 16$

9. $f(x, y, z) = 2x + y - 2z$; $x^2 + y^2 + z^2 = 4$

10. $f(x, y, z) = 3x + 6y + 2z$; $2x^2 + 4y^2 + z^2 = 70$

11. $f(x, y, z) = xyz$; $x^2 + y^2 + z^2 = 1$

12. $f(x, y, z) = x^4 + y^4 + z^4$; $x^2 + y^2 + z^2 = 1$

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet # 9

Transformation of Co-ordinates

1. Find the polar co-ordinates of the points $(2\sqrt{3}, -2)$, $(0, -2)$, $(1, 1)$.
2. Find the rectangular co-ordinates of the points $(7, 2\pi/3)$, $(8, 9\pi/4)$, $(0, \pi)$.
3. Change to Cartesian coordinates the equations $(i) r = a \sin \theta$, $(ii) \sqrt{r} = \sqrt{a} \cos\left(\frac{\theta}{2}\right)$.
4. Transform to polar coordinates the equations $(i) 9x^2 + 4y^2 = 36$, $(ii) x^3 = y^2(2a - x)$.
5. Transform to parallel axes through the new origin $(1, -2)$ of the equation $2x^2 + y^2 - 4x + 4y = 0$.
6. Transform the equation $x^2 + y^2 - 8x + 14y + 5 = 0$ to parallel axes through $(4, -7)$.
7. Transform the equation $7x^2 - 2xy + y^2 + 1 = 0$ to axes turned through the angle $\tan^{-1}\left(\frac{1}{2}\right)$.
8. Transform the equation $11x^2 + 24xy + 4y^2 - 20x - 40y - 5 = 0$ to rectangular axes through the point $(2, -1)$ and inclined at an angle $\tan^{-1}\left(\frac{4}{3}\right)$.
9. Transform the equation $9x^2 + 15xy + y^2 + 12x - 11y - 5 = 0$, so as to remove the terms x and y .
10. Transform the equation $11x^2 + 3xy + 7y^2 + 19 = 0$, so as to remove the term xy .
11. Determine the equation of the curve $2x^2 + 4xy + 5y^2 - 4x - 22y + 7 = 0$ when the origin is transferred to the point $(-2, 3)$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

12. Remove the xy term from the equation $9x^2 + 24xy + 2y^2 + 54 = 0$.
13. Determine the equation $x^2 + 2\sqrt{3}xy - y^2 = 2a^2$ after rotating of axes through 30° .
14. Transform the equation $9x^2 + 24xy + 2y^2 - 6x + 20y + 41 = 0$ so as to remove the terms in x and y .

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet # 10

Pair of straight lines

1. Show that the following equations represents a pair of straight lines; find also their point of intersection and the angle between them:

(i) $2y^2 - xy - x^2 + y + 2x - 1 = 0$, (ii) $2x^2 - 2xy + x + 2y - 3 = 0$,

(iii) $x^2 + 3xy + 2y^2 + \frac{1}{8}x - \frac{1}{32} = 0$, (iv) $21x^2 + 40xy - 21y^2 + 44x + 122y - 17 = 0$.

2. Find the value of λ or k so that the following equations may represent pairs of straight lines:

(i) $2\lambda xy - y^2 + 4x + 2y + 8 = 0$, (ii) $2x^2 + xy - y^2 - 2x - 5y + k = 0$

(iii) $x^2 - \lambda xy + 2y^2 + 3x - 5y + 2 = 0$, (iv) $12x^2 - 10xy + 2y^2 + 11x - 5y + \lambda = 0$.

3. Find the equations of the bisectors of the angles between the following pairs of straight lines:

(i) $x^2 + xy - 6y^2 - x - 8y - 2 = 0$, (ii) $8x^2 - 14xy + 6y^2 + 2x - y - 1 = 0$,

(iii) $2x^2 + xy - y^2 - 3x + 6y - 9 = 0$, (iv) $2x^2 + 7xy + 6y^2 + 13x + 22y + 20 = 0$

Circle

1. Find the equation of the circle with

(i) centre $(-2, -1)$ and radius 4, (ii) centre $(9, 0)$ and radius 1,

(iii) centre $(0, 0)$ and radius 5.

2. Find the centre and radius of the following circles:

(i) $5x^2 + 5y^2 - 11x - 9y - 12 = 0$, (ii) $x^2 + y^2 + 2x + 2y + 1 = 0$

(iii) $x^2 + y^2 + 2x - 4y - 8 = 0$.

3. Find the equation of the circle passing through the points:

(i) $(1, 3), (2, -1), (-1, 1)$, (ii) $(-4, -3), (-1, -7), (0, 0)$, (iii) $(3, 1), (4, -3), (1, -1)$.

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

*Home work sheet # 11

Tangent and Normal of Circle

1. Show that the circles $x^2 + y^2 - 2x + 4y + 3 = 0$ and $x^2 + y^2 - 8x - 2y + 9 = 0$ touch one another at (2, -1).
2. Find the equation of the circle through the intersection of the circles $x^2 + y^2 - 9x + 14y - 7 = 0$ and $x^2 + y^2 + 15x + 14 = 0$ and passes through the point (2, 5).
3. Find the equation of the circle which passes through the intersection of the circles $x^2 + y^2 = 1$ and $x^2 + y^2 + 2x + 4y + 1 = 0$ and touches the straight line $x + 2y + 5 = 0$.
4. Find the radical centre of the three circles $x^2 + y^2 + x + 2y + 3 = 0$, $x^2 + y^2 + 2x + 4y + 5 = 0$ and $x^2 + y^2 - 7x - 8y - 9 = 0$.

Conic Section

1. Reduce the following equations to their standard forms:
 - (i) $x^2 - 6xy + 9y^2 - 2x - 3y + 1 = 0$
 - (ii) $x^2 - 4xy + y^2 + 8x + 2y - 5 = 0$
 - (iii) $4x^2 - 24xy - 6y^2 + 4x - 12y + 1 = 0$
 - (iv) $9x^2 - 4xy + 6y^2 - 10x - 7 = 0$
 - (v) $x^2 - 4xy - 2y^2 + 10x + 4y = 0$
 - (vi) $x^2 + 4y^2 - 2x - 16y + 1 = 0$
 - (vii) $9x^2 + 24xy + 16y^2 + 22x + 46y + 9 = 0$
 - (viii) $3x^2 + 2xy + 3y^2 + 2x - 6y + \frac{25}{2} = 0$.

2. Find the centre of the following conics:

**These problems are for the students only as home work. Search the reference books for more examples.*

Differential Calculus

(i) $x^2 - 4xy + y^2 + 8x + 2y - 5 = 0$

(ii) $x^2 - 2xy + 2y^2 - 3x + 7y - 1 = 0$

(iii) $3x^2 - 7xy - 6y^2 + 3x - 9y + 5 = 0.$

**These problems are for the students only as home work. Search the reference books for more examples.*