

serendipity — feature demo

one deck exercising every part of the theme

Your Name · Your Lab · Your School

1979-01-01

1 · Text & typography

Slide title is # (h1)

A sub-heading is ## (h2)

AND ### IS A QUIET H3

Body text. **Bold is the only in-text emphasis**, *italic* is available, an inline link is underlined quietly, inline code sits in a soft chip, and you can highlight a phrase with a calm, palette-tinted marker.

Large text · normal · small text ·

muted secondary text

- unordered lists use a quiet accent marker
- one idea per bullet

1. ordered lists work too

2. second item

Callouts (one sober box)

A plain blockquote is the default callout:

Score on what actually executed — not on what the model says.

Add an `#### heading` for a titled callout:

Takeaway

Colour is off by default. The box is `--panel` fill with one accent edge — and `inline code` stays legible inside a callout.

Opt-in colour — info

Colour is **never automatic**. Put a class on the slide only when you mean it.

Note

`<!-- _class: info -->` tints every callout on this slide.

The full set: info · ok · warn · danger — all low-saturation.

Opt-in colour — danger

Warning

`<!-- _class: danger -->` — same mechanism, a different deliberate hue.

Use sparingly: one tinted slide should mean something.

Opt-in colour — **ok**

Done

`<!-- _class: ok -->` for a calm positive note (cadet-blue).

The full family — **info** · **ok** · **warn** · **danger** — is low-saturation by design.

Opt-in colour — warn

Heads-up

`<!-- _class: warn -->` for a soft caution (vivid-tangerine).

Same mechanism every time: the class tints the callout edge and its `####` title.

2 · Layout

Columns (simple flex)

Two equal — `class="cols"`

- markdown works inside
- equal width by default

Three — `cols-3`

column one

column two

column three

~60 / 40 — `class="cols uneven"`

- first child gets more room
- good for text + figure

Full-width table

Work	Ground	Clarify	Safety	Execute	Monitor
Baseline A	✓			✓	
Baseline B	✓	✓		✓	✓
Ours	✓	✓	✓	✓	✓

Booktabs-style rules, no width cap, accent header — `tbody` rows get hairlines.

Image & caption





Figure 1. A centered image with a `.caption`.

- `![w:380 center]` centers and sizes
- `![left]` / `![right]` float text around it
- no 50% width cap — images go full size

Image float & text wrap



Use `![[left]]` (or `![[right]]`) to float a figure and let the prose wrap around it —

handy when an image supports a paragraph rather than standing on its own.

Wrap the image + text in a `<div>` so it flows as a block (the slide itself is a flex column, where floats wouldn't wrap).

The decision diagram on the left flows *instruction* → *ground* → *decide*

→ *execute*, while

this text wraps naturally beside it. Size it with `w:`; there is no width cap, so the same syntax scales from a thumbnail to a full-bleed figure.

Background images (`![bg]`)

Marpit's **native** background syntax splits the slide — no wrapper `<div>` needed:

- `![bg](img)` — full-bleed background
- `![bg left:40%]` / `![bg right:42%]` — split; content beside
- `![bg fit]` / `![bg cover]` — sizing

Note

The foot chrome (hairline + page number) **auto-hides** on background slides, so the image is never clipped by it.

Optional top nav

Add `<!-- _class: nav -->` plus a `header:` to get a quiet section nav (bold the current one). Useful for longer talks.

A tracked eyebrow up top with the current section in bold — and the **footer** here is fields written as Markdown `**...**` segments, dot-bead separated; `***...***` emphasises one (the byline).

3 · Code & math

Code blocks (syntax-highlighted)

Fenced blocks get highlight.js tokens, coloured from the palette:

```
from labmate import Shield

def decide(candidate, scene):          # comment in muted grey
    """Return ACT / ASK / REFUSE."""
    if scene.ambiguous(candidate):
        return Decision("ASK", question="which beaker?")
    verdict = Shield.check(candidate)   # deterministic gate
    return "REFUSE" if verdict.unsafe else "ACT"  # 1 of 3 outcomes
```

Inline `code` sits in a soft chip; keywords, `"strings"`, numbers and function names each take a palette hue — and they re-tint automatically under `midnight` / `sunset`.

Math (KaTeX)

Enable `math: katex` in the front-matter, then write LaTeX between `$...$`.

Inline math sits in a line: the score is $S_{\text{llm}}^{\alpha} \cdot S_{\text{aff}}^{\beta}$, evaluated per candidate.

Display math gets its own centred line:

$$\text{URR} = \frac{N(\text{refuse} \wedge \text{not-run})}{N(\text{unsafe})}$$

Note

Math inherits the ink colour, so it stays legible in every variant.

4 · Customize

Recolour with one line; tune with a few

Colour is the shared **Serendipity** palette. Switch the whole deck in front-matter:

```
class: midnight    # dark · cool    (or sunset – dark · violet)
```

Density & fonts are the only knobs (`:root` in `serendipity.css`):

```
--fs: 26px;    --pad: 54px;    --gap: 1.5rem;
```

The point

The palette is the single source of truth — every theme maps onto it. Restraint by default, power on demand.

serendipity

restraint by default · power on demand

github.com/Serendipity-Theme · your@email