

Feature		Scenario				Step			
Name	Duration	<b>T</b>	P	F	S	T	P	F	S
admin page scenarios	33.443 s	1	1	0	0	5	5	0	0
login validation	18.484 s	1	0	1	0	3	1	1	1

FAIL & SKIP SCENARIOS -- 3 --

 # Feature Name	Scenario Name
1 <u>login validation</u>	Verify valid credentials

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Sanity	1	1	0	0	1	1	0	0
@Admin	1	1	0	0	1	1	0	0
@Login	2	1	1	0	2	1	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	admin page scenarios	1	1	0	0	33.443 s
2	login validation	1	0	1	0	18.484 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	admin page scenarios	Verify user details	5	5	0	0	33.439 s
2	login validation	Verify valid credentials	3	1	1	1	18.484 s

DETAILED SECTION -- 7 --

## admin page scenarios


PASSED	DURATION - 33.443 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 3:15:00.692 pm /	// 3:15:34.135 pm /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **Verify user details**




#	Step / Hook Details	Status	Duration
1	Given User is on the login page	PASSED	0.067 s
2	When the user tries to login the application with "Admin" and "admin123"	PASSED	10.392 s
3	And the user is redirected to the admin page	PASSED	11.572 s
4	And the user searches for a username with "Admin"	PASSED	1.045 s
5	Then the user should see the details of "Admin"	PASSED	5.161 s

## login validation



## **Verify valid credentials**

DETAILED SECTION -- 8 --



when the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login the application with "Admin" and "admin123"  In the user tries to login t	PASSED FAILED	0.011 s 10.039 s
rg.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from isconnected: not connected to DevTools (Session info: chrome=137.0.7151.120) Build info: version: '4.33.0', revision: '2c6aaad03a' System	FAILED	10.039 s
sconnected: not connected to DevTools (Session info: chrome=137.0.7151.120) Build info: version: '4.33.0', revision: '2c6aaad03a' System	]	1
fic. os.name: Windows 11', os.arch: 'am64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver ommand: [e9a8fc3b5fd25afdbf1c57d7770bb898, findElement {value=//input[@name='username'], using=xpath}] Capabilities occeptinsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.120, chrome: {chromedriverVersion: 137.0.7151.119} e0ac9d12dff, userDataDir: C:\Users\USER\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: calhost:58054}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ss://localhost:58054/devtoo, se:cdpVersion: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, ageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, ebauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: ue} Session ID: e9a8fc305fd25afdbf1c57d7770bb898 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.ElementLocation.selementFinder\$2.findElement(Element(Centon.java:165) at org.openqa.selenium.remote.ElementLocation.selementElement(Element		
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	calhost:58054}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: s://localhost:58054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, timeouts: 5805054/devtoo, se:cdp/version: 5805054/devtoo, se:cdp/version: 5805054/devtoo, se:cdp/version: 5805054/devtoo, se:cdp/version: 5805054/devtoo, se:cdp/version: 5805054/devtoo, se:cdp/version: 5805054/devtoo, se:	calhost:58054}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: s://localhost:58054/devtoo, se:cdp/vsion: 137.0.7151.120, setWindowRect: true, strict:fleinteractability: false, timeouts: {implicit: 0, iggeLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:rcredBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: le) Session ID: e9a8fc3b5fd25afdb1c57d7770bb898 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.tttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:367) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:38) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:38) at jdk.pro

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.loginValidations.theUserTriesToLoginTheApplicationWithAnd(loginValidations.java:22)		
	at ?.the user tries to login the application with "Admin" and "admin123"(file:///C:/Users/USER/IdeaProjects/CucumberFramework/src/test/java/		
	features/login.feature:5)		
	* Not displayable characters are replaced by '?'.		
3	Then the user should successfully login to the application	SKIPPED	0.000 s