

Cucumber Report

28 Jun 2025, 8:15:55 am

Start : Jun 28, 8:15:23.277 am

End : Jun 28, 8:15:52.090 am

Duration : 28.813 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>admin page scenarios</u>	28.813 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	<u>admin page scenarios</u>	<u>Verify user details</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Admin	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>admin page scenarios</u>	1	0	1	0	28.813 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>admin page scenarios</u>	<u>Verify user details</u>	5	3	1	1	28.802 s

admin page scenarios

FAILED	DURATION - 28.813 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 8:15:23.277 am // 8:15:52.090 am /					

Verify user details

FAILED	DURATION - 28.802 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 8:15:23.288 am // 8:15:52.090 am /				
admin page scenarios				
@Admin				

#	Step / Hook Details	Status	Duration
1	Given User is on the login page	PASSED	0.047 s
2	When the user tries to login the application with "Admin" and "admin123"	PASSED	10.625 s
3	And the user is redirected to the admin page	PASSED	11.788 s
4	And the user searches for a username with "Admin"	FAILED	0.176 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='oxd-input oxd-input--active' and not(@placeholder)]"} (Session info: chrome=137.0.7151.120) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78a1659ff7d3e6ea89369b117e9f938b, findElement {value=//input[@class='oxd-input oxd-input--active' and not(@placeholder)], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.120, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\USER\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64086/devtoo..., se:cdpVersion: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 78a1659ff7d3e6ea89369b117e9f938b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)</p>		

#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at pages.adminPage.performUserSearch(adminPage.java:34) at stepdefinitions.adminStepDefinitions.theUserSearchesForAUsernameWith(adminStepDefinitions.java:20) at ?.the user searches for a username with "Admin"(file:///C:/Users/USER/IdeaProjects/CucumberFramework/src/test/java/features/admin. feature:7) * Not displayable characters are replaced by '?'. </pre>		
5	Then the user should see the details of "Admin"	SKIPPED	0.003 s