



SUPER CUT
HARDFACE SOLUTIONS

PREMIUM MILLING, HARDFACE & WEAR-RESISTANT ALLOYS

Engineered Performance For High-Abrasion
& Impact Applications



sales@supercutglobal.com
www.supercutglobal.com

ABU DHABI
UNITED ARAB EMIRATES

+971 2 678 8921
+971 2 678 8921

ABOUT US

SUPER CUT Hardface Solutions

At SUPER CUT Hardface Solutions, we specialize in providing high-performance milling and hardfacing materials engineered to extend component lifespan, enhance operational efficiency, and reduce downtime across demanding industrial applications. Backed by years of field expertise and rigorous quality control, we deliver specialized wear solutions tailored to global industrial standards.

With an established presence across key markets in the UAE, UK, and USA, our global network allows us to serve clients efficiently with expert technical assistance and rapid deployment.

Our Core Product Offerings:

- Tungsten Carbide Composite Rods
- Special Carbide Composite Rods (Insert-Embedded & Sintered)
- We provide customized alloy formulas, particle distributions, and rod dimensions to meet specific operational demands.
- Flexible Hardfacing Ropes (HF5000)
- Tungsten Carbide Insert (TCI)
- Nickel Silver Tinning Rods and other Brazing alloys
- Our technical sales engineering team is ready to assist you in selecting the ideal hardfacing solution.



Registration Certificate
Certificate No. - 26RN09BA

This is to certify that

SUPER CUT TRADING-L.L.C-S.P.C
M.Ozmezzent Floor, Building No. 255, Abu Dhabi, United Arab Emirates

has been assessed by RICL and found to comply with the requirements of

ISO 9001:2015
Quality Management Systems

For the following activities:

Supply of Tungsten Carbide Composite Rods, Hardfacing Circumstances, Carbide Inserts, PDC Cutters, Brazing Alloys, Brazing Flux and Grinding Wheels to Manufacturing and Service Sectors Globally

Date of Initial Certification: 03/09/2026
Last Surveillance on or before: 03/09/2027
Final Surveillance on or before: 02/08/2028
Certification Valid Until: 02/09/2029



Tahsin
Director
Royal Impact Certification Ltd.
www.ricliso.com, info@ricliso.com

This certificate can be verified at www.ricliso.com or www.iaf.com
United Accreditation Foundation Inc.
1060 Linden Road, Suite 128 USN, Virginia Beach VA 23461, United States of America
UAF is a member of International Accreditation Forum (IAF). Its membership status can be verified at www.iaf.com. This Certificate has been issued by and remains the property of Royal Impact Certification Ltd., 421, Tower D, 17th, Plot No. A-4, Sector-42, Noida - 201301, NCT of Delhi and cannot be returned or subject to a certificate in substance. Validity of this certificate is subject to successful surveillance audits as per dates given above.



Quality Policy Statement

Our quality service culture is characterized by customer focus and continuous improvement in all we do. The delivery of quality service shall be the focus of everyone at SUPER CUT TRADING-L.L.C-S.P.C as we achieve success in the long term pursuit of quality, our people will strive to:

- Meet customer needs and exceed their expectations.
- Respond quickly and wisely to rapid changes in the business environment and changing customer needs.
- Attract and retain customers by being first - in - class.

To ensure continuing success of the quality initiative, our leadership will:

- Maintain an absolute, proactive and long-term commitment to customer focused, continuous service improvement.
- Understand the concepts, be familiar with the tools and encourage techniques that enable us to fully integrate customer focused continuous improvement in everything we do.
- Act as role models for the quality values of SUPER CUT TRADING-L.L.C-S.P.C
- SUPER CUT TRADING-L.L.C-S.P.C has formulated an 'improvement' commitment for ensuring strict adherence to business improvement and for reviewing the status on a time-to-time basis.

The General Manager, Management, Staff and Sub-contractors of SUPER CUT TRADING-L.L.C-S.P.C are fully committed to providing all our customers and potential customers with a service that fully meets their requirements.

The personal certification process will ensure that all transactions and certification decisions are conducted in accordance with the requirements of the relevant standard. In addition, SUPER CUT TRADING-L.L.C-S.P.C is fully committed to ensuring that it fully complies with all legal and regulatory requirements and guidelines, relevant standards, and all requirements of any regulatory body.

SUPER CUT TRADING-L.L.C-S.P.C will ensure that professional services will be offered and provided to the customers through the use of trained, experienced, competent team and support staff.

SUPER CUT TRADING-L.L.C-S.P.C will continuously work to improve the services offered and will do so through action upon customer's feedback, regular internal and external examinations, reviews of reports, reviews of self-performance and management review meetings.

Any customer who feels dissatisfied with any aspect of the services provided by SUPER CUT TRADING-L.L.C-S.P.C is encouraged to put in writing their complaint which will be responded to promptly and thoroughly investigated.

In conducting training and certification activities SUPER CUT TRADING-L.L.C-S.P.C fully understands the importance of ensuring the personnel certification process is conducted in an impartial manner and is free of conflict of interest.



1/1 Page



SQUARE INSERTS




TUNGSTEN CARBIDE COMPOSITE ROD

STAR CUT INSERTS



SC CHIP BREAKER



SC TRICORN INSERTS

ROUND TAPERED INSERTS



SC OCTACUT INSERTS



RECTANGULAR TAPERED INSERT

PDC INSERTS



DIMENSIONS (INCHES/mm)					
TYPE	PART NO	DIA./WIDTH	THICK./HEIGHT	LENGTH	
Round Tapered Inserts	SC001	3/8	1/4	/	
Half Round Tapered	SC002	0.366	3/16	/	
	SC003	3/8	1/4	/	
Octagon Tapered	SC004	1/4	3/16	/	
	SC005	3/8	1/4	/	
Square	SC006	3/8	3/16		
Star Cut	SC007	3/16	3/16	/	
	SC008	1/4	1/4	/	
	SC009	5/16	5/16	/	
	SC010	3/8	3/8	/	
SC Pyramid	SC011	0.238	0.370	/	
Rectangle HF3000 (Ribbed)	SC012	5mm	3mm	25mm	
	SC013	5mm	3mm	13mm	
Rectangle Tapered	SC014	3/8	1/4	1/2	
	SC015	3/8	3/8	1/4	

TUNGSTEN CARBIDE COMPOSITE RODS

SUPER CUT Composite Rods combine high-grade tungsten carbide crushed chips embedded in a tough, high-tensile brazing matrix. Designed for severe wear, milling and cutting operations, these rods deliver maximum abrasion resistance and cutting speed.

Matrix Integrity:
Formulated with high-tensile brazing alloys for optimum chip retention.

High Performance:
Made with specially processed, crushed tungsten carbide to ensure consistent strength and quality.

Maximum Durability:
Uses sharp, intact carbide particles to resist extreme wear and improve milling efficiency.

CHEMICAL COMPOSITION & MATRIX GRADES

GRADE CODE	HARD PHASE	MATRIX / BONDING PHASE COMPOSITION	PRIMARY APPLICATIONS
SC-Cr-70	Carbide Grits (75%)	25% Cu Matrix (Cu 56-66%, Fe 0.5% Max, Sn 0.5% Max, Zn Bal.)	• Reamers & Hole Openers • Fishing & Milling Tools • Casing Cutters & Coring Tools
SC-Cr-60	Carbide Grits (65%)	35% Cu Matrix (Cu 56-66%, Fe 0.5% Max, Sn 0.5% Max, Zn Bal.) • Stabilizers & Screw Feeders •	• Stabilizers & Screw Feeders • Reamers & Sand Mixers • General Abrasive Applications

TUNGSTEN CARBIDE COMPOSITE RODS

Grit & Physical Dimensions

GRADE	PART NUMBER	CARBIDE GRIT SIZE (INCHES)	SURFACE FINISH
SC-Cr-70	SC-CU-101	10 – 18 Mesh	Bare or Flux-Coated
	SC-CU-102	1/16 – 1/8	Bare or Flux-Coated
	SC-CU-103	1/8 – 1/8	Bare or Flux-Coated
	SC-CU-104	1/8 – 3/16	Bare or Flux-Coated
	SC-CU-105	3/16 – 3/16	Bare or Flux-Coated
	SC-CU-106	3/16 – 1/4	Bare or Flux-Coated
	SC-CU-107	1/4 – 1/4	Bare or Flux-Coated
	SC-CU-108	1/4 – 5/16	Bare or Flux-Coated
	SC-CU-109	5/16 – 5/16	Bare or Flux-Coated
	SC-CU-110	5/16 – 3/8	Bare or Flux-Coated
	SC-CU-111	3/8 – 1/2	Bare or Flux-Coated
	SC-CU-112	3/8 – 3/8	Bare or Flux-Coated

GRADE	PART NUMBER	CARBIDE GRIT SIZE (INCHES)	SURFACE FINISH
SC-Cr-60	SC-CU-113	10 – 18 Mesh	Bare or Flux-Coated
	SC-CU-114	1/16 – 1/8	Bare or Flux-Coated
	SC-CU-115	1/8 – 1/8	Bare or Flux-Coated
	SC-CU-116	1/8 – 3/16	Bare or Flux-Coated
	SC-CU-117	3/16 – 3/16	Bare or Flux-Coated
	SC-CU-118	3/16 – 1/4	Bare or Flux-Coated
	SC-CU-119	1/4 – 1/4	Bare or Flux-Coated
	SC-CU-120	1/4 – 5/16	Bare or Flux-Coated
	SC-CU-121	5/16 – 5/16	Bare or Flux-Coated
	SC-CU-122	5/16 – 3/8	Bare or Flux-Coated
	SC-CU-123	3/8 – 1/2	Bare or Flux-Coated
	SC-CU-124	3/8 – 3/8	Bare or Flux-Coated

FLEXIBLE

HARDFACING ROPE

(HF-5000)

Flexible Hardfacing Rope

SUPER CUT Flexible Hardfacing Rope consists of premium cast tungsten carbide, spherical cast tungsten carbide, or a blend of both suspended in a nickel-based self-fluxing binder. Built around a central nickel wire core, this rope enables precise torch deposition on complex geometries.

Erosion & Abrasion Defense:

Provides a dense surface layer resistant to particle impact and sliding wear.

Low Working Temperature:

Deposited at approximately 1050°C, minimizing thermal damage to base metals.

Controlled Fluidity:

Superior puddle control during oxyacetylene deposition.



GRADE SPECIFICATIONS

GRADE CODE	HARD PHASE COMPOSITION	BONDING PHASE COMPOSITION	PRIMARY APPLICATIONS
SC-2100	Cast Tungsten Carbide (65%)	Self-Fluxing Nickel Alloy (35%)	• Oilfield Stabilizers & Drilling Tools
SC-2200	Spherical Cast Tungsten Carbide (65%)	Self-Fluxing Nickel Alloy (35%)	• Brick & Clay Manufacturing Plates • Decanter Screws in Food / Chemical Processing

NICKEL SILVER TINNING RODS


SUPER CUT Nickel Silver Tinning Rods are high-strength, multi-purpose oxyacetylene rods for joining and surfacing ferrous and non-ferrous metals. They are ideal for joining tungsten carbide and inserts with steel surface as well as serving as the bonding matrix for loose carbide grits.

CHEMICAL COMPOSITION

GRADE	CU	NI	SI	ZN
RBCuZn-D	46.0 - 50.0%	10.0 - 11.0%	0.25% Max	Balance

MECHANICAL & PHYSICAL CHARACTERISTICS

SIZES	PART NUMBER	TYPICAL HARDNESS	MELTING POINT	TENSILE STRENGTH	SURFACE FINISH
1/8" (3.2mm)	SC-bz-01	120 HB	915°C	—	—
3/16" (4.8mm)	SC-bz-02	120 HB	915°C	—	—



SUPER CUT
HARDFACE SOLUTIONS



Contact Us :

- **Super Cut - USA**
9463 Hwy 377 Benbrook, TX 76126, Texas.
- **Super Cut - UK**
19 Arthur street Luton, LU1 3SF, London
- **Super Cut - MENA**
PO Box : 778323, Abu Dhabi United Arab Emirates

We supply premium-grade Tungsten from leading Global manufacturers, selected through rigorous technical evaluation to ensure optimum performance, reliability, durability, and compliance with international engineering standards.